

[illegible]

[illegible]

[illegible]


```
.cache/roles/nunomourinho.leanime_ ansible symlink to current repository in order to enable Ansible to find the role using
its expected full name. INFO Added
ANSIBLE_ROLES_PATH=~/.ansible/roles:/usr/share/ansible/roles:/etc/ansible/roles:./.cache/roles INFO Running default >
dependency WARNING Skipping, missing the requirements file. WARNING Skipping, missing the requirements file. INFO
Running default > lint COMMAND: set -e yamllint . ansible-lint Loading custom .yamllint config file, this extends our
internal yamllint config. WARNING Listing 1 violation(s) that are fatal command-instead-of-shell: Use shell only when shell
functionality is required molecule/default/verify.yml:166 Task/Handler: SimulaÃ§Ã£o: Verifica se Ã© necessÃ¡rio criar a
base de dados leantime_database You can skip specific rules or tags by adding them to your configuration file: # .ansible-
lint warn_list: # or 'skip_list' to silence them completely Finished with 0 failure(s), 1 warning(s) on 38 files.
]0;admlcal@devOps: ~/leantime_ ansibleadmlcal@devOps:~/leantime_ ansible$ molecule lintnano .ansible-lint [?2004h[?
1049h[?7h[?1h=[?1h=[?25l[ A ler... ][ 3 linhas lidas ] GNU nano 4.8 .ansible-lint ^G Ajuda^O Gravar^W Procurar^K
Cortar txt ^J Justificar ^C Pos cursor M-U Desfazer M-A Marcar txt ^X Sair^R Carregar^_ Substituir ^U Colar txt ^T
Ortografia ^_ Ir p/ linha M-E Refazer M-6 Copiar txt [?12l[?25h[?25lModificado [?12l[?25h[?25l[?12l[?25h[?25l[?12l[?25h[?
25l[?12l[?25h[?25ls list: # or 'skip_list' to silence them completely s[?12l[?25h[?25lk list: # or 'skip_list' to silence them
completely ski[?12l[?25h[?25li list: # or 'skip_list' to silence them completely ski[?12l[?25h[?25lp list: # or 'skip_list' to
silence them completely[?12l[?25h[?25l M-D Formato DOSM-A AnexarB SeguranÃ§aC Cancelar M-M Formato MacM-P
Prepor^T P/ ficheiros Nome do ficheiro onde escrever: .ansible-lint [?12l[?25h[?25l [ A escrever... ][ 3 linhas escritas ]^O
Gravar^W Procurar ^K Cortar txt ^J Justificar ^C Pos cursorU Desfazer M-A Marcar txtX Sair ^R Carregar^_ Substituir
^U Colar txt ^T Ortografia ^_ Ir p/ linha M-E Refazer M-6 Copiar txt [?12l[?25h[?25l [?12l[?25h[?25ll[?12l[?25h[?25l [?
12l[?25h[?1049l [?1l>[?2004l]0;admlcal@devOps: ~/leantime_ ansibleadmlcal@devOps:~/leantime_ ansible$ nano
.ansible-lintmolecule lint INFO default scenario test matrix: dependency, lint INFO Performing prerun... INFO Using
.cache/roles/nunomourinho.leanime_ ansible symlink to current repository in order to enable Ansible to find the role using
its expected full name. INFO Added
ANSIBLE_ROLES_PATH=~/.ansible/roles:/usr/share/ansible/roles:/etc/ansible/roles:./.cache/roles INFO Running default >
dependency WARNING Skipping, missing the requirements file. WARNING Skipping, missing the requirements file. INFO
Running default > lint COMMAND: set -e yamllint . ansible-lint Loading custom .yamllint config file, this extends our
internal yamllint config. ]0;admlcal@devOps: ~/leantime_ ansibleadmlcal@devOps:~/leantime_ ansible$ molecule
converge INFO default scenario test matrix: dependency, create, prepare, converge INFO Performing prerun... INFO Using
.cache/roles/nunomourinho.leanime_ ansible symlink to current repository in order to enable Ansible to find the role using
its expected full name. INFO Added
ANSIBLE_ROLES_PATH=~/.ansible/roles:/usr/share/ansible/roles:/etc/ansible/roles:./.cache/roles INFO Running default >
dependency WARNING Skipping, missing the requirements file. WARNING Skipping, missing the requirements file. INFO
Running default > create WARNING Skipping, instances already created. INFO Running default > prepare WARNING
Skipping, instances already prepared. INFO Running default > converge PLAY [Converge]
*****
TASK [Gathering Facts]
***** ok:
[ubuntu-20.04] TASK [Include leantime_ ansible]
***** TASK
[leantime_ ansible : Atualiza a cache (equivalente a apt update)]
***** changed: [ubuntu-20.04] TASK [leantime_ ansible :
Atualiza o sistema operativo] ***** ok:
[ubuntu-20.04] TASK [leantime_ ansible : Instalar as dependencias necessÃ¡ria ao programa leantime]
***** ok: [ubuntu-20.04] TASK [leantime_ ansible : Instala o serviÃ§o
apache2 no arranque do sistema] ***** ok: [ubuntu-20.04] TASK
[leantime_ ansible : Rotina Auxiliar: Procura o caminho do ficheiro php.ini do servidor apache2]
***** ok: [ubuntu-20.04] TASK [leantime_ ansible : Ativa vÃ¡rias opÃ§Ãµes no ficheiro
php.ini, utilizando o mÃ¡dulo lineinfile.] ***** ok: [ubuntu-20.04] => (item={'regex':
'^file_uploads', 'line': 'file_uploads = 1'}) ok: [ubuntu-20.04] => (item={'regex': '^upload_max_filesize', 'line':
'upload_max_filesize = 1G'}) ok: [ubuntu-20.04] => (item={'regex': '^max_file_uploads', 'line': 'max_file_uploads = 20'})
ok: [ubuntu-20.04] => (item={'regex': '^post_max_size', 'line': 'post_max_size = 2G'}) ok: [ubuntu-20.04] => (item=
{'regex': '^memory_limit', 'line': 'memory_limit = 2G'}) ok: [ubuntu-20.04] => (item={'regex': '^max_input_time', 'line':
'max_input_time = 3600'}) TASK [leantime_ ansible : Cria a directoria temporÃ¡ria leantime e a directoria de apache
leantime] ***** ok: [ubuntu-20.04] => (item={'path': '/tmp/leantime'}) ok: [ubuntu-
20.04] => (item={'path': '/var/www/leantime'}) TASK [leantime_ ansible : Cria a base de dados de mysql para o leantime]
***** changed: [ubuntu-20.04] TASK [leantime_ ansible : Cria o
utilizador para a base de dados leantime] ***** [WARNING]:
Module did not set no_log for update_password changed: [ubuntu-20.04] PLAY RECAP
*****
ubuntu-20.04 : ok=10 changed=3 unreachable=0 failed=0 skipped=0 rescued=0 ignored=0 ]0;admlcal@devOps:
~/leantime_ ansibleadmlcal@devOps:~/leantime_ ansible$ molecule idempotence INFO default scenario test matrix:
idempotence INFO Performing prerun... INFO Using .cache/roles/nunomourinho.leanime_ ansible symlink to current
repository in order to enable Ansible to find the role using its expected full name. INFO Added
ANSIBLE_ROLES_PATH=~/.ansible/roles:/usr/share/ansible/roles:/etc/ansible/roles:./.cache/roles INFO Running default >
idempotence PLAY [Converge]
*****
TASK [Gathering Facts]
***** ok:
[ubuntu-20.04] TASK [Include leantime_ ansible]
***** TASK
[leantime_ ansible : Atualiza a cache (equivalente a apt update)]
***** ok: [ubuntu-20.04] TASK [leantime_ ansible : Atualiza o
sistema operativo] ***** ok: [ubuntu-20.04]
TASK [leantime_ ansible : Instalar as dependencias necessÃ¡ria ao programa leantime]
***** ok: [ubuntu-20.04] TASK [leantime_ ansible : Instala o serviÃ§o
apache2 no arranque do sistema] ***** ok: [ubuntu-20.04] TASK
```

```
[leantime_ansible : Rotina Auxiliar: Procura o caminho do ficheiro php.ini do servidor apache2]
***** ok: [ubuntu-20.04] TASK [leantime_ansible : Ativa vÃ¡rias opÃ§Ãµes no ficheiro
php.ini, utilizando o mÃ¡dulo lineinfile.] ***** ok: [ubuntu-20.04] => (item={'regex':
'^file_uploads', 'line': 'file_uploads = 1'}) ok: [ubuntu-20.04] => (item={'regex': '^upload_max_filesize', 'line':
'^upload_max_filesize = 1G'}) ok: [ubuntu-20.04] => (item={'regex': '^max_file_uploads', 'line': 'max_file_uploads = 20'})
ok: [ubuntu-20.04] => (item={'regex': '^post_max_size', 'line': 'post_max_size = 2G'}) ok: [ubuntu-20.04] => (item=
{'regex': '^memory_limit', 'line': 'memory_limit = 2G'}) ok: [ubuntu-20.04] => (item={'regex': '^max_input_time', 'line':
'max_input_time = 3600'}) TASK [leantime_ansible : Cria a directoria temporÃ¡ria leantime e a directoria de apache
leantime] ***** ok: [ubuntu-20.04] => (item={'path': '/tmp/leantime'}) ok: [ubuntu-
20.04] => (item={'path': '/var/www/leantime'}) TASK [leantime_ansible : Cria a base de dados de mysql para o leantime]
***** ok: [ubuntu-20.04] TASK [leantime_ansible : Cria o
utilizador para a base de dados leantime] ***** [WARNING]:
Module did not set no_log for update_password changed: [ubuntu-20.04] PLAY RECAP
*****
ubuntu-20.04 : ok=10 changed=1 unreachable=0 failed=0 skipped=0 rescued=0 ignored=0 CRITICAL Idempotence test
failed because of the following tasks: * => leantime_ansible : Cria o utilizador para a base de dados leantime
j0;admlcal@devOps: ~/leantime_ansibleadmlcal@devOps:~/leantime_ansible$ molecule verify INFO default scenario
test matrix: verify INFO Performing prerun... INFO Using .cache/roles/nunomourinho.leantime_ansible symlink to current
repository in order to enable Ansible to find the role using its expected full name. INFO Added
ANSIBLE_ROLES_PATH=~/./ansible/roles:/usr/share/ansible/roles:/etc/ansible/roles:././cache/roles INFO Running default >
verify INFO Running Ansible Verifier PLAY [Infraestrutura conduzida por testes]
***** TASK [SimulaÃ§Ã£o:
Atualizar a cache do sistema] ***** ok:
[ubuntu-20.04] TASK [teste: a cache encontra-se atualizada?]
***** ok: [ubuntu-20.04] => {
"changed": false, "msg": "SUCESSO: A cache estÃ¡ atualizada" } TASK [Atualizar o sistema operativo (equivalente a apt
upgrade)] ***** ok: [ubuntu-20.04] TASK [teste: o
sistema operativo encontra-se atualizado?] *****
ok: [ubuntu-20.04] => { "changed": false, "msg": "SUCESSO: O sistema operativo estÃ¡ atualizado" } TASK [Teste: a cache
encontra-se atualizada?] ***** ok:
[ubuntu-20.04] => { "changed": false, "msg": "SUCESSO: A cache estÃ¡ atualizada" } TASK [SimulaÃ§Ã£o: testa se as
aplicaÃ§Ãµes dependencia do software leantime se encontram instaladas] ***** ok:
[ubuntu-20.04] TASK [Teste: as dependencias encontra-se instaladas?]
***** ok: [ubuntu-20.04] => { "changed":
false, "msg": "SUCESSO: As dependencias estavam instaladas" } TASK [SimulaÃ§Ã£o: Testar se o serviÃ§o apache2 se
encontra instalado, iniciado e ativo no arranque] ***** ok: [ubuntu-20.04] TASK [Teste: O
serviÃ§o apache2 encontra-se ativo no arranque no sistema, e estÃ¡ iniciado?]
***** ok: [ubuntu-20.04] => { "changed": false, "msg": "SUCESSO: O serviÃ§o
apache2 estÃ¡ correctamente instalado e inicia com o arranque do sistema" } TASK [Rotina Auxiliar> Procura o caminho
do ficheiro php.ini do servidor apache2] ***** ok: [ubuntu-20.04] TASK
[SimulaÃ§Ã£o: Ativa a opÃ§Ã£o file_uploads no ficheiro php.ini, utilizando o mÃ¡dulo lineinfile.]
***** ok: [ubuntu-20.04] => (item={'regex': '^file_uploads', 'line': 'file_uploads = 1'})
ok: [ubuntu-20.04] => (item={'regex': '^upload_max_filesize', 'line': 'upload_max_filesize = 1G'}) ok: [ubuntu-20.04] =>
(item={'regex': '^max_file_uploads', 'line': 'max_file_uploads = 20'}) ok: [ubuntu-20.04] => (item={'regex':
'^post_max_size', 'line': 'post_max_size = 2G'}) ok: [ubuntu-20.04] => (item={'regex': '^memory_limit', 'line':
'memory_limit = 2G'}) ok: [ubuntu-20.04] => (item={'regex': '^max_input_time', 'line': 'max_input_time = 3600'}) TASK
[Teste: As linhas do php.ini encontram-se alteradas ?]
***** ok: [ubuntu-20.04] => { "changed": false,
"msg": "SUCESSO: O ficheiro php.ini foi alterado com sucesso" } TASK [SimulaÃ§Ã£o: Obtem informaÃ§Ã£o sobre a pastas
/var/www/leantime] ***** ok: [ubuntu-20.04] TASK [Teste:
A pasta /var/www/leantime existe e tem as permissÃµes certas?]
***** ok: [ubuntu-20.04] => { "changed": false, "msg":
"SUCESSO: PermissÃµes correctas no site leantime" } TASK [SimulaÃ§Ã£o: Verifica se Ã© necessÃ¡rio criar a base de
dados leantime_database] ***** ok: [ubuntu-20.04] TASK [Teste: A base de
dados leantime_database existe ?] ***** ok:
[ubuntu-20.04] => { "changed": false, "msg": "SUCESSO: A base de dados leantime_database jÃ¡ se encontra criada" }
PLAY RECAP
*****
ubuntu-20.04 : ok=16 changed=0 unreachable=0 failed=0 skipped=0 rescued=0 ignored=0 INFO Verifier completed
successfully. j0;admlcal@devOps: ~/leantime_ansibleadmlcal@devOps:~/leantime_ansible$ molecule verifyidempotence
INFO default scenario test matrix: idempotence INFO Performing prerun... INFO Using
.cache/roles/nunomourinho.leantime_ansible symlink to current repository in order to enable Ansible to find the role using
its expected full name. INFO Added
ANSIBLE_ROLES_PATH=~/./ansible/roles:/usr/share/ansible/roles:/etc/ansible/roles:././cache/roles INFO Running default >
idempotence PLAY [Converge]
*****
TASK [Gathering Facts]
***** ok:
[ubuntu-20.04] TASK [Include leantime_ansible]
***** TASK
[leantime_ansible : Atualiza a cache (equivalente a apt update)]
***** ok: [ubuntu-20.04] TASK [leantime_ansible : Atualiza o
sistema operativo] ***** ok: [ubuntu-20.04]
TASK [leantime_ansible : Instalar as dependencias necessÃ¡ria ao programa leantime]
***** ok: [ubuntu-20.04] TASK [leantime_ansible : Instala o serviÃ§o
apache2 no arranque do sistema] ***** ok: [ubuntu-20.04] TASK
```

```
[leantime_ansible : Rotina Auxiliar: Procura o caminho do ficheiro php.ini do servidor apache2]
***** ok: [ubuntu-20.04] TASK [leantime_ansible : Ativa várias opções no ficheiro
php.ini, utilizando o módulo lineinfile.] ***** ok: [ubuntu-20.04] => (item={ 'regex':
'^file_uploads', 'line': 'file_uploads = 1'}) ok: [ubuntu-20.04] => (item={ 'regex': '^upload_max_filesize', 'line':
'upload_max_filesize = 1G'}) ok: [ubuntu-20.04] => (item={ 'regex': '^max_file_uploads', 'line': 'max_file_uploads = 20'})
ok: [ubuntu-20.04] => (item={ 'regex': '^post_max_size', 'line': 'post_max_size = 2G'}) ok: [ubuntu-20.04] => (item=
{ 'regex': '^memory_limit', 'line': 'memory_limit = 2G'}) ok: [ubuntu-20.04] => (item={ 'regex': '^max_input_time', 'line':
'max_input_time = 3600'}) TASK [leantime_ansible : Cria a directoria temporária leantime e a directoria de apache
leantime] ***** ok: [ubuntu-20.04] => (item={ 'path': '/tmp/leantime'}) ok: [ubuntu-
20.04] => (item={ 'path': '/var/www/leantime'}) TASK [leantime_ansible : Cria a base de dados de mysql para o leantime]
***** ok: [ubuntu-20.04] TASK [leantime_ansible : Cria o
utilizador para a base de dados leantime] ***** [WARNING]:
Module did not set no_log for update_password ok: [ubuntu-20.04] PLAY RECAP
*****
ubuntu-20.04 : ok=10 changed=0 unreachable=0 failed=0 skipped=0 rescued=0 ignored=0 INFO Idempotence completed
successfully. ]0;admlcal@devOps: ~/leantime_ansibleadmlcal@devOps:~/leantime_ansible$ exit exit Hã; tarefas
interrompidas. ]0;admlcal@devOps: ~/leantime_ansibleadmlcal@devOps:~/leantime_ansible$ exit exit [?1049l [?11>[?
2004lRecebido SIGHUP ou SIGTERM
```