

[illegible]

[illegible]

```
25lw[?12l[?25h[?25lw[?12l[?25h[?25lw[?12l[?25h[?25l[?12l[?25h[?25ld[?12l[?25h[?25la[?12l[?25h[?25lt[?12l[?25h[?25la[?
12l[?25h[?25l
[?12l[?25h[?25l [?12l[?25h[?25l [?12l[?25h[?25l [?12l[?25h[?25l [?12l[?25h[?25l [?12l[?25h[?25l [?12l[?25h[?25l [?12l[?
25h[?25lg[?12l[?25h[?25lr[?12l[?25h[?25lo[?12l[?25h[?25lu[?12l[?25h[?25lp[?12l[?25h[?25l[?12l[?25h[?25l [?12l[?25h[?
25lw[?12l[?25h[?25lw[?12l[?25h[?25lw[?12l[?25h[?25l[?12l[?25h[?25ld[?12l[?25h[?25la[?12l[?25h[?25lt[?12l[?25h[?25la[?
12l[?25h[?25l
[?12l[?25h[?25l [?12l[?25h[?25l [?12l[?25h[?25l [?12l[?25h[?25l [?12l[?25h[?25l [?12l[?25h[?25l [?12l[?25h[?25l [?12l[?
25h[?25lm[?12l[?25h[?25lo[?12l[?25h[?25ld[?12l[?25h[?25le[?12l[?25h[?25l[?12l[?25h[?25l [?12l[?25h[?25l[?12l[?25h[?
25lo[?12l[?25h[?25l7[?12l[?25h[?25l5[?12l[?25h[?25l5[?12l[?25h[?25l[?12l[?25h[?25l
[?12l[?25h[?25l [?12l[?25h[?25l [?12l[?25h[?25l [?12l[?25h[?25l [?12l[?25h[?25l [?12l[?25h[?25l [?12l[?25h[?25l [?12l[?
25h[?25lr[?12l[?25h[?25le[?12l[?25h[?25lm[?12l[?25h[?25lo[?12l[?25h[?25lte[?12l[?25h[?25l [?12l[?25h[?25ls[?12l[?25h[?
25lr[?12l[?25h[?25lc[?12l[?25h[?25l[?12l[?25h[?25l [?12l[?25h[?25lt[?12l[?25h[?25lr[?12l[?25h[?25lu[?12l[?25h[?25le[?
12l[?25h[?25l
[?12l[?25h[?25l M-D Formato DOSM-A AnexarB SeguranÃ§aC Cancelar M-M Formato MacM-P Prepor^T P/ ficheiros
[?12l[?25h[?25l78
[?12l[?25h[?25l[?12l[?25h[?25lModificado
[?12l[?25h[?25l M-D Formato DOSM-A AnexarB SeguranÃ§aC Cancelar M-M Formato MacM-P Prepor^T P/ ficheiros
Nome do ficheiro onde escrever: tasks/tasks.yml [?12l[?25h[?25l [ A escrever... ] [ 133 linhas escritas ]^O Gravar^W
Procurar ^K Cortar txt ^J Justificar ^C Pos cursorU Desfazer M-A Marcar txtX Sair ^R Carregar^\\ Substituir ^U Colar txt
^T Ortografia ^ Ir p/ linha M-E Refazer M-6 Copiar txt
[?12l[?25h[?25l[?12l[?25h[?1049l
[?1l>[?2004l]0;admllocal@devOps: ~/leantime_ansibleadmllocal@devOps:~/leantime_ansible$ molecule lint
INFO default scenario test matrix: dependency, lint
INFO Performing prerun...
INFO Using .cache/roles/nunomourinho.leantime_ansible symlink to current repository in order to enable Ansible to find
the role using its expected full name.
INFO Added ANSIBLE_ROLES_PATH=~/.ansible/roles:/usr/share/ansible/roles:/etc/ansible/roles:./.cache/roles
INFO Running default > dependency
WARNING Skipping, missing the requirements file.
WARNING Skipping, missing the requirements file.
INFO Running default > lint
COMMAND: set -e
yamllint .
ansible-lint
```

```
Loading custom .yamllint config file, this extends our internal yamllint config.
]0;admllocal@devOps: ~/leantime_ansibleadmllocal@devOps:~/leantime_ansible$ molecule converge
INFO default scenario test matrix: dependency, create, prepare, converge
INFO Performing prerun...
INFO Using .cache/roles/nunomourinho.leantime_ansible symlink to current repository in order to enable Ansible to find
the role using its expected full name.
INFO Added ANSIBLE_ROLES_PATH=~/.ansible/roles:/usr/share/ansible/roles:/etc/ansible/roles:./.cache/roles
INFO Running default > dependency
WARNING Skipping, missing the requirements file.
WARNING Skipping, missing the requirements file.
INFO Running default > create
WARNING Skipping, instances already created.
INFO Running default > prepare
WARNING Skipping, instances already prepared.
INFO Running default > converge

PLAY [Converge]
*****

TASK [Gathering Facts]
*****
ok: [ubuntu-20.04]

TASK [Include leantime_ansible]
*****

TASK [leantime_ansible : Atualiza a cache (equivalente a apt update)]
*****
ok: [ubuntu-20.04]

TASK [leantime_ansible : Atualiza o sistema operativo]
*****
ok: [ubuntu-20.04]

TASK [leantime_ansible : Instalar as dependencias necessaria ao programa leantime]
*****
ok: [ubuntu-20.04]

TASK [leantime_ansible : Instala o serviÃ§o apache2 no arranque do sistema]
*****
ok: [ubuntu-20.04]
```

TASK [leantime\_ ansible : Rotina Auxiliar: Procura o caminho do ficheiro php.ini do servidor apache2]

\*\*\*\*\*

ok: [ubuntu-20.04]

TASK [leantime\_ ansible : Ativa várias opções no ficheiro php.ini, utilizando o módulo lineinfile.]

\*\*\*\*\*

ok: [ubuntu-20.04] => (item={'regex': '^file\_uploads', 'line': 'file\_uploads = 1'})  
ok: [ubuntu-20.04] => (item={'regex': '^upload\_max\_filesize', 'line': 'upload\_max\_filesize = 1G'})  
ok: [ubuntu-20.04] => (item={'regex': '^max\_file\_uploads', 'line': 'max\_file\_uploads = 20'})  
ok: [ubuntu-20.04] => (item={'regex': '^post\_max\_size', 'line': 'post\_max\_size = 2G'})  
ok: [ubuntu-20.04] => (item={'regex': '^memory\_limit', 'line': 'memory\_limit = 2G'})  
ok: [ubuntu-20.04] => (item={'regex': '^max\_input\_time', 'line': 'max\_input\_time = 3600'})

TASK [leantime\_ ansible : Cria a directoria temporária leantime e a directoria de apache leantime]

\*\*\*\*\*

ok: [ubuntu-20.04] => (item={'path': '/tmp/leantime'})  
ok: [ubuntu-20.04] => (item={'path': '/var/www/leantime'})

TASK [leantime\_ ansible : Cria a base de dados de mysql para o leantime]

\*\*\*\*\*

ok: [ubuntu-20.04]

TASK [leantime\_ ansible : Cria o utilizador para a base de dados leantime]

\*\*\*\*\*

[WARNING]: Module did not set no\_log for update\_password

ok: [ubuntu-20.04]

TASK [leantime\_ ansible : Faz o download do software leantime a partir do repositório git]

\*\*\*\*\*

ok: [ubuntu-20.04]

TASK [leantime\_ ansible : Descomprime o software leantime]

\*\*\*\*\*

changed: [ubuntu-20.04]

TASK [leantime\_ ansible : Copia o ficheiro de configuração configuration.sample.php]

\*\*\*\*\*

changed: [ubuntu-20.04]

PLAY RECAP

\*\*\*\*\*

ubuntu-20.04 : ok=13 changed=2 unreachable=0 failed=0 skipped=0 rescued=0 ignored=0

]0;admlcal@devOps: ~/leantime\_ansibleadmlcal@devOps:~/leantime\_ansible\$ molecule idempotence

INFO default scenario test matrix: idempotence

INFO Performing prerun...

INFO Using .cache/roles/nunomourinho.leantime\_ansible symlink to current repository in order to enable Ansible to find the role using its expected full name.

INFO Added ANSIBLE\_ROLES\_PATH=~/.ansible/roles:/usr/share/ansible/roles:/etc/ansible/roles:./.cache/roles

INFO Running default > idempotence

PLAY [Converge]

\*\*\*\*\*

TASK [Gathering Facts]

\*\*\*\*\*

ok: [ubuntu-20.04]

TASK [Include leantime\_ ansible]

\*\*\*\*\*

TASK [leantime\_ ansible : Atualiza a cache (equivalente a apt update)]

\*\*\*\*\*

ok: [ubuntu-20.04]

TASK [leantime\_ ansible : Atualiza o sistema operativo]

\*\*\*\*\*

ok: [ubuntu-20.04]

TASK [leantime\_ ansible : Instalar as dependencias necessária ao programa leantime]

\*\*\*\*\*

ok: [ubuntu-20.04]

TASK [leantime\_ ansible : Instala o serviço apache2 no arranque do sistema]

\*\*\*\*\*

ok: [ubuntu-20.04]

TASK [leantime\_ansible : Rotina Auxiliar: Procura o caminho do ficheiro php.ini do servidor apache2]

\*\*\*\*\*

ok: [ubuntu-20.04]

TASK [leantime\_ansible : Ativa várias opções no ficheiro php.ini, utilizando o módulo lineinfile.]

\*\*\*\*\*

ok: [ubuntu-20.04] => (item={'regex': '^file\_uploads', 'line': 'file\_uploads = 1'})  
ok: [ubuntu-20.04] => (item={'regex': '^upload\_max\_filesize', 'line': 'upload\_max\_filesize = 1G'})  
ok: [ubuntu-20.04] => (item={'regex': '^max\_file\_uploads', 'line': 'max\_file\_uploads = 20'})  
ok: [ubuntu-20.04] => (item={'regex': '^post\_max\_size', 'line': 'post\_max\_size = 2G'})  
ok: [ubuntu-20.04] => (item={'regex': '^memory\_limit', 'line': 'memory\_limit = 2G'})  
ok: [ubuntu-20.04] => (item={'regex': '^max\_input\_time', 'line': 'max\_input\_time = 3600'})

TASK [leantime\_ansible : Cria a directoria temporária leantime e a directoria de apache leantime]

\*\*\*\*\*

ok: [ubuntu-20.04] => (item={'path': '/tmp/leantime'})  
ok: [ubuntu-20.04] => (item={'path': '/var/www/leantime'})

TASK [leantime\_ansible : Cria a base de dados de mysql para o leantime]

\*\*\*\*\*

ok: [ubuntu-20.04]

TASK [leantime\_ansible : Cria o utilizador para a base de dados leantime]

\*\*\*\*\*

**[WARNING]: Module did not set no\_log for update\_password**

ok: [ubuntu-20.04]

TASK [leantime\_ansible : Faz o download do software leantime a partir do repositório git]

\*\*\*\*\*

ok: [ubuntu-20.04]

TASK [leantime\_ansible : Descomprime o software leantime]

\*\*\*\*\*

ok: [ubuntu-20.04]

TASK [leantime\_ansible : Copia o ficheiro de configuração configuration.sample.php]

\*\*\*\*\*

ok: [ubuntu-20.04]

PLAY RECAP

\*\*\*\*\*

ubuntu-20.04 : ok=13 changed=0 unreachable=0 failed=0 skipped=0 rescued=0 ignored=0

INFO Idempotence completed successfully.

l0;admlcal@devOps: ~/leantime\_ansibleadmlcal@devOps:~/leantime\_ansible\$ molecule verify

INFO default scenario test matrix: verify

INFO Performing prerun...

INFO Using .cache/roles/nunomourinho.leantime\_ansible symlink to current repository in order to enable Ansible to find the role using its expected full name.

INFO Added ANSIBLE\_ROLES\_PATH=~/.ansible/roles:/usr/share/ansible/roles:/etc/ansible/roles:./.cache/roles

INFO Running default > verify

INFO Running Ansible Verifier

PLAY [Infraestrutura conduzida por testes]

\*\*\*\*\*

TASK [Variáveis]

\*\*\*\*\*

ok: [ubuntu-20.04]

TASK [Simulação: Atualizar a cache do sistema]

\*\*\*\*\*

ok: [ubuntu-20.04]

TASK [teste: a cache encontra-se actualizada?]

\*\*\*\*\*

ok: [ubuntu-20.04] => {  
"changed": false,  
"msg": "SUCESSO: A cache está atualizada"  
}

TASK [Atualizar o sistema operativo (equivalente a apt upgrade)]

\*\*\*\*\*

ok: [ubuntu-20.04]

TASK [teste: o sistema operativo encontra-se atualizado?]

\*\*\*\*\*

```
ok: [ubuntu-20.04] => {
  "changed": false,
  "msg": "SUCESSO: O sistema operativo estÃ¡ atualizado"
}
```

TASK [Teste: a cache encontra-se atualizada?]

\*\*\*\*\*

```
ok: [ubuntu-20.04] => {
  "changed": false,
  "msg": "SUCESSO: A cache estÃ¡ atualizada"
}
```

TASK [SimulaÃ§Ã£o: testa se as aplicaÃ§Ães dependencia do software leantime se encontram instaladas]

\*\*\*\*\*

```
ok: [ubuntu-20.04]
```

TASK [Teste: as dependencias encontra-se instaladas?]

\*\*\*\*\*

```
ok: [ubuntu-20.04] => {
  "changed": false,
  "msg": "SUCESSO: As dependencias estavam instaladas"
}
```

TASK [SimulaÃ§Ã£o: Testar se o serviÃço apache2 se encontra instalado, iniciado e ativo no arranque]

\*\*\*\*\*

```
ok: [ubuntu-20.04]
```

TASK [Teste: O serviÃço apache2 encontra-se ativo no arranque no sistema, e estÃ¡ iniciado?]

\*\*\*\*\*

```
ok: [ubuntu-20.04] => {
  "changed": false,
  "msg": "SUCESSO: O serviÃço apache2 estÃ¡ correctamente instalado e inicia com o arranque do sistema"
}
```

TASK [Rotina Auxiliar> Procura o caminho do ficheiro php.ini do servidor apache2]

\*\*\*\*\*

```
ok: [ubuntu-20.04]
```

TASK [SimulaÃ§Ã£o: Ativa a opÃ§Ã£o file\_uploads no ficheiro php.ini, utilizando o mÃ³dulo lineinfile.]

\*\*\*\*\*

```
ok: [ubuntu-20.04] => (item={'regex': '^file_uploads', 'line': 'file_uploads = 1'})
ok: [ubuntu-20.04] => (item={'regex': '^upload_max_filesize', 'line': 'upload_max_filesize = 1G'})
ok: [ubuntu-20.04] => (item={'regex': '^max_file_uploads', 'line': 'max_file_uploads = 20'})
ok: [ubuntu-20.04] => (item={'regex': '^post_max_size', 'line': 'post_max_size = 2G'})
ok: [ubuntu-20.04] => (item={'regex': '^memory_limit', 'line': 'memory_limit = 2G'})
ok: [ubuntu-20.04] => (item={'regex': '^max_input_time', 'line': 'max_input_time = 3600'})
```

TASK [Teste: As linhas do php.ini encontram-se alteradas ?]

\*\*\*\*\*

```
ok: [ubuntu-20.04] => {
  "changed": false,
  "msg": "SUCESSO: O ficheiro php.ini foi alterado com sucesso"
}
```

TASK [SimulaÃ§Ã£o: Obtem informaÃ§Ão sobre a pastas /var/www/leantime]

\*\*\*\*\*

```
ok: [ubuntu-20.04]
```

TASK [Teste: A pasta /var/www/leantime existe e tem as permissÃes certas?]

\*\*\*\*\*

```
ok: [ubuntu-20.04] => {
  "changed": false,
  "msg": "SUCESSO: PermissÃes correctas no site leantime"
}
```

TASK [SimulaÃ§Ã£o: Verifica se Ã© necessÃrio criar a base de dados leantime\_database]

\*\*\*\*\*

```
ok: [ubuntu-20.04]
```

TASK [Teste: A base de dados leantime\_database existe ?]

\*\*\*\*\*

```
ok: [ubuntu-20.04] => {
  "changed": false,
  "msg": "SUCESSO: A base de dados leantime_database jÃ¡ se encontra criada"
}
```

TASK [Simulação e Teste: Verifica se o endereço git para a versão de leantime existe]

\*\*\*\*\*

ok: [ubuntu-20.04]

TASK [Simulação: Obtem informação sobre o ficheiro /var/www/leantime/config/configuration.php]

\*\*\*\*\*

ok: [ubuntu-20.04]

TASK [Teste: O ficheiro /var/www/leantime/config/configuration.php existe e tem as permissões certas?]

\*\*\*\*\*

ok: [ubuntu-20.04] => {

"changed": false,

"msg": "SUCESSO: Permissões correctas e ficheiro configuration.php existente"

}

PLAY RECAP

\*\*\*\*\*

ubuntu-20.04 : ok=20 changed=0 unreachable=0 failed=0 skipped=0 rescued=0 ignored=0

INFO Verifier completed successfully.

]0;admlocal@devOps: ~/leantime\_ansibleadmlocal@devOps:~/leantime\_ansible\$ exit

exit