Assignment 10: Data Scraping

Nusrat Noor

OVERVIEW

This exercise accompanies the lessons in Environmental Data Analytics on data scraping.

Directions

- 1. Rename this file <FirstLast>_A10_DataScraping.Rmd (replacing <FirstLast> with your first and last name).
- 2. Change "Student Name" on line 3 (above) with your name.
- 3. Work through the steps, **creating code and output** that fulfill each instruction.
- 4. Be sure your code is tidy; use line breaks to ensure your code fits in the knitted output.
- 5. Be sure to **answer the questions** in this assignment document.
- 6. When you have completed the assignment, **Knit** the text and code into a single PDF file.

Set up

- 1. Set up your session:
- Load the packages tidyverse, rvest, and any others you end up using.
- Check your working directory

```
#1
library(tidyverse)
library(lubridate)
library(here)
library(rvest)
#loaded in the packages
here() #checked the directory
```

[1] "/home/guest/R/EDE_Fall2023"

- 2. We will be scraping data from the NC DEQs Local Water Supply Planning website, specifically the Durham's 2022 Municipal Local Water Supply Plan (LWSP):
- Navigate to https://www.ncwater.org/WUDC/app/LWSP/search.php
- Scroll down and select the LWSP link next to Durham Municipality.
- Note the web address: https://www.ncwater.org/WUDC/app/LWSP/report.php?pwsid=03-32-010&year=2022

Indicate this website as the as the URL to be scraped. (In other words, read the contents into an rvest webpage object.)

```
#2
website <- read_html(
   'https://www.ncwater.org/WUDC/app/LWSP/report.php?pwsid=03-32-010&year=2022')
#set scraping website
website
## {html_document}
## <html xmlns="http://www.w3.org/1999/xhtml" lang="en" xml:lang="en">
## [1] <head>\n<title>DWR :: Local Water Supply Planning</title>\n<meta http-equ ...
## [2] <body id="plan">\r\n<!--<div id="division-header">\r\n<a name="top" href= ...
##checked website</pre>
```

- 3. The data we want to collect are listed below:
 - From the "1. System Information" section:
 - Water system name
 - PWSID
 - Ownership
 - From the "3. Water Supply Sources" section:
 - Maximum Day Use (MGD) for each month

In the code chunk below scrape these values, assigning them to four separate variables.

HINT: The first value should be "Durham", the second "03-32-010", the third "Municipality", and the last should be a vector of 12 numeric values (represented as strings)".

```
#3
water_sys <- website %>%
  html_nodes("div+ table tr:nth-child(1) td:nth-child(2)") %>%
  html_text()
#scraped the water system name data
water_sys #checked the variable
## [1] "Durham"
PWSID <- website %>%
 html nodes("td tr:nth-child(1) td:nth-child(5)") %>%
 html text()
#scraped the pwsid data
PWSID #checked the variable
## [1] "03-32-010"
Ownership <- website %>%
 html_nodes("div+ table tr:nth-child(2) td:nth-child(4)") %>%
 html_text()
#scraped the ownership data
Ownership #checked the variable
## [1] "Municipality"
MGD_monthly <- website %>%
  html_nodes("th~ td+ td") %>%
  html_text()
#scraped the mgd data
MGD_monthly #checked the variable
```

```
## [1] "36.1000" "43.4200" "52.4900" "30.5000" "42.5900" "34.8800" "39.9100" ## [8] "43.3200" "32.5300" "34.6600" "41.8000" "37.5300"
```

4. Convert your scraped data into a dataframe. This dataframe should have a column for each of the 4 variables scraped and a row for the month corresponding to the withdrawal data. Also add a Date column that includes your month and year in data format. (Feel free to add a Year column too, if you wish.)


TIP: Use rep() to repeat a value when creating a dataframe.

NOTE: It's likely you won't be able to scrape the monthly widthrawal data in chronological order. You can overcome this by creating a month column manually assigning values in the order the data are scraped: "Jan", "May", "Sept", "Feb", etc... Or, you could scrape month values from the web page...

5. Create a line plot of the maximum daily withdrawals across the months for 2022

```
#4
MGD_df <- data.frame(</pre>
  #created dataframe
  "Month" = c(1, 5, 9, 2, 6, 10, 3, 7, 11, 4, 8, 12),
  #created month column and column bound the months to match the way the data was scraped
                     "Year" = rep(2022,12),
  \#created the Year column and set it to repeat 12 times to match the number of rows
                     "Max withdrawls" = as.numeric(MGD monthly))
#created the max_withdrawls column and set as numeric
MGD_df <- MGD_df %>%
 mutate(Water_system = !!water_sys,
         PWSID = !!PWSID,
         Ownership = !!Ownership,
         Date = my(paste0(Month, "-", Year)))
#added the other variables as columns to dataframe and created a Date column
#5
ggplot(MGD_df,aes(x=Date, y = Max_withdrawls)) +
  geom_line() +
  labs(y="Maximum Withdrawals (MGD)", x="Month",
       title = "2022 Durham Maximum Monthly Water Withdrawals",
       subtitle = "Nusrat Noor") +
  scale_x_date(date_breaks = "1 month", date_labels = "%b")
```

2022 Durham Maximum Monthly Water Withdrawals



#created line plot, cleaned labels, and scaled the x-axis to show the months in order

6. Note that the PWSID and the year appear in the web address for the page we scraped. Construct a function using your code above that can scrape data for any PWSID and year for which the NC DEQ has data. Be sure to modify the code to reflect the year and site (pwsid) scraped.


```
#6.
base_url <- 'https://www.ncwater.org/WUDC/app/LWSP/report.php?'</pre>
the_pwsid <- '03-32-010'
the_year <- 2015
#created the website url to scrape from
scrape.it <-function(the_pwsid, the_year){</pre>
  #created scrape.it function
  the_website <- read_html(paste0(base_url, 'pwsid=', the_pwsid, '&year=', the_year))
  #retrieved the website contentts
  water_sys_tag <- 'div+ table tr:nth-child(1) td:nth-child(2)'</pre>
  PWSID_tag <- 'td tr:nth-child(1) td:nth-child(5)'</pre>
  ownership_tag <- 'div+ table tr:nth-child(2) td:nth-child(4)'</pre>
  mgd monthly tag <- 'th~ td+ td'
  #set element address variables
  water_sys <- the_website %>%
    html_nodes(water_sys_tag) %>%
    html_text()
  PWSID <- the_website %>%
    html_nodes(PWSID_tag) %>%
```

```
html_text()
  Ownership <- the_website %>%
    html_nodes(ownership_tag) %>%
    html_text()
  MGD_monthly <- the_website %>%
    html_nodes(mgd_monthly_tag) %>%
    html_text()
  #scraped the data
  Durham_df \leftarrow data.frame("Month" = c(1, 5, 9, 2, 6, 10, 3, 7, 11, 4, 8, 12),
                           "Year" = rep(the_year,length(months)),
                           "Max_withdrawls" = as.numeric(MGD_monthly)) %>%
    mutate(Water_system = !!water_sys,
         PWSID = !!PWSID,
         Ownership = !!Ownership,
         Date = my(paste(Month, "-", Year)))
  #converted to dataframe
  return(Durham_df)
  #returned the function
}
```

7. Use the function above to extract and plot max daily withdrawals for Durham (PWSID='03-32-010') for each month in 2015

```
#7
the_df <- scrape.it('03-32-010', 2015)
#ran the function for Durham 2015
ggplot(the_df, aes(x=Date, y=Max_withdrawls)) +
   geom_line() +
   labs(y="Maximum Withdrawals (MGD)", x="Month",
        title = "2015 Durham Maximum Monthly Water Withdrawals",
        subtitle = "Nusrat Noor") +
   scale_x_date(date_breaks = "1 month", date_labels = "%b")</pre>
```

2015 Durham Maximum Monthly Water Withdrawals




#plotted the 2015 max daily usage for durham

8. Use the function above to extract data for Asheville (PWSID = 01-11-010) in 2015. Combine this data with the Durham data collected above and create a plot that compares Asheville's to Durham's water withdrawals.

2015 Maximum Monthly Water Withdrawals

Nusrat Noor



#plotted the combined dataframe

9. Use the code & function you created above to plot Asheville's max daily withdrawal by months for the years 2010 thru 2021.Add a smoothed line to the plot (method = 'loess').

TIP: See Section 3.2 in the "10_Data_Scraping.Rmd" where we apply "map2()" to iteratively run a function over two inputs. Pipe the output of the map2() function to bindrows() to combine the dataframes into a single one.


```
the_years <- 2010:2021 #set the years wanted
the_pwsid_ash <- '01-11-010' #set the pwsid for asheville

dfs_Ashville <- map2(the_pwsid_ash, the_years, scrape.it) %>%
    bind_rows()

#mapped the scrape.it function to give data for all years and combined to one dataframe
ggplot(dfs_Ashville, aes(x=Date, y =Max_withdrawls)) +
    geom_point() +
    geom_smooth(method = "loess", se=FALSE, color = "darkred") +
    labs(x="Year", y= "Maximum Withdrawals (MGD)",
        title = "Asheville Max Monthly Water Withdrawals (2010-2021)",
        subtitle = "Nusrat Noor") +
    scale_x_date(date_breaks = "1 year", date_labels = "%Y")
```

`geom_smooth()` using formula = 'y ~ x'

Asheville Max Monthly Water Withdrawals (2010–2021) Nusrat Noor



#plotted the multiyear data

Question: Just by looking at the plot (i.e. not running statistics), does Asheville have a trend in water usage over time? > Answer: The plot shows that the max daily use has increased over time, especially since 2015. >