Computational Companion to "Flexible 3×3 Nets of Equimodular Elliptic Type" — PROOF OF THE EXISTENCE CRITERION

Author: Abdukhomid Nurmatov Tested on: Mathematica 14.0

Section 1

Results of Section 1 is used in Lemma 1

```
In[*]:= (*define*)
          \sigma = (\alpha + \beta + \gamma + \delta) / 2;
          a = Sin[\alpha] / Sin[\sigma - \alpha];
          b = Sin[\beta] / Sin[\sigma - \beta];
          c = Sin[\gamma] / Sin[\sigma - \gamma];
          d = Sin[\delta] / Sin[\sigma - \delta];
          M = abcd;
          (*check equalities*)
          FullSimplify[1 - ab - Sin[\sigma] Sin[\sigma - \alpha - \beta] / (Sin[\sigma - \alpha] Sin[\sigma - \beta]) == 0]
          FullSimplify[1 - bc - Sin[\sigma] Sin[\sigma - \gamma - \beta] / (Sin[\sigma - \gamma] Sin[\sigma - \beta]) == 0]
          FullSimplify[1 - bd - Sin[\sigma] Sin[\sigma - \delta - \beta] / (Sin[\sigma - \delta] Sin[\sigma - \beta]) == 0]
          FullSimplify[cd - 1 - Sin[\sigma] Sin[\sigma - \alpha - \beta] / (Sin[\sigma - \gamma] Sin[\sigma - \delta]) == 0]
          FullSimplify[ad - 1 - Sin[\sigma] Sin[\sigma - \gamma - \beta] / (Sin[\sigma - \alpha] Sin[\sigma - \delta]) == 0]
          FullSimplify[ac - 1 - Sin[\sigma] Sin[\sigma - \delta - \beta] / (Sin[\sigma - \alpha] Sin[\sigma - \gamma]) == 0]
          FullSimplify[1 - M - Sin[\sigma] Sin[\sigma - \alpha - \beta] Sin[\sigma - \gamma - \beta]
                 Sin[\sigma - \delta - \beta] / (Sin[\sigma - \alpha] Sin[\sigma - \beta] Sin[\sigma - \gamma] Sin[\sigma - \delta]) = 0
Out[ • 1=
          True
Out[ • ]=
          True
```

2 | criterion_helper.nb

Out[•]=

True

Out[•]=

True

Out[•]=

True

Out[•]=

True

Out[•]=

True

Section 2

Results of Section 2 is used in Proof of Proposition 2

```
In[*]:= (*define*)
           \sigma = (\alpha + \beta + \gamma + \delta) / 2;
           (*check equalities*)
            (*Cos[α]*)
           FullSimplify[
              (\varepsilon (\sin[\sigma - \beta] \sin[\sigma] + \sin[\sigma - \alpha] \sin[\sigma - \alpha - \beta] - \sin[\sigma - \gamma] \sin[\sigma - \gamma - \beta] -
                         Sin[\sigma - \delta] Sin[\sigma - \delta - \beta])) / (2 Sin[\gamma] Sin[\delta]) = \varepsilon Cos[\alpha]]
           (*Cos[β]*)
           FullSimplify[
              (\varepsilon (\sin[\sigma - \alpha] \sin[\sigma] + \sin[\sigma - \beta] \sin[\sigma - \alpha - \beta] + \sin[\sigma - \delta] \sin[\sigma - \gamma - \beta] +
                         Sin[\sigma - \gamma] Sin[\sigma - \delta - \beta])) / (2 Sin[\gamma] Sin[\delta]) = \varepsilon Cos[\beta]]
           (*Cos[γ]*)
           FullSimplify[
              (\varepsilon (\sin[\sigma - \beta] \sin[\sigma] - \sin[\sigma - \alpha] \sin[\sigma - \alpha - \beta] + \sin[\sigma - \gamma] \sin[\sigma - \gamma - \beta] -
                         Sin[\sigma - \delta] Sin[\sigma - \delta - \beta])) / (2 Sin[\alpha] Sin[\delta]) = \epsilon Cos[\gamma]]
            (*Cos[\delta]*)
           FullSimplify[
              (\varepsilon (\sin[\sigma - \beta] \sin[\sigma] - \sin[\sigma - \alpha] \sin[\sigma - \alpha - \beta] - \sin[\sigma - \gamma] \sin[\sigma - \gamma - \beta] +
                         Sin[\sigma - \delta] Sin[\sigma - \delta - \beta])) / (2 Sin[\alpha] Sin[\gamma]) = \varepsilon Cos[\delta]]
            (*Cos[σ]*)
           FullSimplify[(Sin[\sigma - \beta] Sin[\sigma] ^2 - Sin[\sigma - \alpha] Sin[\sigma - \alpha - \beta] Sin[\sigma] -
                     Sin[\sigma - \gamma] Sin[\sigma - \gamma - \beta] Sin[\sigma] - Sin[\sigma - \delta] Sin[\sigma - \delta - \beta] Sin[\sigma] -
                     2 \sin[\sigma - \alpha] \sin[\sigma - \gamma] \sin[\sigma - \delta] / (2 \sin[\alpha] \sin[\gamma] \sin[\delta]) = \cos[\sigma]
Out[ • ]=
           True
```

Section 3

Results of Section 3 is used in Proof of Lemma 6

```
In[*]:= (*define*)
        \sigma = (\alpha + \beta + \gamma + \delta) / 2;
        thetaIndex[k_] := Mod[k - 1, 4] + 1; (*cyclic index:1..4*)
        A[i_{j}] /; 1 \le i \le 4 \& 1 \le j \le 4 :=
           4 \cos[\theta[\text{thetaIndex}[i]] / 2 + (Pi / 4) ij (j - 1) + (Pi / 2) j]^2 *
            Cos[\theta[thetaIndex[i-1]] / 2 + (Pi / 4) (i-1) j (j-1) + (Pi / 2) j]^2;
        (*Table[A[i,j],{i,1,4},{j,1,4}];*)
        \xi[i_?IntegerQ] /; 1 \le i \le 4 :=
           If[OddQ[i], \thetaIndex[i]], \thetaIndex[i-1]]];
        \eta[i_?IntegerQ] /; 1 \le i \le 4 := If[OddQ[i], \theta[thetaIndex[i-1]], \theta[thetaIndex[i]]];
        (*Table[{i,\xi[i],\eta[i]},{i,1,4}];*)
        (*check equalities*)
        lhs[i\_Integer] := \varepsilon (A[i, 1] Sin[\sigma - \beta] Sin[\sigma] + A[i, 2] Sin[\sigma - \gamma] Sin[\sigma - \gamma - \beta] +
                 A[i, 3] Sin[\sigma - \alpha] Sin[\sigma - \alpha - \beta] +
                 A[i, 4] Sin[\sigma - \delta] Sin[\sigma - \delta - \beta]) / (2 Sin[\alpha] Sin[\gamma]);
        rhs[i_Integer] :=
           \varepsilon (Cos[\beta] - Cos[\gamma] (Cos[\alpha] Cos[\delta] + Cos[\xi[i]] Sin[\alpha] Sin[\delta]) - Cos[\eta[i]]
                  Sin[\gamma] (Cos[\alpha] Sin[\delta] - Cos[\xi[i]] Sin[\alpha] Cos[\delta])) / (Sin[\alpha] Sin[\gamma]);
        expr[i_Integer] := FullSimplify[Equal[lhs[i], rhs[i]]];
        (*---Evaluate for i=1..4---*)
        Table[{i, expr[i]}, {i, 1, 4}]
Out[ • ]=
        {{1, True}, {2, True}, {3, True}, {4, True}}
```

Section 4

Result of Section 4 is used in Proof of Lemma 8 in Appendix D

```
In[*]:= (*define*)
           \sigma = (\alpha 2 + \beta 2 + \gamma 2 + \delta 2) / 2;
           (*D_{\alpha2} \theta1)*)
           D\alpha 2\theta 1 =
              Sqrt[Sin[\theta 1]^2 Sin[\alpha 2]^2 + (Cos[\alpha 2] Sin[\delta 2] - Cos[\theta 1] Sin[\alpha 2] Cos[\delta 2])^2];
           (*R_{\alpha2} \gamma2 \theta1) =
             (cos \beta 2-cos \gamma 2 (cos \alpha 2 cos \delta 2+cos \theta 1 sin \alpha 2 sin \delta 2))/(D_{\alpha 2 \theta 1} sin \gamma 2)*)
           R\alpha 2\gamma 2\theta 1 = (Cos[\beta 2] - Cos[\gamma 2] (Cos[\alpha 2] Cos[\delta 2] + Cos[\theta 1] Sin[\alpha 2] Sin[\delta 2])) /
                 (D\alpha 2\theta 1 Sin[\gamma 2]);
           (*check equality*)
           FullSimplify [R\alpha 2\gamma 2\theta 1^2 - 1 = (4 Sin[\alpha 2]^2 Sin[\delta 2]^2) / (D\alpha 2\theta 1^2 Sin[\gamma 2]^2) *
                 (\sin[\theta 1/2]^2 - (\sin[\sigma - \alpha^2 - \beta^2]\sin[\sigma - \delta^2 - \beta^2]) / (\sin[\alpha^2]\sin[\delta^2])) *
                 (\sin[\theta 1/2]^2 - (\sin[\sigma - \alpha 2] \sin[\sigma - \delta 2]) / (\sin[\alpha 2] \sin[\delta 2]))]
Out[ • ]=
          True
```