

# Chapter 24: Continuous RVs and PDFs

Meike Niederhausen and Nicky Wakim

2023-11-08

# Table of contents

- Learning Objectives
- Discrete vs. Continuous RVs
- How to define probabilities for continuous RVs?
- What is a probability density function?
- Let's demonstrate the PDF with an example (1/5)
- Let's demonstrate the PDF with an example (2/5)
- Let's demonstrate the PDF with an example (3/5)
- Let's demonstrate the PDF with an example (4/5)
- Let's demonstrate the PDF with an example (5/5)
- What is a cumulative distribution function?
- Let's demonstrate the CDF with an example
- Derivatives of the CDF
- Finding the PDF from a CDF
- Let's go through another example (1/7)
- Let's go through another example (2/7)
- Let's go through another example (3/7)
- Let's go through another example (4/7)
- Let's go through another example (5/7)
- Let's go through another example (6/7)
- Let's go through another example (7/7)

# Learning Objectives

1. Distinguish between discrete and continuous random variables.
2. Calculate probabilities for continuous random variables.
3. Calculate and graph a density (i.e., probability density function, PDF).
4. Calculate and graph a CDF (i.e., a cumulative distribution function)

# Discrete vs. Continuous RVs

- For a **discrete** RV, the set of possible values is either finite or can be put into a countably infinite list.
- **Continuous** RVs take on values from continuous *intervals*, or unions of continuous intervals

	Discrete	Continuous
probability function	mass (probability mass function; PMF)	density (probability density function; PDF)
	$0 \leq p_X(x) \leq 1$	$0 \leq f_X(x)$ (not necessarily $\leq 1$ )
	$\sum_x p_X(x) = 1$	$\int_{-\infty}^{\infty} f_X(x) dx = 1$
	$P(0 \leq X \leq 2)$ $= P(X = 0) + P(X = 1) + P(X = 2)$ if $X$ is integer valued	$P(0 \leq X \leq 2)$ $= \int_0^2 f_X(x) dx$
	$P(X \leq 3) \neq P(X < 3)$ when $P(X = 3) \neq 0$	$P(X \leq 3) = P(X < 3)$ since $P(X = 3) = 0$ always
cumulative distribution function (CDF) $F_X(x)$	$F_X(a) = P(X \leq a)$ $= \sum_{x \leq a} P(X = x)$ graph of CDF is a step function with jumps of the same size as the mass, from 0 to 1	$F_X(a) = P(X \leq a)$ $= \int_{-\infty}^a f_X(x) dx$ graph of CDF is nonnegative and continuous, rising up from 0 to 1
examples	counting: defects, hits, die values, coin heads/tails, people, card arrangements, trials until success, etc.	lifetimes, waiting times, height, weight, length, proportions, areas, volumes, physical quantities, etc.
named distributions	Bernoulli, Binomial, Geometric, Negative Binomial, Poisson, Hypergeometric, Discrete Uniform	Continuous Uniform, Exponential, Gamma, Beta, Normal
expected value	$\mathbb{E}(X) = \sum_x x p_X(x)$ $\mathbb{E}(g(X)) = \sum_x g(x) p_X(x)$	$\mathbb{E}(X) = \int_{-\infty}^{\infty} x f_X(x) dx$ $\mathbb{E}(g(X)) = \int_{-\infty}^{\infty} g(x) f_X(x) dx$
$\mathbb{E}(X^2)$	$\mathbb{E}(X^2) = \sum_x x^2 p_X(x)$	$\mathbb{E}(X^2) = \int_{-\infty}^{\infty} x^2 f_X(x) dx$
variance	$\text{Var}(X) = \mathbb{E}(X^2) - (\mathbb{E}(X))^2$	$\text{Var}(X) = \mathbb{E}(X^2) - (\mathbb{E}(X))^2$
std. dev.	$\sigma_X = \sqrt{\text{Var}(X)}$	$\sigma_X = \sqrt{\text{Var}(X)}$

Figure from Introduction to Probability TB (pg. 301)

# How to define probabilities for continuous RVs?

# What is a probability density function?

## Probability density function

The probability distribution, or **probability density function (pdf)**, of a continuous random variable  $X$  is a function  $f_X(x)$ , such that for all real values  $a, b$  with  $a \leq b$ ,

$$\mathbb{P}(a \leq X \leq b) = \int_a^b f_X(x) dx$$

### Remarks:

1. Note that  $f_X(x) \neq \mathbb{P}(X = x)!!!$
2. In order for  $f_X(x)$  to be a pdf, it needs to satisfy the properties
  - $f_X(x) \geq 0$  for all  $x$
  - $\int_{-\infty}^{\infty} f_X(x) dx = 1$

# Let's demonstrate the PDF with an example (1/5)

## Example 1.1

Let  $f_X(x) = 2$ , for  $a \leq x \leq 3$ .

1. Find the value of  $a$  so that  $f_X(x)$  is a pdf.

# Let's demonstrate the PDF with an example (2/5)

## Example 1.2

Let  $f_X(x) = 2$ , for  $a \leq x \leq 3$ .

2. Find  $\mathbb{P}(2.7 \leq X \leq 2.9)$ .



# Let's demonstrate the PDF with an example (3/5)

## Example 1.3

Let  $f_X(x) = 2$ , for  $a \leq x \leq 3$ .

3. Find  $\mathbb{P}(2.7 < X \leq 2.9)$ .

# Let's demonstrate the PDF with an example (4/5)

## Example 1.4

Let  $f_X(x) = 2$ , for  $a \leq x \leq 3$ .

4. Find  $\mathbb{P}(X = 2.9)$ .

# Let's demonstrate the PDF with an example (5/5)

## Example 1.5

Let  $f_X(x) = 2$ , for  $a \leq x \leq 3$ .

5. Find  $\mathbb{P}(X \leq 2.8)$ .

# What is a cumulative distribution function?

## Cumulative distribution function

The **cumulative distribution function (cdf)** of a continuous random variable  $X$ , is the function  $F_X(x)$ , such that for all real values of  $x$ ,

$$F_X(x) = \mathbb{P}(X \leq x) = \int_{-\infty}^x f_X(s)ds$$

**Remarks:** In general,  $F_X(x)$  is increasing and

- $\lim_{x \rightarrow -\infty} F_X(x) = 0$
- $\lim_{x \rightarrow \infty} F_X(x) = 1$

# Let's demonstrate the CDF with an example

## Example 2

Let  $f_X(x) = 2$ , for  $2.5 \leq x \leq 3$ .  
Find  $F_X(x)$ .

# Derivatives of the CDF

## Theorem 1

If  $X$  is a continuous random variable with pdf  $f_X(x)$  and cdf  $F_X(x)$ , then for all real values of  $x$  at which  $F'_X(x)$  exists,

$$\frac{d}{dx}F_X(x) = F'_X(x) = f_X(x)$$

# Finding the PDF from a CDF

## Example 3

Let  $X$  be a RV with cdf

$$F_X(x) = \begin{cases} 0 & x < 2.5 \\ 2x - 5 & 2.5 \leq x \leq 3 \\ 1 & x > 3 \end{cases}$$

Find the pdf  $f_X(x)$ .

# Let's go through another example (1/7)

## Example 4

Let  $X$  be a RV with pdf  $f_X(x) = 2e^{-2x}$ , for  $x > 0$ .

1. Show  $f_X(x)$  is a pdf.
2. Find  $\mathbb{P}(1 \leq X \leq 3)$ .
3. Find  $F_X(x)$ .
4. Given  $F_X(x)$ , find  $f_X(x)$ .
5. Find  $\mathbb{P}(X \geq 1 | X \leq 3)$ .
6. Find the median of the distribution of  $X$ .



# Let's go through another example (2/7)

## Example 4.1

Let  $X$  be a RV with pdf  
 $f_X(x) = 2e^{-2x}$ , for  $x > 0$ .

1. Show  $f_X(x)$  is a pdf.

# Let's go through another example (3/7)

Do this problem at home for extra practice. The solution is available in Meike's video!

## Example 4.2

Let  $X$  be a RV with pdf  
 $f_X(x) = 2e^{-2x}$ , for  $x > 0$ .

2. Find  $\mathbb{P}(1 \leq X \leq 3)$ .

# Let's go through another example (4/7)

## Example 4.3

Let  $X$  be a RV with pdf  
 $f_X(x) = 2e^{-2x}$ , for  $x > 0$ .

3. Find  $F_X(x)$ .

# Let's go through another example (5/7)

Do this problem at home for extra practice. The solution is available in Meike's video!

## Example 4.4

Let  $X$  be a RV with pdf  
 $f_X(x) = 2e^{-2x}$ , for  $x > 0$ .

4. Given  $F_X(x)$ , find  $f_X(x)$ .

# Let's go through another example (6/7)

## Example 4.5

Let  $X$  be a RV with pdf  
 $f_X(x) = 2e^{-2x}$ , for  $x > 0$ .

5. Find  $\mathbb{P}(X \geq 1 | X \leq 3)$ .

# Let's go through another example (7/7)

## Example 4.6

Let  $X$  be a RV with pdf  
 $f_X(x) = 2e^{-2x}$ , for  $x > 0$ .

6. Find the median of the  
distribution of  $X$ .

