Lightning

Given 6 numbers A, B, C, D, E, F, create a program that does exactly these in order:

1. Print the letter 'a' A times.
2. Print the letter 's' B times.
3. Print the letter 'h' C times.
4. Print the letter 'i' D times.
5. Print the letter 'a' E times.
6. Print the letter 'p' F times.

Format Input

The first line contains a single number T, the number of testcases. Each testcase consists of one line containing 6 numbers A, B, C, D, E, F respectively.

Format Output

The output consists of T lines where each line contains "Case #X: " (without quotes) where X is the testcase number (starting from 1) and then followed by the answer according to the instructions stated above.

Constraints

- $1 \leq T \leq 100$
- $1 \leq A, B, C, D, E, F \leq 100$

Sample Input (standard input)

```
2
1 1 1 1 2 3
2 3 2 4 1 5
```

Sample Output (standard output)

```
Case #1: ashiaappp
Case #2: aassshhiiiiappppp
```

© School of Computer Science - BINUS, 2021. No part of the materials available may be copied, photocopied, reproduced, translated, or reduced to any electronic medium or machine-readable form, in whole or in part, without prior written consent of School of Computer Science - BINUS. Any other reproduction in any form without the permission of School of Computer Science - BINUS is probihited. Violators of this clause may be academically sanctioned.

Lightning

Diberikan 6 buah angka A, B, C, D, E, F, buatlah sebuah program yang melakukan hal berikut ini secara berurutan:

1. Tampilkan huruf 'a' sebanyak A kali.
2. Tampilkan huruf 's' sebanyak B kali.
3. Tampilkan huruf 'h' sebanyak C kali.
4. Tampilkan huruf 'i' sebanyak D kali.
5. Tampilkan huruf 'a' sebanyak E kali.
6. Tampilkan huruf 'p' sebanyak F kali.

Format Input

Baris pertama berisi sebuah angka T, yaitu jumlah testcase. Setiap testcase terdiri dari sebuah baris yang mengandung 6 buah angka A, B, C, D, E, F secara berurutan.

Format Output

Output terdiri dari T buah baris dimana setiap baris berisi "Case #X: " (tanpa kutip) dimana X adalah nomor testcase (dimulai dari 1) kemudian diikuti oleh jawaban sesuai dengan petunjuk yang ada di atas.

Constraints

- $1 \leq T \leq 100$
- $1 \leq A, B, C, D, E, F \leq 100$

Sample Input (standard input)

```
2
1 1 1 1 2 3
2 3 2 4 1 5
```

© School of Computer Science - BINUS, 2021. No part of the materials available may be copied, photocopied, reproduced, translated, or reduced to any electronic medium or machine-readable form, in whole or in part, without prior written consent of School of Computer Science - BINUS. Any other reproduction in any form without the permission of School of Computer Science - BINUS is probihited. Violators of this clause may be academically sanctioned.

Sample Output (standard output)

```
Case #1: ashiaappp
Case #2: aassshhiiiiappppp
```

© School of Computer Science - BINUS, 2021. No part of the materials available may be copied, photocopied, reproduced, translated, or reduced to any electronic medium or machine-readable form, in whole or in part, without prior written consent of School of Computer Science - BINUS. Any other reproduction in any form without the permission of School of Computer Science - BINUS is probihited. Violators of this clause may be academically sanctioned.