Example Configuration for Pandoc

Contents

1	Introduction	1
2	PDF Generation	1
3	Emojis	1
4	Links	2
5	Block Quotes	2
6	Code Highlighting 6.1 Within single backticks 6.2 Python Code 6.3 TypeScript Code 6.4 Bash & Shell 6.5 Shell	3 3 3 3
7	Nested Headings 7.1 Third Level	3 3 3

See the source code of this Markdown file to see the configuration settings. Die Reihenfolge im YAML-Block ist sehr wichtig!

1 Introduction

This is an example Markdown configuration file with colored links and highlighted code using JetBrains Mono font¹.

The configuration settings are placed in a so called YAML front matter block at the beginning of the file. The settings are used by the Pandoc document converter to create a PDF file from this Markdown file.

2 PDF Generation

If you use assets folder, then better change to the directory, where the markdown file is located and run the following command:

```
# This file with xelatex engine
pandoc ExampleConfig.md -o ExampleConfig.pdf --pdf-engine=xelatex --pdf-engine-opt=-shell-escape
--toc=true --toc-depth=5 --highlight=tango --number-sections -f markdown+pipe_tables+raw_html
--shift-heading-level-by=-1 -s -o ExampleConfig.pdf
```

3 Emojis



- Normal Text 🚨 important text.
- Adapts to text size
- Bigger Alarm:

¹You have to open this file in a text editor to see the configuration settings. BTW: This is a long footnote.

• Das geht auch \texttwemoji{smile}: 😊

You can create custom commands for emojis like this, see Pandoc/Offical-Documentations/twemojis.pdf.

```
% Light bulb (idea) - 1f4a1
   \newcommand{\idea}{\twemoji{1f4a1}\space}
   \newcommand{\ideatext}{\texttwemoji{1f4a1}\space}
   \newcommand{\ideabig}{\twemoji[height=2em]{1f4a1}\space}
  % Man dancing - 1f57a
  \newcommand{\dancer}{\twemoji{1f57a}\space}
   \newcommand{\dancertext}{\texttwemoji{1f57a}\space}
   \newcommand{\dancerbig}{\twemoji[height=2em]{1f57a}\space}
10
  % Key - 1f511
11
   \newcommand{\key}{\twemoji{1f511}\space}
   \newcommand{\keytext}{\texttwemoji{1f511}\space}
   \newcommand{\keybig}{\twemoji[height=2em]{1f511}\space}
14
15
  % Prohibited - 1f6αb
   \newcommand{\prohibited}{\twemoji{1f6ab}\space}
17
   \newcommand{\prohibitedtext}{\texttwemoji{1f6ab}\space}
18
   \newcommand{\prohibitedbig}{\twemoji[height=2em]{1f6ab}\space}
19
20
  % Target/Bullseye - 1f3af
  \newcommand{\target}{\twemoji{1f3af}\space}
   \newcommand{\targettext}{\texttwemoji{1f3af}\space}
   \newcommand{\targetbig}{\twemoji[height=2em]{1f3af}\space}
  % Firecracker - 1f9e8
26
   \newcommand{\firecracker}{\twemoji{1f9e8}\space}
   \newcommand{\firecrackertext}{\texttwemoji{1f9e8}\space}
   \newcommand{\firecrackerbig}{\twemoji[height=2em]{1f9e8}\space}
  % Warning - 26a0
31
   \newcommand{\warning}{\twemoji{26a0}\space}
32
   \newcommand{\warningtext}{\texttwemoji{26a0}\space}
33
   \newcommand{\warningbig}{\twemoji[height=2em]{26a0}\space}
34
35
  % Trophy - 1f3c6
  \newcommand{\trophy}{\twemoji{1f3c6}\space}
  \newcommand{\trophytext}{\texttwemoji{1f3c6}\space}
   \newcommand{\trophybig}{\twemoji[height=2em]{1f3c6}\space}
  % Alert - 1f6a8 (from previous example)
41
  \newcommand{\alert}{\twemoji{1f6a8}\space}
  \newcommand{\alerttext}{\texttwemoji{1f6a8}\space}
  \newcommand{\alertbig}{\twemoji[height=2em]{1f6a8}\space}
```

4 Links

Here's a blue link to Google.

5 Block Quotes

Here's a block quote:

This is a block quote.

6 Code Highlighting

6.1 Within single backticks

Here's an example inline code in JetBrains Mono.

6.2 Python Code

Here's an example of Python code with syntax highlighting in JetBrains Mono:

```
def greet(name):
```

6.3 TypeScript Code

Here's an example of TypeScript code with syntax highlighting in JetBrains Mono:

```
function greet(name: string): void {
  console.log(`Hello, ${name}!`);
}
```

6.4 Bash & Shell

And here's some bash code:

```
# bash code
echo "Hello, World!"
for i in {1..5}
do
    echo "Count: $i"
done
```

7 Nested Headings

7.1 Third Level

Some third level text.

7.1.1 Fourth Level

Some fourth level text.

7.1.1.1 Fifth Level

Some fifth level text.