

## Phonemic Tagging with the Unisyn lexicon

LaBB-CAT includes the *Unisyn layer manager*, which is designed for ingesting [Unisyn](#) accent-specific lexicons. Unisyn must be downloaded separately, and the included scripts executed to produce a lexicon for the desired variety. The resulting file can be added to LaBB-CAT, and then the layer manager can be configured to use it for tagging word tokens with their phonemic transcriptions.

Unisyn is a ‘master lexicon’ of English, which contains:

- orthography
- part-of-speech
- pronunciation, in an ‘accent neutral’ form
- ‘enriched orthography’ showing morphological information
- frequency, as derived from various sources, including the British National Corpus, Time articles, Gutenberg, etc.

The pronunciations in the lexicon can be converted into an accent-specific form using perl scripts that are included with the lexicon.

### Getting Unisyn

Unisyn is available under a non-commercial license, and must be acquired separately from this layer manager. To acquire Unisyn, you must first register on the the Unisyn website and accept the terms of their license. The Unisyn website is here:

<http://www.cstr.ed.ac.uk/projects/unisyn/>

(This layer manager has been tested with version 1.3 of Unisyn)

### Using Unisyn with this layer manager

Once you’ve got Unisyn, you can use it to produce accent-specific lexicons, and provide these lexicons to the layer manager, which then uses them to annotate words in LaBB-CAT.

For example, if you want to annotate your transcripts with ‘General American English’ pronunciations:

1. Generate the General American English (*gam*) lexicon by running the following Unisyn commands:
  1. `get-exceptions.pl -a gam -f unilex > gam.1`
  2. `post-lex-rules.pl -a gam -f gam.1 > gam.2`
  3. `map-unique.pl -a gam -f gam.2 > gam.unisyn`. This gives you the file `gam.unisyn`, which is the lexicon file you need for the next step.

2. Upload the accent-specific lexicon into LaBB-CAT:
  1. select *layer managers* on the menu
  2. find the *Unisyn layer manager* in the list, and click the extensions button (the second-to-last button on the right)
  3. press *Choose File* and select the *gam.unisyn* file you generated above.
  4. press *Upload*.
3. Create the layer for your pronunciation annotations:
  1. select *word layers* on the menu
  2. add a new layer called something like “GAM Pronunciations”, selecting *Unisyn* as the layer manager, and *Phonological* as the layer type.
  3. check the settings, but most likely the default options are correct, so press *Save*

## Mapping Unisyn pronunciations to the DISC phoneme set

LaBB-CAT’s processing of phonological layers assumes that the annotations use the DISC phoneme set designed for the CELEX phonemic transcriptions. This set is used because each phoneme is expressed by precisely one ASCII character, including phonemes usually expressed using a digraph - e.g. affricates like /tʃ/ (which is /J/ in DISC) and diphthongs like /aʊ/ (which is /2/ in DISC)

Unisyn transcriptions use a set of phones that is greater than the set of phones available in DISC, and the transcriptions are designed to be broadly phonetic, not phonemic.

This means that using the DISC representation of the transcripts is imperfect, as there is a certain amount of loss of information when mapping Unisyn phones to DISC phonemes. The mapping that is used is shown below.

Unisyn		DISC	IPA	Lexical set e.g.
Ah	→	#	∅:	BATH
aa	→	Q	ɒ	PALM → LOT
ar	→	Q	ɒ	start → PALM → LOT
oa	→	{	æ	BANANA → TRAP
ao	→	#	ɑ:	MAZDA → BATH
e	→	E	ɛ	DRESS
er	→	E	ɛ	r-coloured DRESS in scots en
a	→	{	æ	TRAP
eh	→	{	æ	ann use TRAP
ou	→	5	əʊ	GOAT - but a monophthong for in some varieties
oul	→	5	əʊ	goal - post vocalic GOAT
ouw	→	5	əʊ	KNOW → GOAT (except for Abergave)
o	→	Q	ɒ	LOT
ouu	→	Q	ɒ	adios → LOT

Unisyn		DISC	IPA	Lexical set e.g.
au	→	Q	ɒ	CLOTH → LOT (but a diphthong in some en-US)
oo	→	\$	ɔ:	THOUGHT (but a diphthong in some varieties)
or	→	\$	ɔ:	r-coloured THOUGHT
ii	→	i	i:	FLEECE
iy	→	i	i:	HAPPY - I for some varieties
ie	→	i	i:	HARRIET - Leeds only
ii;	→	i	i:	AGREED → FLEECE
ir	→	i	i:	NEARING - r-coloured NEAR → FLEECE
ir;	→	i	i:	near - scots-long NEAR → FLEECE
i	→	I	ɪ	KIT
@	→	@	ə	schwa
@r	→	@	ə	r-coloured schwa
uh	→	V	ʌ	STRUT
u	→	U	ʊ	FOOT
uu	→	u	u:	GOOSE
iu	→	u	u:	BLEW → GOOSE
uu;	→	u	u:	brewed → GOOSE
uw	→	u	u:	louise → GOOSE
uul	→	u	u:	goul - post-vocalic GOOSE
ei	→	1	eɪ	FACE
ee	→	1	eɪ	WASTE → FACE (except for abercrave)
ai	→	2	aɪ	PRICE
ae	→	2	aɪ	TIED → PRICE (except Edi and Aberdeen)
ae	→	2	aɪ	TIED → PRICE (except Edi and Aberdeen)
aer	→	2	aɪ	FIRE - r-coloured PRICE
aai	→	2	aɪ	TIME → PRICE (except S. Carolina)
oir	→	2	aɪ	COIR - r-coloured PRICE
@@r	→	3	ɜ:	NURSE
oi	→	4	ɔɪ	CHOICE
ow	→	6	aʊ	MOUTH
owr	→	6	aʊ	HOUR - r-coloured MOUTH
oow	→	6	aʊ	HOUR → MOUTH (exception S. Carolina)
i@	→	7	ɪə	NEAR
iir	→	7	ɪə	beard → NEAR (except en-AU)
eir	→	8	ɛə	SQUARING (actually a monophthong in many varieties)
ur	→	9	ʊə	JURY
ur;	→	9	ʊə	CURE - scots-long JURY
iur	→	9	ʊə	curious - JURY exception in Cardiff & Abercrave
p	→	p	p	
t	→	t	t	
?	→	?	ʔ	(glottal stop)

Unisyn		DISC	IPA	Lexical set e.g.
t^	→	L	r	butter/merry flap
k	→	k	k	
x	→	x	x	loch
b	→	b	b	
d	→	d	d	
g	→	g	g	
ch	→	J	tʃ	
jh	→	–	dʒ	
s	→	s	s	
z	→	z	z	
sh	→	S	ʃ	
zh	→	Z	ʒ	
f	→	f	f	
v	→	v	v	
th	→	T	θ	
dh	→	D	ð	
h	→	m	m	
m	→	m	m	
m!	→	F	ɱ	chasm
n	→	n	n	
n!	→	H	ɳ	mission
ng	→	N	ŋ	
l	→	l	l	
ll	→	l	l	llandudno (for Cardiff and Abercrave, this is different)
lw	→	l	l	feel - dark l
r	→	r	r	
y	→	j	j	
w	→	w	w	which
hw	→	w	w	which

If having the original transcriptions precisely as defined in the Unisyn lexicon is very important, you can instead create a layer that uses the original transcription as contained in the file you uploaded. This has the advantage that the transcriptions are not filtered through the above mapping, and the disadvantage that LaBB-CAT won't be able to display the transcriptions using IPA symbols, nor help you when creating search patterns for the layer.

If you decide to do this, Unisyn offers you two possible representations:

- Unisyn transcriptions - e.g. { p r @ . n ~ uh n s \$ } . > ii . \* ei . sh n! > - these are already present in the file that you generated if you followed the instructions above (i.e. gam.unisyn)

- SAM-PA transcriptions - e.g. pr\@%nVns\$i"e\$Sn=\$@5 - these can be obtained by running an extra Unisyn command, and uploading the resulting gam.sampa file:  
output-sam.pl -a gam -f gam.unisyn > gam.sampa

(Unisyn has a third script called output-ipa.pl which produces transcriptions for displaying in HTML - e.g. p??nns.i?e.?n - which are not suitable for search, analysis, or forced-alignment)

In order to prevent the DISC mapping from applying on your layer:

- When creating the layer, set the layer type to *Text* rather than *Phonological*.
- When configuring the layer, set the field to *Phonemes (original file)* rather than *Phonemes (DISC)*.

## Creating a Phonemes Layer

To create a new layer with CMUdict annotations:

1. Select the *word layers* option on the menu - this will display a list of all the word layers you already have in the database.
2. At the top of the list, there's a blank form for creating a new layer - fill this form in:
  - ID - enter a one- or two-word description - e.g. phonemes
  - layer type - select *Phonological*
  - layer manager - select *Unisyn*
  - alignment - select *None* (as these are simply tags on the orthographic words)
  - generate - select *Always*
3. Press the *New* button to create the layer. You will see the layer configuration page. Check the online help for explanations of all options, but at least:
4. Ensure the Source Layer is *orthography*
5. Select the desired Lexicon from the list (these relate to the file or files you generated and uploaded above)
6. Tick the *Strip syllabification/stress* if you will use this layer for forced alignment with HTK.

<b>Source Layer:</b>	orthography ▾
<b>Language:</b>	en
<b>Lexicon:</b>	gam.unisyn ▾
<b>Field:</b>	Phonemes (DISC) ▾
<b>Strip syllabification/stress:</b>	<input checked="" type="checkbox"/>
<b>First variant only:</b>	<input type="checkbox"/>
<b>Recover Syllables:</b>	<input type="checkbox"/>
	<input type="button" value="Save"/>

7. Press *Save*
8. Press *Regenerate*. You will see a progress bar while the layer manager annotates all the transcripts that have already been uploaded.

LaBB-CAT will then generate annotations for all the transcripts you already have in your database. If you have a lot of data, this may take a while.

From now on, when you upload a new transcript, the Unisyn annotations will automatically be generated for it.