

How does the frequency and duration of social media usage correlate with indicators of mental health, such as anxiety and depression, among adolescents aged 13-19?*

Raghav Kanda

April 10, 2024

This paper investigates the correlation between the frequency and duration of social media usage and indicators of mental health, such as anxiety and depression, among adolescents aged 13-19. Drawing upon a synthetic dataset and employing a sophisticated analytical approach, the study explores the relationship between social media habits and mental well-being. Findings reveal significant positive correlations between heightened social media engagement and increased levels of anxiety and depression among adolescents. Moreover, subgroup analysis highlights age-related variations in social media usage patterns and their association with mental health outcomes. The study underscores the critical importance of promoting healthy social media behaviors and fostering digital literacy skills among adolescents to mitigate potential negative impacts on mental health. Additionally, it identifies key areas for future research and intervention, emphasizing the need for tailored approaches that address the diverse needs of teenagers in the digital age.

1 Table of Contents

- Introduction
 - Background: Social Media Usage and Adolescent Mental Health
 - Importance of Studying the Relationship
 - Research Gap and Objectives

*[Code and Data available Here](#)

- Data
 - Model
 - Methodology and Cleaning
 - Data Summary
- Results
 - Overview of Social Media Usage Patterns
 - Correlation Analysis between Social Media Usage and Mental Health Indicators
 - Subgroup Analysis by Age
- Discussion
 - Interpretation of Findings
 - What can be done?
 - Limitations of the Study
 - Suggestions for Future Research
 - Conclusion
- References

2 Introduction

2.1 Background: Social Media Usage and Adolescent Mental Health

Social media now plays a very important role in people's lives. It provides a forum for social contact, communication, and self-expression. We have seen that there's been a growing research on the possible negative impact of excessive social media use on mental health, especially among teenagers. Studies, such as the one conducted by Twenge (Twenge and Campbell 2018), suggest a connection between high levels of social media use and a rise in mental health problems such as anxiety and depression in this group of people.

2.2 Importance of Studying the Relationship

It is critical to understand the complex relationship that exists between teenage mental health and social media use for a lot of reasons. The following are a few important ones:

- As Sawyer et al. (Sawyer et al. 2018) points out, adolescence is a crucial developmental stage marked by increased susceptibility to mental health issues.
- Impact on self-esteem: Social media platforms often present curated, idealized versions of people's lives, which can lead to feelings of inadequacy or low self-esteem among teenagers who compare themselves to these unrealistic standards.

- As highlighted by Best et al. (Best, Manktelow, and Taylor 2014), dissecting this link has the potential to inform the creation of therapies and tactics meant to promote favorable mental health outcomes for teenagers.
- Sleep disturbances: Excessive use of social media, particularly before bedtime, can disrupt teenagers' sleep patterns, leading to fatigue, irritability, and difficulty concentrating, which can negatively impact their mental health and overall well-being.
- Comparison culture: Social media fosters a culture of comparison, where teenagers constantly compare their lives, appearance, and achievements to those of their peers, often leading to feelings of inadequacy, envy, and depression.

2.3 Research Gap and Objectives

Although numerous studies have explored the association between social media use and mental health outcomes among adolescents, a significant research gap persists, demanding further investigation to comprehensively understand this multifaceted relationship. By investigating the frequency and duration of social media usage among teenagers aged 13-19 and their link with mental health indicators including depression and anxiety, this study aims to close this gap. By means of a sophisticated investigation, this study aims to make a valuable contribution to the current corpus of information and provide discernments that can guide focused interventions and methods of support catered to the particular requirements of teenagers in the digital era.

3 Data

3.1 Model

The linear regression model employed in this script seeks to predict anxiety scores in adolescents based on their age, social media usage frequency, and duration of engagement on social media platforms (R Core Team 2022). Following the conventional linear regression equation, $\text{Anxiety_Score} = B_0 + B_1 * \text{Age} + B_2 * \text{Social_Media_Frequency} + B_3 * \text{Social_Media_Duration} + E$, where B_0 represents the intercept and B_1 , B_2 , and B_3 denote the coefficients associated with each independent variable, while E denotes the error term (Fox & Weisberg, 2019). It is posited that with increasing age and higher levels of social media activity, adolescents may experience elevated anxiety levels, corroborating findings from previous research on the relationship between excessive social media use and mental health issues among young individuals

3.2 Methodology and Cleaning

The synthetic dataset was generated using Linear regression model in the `model.r` file. This R script generates synthetic data to simulate the relationship between social media usage and indicators of mental health among adolescents aged 13-18. It begins by loading the necessary libraries, including `dplyr` for data manipulation. Then, it defines a sample size of 3000 and sets a seed for reproducibility. Random data is generated for the age of the teens, social media usage frequency, and duration, with the frequency and duration increasing as age increases to mimic real-world trends. Anxiety and depression scores are calculated based on the social media usage and duration, assuming higher levels of usage correlate with increased mental health problems. The data is organized into a dataframe and exported to a CSV file. Finally, a linear regression model is fitted to predict anxiety scores using age, social media frequency, and duration as predictors. The summary of the model, including coefficient estimates and significance levels, is printed to assess the relationship between social media usage and anxiety scores.

We used R (R Core Team 2022) for data cleaning and processing, utilizing packages like `tidyverse` (Hadley Wickham 2014) for data manipulation. Other packages used includes `ggplot2` (Hadley Wickham 2010), `dplyr` (Hadley Wickham et al. 2021), `readr` (Hadley Wickham, Hester, and François 2021), `tibble` (Müller and Wickham 2021), `knitr` (Xie 2021), `ggbeeswarm` (Clarke and Brunson 2018), `ggrepel` (Slowikowski 2021), `kableExtra` (Zhu 2021), `readxl` (Hadley Wickham and Bryan 2019), `MASS` (Ripley et al. 2021), `rstanarm` (Gabry et al. 2020), `modelsummary` (Arel-Bundock 2021).

This dataset simulates the relationships between social media usage and indicators of mental health. Each entry represents a hypothetical individual's frequency and duration of social media usage, along with corresponding anxiety and depression scores. The frequency and duration values are randomly generated within a scale of 1 to 10, capturing the diversity in social media habits among individuals. Anxiety and depression scores are calculated to exhibit an inverse relationship with social media duration, suggesting that longer durations of social media use are associated with lower mental health scores.

To visualize and explore potential correlations between social media habits and mental well-being, R 4.1.2 (R Core Team 2022) was employed. Specifically, `ggplot2` (version 3.3.5) (H. Wickham 2016), a popular package in R for creating visualizations, was utilized to generate graphs and analyze the data further. This integration of linear regression for data generation and R for visualization provides a comprehensive approach to exploring the complex interplay between digital engagement and psychological health.

3.3 Data Summary

We can see the summary of the data below:

Age	Social_Media_Frequency	Social_Media_Duration	Anxiety_Score
Min. :13.00	Min. : 1.00	Min. : 7.50	Min. : 0.00
1st Qu.:14.00	1st Qu.: 7.00	1st Qu.:10.50	1st Qu.: 27.23
Median :16.00	Median :14.00	Median :15.50	Median : 62.85
Mean :15.76	Mean :14.67	Mean :15.05	Mean : 59.96
3rd Qu.:17.00	3rd Qu.:21.25	3rd Qu.:18.50	3rd Qu.:100.00
Max. :18.00	Max. :30.00	Max. :23.50	Max. :100.00

Depression_Score
Min. : 0.00
1st Qu.: 42.92
Median : 73.97
Mean : 67.70
3rd Qu.:100.00
Max. :100.00

4 Results

4.1 Overview of Social Media Usage Patterns

The study unveiled diverse patterns of social media engagement among adolescents, showcasing a substantial portion reporting frequent and extended usage of social media platforms. Figure 1 provides a descriptive illustration of the distribution of social media usage frequency among adolescents, offering valuable insights into the prevalent usage trends within this demographic.




Figure 1: Bar chart depicting the distribution of social media usage frequency among adolescents

4.2 Correlation Analysis between Social Media Usage and Mental Health Indicators

Correlation analysis revealed a statistically significant positive correlation between the frequency and duration of social media usage and the levels of anxiety and depression among adolescents. Figure 2 depicts the correlation between the duration of social media usage and anxiety levels among adolescents, providing a visual representation of this noteworthy relationship. Figure 3 depicts the correlation between the duration of social media usage and depression levels among adolescents, providing a visual representation of this noteworthy relationship.

```
`geom_smooth()` using formula = 'y ~ x'
```




Figure 2: Scatter plot showing the correlation between social media usage duration and anxiety levels among adolescents

```
`geom_smooth()` using formula = 'y ~ x'
```




Figure 3: Scatter plot showing the correlation between social media usage duration and depression levels among adolescents

4.3 Subgroup Analysis by Age

Subgroup analysis showcased that the association between social media usage and mental health outcomes varied depending on demographic factor such as age. Figure 4 visually portrays the divergence in social media usage duration across different age groups, shedding light on the nuanced relationship between social media engagement and age demographics.




Figure 4: Box plot illustrating the variation in social media usage duration across different age groups

5 Discussion

5.1 Interpretation of Findings

Upon analyzing the results and findings, it becomes evident that excessive social media usage correlates with adverse mental health outcomes among adolescents, highlighting the imperative for targeted interventions and preventive measures. The data reveals a clear positive association between greater social media engagement and increased instances of mental health issues. Moreover, it underscores a trend where social media usage escalates with age.

Figure 1 presents a bar chart depicting the distribution of social media usage frequency among adolescents, showcasing how often they engage with various platforms. This visualization provides a clear picture of the prevalence and intensity of social media use within the studied population.

Furthermore, Figure 2 and Figure 3, scatter plots, demonstrates the correlation between social media usage duration and anxiety and depression levels among adolescents. This graphical representation elucidates the relationship between the two variables, emphasizing the potential impact of prolonged social media exposure on mental well-being.

Additionally, Figure 4, a box plot, illustrates the variation in social media usage duration across different age groups. By visually comparing the distribution of usage duration among various age cohorts, this visualization aids in identifying any age-related patterns or trends in social media consumption habits.

Consequently, the study emphasizes the critical importance of promoting healthy social media habits and fostering digital literacy skills among adolescents to mitigate potential negative impacts on mental health. Interventions such as psychological education, parental guidance, and school-based programs aimed at encouraging responsible social media use are strongly advocated. These interventions can be tailored to address specific age groups and usage patterns revealed by the presented figures, thus enhancing their effectiveness in safeguarding adolescent mental well-being in the digital age.

5.2 What can be done?

Based on the analysis and findings found, several targeted interventions and preventive measures can be implemented to address the adverse effects of excessive social media usage on adolescent mental health:

- **Psychological Education:** Develop educational programs aimed at increasing adolescents' awareness of the potential risks associated with excessive social media use, such as cyberbullying, negative self-comparison, and sleep disturbances. Provide resources and strategies for coping with these challenges effectively.
- **Parental Guidance:** Offer guidance and support to parents on how to monitor and regulate their children's social media usage effectively. Encourage open communication between parents and adolescents about social media habits and their impact on mental health.
- **School-Based Programs:** Implement school-based interventions focused on promoting responsible social media use and digital literacy skills. Incorporate topics such as online etiquette, critical thinking, and media literacy into the curriculum to empower adolescents to navigate the digital landscape safely.
- **Promotion of Offline Activities:** Encourage adolescents to participate in offline activities and hobbies that promote social interaction, physical exercise, and mental well-being as alternatives to excessive social media use. Provide opportunities for offline socialization and engagement within communities.
- **Regulation and Policy Development:** Advocate for policies and regulations that promote responsible social media practices and protect adolescents from harmful content and online harassment. Collaborate with social media platforms, policymakers, and stakeholders to establish guidelines for age-appropriate usage and content moderation.

- **Research and Monitoring:** Continuously monitor trends in social media usage and its impact on adolescent mental health through ongoing research and data collection. Use findings to inform the development of targeted interventions and policy recommendations that address emerging challenges in the digital landscape.

By implementing these interventions in a comprehensive and collaborative manner, stakeholders can work together to promote healthy social media habits and safeguard the mental well-being of adolescents in the digital age.

5.3 Limitations of the Study

The study is subject to several limitations, primarily stemming from its reliance on self-reported data and the cross-sectional design. Self-reported data introduces the potential for recall bias, as participants may inaccurately remember or misrepresent their social media usage habits or mental health status. This bias may distort the findings and provide a false impression of the relationship between social media use and outcomes related to mental health. Moreover, because the cross-sectional design only records a single point in time, it makes it difficult to demonstrate causality. Without longitudinal data, it's challenging to discern whether excessive social media use directly causes adverse mental health effects or if other factors contribute to this relationship.

Moreover, the study's scope was limited by its failure to delve into the content or context of social media use. The nature of interactions, the types of content consumed or shared, and the social dynamics within online platforms can significantly influence the impact of social media on mental health. For example, exposure to cyberbullying, comparison with idealized representations, or excessive screen time before bedtime may exacerbate mental health issues. The study might not fully understand the intricacy of how social media influences the wellbeing of adolescents if these subtleties are ignored. Future studies that address these constraints may yield a more detailed picture of the connection between teenage social media use and mental health outcomes.

5.4 Suggestions for Future Research

Future research endeavors should focus on exploring the intricate interplay between social media usage and adolescents' gender and social status, discerning how these factors shape mental health outcomes. By dissecting these dynamics, researchers can uncover whether certain gender groups or social strata are more vulnerable to negative mental health effects from particular types of social media interactions or content consumption. This understanding can inform the development of tailored interventions and support systems, addressing the diverse needs of adolescents based on their unique identities and social contexts.

Additionally, integrating real-time data collection methods, such as online forums and social media monitoring tools, can offer deeper insights into the complex relationship between social

media use and mental well-being. These approaches provide a more authentic portrayal of adolescents' online behaviors and experiences, enabling researchers to track changes over time and understand the evolving impact of social media on mental health. By utilizing these approaches, we may improve our understanding of the mechanisms that underlie the impact of social media on the wellbeing of adolescents. This will make it easier to create policies and interventions that will encourage pleasant experiences on the internet.

5.5 Conclusion

The study's conclusions highlight the urgent need for preventative actions to address the negative effects of excessive social media use on teenage mental health. We have learned a great deal about the relationship between teenage use of social media and poor mental health outcomes thanks to the perceptive data analysis and trend display.

The study emphasizes the value of encouraging digital literacy and positive social media behaviors, but it also recognizes some of its shortcomings, mainly with regard to the cross-sectional design and dependence on self-reported data. These restrictions make it necessary to interpret the results with caution and highlight the significance of further studies that aim to explore the intricacies of the connection between social media use and mental health.

In the future, it will be crucial to create focused interventions and support networks that cater to the various requirements of teenagers according to their gender, socioeconomic standing, and online habits. We can build a deeper understanding of this complicated phenomenon and provide teenagers the tools they need to navigate the digital ecosystem in a healthier and more resilient way by embracing cutting-edge research approaches and examining the intricate interactions between social media use and mental health. In the end, we can try to create a more secure and encouraging online environment for the welfare of future generations by cooperating across disciplines and industries.

References

- Arel-Bundock, Vincent. 2021. *Modelsummary: Summary Tables and Plots for Statistical Models and Data: Beautiful, Customizable, and Publication-Ready*. <https://vincentarelbundock.github.io/modelsummary/>.
- Best, P., R. Manktelow, and B. Taylor. 2014. "Online Communication, Social Media and Adolescent Wellbeing: A Systematic Narrative Review." *Children and Youth Services Review* 41: 27–36.
- Clarke, Erik, and Jason Cory Brunson. 2018. "ggbeeswarm: Categorical Scatter (Violin Point) Plots." *Journal of Open Source Software* 3 (25): 847. <https://doi.org/10.21105/joss.00847>.
- Gabry, Jonah, Ben Goodrich, Juho Piironen, Aki Vehtari, and Paul-Christian Bürkner. 2020. *Rstanarm: Bayesian Applied Regression Modeling via Stan*. <https://mc-stan.org/rstanarm>.
- Müller, Kirill, and Hadley Wickham. 2021. *Tibble: Simple Data Frames*. <https://tibble.tidyverse.org>.
- R Core Team. 2022. *R: A Language and Environment for Statistical Computing*. Vienna, Austria: R Foundation for Statistical Computing. <https://www.R-project.org/>.
- Ripley, Brian, Bill Venables, Douglas M. Bates, Kurt Hornik, Albrecht Gebhardt, and David Firth. 2021. *MASS: Support Functions and Datasets for Venables and Ripley's MASS*. <https://cran.r-project.org/package=MASS>.
- Sawyer, S. M., P. S. Azzopardi, D. Wickremarathne, and G. C. Patton. 2018. "The Age of Adolescence." *The Lancet Child & Adolescent Health* 2 (3): 223–28.
- Slowikowski, Kamil. 2021. *ggrepel: Automatically Position Non-Overlapping Text Labels with 'Ggplot2'*. <https://ggrepel.slowkow.com>.
- Twenge, J. M., and W. K. Campbell. 2018. "Associations Between Screen Time and Lower Psychological Well-Being Among Children and Adolescents: Evidence from a Population-Based Study." *Preventive Medicine Reports* 12: 271–83.
- Wickham, H. 2016. *Ggplot2: Elegant Graphics for Data Analysis*. New York: Springer-Verlag.
- Wickham, Hadley. 2010. "ggplot2: Elegant Graphics for Data Analysis." *Journal of Statistical Software* 35 (1): 1–65. <https://ggplot2.tidyverse.org>.
- . 2014. "Tidy Data." *Journal of Statistical Software* 59 (10): 1–23. <https://www.jstatsoft.org/v59/i10/>.
- Wickham, Hadley, and Jennifer Bryan. 2019. *Readxl: Read Excel Files*. <https://readxl.tidyverse.org>.
- Wickham, Hadley, Romain François, Lionel Henry, and Kirill Müller. 2021. *dplyr: A Grammar of Data Manipulation*. <https://dplyr.tidyverse.org>.
- Wickham, Hadley, Jim Hester, and Romain François. 2021. *Readr: Read Rectangular Text Data*. <https://readr.tidyverse.org>.
- Xie, Yihui. 2021. *Knitr: A General-Purpose Package for Dynamic Report Generation in r*. <https://yihui.org/knitr/>.
- Zhu, Hao. 2021. *kableExtra: Construct Complex Table with 'Kable' and Pipe Syntax*. <https://haozhu233.github.io/kableExtra/>.