

Photochemically Induced Dynamic Nuclear Polarization in a C450A Mutant of the LOV2 Domain of the *Avena sativa* Blue-Light Receptor Phototropin [*J. Am. Chem. Soc.* **2005**, *127*, 17245–17252]. Gerald Richter,* Stefan Weber,* Werner Römisch, Adelbert Bacher, Markus Fischer, and Wolfgang Eisenreich*

Page 17246. The NMR data presented were obtained with an *Avena sativa* phototropin LOV2 C450A domain that is shorter than specified in the manuscript (Experimental Procedures: Materials) and comprises the amino acid residues 404–525. Thus, the shorter protein comprises only one tryptophan residue and not two as stated at the end of the Discussion section. The Supporting Information file accompanying this manuscript has been updated and corrected accordingly. All experimental results remain correct. We apologize for the error.

Supporting Information Available: Experimental details; one table with ^{13}C NMR chemical shifts of free FMN, FMN bound to *Avena sativa* LOV2, and FMN bound to *Avena sativa* LOV2 C450A; one figure with IUPAC numbering scheme of tryptophan; complete refs 3 and 19. This material is available free of charge via the Internet at <http://pubs.acs.org>.

JA802468F

10.1021/ja802468f

Published on Web 05/03/2008