ADDITIONS AND CORRECTIONS

2009, Volume 113B

António J. Queimada,* Fátima L. Mota, Simão P. Pinho, and Eugénia A. Macedo: Solubilities of Biologically Active Phenolic Compounds: Measurements and Modeling

Page 3473. Table 2 has been corrected, as shown below. The electronic version of the original paper was corrected and reposted on April 30, 2009.

TABLE 2: Experimental Solubilities (S) of Tyrosol, o-Coumaric Acid, and Ellagic Acid in Pure Water and the Corresponding Saturation pH Values

	tyrosol		o-coumaric acid		ellagic acid	
T(K)	$S \pm \sigma^a $ (g L ⁻¹)	pН	$S \pm \sigma^a $ (g L ⁻¹)	pН	$\frac{S \pm \sigma^a}{(\text{mg L}^{-1})}$	pН
323	647.2 ± 7.8 572.9 ± 6.7^{b}	4.34	1.3 ± 0.0 1.3 ± 0.1^{b}	3.37	7.2 ± 0.3	4.38
313	300.8 ± 3.9	4.97	0.8 ± 0.0	3.45	5.9 ± 0.2	4.51
303	154.9 ± 2.5	5.19	0.5 ± 0.0	3.56	4.4 ± 0.1	4.65
298	106.9 ± 1.5	5.49	0.3 ± 0.0	3.73	3.8 ± 0.1	4.84
288	63.2 ± 0.5	5.50	0.2 ± 0.0	3.79	2.7 ± 0.1	4.89

^a Standard deviation. ^b Value measured by gravimetry.

10.1021/jp902789q Published on Web 05/07/2009