

## Correction to Skin Sensitization of Epoxyaldehydes: Importance of Conjugation

Tamara Delaine,\* Lina Hagvall, Johanna Rudbäck, Kristina Luthman, and Ann-Therese Karlberg\*

*Chem. Res. Toxicol.* **2013**, 26 (5), 674–684. DOI: 10.1021/tx300465h

Through an oversight, a typographical mistake for the molarity concerning the sensitizing potency of compound 5 was introduced. On page 681 under the section “Skin Sensitization Potency”, the ninth line of this section reads, “The EC3 values obtained for 2, 4, 5, and 6 were 0.12 M (2.1% w/v), 0.29 M (4.5% w/v), 3.5 M (57% w/v), and 3.4 M (60% w/v), respectively...”. The corrected text is as follows: The EC3 values obtained for 2, 4, 5, and 6 were 0.12 M (2.1% w/v), 0.29 M (4.5% w/v), 3.9 M (60% w/v), and 3.4 M (57% w/v), respectively....

The caption to Figure 7 reads, “EC3 values are as follows: 1, 0.45 M (6.8% w/v);<sup>13</sup> 2, 0.12 M (2.1% w/v); 3, 0.082 M (1.4% w/v);<sup>14</sup> 4, 0.29 M (4.5% w/v); 5, 3.5 M (60% w/v); 6, 3.4 M (57% w/v).” The corrected text is as follows: EC3 values are as follows: 1, 0.45 M (6.8% w/v);<sup>13</sup> 2, 0.12 M (2.1% w/v); 3, 0.082 M (1.4% w/v);<sup>14</sup> 4, 0.29 M (4.5% w/v); 5, 3.9 M (60% w/v); 6, 3.4 M (57% w/v).

Table S1 of the Supporting Information reads, “Compound 5, 3.5 M.” The corrected text is as follows: Compound 5, 3.9 M.