


## Correction to 4-Amino-1-hydroxy-2-oxo-1,8-naphthyridine-Containing Compounds Having High Potency against Raltegravir-Resistant Integrase Mutants of HIV-1

Xue Zhi Zhao, Steven J. Smith, Mathieu Métifiot, Christophe Marchand, Paul L. Boyer, Yves Pommier, Stephen H. Hughes, and Terrence R. Burke, Jr.\*

*Journal of Medicinal Chemistry* 2014, 57, 5190–5202. DOI: 10.1021/jm5001908

Page 5191. The structure of compound **6** in Figure 2 of the published manuscript should be corrected as shown below.



**Figure 2.** HIV-1 ribonuclease H (RNase H) inhibitors **6** and integrase inhibitor **5a** with the core metal-chelating 1-hydroxy-1,8-naphthyridin-2(1H)-one system shown in red and the key 4-amino group indicated in blue.

Changes to the published manuscript resulting from the correction of structure **6** are the following.

Page 5191. In the left column, in line 23 of the section “Results and Discussion”, “0.64  $\mu\text{M}$ ” should be “0.045  $\mu\text{M}$ ”; in line 24, “2.4  $\mu\text{M}$ ” should be “24  $\mu\text{M}$ ”; and in line 28, “34  $\mu\text{M}$ ” should be “0.19  $\mu\text{M}$ ”. In the right column, in line 7 of the section “Biological Evaluation”, “10-fold” should be “70-fold”.

Page 5192. In the first paragraph in the left column, the following sentence should be deleted: “In these assays, amine **5a** was approximately two orders-of-magnitude more potent against the WT enzyme ( $\text{EC}_{50} = 372 \pm 63 \text{ nM}$ , Table 2) than what has been reported for **6** (32  $\mu\text{M}$ ).<sup>14</sup>”