

Industrial Crops and Products 7 (1998) 367-369

Author index

Volume 7 (1998)

Abbott, T.P., see Harry-O'kuru, R.E. (7) 53 Ahlgren, P., see Thykesson, M. et al. (7) 351 Ajana, H., see Pioch, D. et al. (7) 83

Amaducci, S. and Pritoni, G.

Effect of harvest date and cultivar on Cichorium intybus yield components in north Italy (7) 345

Angelini, L.G., see Oggiano, N. et al. (7) 59

Angulo-Sanchez, J.L., see Kuruvadi, S. et al. (7) 19

Annerose, D.J.M., see Ogbonnaya, C.I. et al. (7) 9

Archambault, D. and Billaud, F.

Non alimentary rapeseed oil upgrading: a parametric study of methyl oleate pyrolysis (7) 329

Aymard, C., see Gaouar, O. et al. (7) 159

Bachelor, S., see Entwistle, G. et al. (7) 175

Banks, W.B., see Sun, R. et al. (7) 121

Barbirato, F., Himmi, E.H., Conte, T. and Bories, A. 1,3-propanediol production by fermentation: An interesting way to valorize glycerin from the ester and ethanol industries (7) 281

Billa, E., see Papatheofanous, M.G. et al. (7) 249

Billaud, F., see Archambault, D. (7) 329

Bondioli, P., Folegatti, L., Lazzeri, L. and Palmieri, S. Native *Crambe abyssinica* oil and its derivatives as renewable lubricants: an approach to improve its quality by chemical and biotechnological processes (7) 231

Booth, E., see Entwistle, G. et al. (7) 175

Bories, A., see Barbirato, F. et al. (7) 281

Bouwmeester, H.J., see Wander, J.G.N. (7) 211

Büchsenschütz-Nothdurft, A., Schuster, A. and Friedt, W. Breeding for modified fatty acid composition via experimental mutagenesis in *Camelina sativa* (L.) Crtz. (7) 291

Camciuc, M., Deplagne, M., Vilarem, G. and Gaset, A. Okra—Abelmoschus esculentus L. (Moench.) a crop with economic potential for set aside acreage in France (7) 257

Cappelletto, P., see Oggiano, N. et al. (7) 59

Cecchini, C., see D'Egidio, M.G. et al. (7) 113 Cervigni, T., see D'Egidio, M.G. et al. (7) 113

Coates, W.E., see Gomes, R.S. et al. (7) 1

Conte, T., see Barbirato, F. et al. (7) 281

PII S0926-6690(97)10007-3

Cromack, H.T.H. and Smith, J.M.

Calendula officinalis—production potential and crop agronomy in southern England (7) 223

Cromack, H.T.H.

The effect of cultivar and seed density on the production and fibre content of *Cannabis sativa* in southern England (7) 205

Cromack, H.T.H.

The effect of sowing date on the growth and production of *Lunaria annua* in Southern England (7) 217

Daubos, P., Grumel, V., Iori, R., Leoni, O., Palmieri, S. and Rollin, P.

Crambe abyssinica meal as starting material for the production of enantiomerically pure fine chemicals (7) 187

D'Egidio, M.G., Cecchini, C., Cervigni, T., Donini, B. and Pignatelli, V.

Production of fructose from cereal stems and polyannual cultures of Jerusalem artichoke (7) 113

Dehmer, K.J. and Friedt, W.

Development of molecular markers for high oleic acid content in sunflower (*Helianthus annuus* L.) (7) 311

Delgenes, J.P., Escare, M.C., Laplace, J.M., Moletta, R. and Navarro, J.M.

Biological production of industrial chemicals, i.e. xylitol and ethanol, from lignocelluloses by controlled mixed culture systems (7) 101

Delmas, M., see Lan Pham, P. et al. (7) 195

Deplagne, M., see Camciuc, M. et al. (7) 257

Dolciotti, I., Mambelli, S., Grandi, S. and Venturi, G.

Comparison of two Sorghum genotypes for sugar and fiber production (7) 265

Donini, B., see D'Egidio, M.G. et al. (7) 113

Donovan, T.J., see Grieve, C.M. et al. (7) 69

Duhamet, J., see Moreau, C. et al. (7) 95

Durand, R., see Moreau, C. et al. (7) 95

Entwistle, G., Bachelor, S., Booth, E. and Walker, K. Economics of starch production in the UK (7) 175

Escare, M.C., see Delgenes, J.P. et al. (7) 101

Fedeli, A.M., see Laureti, D. et al. (7) 91

Folegatti, L., see Bondioli, P. et al. (7) 231

Fox, R.W., see Gomes, R.S. et al. (7) 1

Francois, L.E., see Grieve, C.M. et al. (7) 69

Friedt, W., see Büchsenschütz-Nothdurft, A. et al. (7) 291

Friedt, W., see Dehmer, K.J. (7) 311

Friedt, W., see Schuster, A. (7) 297

Friedt, W., see Steiss, R. et al. (7) 303

Gandon, M., see Vaitilingom, G. et al. (7) 273

Gaouar, O., Zakhia, N., Aymard, C. and Rios, G.M. Production of maltose syrup by bioconversion of cassava starch in an ultrafiltration reactor (7) 159

Gaset, A., see Camciuc, M. et al. (7) 257

Glenn, G.M. and Hsu, J.

Compression-formed starch-based plastic (7) 37

Gomes, R.S., Wilson, P.N., Coates, W.E. and Fox, R.W. Cotton (*Gossypium*) plant residue for industrial fuel. An economic assessment (7) 1

Graille, J., see Pioch, D. et al. (7) 83

Grandi, S., see Dolciotti, I. et al. (7) 265

Grieve, C.M., Poss, J.A., Donovan, T.J. and Francois, L.E. Salinity effects on growth, leaf-ion content and seed production of *Lesquerella fendleri* (Gray) S. Wats (7) 69

Grumel, V., see Daubos, P. et al. (7) 187

Gueguen, J., Viroben, G., Noireaux, P. and Subirade, M. Influence of plasticizers and treatments on the properties of films from pea proteins (7) 149

Haddoum, T., see Leoni, O. et al. (7) 335

 Harel, P., Mignot, L., Sauvage, J.-P. and Junter, G.-A.
 Cadmium removal from dilute aqueous solution by gel beads of sugar beet pectin (7) 239

Harry-O'kuru, R.E. and Abbott, T.P.

Cardenolide analysis of cold-pressed milkweed oil (7) 53

Himmi, E.H., see Barbirato, F. et al. (7) 281

Hoffmann, J.J., see Schloman, W.W., Jr. et al. (7) 27

Hsu, J., see Glenn, G.M. (7) 37

Iori, R., see Daubos, P. et al. (7) 187

Iori, R., see Leoni, O. et al. (7) 335

Jacobsen, S.-E.

Developmental stability of quinoa under European conditions (7) 169

Jasso Cantu, D., see Kuruvadi, S. et al. (7) 19

Jokinen, K., see Mäkelä, P. et al. (7) 139

Junter, G.-A., see Harel, P. et al. (7) 239

Kärkkäinen, J., see Rajala, A. et al. (7) 129

Kontturi, M., see Mäkelä, P. et al. (7) 139

Koukios, E.G., see Papatheofanous, M.G. et al. (7) 249

Koullas, D.P., see Papatheofanous, M.G. et al. (7) 249

Kuruvadi, S., Jasso Cantu, D. and Angulo-Sanchez, J.L.

Rubber content in different plant parts and tissues of Mexican guayule shrubs (7) 19

Lan Pham, P., Taillandier, P., Delmas, M. and Strehaiano, P. Production of xylanases by *Bacillus polymyxa* using lignocellulosic wastes (7) 195

Laplace, J.M., see Delgenes, J.P. et al. (7) 101

Larguèze, C., see Pioch, D. et al. (7) 83

Laureti, D., Fedeli, A.M., Scarpa, G.M. and Marras, G.F.
Performance of castor (*Ricinus communis* L.) cultivars in Italy (7) 91

Lazzeri, L., see Bondioli, P. et al. (7) 231

Leoni, O., Iori, R., Haddoum, T., Marlier, M., Wathelet, J.P., Rollin, P. and Palmieri, S.

Approach to the use of immobilized sulfatase for analytical purposes and for the production of desulfo-glucosinolates (7) 335

Leoni, O., see Daubos, P. et al. (7) 187

Liennard, A., see Vaitilingom, G. et al. (7) 273

Mäkelä, P., Jokinen, K., Kontturi, M., Peltonen-Sainio, P., Pehu, E. and Somersalo, S.

Foliar application of glycinebetaine—a novel product from sugar beet—as an approach to increase tomato yield (7) 139

Mambelli, S., see Dolciotti, I. et al. (7) 265

Mark Lawther, J., see Sun, R. et al. (7) 121

Marlier, M., see Leoni, O. et al. (7) 335

Marras, G.F., see Laureti, D. et al. (7) 91

McIntyre, D., see Schloman, W.W., Jr. et al. (7) 27

Mignot, L., see Harel, P. et al. (7) 239

Moletta, R., see Delgenes, J.P. et al. (7) 101

Monties, B., see Papatheofanous, M.G. et al. (7) 249

Moreau, C., Durand, R., Peyron, D., Duhamet, J. and Rivalier, P.

Selective preparation of furfural from xylose over microporous solid acid catalysts (7) 95

Navarro, J.M., see Delgenes, J.P. et al. (7) 101

Noireaux, P., see Gueguen, J. et al. (7) 149

Nwalozie, M.C., see Ogbonnaya, C.I. et al. (7) 9

Ogbonnaya, C.I., Roy-Macauley, H., Nwalozie, M.C. and Annerose, D.J.M.

Physical and histochemical properties of kenaf (*Hibiscus cannabinus* L.) grown under water deficit on a sandy soil (7) 9

Oggiano, N., Angelini, L.G. and Cappelletto, P.

Pulping and paper properties of some fibre crops (7) 59

Pace, S., Piscioneri, I. and Settanni, I.

Heterosis and combining ability in a half diallel cross of kenaf (*Hibiscus cannabinus* L.) in south Italy (7) 317

Palmieri, S., see Bondioli, P. et al. (7) 231

Palmieri, S., see Daubos, P. et al. (7) 187

Palmieri, S., see Leoni, O. et al. (7) 335

Papatheofanous, M.G., Billa, E., Koullas, D.P., Monties, B. and Koukios, E.G.

Optimizing multisteps mechanical-chemical fractionation of wheat straw components (7) 249

Pehu, E., see Mäkelä, P. et al. (7) 139

Peltonen, J., see Rajala, A. et al. (7) 129

Peltonen-Sainio, P., see Mäkelä, P. et al. (7) 139

Peltonen-Sainio, P., see Rajala, A. et al. (7) 129

Perilhon, C., see Vaitilingom, G. et al. (7) 273

Peyron, D., see Moreau, C. et al. (7) 95

Pignatelli, V., see D'Egidio, M.G. et al. (7) 113

Pioch, D., Larguèze, C., Graille, J., Ajana, H. and Rouviere, J. Towards an efficient membrane based vegetable oils refining (7) 83

Piscioneri, I., see Pace, S. et al. (7) 317

Poss, J.A., see Grieve, C.M. et al. (7) 69

Pritoni, G., see Amaducci, S. (7) 345

Rajala, A., Kärkkäinen, J., Peltonen, J. and Peltonen-Sainio,

Foliar applications of alcohols failed to enhance growth and yield of C₃ crops (7) 129

Rios, G.M., see Gaouar, O. et al. (7) 159

Rivalier, P., see Moreau, C. et al. (7) 95

Rollin, P., see Daubos, P. et al. (7) 187

Rollin, P., see Leoni, O. et al. (7) 335

Rouviere, J., see Pioch, D. et al. (7) 83

Roy-Macauley, H., see Ogbonnaya, C.I. et al. (7) 9

Sauvage, J.-P., see Harel, P. et al. (7) 239

Scarpa, G.M., see Laureti, D. et al. (7) 91

Schloman, W.W., Jr., McIntyre, D., Siler, D.J., Stumpf, D.K. and Hoffmann, J.J.

Semisynthetic guayule latex with reduced allergenicity (7) 27

Schuster, A. and Friedt, W.

Glucosinolate content and composition as parameters of quality of *Camelina* seed (7) 297

Schuster, A., see Büchsenschütz-Nothdurft, A. et al. (7) 291

Schuster, A., see Steiss, R. et al. (7) 303

Settanni, I., see Pace, S. et al. (7) 317

Siler, D.J., see Schloman, W.W., Jr. et al. (7) 27

Sjöberg, L.-A., see Thykesson, M. et al. (7) 351

Smith, J.M., see Cromack, H.T.H. (7) 223

Somersalo, S., see Mäkelä, P. et al. (7) 139

Steiss, R., Schuster, A. and Friedt, W.

Development of linseed for industrial purposes via pedigree-selection and haploid-technique (7) 303

Strehaiano, P., see Lan Pham, P. et al. (7) 195

Stumpf, D.K., see Schloman, W.W., Jr. et al. (7) 27

Subirade, M., see Gueguen, J. et al. (7) 149

Sun, R., Mark Lawther, J. and Banks, W.B.

Isolation and characterization of hemicellulose B and cellulose from pressure refined wheat straw (7) 121

Taillandier, P., see Lan Pham, P. et al. (7) 195

Thykesson, M., Sjöberg, L.-A. and Ahlgren, P.

Paper properties of grass and straw pulps (7) 351

Vaitilingom, G., Perilhon, C., Liennard, A. and Gandon, M. Development of rape seed oil burners for drying and heating (7) 273

Venturi, G., see Dolciotti, I. et al. (7) 265

Vilarem, G., see Camciuc, M. et al. (7) 257

Viroben, G., see Gueguen, J. et al. (7) 149

Walker, K., see Entwistle, G. et al. (7) 175

Wander, J.G.N. and Bouwmeester, H.J.

Effects of nitrogen fertilization on dill (*Anethum graveolens* L.) seed and carvone production (7) 211

Wathelet, J.P., see Leoni, O. et al. (7) 335

Willett, J.L., see Wing, R.E. (7) 45

Wilson, P.N., see Gomes, R.S. et al. (7) 1

Wing, R.E. and Willett, J.L.

Water soluble oxidized starches by peroxide reactive extrusion (7) 45

Zakhia, N., see Gaouar, O. et al. (7) 159