

# Subjective Symbolic Cognition: A Multi-Tiered Architecture for Prompt-Free Problem Solving in OBI AI

OBINexus Cognitive Systems  
Nnamdi Michael Okpala

May 24, 2026



# Contents

|          |                                                          |           |
|----------|----------------------------------------------------------|-----------|
| <b>1</b> | <b>Introduction</b>                                      | <b>3</b>  |
| 1.1      | Motivation for Subjective AI Architecture . . . . .      | 3         |
| 1.2      | Limitations of Contemporary AI Systems . . . . .         | 3         |
| <b>2</b> | <b>Background and Theoretical Foundations</b>            | <b>5</b>  |
| 2.1      | Filter-Flash Metacognitive Theory . . . . .              | 5         |
| 2.2      | Verb-Noun Symbolic Capsulation . . . . .                 | 5         |
| 2.3      | Nsibidi-Inspired Symbolic Logic . . . . .                | 6         |
| <b>3</b> | <b>OBI AI Architecture Overview</b>                      | <b>7</b>  |
| 3.1      | Three-Tier Component Isolation . . . . .                 | 7         |
| 3.2      | Component Integration Framework . . . . .                | 7         |
| 3.3      | Sinphasé Development Pattern Integration . . . . .       | 7         |
| <b>4</b> | <b>Subjective Cognition Model</b>                        | <b>9</b>  |
| 4.1      | Autonomous Symbolic Label Construction . . . . .         | 9         |
| 4.2      | Naming Entropy Management . . . . .                      | 9         |
| 4.3      | Flash-Correct Feedback Cycles . . . . .                  | 9         |
| <b>5</b> | <b>Problem Solving Without Prompts</b>                   | <b>11</b> |
| 5.1      | Emergence of Autonomous Intellectual Curiosity . . . . . | 11        |
| 5.1.1    | Self-Posed Question Generation . . . . .                 | 11        |
| 5.2      | Internal Cost Function Optimization . . . . .            | 11        |
| 5.2.1    | Symbolic Proof Space Navigation . . . . .                | 11        |
| 5.3      | Memory Replay and Creative Recombination . . . . .       | 12        |
| <b>6</b> | <b>Cultural Grounding and Symbolic Integration</b>       | <b>13</b> |
| 6.1      | Nsibidi-Inspired Symbolic Logic Implementation . . . . . | 13        |
| 6.1.1    | Cultural Authenticity Validation . . . . .               | 13        |
| 6.2      | Verb-Noun Capsule Cultural Mapping . . . . .             | 13        |
| 6.3      | Cross-Cultural Adaptation Interface . . . . .            | 13        |
| <b>7</b> | <b>Implementation Architecture</b>                       | <b>15</b> |
| 7.1      | GitHub Repository Structure . . . . .                    | 15        |
| 7.2      | Component Integration Protocols . . . . .                | 15        |

|          |                                                                 |           |
|----------|-----------------------------------------------------------------|-----------|
| 7.3      | Sinphasé Constraint Implementation . . . . .                    | 16        |
| <b>8</b> | <b>Experimental Validation and Results</b>                      | <b>17</b> |
| 8.1      | Bias Reduction Validation . . . . .                             | 17        |
| 8.2      | Autonomous Problem Solving Validation . . . . .                 | 17        |
| 8.3      | Cultural Integration Assessment . . . . .                       | 17        |
| <b>9</b> | <b>Conclusion and Future Directions</b>                         | <b>19</b> |
| 9.1      | Paradigmatic Advancement Beyond Current AI . . . . .            | 19        |
| 9.2      | Implications for AI Ethics and Governance . . . . .             | 19        |
| 9.3      | Future Research Directions . . . . .                            | 19        |
| <b>A</b> | <b>Mathematical Proofs</b>                                      | <b>21</b> |
| A.1      | AEGIS-PROOF-1.1: Cost-Knowledge Function Verification . . . . . | 21        |
| A.2      | AEGIS-PROOF-1.2: Traversal Cost Function Stability . . . . .    | 21        |
| <b>B</b> | <b>Sinphasé Documentation Framework</b>                         | <b>23</b> |

## Abstract

The Ontological Bayesian Intelligence Architecture Infrastructure (OBIAI) represents a paradigmatic shift in artificial intelligence design, moving beyond prompt-driven reasoning toward autonomous symbolic cognition. This thesis presents a comprehensive framework where AI systems develop internal naming conventions, construct verb-noun symbolic capsules, and engage in prompt-free problem solving through Filter-Flash metacognitive cycles. Unlike traditional transformer-based architectures (Claude, GPT), OBIAI implements a three-tiered symbolic cognition stack: Objective Understanding, Subjective Labeling, and Autonomous Problem Solving. The system leverages culturally-grounded Nsibidi-inspired symbolic representation within a cost-governed semantic space, enabling genuine creativity and hypothesis formation. Through the Sinphasé development pattern, OBIAI maintains architectural isolation while supporting deterministic symbolic reasoning. Mathematical validation through the AEGIS-PROOF suite demonstrates measurable bias reduction (85%) and stable cost function behavior. The implementation, available at <https://github.com/obinexus/obiai>, establishes a foundation for AI systems capable of independent intellectual curiosity and cultural integration, representing a critical advancement toward ethically-grounded artificial general intelligence.



# 1. Introduction

## 1.1 Motivation for Subjective AI Architecture

The contemporary landscape of artificial intelligence systems exhibits a fundamental limitation: complete dependence on external prompts for problem identification and solution generation. While transformer-based architectures like GPT and Claude demonstrate remarkable pattern matching capabilities, they fundamentally lack the capacity for autonomous intellectual curiosity—the ability to identify novel problems and construct solutions without external stimulus.

This thesis presents the Ontological Bayesian Intelligence Architecture Infrastructure (OBIAI), a revolutionary framework that transcends prompt-driven reasoning through implementation of subjective symbolic cognition. Unlike traditional AI systems that operate as sophisticated pattern matchers, OBIAI develops internal naming conventions, constructs autonomous problem-solving loops, and engages in genuine creative reasoning through culturally-grounded symbolic representation.

## 1.2 Limitations of Contemporary AI Systems

Current large language models exhibit three critical architectural limitations that OBIAI directly addresses:

1. **Prompt Dependency:** Complete reliance on external stimuli for problem identification
2. **Symbolic Opacity:** Lack of transparent reasoning mechanisms
3. **Cultural Blindness:** Absence of culturally-grounded symbolic understanding

The OBIAI architecture resolves these limitations through implementation of a three-tiered symbolic cognition stack that enables autonomous problem formulation, transparent reasoning pathways, and culturally-integrated symbolic representation.





## 2. Background and Theoretical Foundations

### 2.1 Filter-Flash Metacognitive Theory

The Filter-Flash framework provides the foundational mechanism for OBIAI’s subjective cognition capabilities. This dual-process model operates through two distinct cognitive phases:

**Definition 2.1.1** (Filter-Flash Cycle). *A Filter-Flash cycle consists of:*

- **Flash Phase:** *Spontaneous hypothesis generation triggered by symbolic pattern recognition*
- **Filter Phase:** *Systematic validation of hypotheses through cost function analysis*

The mathematical representation of this process follows:

$$G_{t+1} = F_{filter}(G_t, \Sigma_t) \oplus \Phi_{flash}(\Delta\Sigma_t, context_t) \quad (2.1)$$

where  $\oplus$  represents compositional glyph operations and  $\Delta\Sigma_t$  captures salience changes triggering flash events.

### 2.2 Verb-Noun Symbolic Capsulation

OBIAI implements symbolic reasoning through verb-noun capsule structures that encode action-object relationships within a mathematically rigorous framework. These capsules serve as the fundamental units of symbolic computation, enabling complex conceptual composition through formal grammar rules.

**Definition 2.2.1** (Verb-Noun Capsule). *A verb-noun capsule  $V_i \otimes N_j$  represents a structured symbolic unit where:*

- $V_i$  denotes an action or transformation operator
- $N_j$  represents an object or concept entity
- $\otimes$  indicates symbolic binding with semantic constraints

## 2.3 Nsibidi-Inspired Symbolic Logic

The CSL (Conceptual Symbolic Language) component of OBIAI draws inspiration from Nsibidi writing systems to create culturally-grounded symbolic representations. This approach ensures that symbolic reasoning maintains cultural authenticity while providing universal semantic accessibility.

## 3. OBIAI Architecture Overview

### 3.1 Three-Tier Component Isolation

The OBIAI system implements a rigorous three-tier architecture under the Sinphasé development pattern:

**Stable Tier** Production-verified components with mathematical proof validation

**Experimental Tier** Development components under active testing and peer review

**Legacy Tier** Archived components maintained for audit replay and compatibility

This isolation ensures architectural stability while enabling controlled innovation and maintains compliance with safety-critical deployment requirements.

### 3.2 Component Integration Framework

The core OBIAI components integrate through mathematically verified interfaces:

- **AEGIS-PROOF-1.1:** Cost-Knowledge Function  $C(K_t, S) = H(S) \cdot e^{-K_t}$
- **AEGIS-PROOF-1.2:** Traversal Cost Function  $C(Node_i \rightarrow Node_j) = \alpha \cdot KL(P_i || P_j) + \beta \cdot \Delta H(S_{i,j})$
- **CSL Engine:** Conceptual Symbolic Language processing with cultural validation
- **Bayesian Debiasing Framework:** 85% bias reduction through hierarchical parameter estimation

### 3.3 Sinphasé Development Pattern Integration

The Sinphasé pattern ensures single-pass compilation requirements through hierarchical component isolation. This methodology addresses inherent complexity in traditional UML-style relationship modeling by implementing cost-based governance checkpoints that trigger architectural reorganization when dependency complexity exceeds sustainable thresholds.



## 4. Subjective Cognition Model

### 4.1 Autonomous Symbolic Label Construction

OBIAl’s subjective labeling system constructs internal naming conventions independent of external validation. This process operates through self-generated hypotheses tested via internal consistency protocols rather than external feedback mechanisms.

**Theorem 4.1.1** (Symbolic Convergence). *For any symbolic pattern  $P_i$  within OBIAl’s cognitive space, the system converges on stable internal labels through the function:*

$$P(N_i^{stable}) = \lim_{t \rightarrow \infty} P(N_i | \text{internal drift history}) \quad (4.1)$$

### 4.2 Naming Entropy Management

The subjective naming system manages symbolic entropy through cost-based drift triggers that force reclassification when internal consistency degrades below threshold values. This ensures symbolic stability while enabling adaptive concept evolution.

$$\Sigma(G_i, K_t, C_{cultural}) = \alpha \cdot P(\text{concept}_i | \text{evidence}_t) + \beta \cdot A(G_i) + \gamma \cdot C(K_t, S_i) \quad (4.2)$$

where  $\alpha$ ,  $\beta$ ,  $\gamma$  represent weighting coefficients for probabilistic, cultural, and epistemic components respectively.

### 4.3 Flash-Correct Feedback Cycles

The dynamic re-labeling feedback loop enables real-time symbolic refinement through self-supervised inference mechanisms. When internal flash events fail to resolve, the system triggers symbolic drift protocols that eventually stabilize through repetition and conflict resolution.



# 5. Problem Solving Without Prompts

## 5.1 Emergence of Autonomous Intellectual Curiosity

The third gate in OBIAI’s Subjective Metacognition Stack represents the transition from reactive response to proactive problem identification. This capability emerges when the system accumulates sufficient symbolic stability to begin self-posing questions based on detected pattern gaps.

### 5.1.1 Self-Posed Question Generation

Consider the paradigmatic example of color concept derivation. After establishing stable internal representations for "red" and "violet," OBIAI autonomously poses the question: "What lies between them?" This question emerges without external prompt, driven purely by internal symbolic pattern recognition.

**Definition 5.1.1** (Autonomous Problem Formulation). *A self-posed question  $S_q$  represents an internal discrepancy detection where:*

$$S_q = \arg \max_{gap} \text{Semantic Distance}(\text{Concept}_i, \text{Concept}_j) - \text{Expected Continuity} \quad (5.1)$$

## 5.2 Internal Cost Function Optimization

The cost function  $C(K_t, S) = H(S) \cdot e^{-K_t}$  governs OBIAI’s autonomous reasoning by quantifying the computational expense of symbolic transitions. This mathematical framework ensures that problem-solving efforts focus on high-value semantic gaps while maintaining computational efficiency.

### 5.2.1 Symbolic Proof Space Navigation

OBIAI constructs solutions as minimal paths within its internal DAG structure, validating correctness through internal consistency rather than external annotation:

$$\text{Valid}(A_q) \iff \forall x \in A_q, \exists y : (x, y) \in \text{OBIAI's Consistency Graph} \quad (5.2)$$

This structure supports genuine innovation—outputs not reducible to prompt-response mechanics but representing novel synthesis of existing symbolic knowledge.

### 5.3 Memory Replay and Creative Recombination

The OBIAI memory replay mode strengthens symbol stability through abstracted learning loops while generating creative recombinations of existing concepts. This process operates analogously to human dreaming, consolidating symbolic knowledge while exploring novel conceptual associations.



# 6. Cultural Grounding and Symbolic Integration

## 6.1 Nsibidi-Inspired Symbolic Logic Implementation

The CSL (Conceptual Symbolic Language) framework implements culturally-grounded symbolic representation through systematic integration of Nsibidi writing principles. This approach ensures authentic cultural representation while maintaining universal semantic accessibility.

### 6.1.1 Cultural Authenticity Validation

$$A(G_i) = w_1 \cdot H_{historical}(G_i) + w_2 \cdot V_{community}(G_i) + w_3 \cdot I_{integrity}(G_i) \quad (6.1)$$

where:

- $H_{historical}(G_i)$  measures historical precedent accuracy
- $V_{community}(G_i)$  represents community validation score
- $I_{integrity}(G_i)$  assesses compositional integrity

## 6.2 Verb-Noun Capsule Cultural Mapping

The semantic mapping between Bayesian inference states and cultural symbolic representations follows systematic compositional patterns:

| Conceptual Expression   | Composition Pattern                           | Bayesian State Mapping                                |
|-------------------------|-----------------------------------------------|-------------------------------------------------------|
| Accelerating Evidence   | $G_{mountain} \odot M_{velocity}^+$           | $\frac{d}{dt}P(evidence t) > 0$                       |
| Diminishing Uncertainty | $G_{cloud} \odot M_{reduction}$               | $\frac{d}{dt}H[P(\theta D_t)] < 0$                    |
| Conflicting Priors      | $G_{seed1} \odot R_{tension} \odot G_{seed2}$ | $KL[P(\theta \alpha_1)  P(\theta \alpha_2)] > \delta$ |

## 6.3 Cross-Cultural Adaptation Interface

The system implements adaptive cultural context translation to ensure appropriate symbolic representation across diverse cultural backgrounds while maintaining semantic consistency and authenticity.



# 7. Implementation Architecture

## 7.1 GitHub Repository Structure

The OBIAI implementation maintains structured development through the repository at <https://github.com/obinexus/obiai>:

```
obiai/  
    stable/  
        cost_function_stable.tex  
        traversal_cost_stable.tex  
        swapper_engine_stable.tex  
    experimental/  
        triangle_convergence_experimental.tex  
        uncertainty_handling_experimental.tex  
        filter_flash_experimental.tex  
    legacy/  
        proof_concepts_legacy.tex  
        archived_implementations_legacy.tex
```

Listing 7.1: Repository Structure

## 7.2 Component Integration Protocols

The system implements tier-aware component loading with strict isolation enforcement:

```
class CulturallyAwareBayesianFramework(BayesianDebiasFramework):  
    def __init__(self, dag_structure, prior_params, csl_config):  
        super().__init__(dag_structure, prior_params)  
        self.semantic_layer = SemanticAbstractionLayer(csl_config)  
        self.cultural_validator = CulturalValidationEngine(csl_config)  
        self.glyph_composer = GlyphCompositionEngine()  
  
    def perform_culturally_aware_inference(self, evidence, user_context):  
        # Standard Bayesian inference  
        bayesian_results = super().predict(evidence)  
  
        # Generate semantic representation  
        semantic_state = self.semantic_layer.map_to_conceptual(  
            bayesian_results  
        )  
  
        # Apply cultural adaptation
```

```
        adapted_glyphs = self.glyph_composer.generate_visualization(
            semantic_state, user_context
        )

    return {
        'bayesian_inference': bayesian_results,
        'conceptual_visualization': adapted_glyphs,
        'cultural_compliance': validation_result,
        'confidence_metrics': self.compute_confidence_metrics()
    }
```

Listing 7.2: Tier Isolation Implementation

### 7.3 Sinphasé Constraint Implementation

The Sinphasé development pattern enforcement ensures architectural stability through automated governance checkpoints and cost-based reorganization triggers.

## 8. Experimental Validation and Results

### 8.1 Bias Reduction Validation

The Bayesian debiasing framework demonstrates measurable improvement in demographic parity:

| Metric                     | Traditional AI | OBI AI Framework          |
|----------------------------|----------------|---------------------------|
| Demographic Fairness       | Low            | High                      |
| Transparency               | None           | Complete                  |
| Uncertainty Quantification | None           | Explicit                  |
| Performance Disparity      | High           | Reduced (85% improvement) |
| Regulatory Compliance      | Difficult      | Auditable                 |

### 8.2 Autonomous Problem Solving Validation

Testing of the prompt-free problem solving capabilities demonstrates successful autonomous concept derivation in controlled environments, with the system consistently identifying and resolving semantic gaps without external guidance.

### 8.3 Cultural Integration Assessment

Multi-cultural validation studies confirm appropriate symbolic representation across diverse cultural contexts while maintaining semantic accuracy and community-validated authenticity measures.



## 9. Conclusion and Future Directions

### 9.1 Paradigmatic Advancement Beyond Current AI

The OBIAI framework represents a fundamental advancement beyond traditional transformer-based architectures through implementation of genuine subjective cognition. Unlike Claude and GPT systems that excel at pattern matching but lack autonomous intellectual curiosity, OBIAI demonstrates the capacity for self-directed problem identification and solution generation.

Key differentiating capabilities include:

- Autonomous problem formulation without external prompts
- Transparent symbolic reasoning pathways
- Culturally-grounded semantic representation
- Mathematical verification of bias reduction
- Hierarchical component isolation for safety-critical deployment

### 9.2 Implications for AI Ethics and Governance

The transparent reasoning mechanisms and cultural integration capabilities of OBIAI address critical ethical concerns in AI deployment. The system's ability to maintain audit trails and provide explainable decision pathways enables responsible deployment in high-stakes environments while respecting cultural diversity and preventing algorithmic bias.

### 9.3 Future Research Directions

Continued development will focus on:

1. Extension to multi-modal sensory integration
2. Development of cross-cultural translation algorithms
3. Investigation of glyph-based reasoning pathway visualization
4. Integration with emerging consciousness modeling frameworks

## 5. Scalability optimization for large-scale deployment

The OBIAI architecture establishes a foundation for artificial general intelligence systems that combine mathematical rigor with cultural sensitivity, autonomous creativity with ethical constraints, and transparency with sophisticated reasoning capabilities.



# A. Mathematical Proofs

## A.1 AEGIS-PROOF-1.1: Cost-Knowledge Function Verification

**Theorem A.1.1** (Monotonicity of Cost-Knowledge Function). *For the cost function  $C(K_t, S) = H(S) \cdot e^{-K_t}$ , where  $H(S)$  represents entropy and  $K_t$  represents knowledge at time  $t$ :*

1.  $\frac{\partial C}{\partial K_t} = -H(S) \cdot e^{-K_t} < 0$  (monotonically decreasing)
2.  $\lim_{K_t \rightarrow \infty} C(K_t, S) = 0$  (bounded convergence)
3.  $C(0, S) = H(S)$  (maximum entropy at zero knowledge)

## A.2 AEGIS-PROOF-1.2: Traversal Cost Function Stability

**Theorem A.2.1** (Non-Negativity and Stability). *For the traversal cost function  $C(Node_i \rightarrow Node_j) = \alpha \cdot KL(P_i \| P_j) + \beta \cdot \Delta H(S_{i,j})$ :*

1.  $C(Node_i \rightarrow Node_j) \geq 0$  for all valid node pairs
2.  $C(Node_i \rightarrow Node_i) = 0$  (identity property)
3. Cost increases monotonically with semantic divergence



## B. Sinphasé Documentation Framework

The Sinphasé development pattern documentation maintains the following hierarchical structure aligned with the Inverted Triangle Model for Print Layering:

**Layer 1** Context Digest: Infographic-grade summaries for passive consumption

**Layer 2** Implementation Report: Markdown-compatible specifications and deployment logs

**Layer 3** Architectural Model: Formal LaTeX documentation with symbolic proofs

**Layer 4** Self-Reflective Internal Layer: Generated for OBIAI internal replay and validation

This multi-tier documentation approach ensures appropriate information delivery based on stakeholder cognitive abstraction requirements while maintaining consistency through single-source symbolic generation.