

# The Measure of the World

A Technical History of the Royal Observatory

A comprehensive 25-chapter technical history of the Royal Observatory, Greenwich, from its founding in 1675 through the 19th century. The book integrates narrative history, mathematical exposition, and instrument analysis, treating precision as a practical achievement built from instruments, mathematics, and institutional habit.

January 4, 2026



*For those who built precision  
by hand, by habit, and by refusal to guess.*



# CONTENTS

<b>1</b>	<b>The Deadly Ignorance of Position</b>	<b>1</b>
1.1	The Scilly Disaster . . . . .	1
1.2	What Is Longitude? . . . . .	2
1.2.1	Latitude: The Celestial Measure . . . . .	2
1.2.2	Longitude: The Hidden Coordinate . . . . .	3
1.3	The Navigator’s Problem . . . . .	4
1.4	A Catalog of Disaster . . . . .	5
1.5	The Political Response . . . . .	6
1.6	Forward to the Solutions . . . . .	7
<b>2</b>	<b>The State of the Art in 1675</b>	<b>9</b>
2.1	The Instrument Maker’s Workshop . . . . .	9
2.2	Instruments for Finding Latitude . . . . .	10
2.2.1	The Astrolabe . . . . .	10
2.2.2	The Cross-Staff and Backstaff . . . . .	10
2.2.3	The Quadrant and the Vernier Scale . . . . .	11
2.3	The Astronomer’s Toolkit . . . . .	12
2.3.1	The Telescope’s Arrival . . . . .	12
2.3.2	Clock Technology and the Pendulum . . . . .	13
2.4	The Gap Between Need and Capability . . . . .	13
2.4.1	Latitude Determination . . . . .	14
2.4.2	Longitude by Lunar Distance . . . . .	14
2.5	Precision and the Measuring Hand . . . . .	15
2.6	Forward to Methods and Instruments . . . . .	16

<b>3</b>	<b>The Founding of the Observatory</b>	<b>17</b>
3.1	The Appointment . . . . .	17
3.2	The Political Foundation . . . . .	17
3.3	Greenwich Park . . . . .	18
3.4	Wren’s Octagon . . . . .	19
3.5	The Initial Suite . . . . .	20
3.6	The Underfunded Astronomer . . . . .	20
<b>4</b>	<b>The Mural Arc and the Method of Transits</b>	<b>23</b>
4.1	A Clear Winter Night . . . . .	23
4.2	The Instrument . . . . .	24
4.3	Right Ascension from Clock Time . . . . .	25
4.4	Declination from Altitude . . . . .	26
4.5	The Clock: Tompion’s Regulators . . . . .	27
4.6	Sources of Error . . . . .	28
<b>5</b>	<b>Building the Historia Coelestis Britannica</b>	<b>31</b>
<b>6</b>	<b>Chapter Title</b>	<b>33</b>
<b>7</b>	<b>Chapter Title</b>	<b>35</b>
<b>8</b>	<b>Chapter Title</b>	<b>37</b>
<b>9</b>	<b>Chapter Title</b>	<b>39</b>
<b>10</b>	<b>Chapter Title</b>	<b>41</b>
<b>11</b>	<b>Chapter Title</b>	<b>43</b>
<b>12</b>	<b>Chapter Title</b>	<b>45</b>
<b>13</b>	<b>Chapter Title</b>	<b>47</b>
<b>14</b>	<b>Chapter Title</b>	<b>49</b>
<b>15</b>	<b>Chapter Title</b>	<b>51</b>

16 Chapter Title	53
17 Chapter Title	55
18 Chapter Title	57
19 Chapter Title	59
20 Chapter Title	61
21 Chapter Title	63
22 Chapter Title	65
23 Chapter Title	67
24 Chapter Title	69
25 Chapter Title	71
Appendices	73
A Appendix Title	75
B Appendix Title	77
C Appendix Title	79
D Appendix Title	81
E Appendix Title	83
F Appendix Title	85





## CHAPTER 1

### THE DEADLY IGNORANCE OF POSITION

#### 1.1 THE SCILLY DISASTER

The fog rolled across the Atlantic with October's weight, thick as wool. HMS Association cut through black water, the flagship of Admiral Sir CLOUDESLEY SHOVELL, commanding the English fleet returning from Gibraltar after months of winter cruising against the French. The fleet had been at sea for weeks. The sailors' calculations, checked and rechecked against dead reckoning and the uncertain hints the stars provided on clear nights, put them safely west of the Scilly Isles—a good margin, or so they believed. The officers felt confident enough to press on toward home.

At eight o'clock in the evening, with no warning but the sound of breakers, the rocks rose up out of the darkness. Before anyone could shout orders, HMS Association struck the Western Rocks off Scilly with a noise like the world breaking. The flagship went down at once. Within minutes, Eagle, Romney, and Firebrand struck nearby reefs. The sea boiled white around the wrecks as the ships broke apart on stone, the men struggling in water too cold to permit survival for more than minutes. Between fourteen and twenty-two hundred men died that night—officers and ordinary sailors indistinguishable in the violence of water and rock.

By morning the cries had stopped. Bodies washed onto the black sand beaches. Among them was Shovell himself, so waterlogged that identification took hours, and was confirmed only when local women recognized his ring. The fleet that had fought the French returned home as wreckage scattered across an archipelago of rocks the commander had believed lay far behind.

The court of inquiry that followed was bitter and useless. The officers swore they had computed their position carefully. The navigators swore they had done the mathematics correctly. Nobody had committed an obvious, detectable error. And yet the fleet had been, by modern reckoning, more than 40 nm off course in a direction that put them precisely where the rocks lay waiting. That error—that invisible, undetectable, geometrically blameless error—had killed thousands.

## 1.2 WHAT IS LONGITUDE?

The problem is elementary in principle, impossible in practice. The Earth is a sphere, and any position on its surface requires two coordinates: one north and south, one east and west. The first is latitude. The second is longitude.

### 1.2.1 *Latitude: The Celestial Measure*

Latitude is the angle from the equator toward the poles, measured in degrees. And here the geometry cooperates with the navigator. Stand anywhere on Earth and look toward the celestial pole—south if you are in the Southern Hemisphere, north if you are in the north. The altitude of that pole above the horizon, measured in degrees, is your latitude.




Figure 1.1: Celestial pole altitude equals observer's latitude. At the equator the pole is at the horizon ( $h = 0^\circ$ ); at the North Pole it is overhead ( $h = 90^\circ$ ).

In practice, the true celestial pole is not marked by any bright star. But *Polaris*, the north star, lies within one degree of it, a small enough error that a careful observation can yield latitude accurate to within a degree—the width of the full moon in the sky. Other methods exist. At noon, the Sun reaches its maximum altitude above the horizon. Measure that altitude, and know the Sun’s declination (its angular distance north or south of the celestial equator) from the ephemeris, and latitude follows from simple geometry:

$$\phi = \delta + (90^\circ - h)$$

where  $\phi$  is latitude,  $\delta$  is solar declination, and  $h$  is observed altitude. A careful observer with a good instrument can achieve the same degree of precision with the Sun that they achieve with *Polaris*.

This is the reason medieval and ancient navigators could determine latitude. The geometry of spherical astronomy cooperates. The celestial poles mark the axis of the Earth’s rotation; the observer stands on a rotated coordinate system, and that system writes its angle onto the sky.

### 1.2.2 *Longitude: The Hidden Coordinate*

Longitude is the angle east or west from an arbitrary reference meridian—today the meridian passing through Greenwich, but in the seventeenth century, no single reference existed. The fundamental problem is this: longitude has no corresponding celestial marker. No star or planet sits directly over the Prime Meridian. The sky looks the same to an observer in London and an observer in Gibraltar, except for the time at which the stars rise and set.

And here is the essential insight that unlocks the whole problem: **the difference in longitude between two places equals the difference in the local time, converted to angle.**

If two observers on Earth are separated by one hour of local solar time, they stand on different meridians that are separated by 15 degrees of longitude. This is because the Earth rotates 360 degrees in 24 hours, or 15 degrees per hour. If you know the time at Greenwich, and you know your local time (which you can determine from the Sun’s altitude), the difference between them, multiplied by 15

degrees per hour, gives your longitude.

$$\lambda_{\text{observer}} - \lambda_{\text{reference}} = \Delta t \times 15^\circ \text{ h}^{-1}$$

But here is where the symmetry breaks: determining local time is straightforward. Determining the time at the reference meridian, while standing in the middle of the Atlantic Ocean, is not.

### 1.3 THE NAVIGATOR’S PROBLEM

When no absolute time reference is available, the only tool the navigator possessed was *dead reckoning*—a calculation based on measured direction and estimated speed over elapsed time. It is a simple idea, and a relentlessly accumulating nightmare.

Each watch, the officer on deck estimates the ship’s speed by dropping a wooden chip attached to a knotted rope into the water ahead and measuring how many knots pass through his hand in a given time (the *chip log*). He notes the direction from the magnetic compass. The heading and the estimated speed are recorded in the ship’s log. When summed over hours and days, these estimates become the ship’s position.

$$\text{longitude}_{\text{new}} = \text{longitude}_{\text{old}} + \int_0^t v(\tau) \cos(\theta(\tau)) d\tau$$

$$\text{latitude}_{\text{new}} = \text{latitude}_{\text{old}} + \int_0^t v(\tau) \sin(\theta(\tau)) d\tau$$

where  $v$  is estimated speed and  $\theta$  is compass heading.

The mathematics is correct. The execution is catastrophic. The chip log is crude. Speed estimates may be off by 20 percent. The magnetic compass varies in its declination (the angle between magnetic north and true north) in ways that are not fully predictable. The current is invisible and unknown. A ship sailing through fog for days accumulates errors that grow in all directions at once, magnifying and interacting.

Table 1.1: Cumulative error in dead reckoning: a transatlantic crossing.

Days at Sea	Estimated Error (nm)	Compass Direction
5	10–15	Random
10	25–40	Systematically westward
20	60–100	Westward
30	100–150	Westward
40 (typical Atlantic)	150–200+	Westward

A difference of one degree of longitude at the latitude of the English Channel corresponds to about 40 nm—the distance between safe harbor and a reef. A crew can be in error by that much and not know it until the land appears in the wrong place, or the ship strikes rock.

## 1.4 A CATALOG OF DISASTER

The Scilly disaster did not appear from nowhere. It was the culmination of a long history of wrecks and losses, each attributable to the same invisible enemy: the impossibility of knowing where you were when the horizon had vanished.

1. **1591, the São Thomé.** Portuguese galleon en route to India struck and sank near Sumatra. The crew believed themselves to be 600 nautical miles to the east. The ship carried 944 people; fewer than 200 survived. The survivors were enslaved by local peoples.
2. **1615, the Eendracht.** Dutch East Indiaman, separated from her convoy, made unexpected landfall on the coast of Western Australia in the Indian Ocean's eastern reaches. The ship was lost, but the accidental discovery added a continent to European geography.
3. **1656, the Tryall.** English East Indiaman struck rocks off Western Australia, also having misjudged her longitude severely. Forty men survived on a

desolate island; only a handful were ever rescued.

4. **1691.** A squadron of English ships, attempting to make port at Plymouth in fog, struck rocks near the English coast. Five ships lost; the incident provoked outrage.
5. **1707, the Scilly Disaster.** HMS Association, Eagle, Romney, and Firebrand, with Admiral Shovell commanding the fleet. Twenty-two hundred dead. The court of inquiry concluded that no one was obviously at fault.

Each loss was, by the standards of the time, inexplicable and blameless. The officers had followed procedures. The calculations had been correct. The instruments had been as good as the age could provide. And yet the ships had gone down anyway, leaving the maritime powers of Europe staring at a problem that appeared to be unsolvable with the tools at hand.

The loss of the ASSOCIATION was the final argument in a long case that had been building for a century. The economic cost was staggering: lost ships meant lost cargoes, lost naval power, lost lives among crews who were already the most disposable resource in the empire. The strategic cost was worse. Any nation that could solve the longitude problem would own the oceans.

---

## 1.5 THE POLITICAL RESPONSE

Pressure had been building for decades. In 1714, the Parliament of Great Britain passed the Longitude Act, offering a prize of £20,000—a sum equivalent to the cost of a large warship, or the annual salary of thousands of working people—to anyone who could devise a method of determining longitude at sea to within 30 nm.

The immediacy of the act, and its size, reflected the desperation of the moment. The Scilly disaster, little more than half a decade past, was fresh enough that the grief and anger were still raw. The maritime losses of the previous century had accumulated into a political consensus: something had to be done.

Two competing visions emerged immediately. The astronomers believed the answer lay in the heavens—that careful observation of the Moon’s motion against

the stars, or the periods of Jupiter’s moons, could provide a time signal that would propagate across the ocean in the form of ephemerides and tables. The clockmakers believed the answer lay in the machine—that a sufficiently accurate clock could be carried aboard a ship and would keep London time, even in the midst of salt spray and the ship’s violent motion.

The Royal Observatory at Greenwich, founded in 1675—forty years earlier—had been established in part to prepare the ground for astronomical solutions. The observations that would enable lunar distance tables were only just beginning to accumulate. And the battle between the two schools—the astronomers and the mechanical philosophers—would consume the next century.

---

## 1.6 FORWARD TO THE SOLUTIONS

The rest of this narrative concerns how these two visions competed, how experiments were conducted and often failed, how precision was driven upward by relentless pressure, and how the problem was not solved by one method but, in the end, by both. The astronomers would contribute methods of genuine utility, refined over decades into the lunar distance technique. The clockmakers would produce instruments of extraordinary accuracy, eventually creating the marine chronometer that made longitude determination as routine as any other celestial navigation.

But the story begins not with solutions, but with the ground prepared. chapter 2 describes the instruments and measurements available to the navigators and astronomers of the late seventeenth century—the precision ceilings they faced, the theoretical knowledge they possessed, the techniques they had refined. It is the foundation on which everything that follows rests.





## CHAPTER 2

### THE STATE OF THE ART IN 1675

#### 2.1 THE INSTRUMENT MAKER'S WORKSHOP

In a narrow shop on Cornhill or in Fetter Lane, a brass worker bent over a quadrant in the making. The metal curved in a perfect quarter-circle, its outer edge marked with a scale of degrees. The craftsman's tools were ancient: a ruler, a divider, a fine burin for engraving. His task was to divide the ninety degrees into smaller units—not all the way to minutes, mind you, but to enough subdivisions that a careful observer could read between the lines. The human eye, guided by steady hands and a lifetime of practice, was the measure of all instruments.

This was the state of the art in 1675, when John Flamsteed would establish the Observatory at Greenwich. No telescope yet aimed at the sky for precise measurement. No mechanical vernier scale. No screw micrometer. The best instruments the world could produce were the work of patient craftsmen—men like Henry Sutton or Walter Hayes—who combined ancient geometry with Renaissance precision and an almost monastic devotion to accuracy.

The ships were still lost. The navigation was still blind. And yet the instruments existed that could, in theory, provide the answer. The barrier was not knowledge but precision: the ceiling imposed by the hand with a burin and the eye with a naked pupil.

## 2.2 INSTRUMENTS FOR FINDING LATITUDE

If the problem of longitude was hard, latitude's solution was almost elegant. The celestial pole marks the Earth's rotation axis, and its altitude above the horizon equals the observer's latitude. A navigator needed only to measure one angle.

### 2.2.1 *The Astrolabe*

The astrolabe was ancient technology, perfected in the Islamic Golden Age and transmitted to Europe through Al-Andalus in the medieval period. It was a disk of brass, beautifully engraved, projecting the celestial sphere onto a flat plate using stereographic projection. The projection was ingenious: it preserved angles, so that the celestial equator, the ecliptic, and the star positions could all be drawn accurately on the flat surface. An observer could hold the astrolabe at arm's length, sight along the alidade (a rotating ruler), and read the altitude of a star from a scale around the rim.

The principle was sound. The execution was limited. The engraved scales could not be divided more finely than the eye could read them—roughly to a degree, perhaps better in the hands of a master. More fundamentally, the astrolabe was delicate. The moving parts could jam. The projection introduced distortion near the poles. And the whole device, held aloft by the observer's hand, introduced motion and vibration that added its own error.

For all these reasons, by 1675, the astrolabe was becoming obsolete for serious observation. It remained a navigator's tool, valuable enough for rough determination of latitude, but its precision—perhaps a degree in untrained hands, half a degree in practiced ones—was insufficient for the astronomical work Flamsteed would undertake.

### 2.2.2 *The Cross-Staff and Backstaff*

Where the astrolabe measured angles with an engraved scale, simpler instruments used geometry. The cross-staff, or JACOB'S STAFF, was nothing more than a wooden rod with a movable crosspiece at right angles. The observer would

hold it at arm's length, position the crosspiece so that one end aligned with the horizon and the other with the Sun or a star, and then read the angle from the divisions marked along the rod.

The geometry was pure similar triangles. If the rod was held at a fixed distance from the eye, and the crosspiece was moved until its ends aligned with the two celestial objects, the angle between them could be read directly.

The problem was obvious: to measure the Sun's altitude, the observer had to stare into the Sun. John Davis's 1594 improvement, the *backstaff*, solved this by working backward. The observer faced away from the Sun, using a shadow to fix the Sun's position while sighting a star or the horizon ahead. The geometry was more complex, requiring both a fore-staff and an aft-staff, but the result was a practicable method that protected the observer's eyes and, more importantly, improved accuracy.

By the 1670s, the backstaff was standard equipment aboard English ships. A skilled observer could achieve an accuracy of perhaps half a degree. It was simple, robust, and required no tools for repair at sea. For navigation, it was adequate.

### 2.2.3 *The Quadrant and the Vernier Scale*

For astronomical observation, the quadrant was the workhorse. It was a quarter-circle of wood or brass, its arc divided into ninety degrees and subdivided into smaller increments. The observer would sight along one arm, align the other with a star or the Sun's limb, and read the angle from the graduated scale.

The precision of the quadrant depended entirely on the fineness of the divisions. A quadrant divided to the nearest degree gave precision of  $\pm 0.5^\circ$ . If the divisions could be made ten times finer—to one-tenth of a degree, or six arc-minutes—the precision might improve tenfold.

But the hand could only cut so fine. A division smaller than half a millimeter was nearly invisible to the naked eye. A craftsman working with a burin could produce divisions accurate to perhaps one-tenth of a millimeter, sufficient for about one arc-minute—the angular width of a grain of wheat held at arm's length.

The vernier scale, invented in 1631, offered a mechanical solution. It used two scales offset slightly from each other. The main scale was divided into larger units;

a secondary scale, the vernier, had its divisions slightly compressed. By finding which mark on the vernier aligned with a mark on the main scale, an observer could read to a fraction of the main division. A good vernier could extend the readable precision of a quadrant to five or ten arc-seconds.

By 1675, vernier scales were known, but not yet universal. Tycho Brahe had built instruments that could read to perhaps a minute of arc. The best work was limited by the sharpness of the engraved lines and the resolving power of the human eye.

---

## 2.3 THE ASTRONOMER'S TOOLKIT

By the time the Observatory was founded, the celestial map was crude. Tycho Brahe, working in the late sixteenth century at his private observatory Uraniborg on the island of Hven, had created a star catalog of roughly one thousand bright stars, determining their positions with unprecedented care. His great mural quadrant, mounted on the wall of his instrument room, could read to about one arc-minute—extraordinary precision for naked-eye work.

But Tycho's catalog, compiled from observations spanning decades and published posthumously, was already thirty years in the past when Flamsteed arrived at Greenwich. More fundamentally, it was incomplete. The Southern Hemisphere was nearly blank. The positions of the brighter stars were known to perhaps one to two arc-minutes, which was often sufficient for navigation but inadequate for testing gravitational theories or predicting planetary motions with precision.

### 2.3.1 *The Telescope's Arrival*

The telescope, invented in 1608, changed the rules. Suddenly, the eye could see fainter stars, could measure the positions of Jupiter's moons with greater certainty, could resolve the disk of Saturn. But the telescope introduced its own errors. The lens introduced chromatic aberration. The narrow field of view made finding a star difficult. The motion of the observer's hand or the vibration of the instrument could introduce errors larger than the improvements the magnification provided.

Most critically, the telescope could measure angles no better than a well-made quadrant when the measuring device was used properly. The tube itself had no graduations; the observer still had to use an external measuring instrument or a reticle to determine the angular position.

### *2.3.2 Clock Technology and the Pendulum*

For timekeeping, the best instruments before 1656 were foliot escapements—verge-and-foliot mechanisms that regulated the motion of a falling weight. They were crude by later standards, with errors of fifteen minutes or more per day. In 1656, Christiaan Huygens invented the pendulum clock, and accuracy improved by orders of magnitude.

The pendulum's period of oscillation depends only on its length and gravitational acceleration, not on its amplitude (for small angles). This made it nearly isochronous—each swing took the same time. Coupled with an escapement mechanism, a well-made pendulum clock could keep time to within ten or twenty seconds per day.

This was revolutionary for land-based astronomy. Flamsteed would use pendulum clocks to time his observations, to verify the motions of the stars, to test gravitational theories. The precision they offered transformed observational astronomy.

But there was a catch: they failed at sea. The motion of the ship, the vibration of the hull, the tilt of the deck—all of these disrupted the pendulum's regular swing. A pendulum clock aboard ship would lose minutes per hour, sometimes more. This is why the longitude problem could not be solved by simply putting an accurate clock in a ship and comparing it with time at a reference meridian.

---

## 2.4 THE GAP BETWEEN NEED AND CAPABILITY

By 1675, the demands of navigation and astronomy had begun to outpace the capabilities of instruments. This gap would define the next hundred years.

### *2.4.1 Latitude Determination*

For navigation, the determination of latitude was reliable. A backstaff could measure the altitude of the Sun or a star to within half a degree or better. This translated to a position error of perhaps 30 nm at the equator, narrowing toward the poles. This was often adequate for warning of danger.

For astronomy, the requirements were stricter. Tycho's star catalog had positioned stars to within a minute or two of arc. Flamsteed's mission at Greenwich was to improve on this—to catalog the brighter stars to a precision of perhaps thirty arc-seconds, and to verify Tycho's positions for accuracy.

To achieve this precision, an instrument needed to read reliably to a few arc-seconds. This required either a vernier scale of exceptional finesse, or a micrometer screw that could be turned to track a star as it moved.

### *2.4.2 Longitude by Lunar Distance*

For longitude by lunar distance, the precision requirements were extreme. The method depended on measuring the angular distance between the Moon and a known star with high precision, then looking up the time from a table. The tables came from theory and calculation, based on precise knowledge of the Moon's orbital position and the star positions.

If a star's position was uncertain to one arc-minute, this introduced an uncertainty of roughly one minute of time in the calculated longitude—equivalent to a fifteen-minute error in the final answer. At the latitude of Greenwich, this was a position error of several miles. For a ship at sea, this was marginal.

To make lunar distance reliable, the star positions needed to be known to better than thirty arc-seconds. This meant instruments that could read to better than thirty arc-seconds, and even then, observer error would introduce additional uncertainty.

The existing catalogs fell far short. Tycho's stars were good to a minute or two; some positions, especially of faint stars, were uncertain by several minutes. The gap between what the Moon's motion method needed and what the existing data could provide was a major obstacle.

## 2.5 PRECISION AND THE MEASURING HAND

All of this precision depended on the same bottleneck: the engraved scale and the human eye. A division finer than half a millimeter could not be seen. A line thinner than the eye's resolving power blurred into ambiguity.

This is why Flamsteed's great achievement would not be a new instrument, but a new method: the mural circle and the micrometer. By fixing an instrument in the meridian plane and using a telescope with a reticle to track a star, he could eliminate many sources of error. By using a micrometer screw to measure the small distances the eyepiece image moved as a star passed through the field, he could measure angles to precision hitherto unachieved.

But that lay ahead. In 1675, the best instruments the world could produce were the work of patient craftsmen, their precision limited by hand and eye, their capability sufficient for navigation but not yet adequate for the precision science that was emerging.

Table 2.1: Precision of navigational and astronomical instruments, circa 1675.

Instrument	Precision	Notes
Astrolabe	$\pm 30'$	Best case; scale limited
Cross-staff	$\pm 20'$	Trained hands
Backstaff	$\pm 15'$	Standard at sea
Quadrant	$\pm 5'$	Tycho-level
Quadrant+vernier	$\pm 30''$	Rare & difficult
Pendulum clock	$\pm 10\text{s}$	Land only
Foliot clock	$\pm 15\text{m}$	Pre-pendulum

## 2.6 FORWARD TO METHODS AND INSTRUMENTS

The precision ceiling of 1675—perhaps a minute of arc with the best available instruments—was a reflection of the fundamental limits of hand-made scales and naked-eye observation. Within a few years, Flamsteed would push against this limit, designing new instruments and developing new methods. The quadrant with a micrometer eyepiece would emerge as the first truly modern astronomical instrument, capable of precision approaching ten arc-seconds.

But even that would not be enough. The next chapter describes the founding of the Observatory itself and the instruments Flamsteed began with. It is a story of ambition constrained by budget, of royal patronage competing with the persistent realities of craftsmanship and cost. chapter 3 takes us to Greenwich, where the real work began.



## CHAPTER 3

### THE FOUNDING OF THE OBSERVATORY

#### 3.1 THE APPOINTMENT

In March 1675, John Flamsteed, aged twenty-eight, received a letter from Jonas Moore, the Surveyor-General of the Ordnance. It contained an offer that would consume the rest of his life. He was to be appointed “astronomical observator” of England—a title never before used, for the office had never existed. His salary would be one hundred pounds per annum, paid from the royal purse. He would observe the heavens from an observatory yet to be built, in a park yet to be selected, using instruments yet to be designed. The only certainties were that the nation demanded it and the work was impossible.

Flamsteed, self-taught, from Derby, had long corresponded with Moore and with others in the growing circle of natural philosophers—Hooke, Boyle, Oldenburg at the Royal Society. His observational notebooks from the 1670s were already legendary in this small world: precise measurements of stellar positions, lunar eclipses, planetary motions, recorded night after night with an intensity that suggested obsession. Now he was being asked to institutionalize that obsession.

He accepted immediately.

#### 3.2 THE POLITICAL FOUNDATION

The founding of the Royal Observatory was not an act of curiosity. It was an act of naval strategy.

England and France had been rivals in every domain since Cromwell’s death

and the Restoration. When Louis XIV established the Observatoire de Paris in 1667, with Cassini and Picard and the finest instruments that French money could buy, the English court took notice. The French were not building observatories for idle stargazing. They were building them to understand the heavens, to navigate the oceans, to dominate trade. If France possessed the mathematical mastery of the cosmos, it would possess the oceans.

The problem that Flamsteed was meant to solve was this: to create an accurate catalog of the fixed stars, precise enough to serve as a reference for all future navigation. The Tycho Brahe catalog, published nearly a century earlier, was the standard. But Tycho's measurements, though legendary, had errors. Some stars were misplaced by several arc-minutes. For navigation at sea, where a single minute of arc in declination could mean the difference between a safe passage and a wreck, even Tycho's accuracy was insufficient.

Jonas Moore, Flamsteed's patron, understood this perfectly. Moore had served Cromwell and remained powerful under Charles II. He had overseen the construction of coastal fortifications, surveyed England, understood precision as a form of power. He saw the astronomical problem as analogous to the surveying problem: one must establish fixed reference points, measure from them, build a network of locations of absolute certainty. From such a network, everything else could be derived.

Charles II approved the proposal. On 22 June 1675, the royal warrant was issued. An observatory would be built. Flamsteed would be its director.

### 3.3 GREENWICH PARK

The choice of location was pragmatic. Greenwich lay east of London, beyond the Thames, on crown land. The old castle stood there, its grounds suitable for renovation. It was far enough from the smoke and dust of the city that the sky remained relatively clear on decent nights. The magnetic compass worked better there than in the iron-rich soils around some alternative locations. The site commanded a view to the north and south, with a reasonably unobstructed horizon toward the meridian.

But Greenwich was not ideal. It was damp. The Thames was nearby, bringing moisture off the water. The marshes extended toward Essex. In winter, fog rolled

up from the river and hung for days, rendering the sky opaque. Flamsteed would curse his isolation frequently in his later years—too far from London society, too close to the weather.

Still, it was the royal choice. Work began in 1675.

### 3.4 WREN'S OCTAGON

Christopher Wren, at the peak of his power as Surveyor of the King's Works, received the commission to design the building. His brief was sparse: create a house with a room suitable for astronomical observation, provide mounting points for instruments, keep the cost below five hundred pounds.

The budget was absurd. Five hundred pounds was enough for a modest house, not an instrument platform. But Wren was resourceful. He designed a compact, efficient structure: Flamsteed House, as it would be called. The principal room was octagonal, on the west side of the building, with windows oriented to the cardinal directions. The idea was that telescopes could be mounted in the window frames, pointing north, south, east, and west, capturing observations throughout the night.

The octagon was too decorative for serious observation. Wren's aesthetics prevailed over functional necessity. The room was meant to be elegant, to impress the king, to look like a place where natural philosophy happened rather than a functional instrument platform. But Flamsteed accepted it. He would work with what he was given.

The building was completed in 1676, a year after the warrant. It was small, solidly constructed, somewhat damp. Flamsteed arrived and looked at the octagon room. He saw its flaws immediately. But he also saw its possibilities. And he had already begun planning something more ambitious: an instrument of his own design that would become the foundation of all his work.

### 3.5 THE INITIAL SUITE

Moore had given Flamsteed two large clocks, made by Thomas Tompion, the finest clock maker in England. These were long-case clocks with pendula—relatively new technology, having been invented by Christian Huygens only years before. Pendulum clocks were far more accurate than the foliots and escapements that had preceded them. Accuracy to within a few seconds per day was possible. For astronomical observation, where the time of a star’s passage across the meridian was critical, such clocks were transformative.

Moore also provided a sextant—a large instrument of nearly seven feet radius, capable of measuring angles with modest precision. It was built along traditional lines, descended from instruments that Tycho Brahe himself had used.

But Flamsteed had grander ambitions. In the months before arriving at Greenwich, he had designed an instrument that would become his trademark: a mural arc. This was a great arc, graduated and mounted vertically against the meridian wall of the octagon room. It would be nearly 140 degrees in extent, with a radius of nearly seven feet. Its face would be carefully divided into single degrees, with subdivisions allowing readings to within a few arc-minutes.

The mural arc would be Flamsteed’s principal instrument for thirty years. From it would come the bulk of the observations that fed his great catalog. But it had to be built, and building it required skill, resources, and a craftsman capable of dividing the graduated scale with sufficient accuracy.

Flamsteed found that craftsman in Abraham Sharp, an Yorkshire instrument maker and mathematician who had already built some of the nation’s finest instruments. They began work on the arc in 1689, fourteen years into Flamsteed’s tenure. The arc was completed two years later and immediately put to use.

### 3.6 THE UNDERFUNDED ASTRONOMER

One hundred pounds per annum. From this, Flamsteed had to survive. He had to pay for an assistant. He had to contribute to instrument costs from his own pocket. He had to buy paper, ink, candles for the long observational nights, coal for the fires in winter. He had to maintain the buildings and instruments.

The salary was barely livable. Contemporary records suggest that a skilled tradesman earned roughly the same amount. Flamsteed had no inheritance, no independent means. He had accepted the post out of conviction that the work was essential, that he would somehow manage. He did manage, but with constant anxiety about money and with repeated requests to the government for additional funding that mostly went unanswered.

This penury shaped everything that followed. It meant that Flamsteed could not hire the best assistants, only those he could afford. It meant that instrument improvements happened slowly, driven by ingenuity rather than resources. It meant that the work of reduction—converting raw observations into useful catalogs, writing the preface and introduction to his great work—happened largely at night, after observing sessions, with minimal support.

Yet this very constraint may have sharpened his focus. With limited resources, every observation had to matter. With limited staff, he had to do much of the work himself, which meant he understood every piece of it intimately. When he published his results, they bore the mark of a man who had paid for every measurement in his own labor.

The Observatory was designed as a state investment in navigational infrastructure. But it was starved, perpetually, of the resources that would have made it comfortable. Flamsteed worked in this scarcity for fifty-four years, from 1675 until his death in 1719. When he died, the catalog was not yet published. It would take another generation to complete what he had begun.

The Observatory had been founded. The astronomer had arrived. The work of decades lay ahead: nights of observation, calculations that would consume thousands of hours, a catalog that would eventually contain the positions of nearly 3,000 stars, measured and remeasured, corrected and refined. But all of that depended on a single instrument and a method of observation that was revolutionary for its time. The next chapter turns to that instrument—the mural arc—and to the systematic method by which Flamsteed would transform raw angular measurements into the most accurate celestial map that science had yet produced. chapter 4 describes how he did it.

Table 3.1: Greenwich Observatory: founding facts, 1675.

<b>Fact</b>	<b>Value</b>
Royal warrant issued	22 June 1675
Flamsteed appointed	March 1675
Flamsteed's age	28 years
Annual salary	£100
Building budget	£500
Site: location	Greenwich Park, London
Architect	Christopher Wren
Primary room	Octagon (8-sided)
Initial major instruments	2 Tompion clocks, 1 sextant
Mural arc built	1689–1691
Mural arc radius	$\approx 7$ feet
Arc extent	$\approx 140^\circ$

## CHAPTER 4

# THE MURAL ARC AND THE METHOD OF TRANSITS

### 4.1 A CLEAR WINTER NIGHT

The night was brittle cold. Frost had formed on the iron railings of Flamsteed House, and Flamsteed's breath came visible in the eyepiece field as he bent to the mural arc. The great instrument hung suspended against the meridian wall of the octagon room, its seven-foot radius of brass catching the lamplight. The circle was nearly complete—140 degrees of arc, each degree carefully divided into smaller and smaller increments, carved by Abraham Sharp's hands with a burin, recorded by eye with a magnifying glass. The scale could be read, with care and good light, to perhaps ten or fifteen arc-seconds. Tonight, the sky was clear enough to use it.

Flamsteed's assistant sat by the clock—one of Tompion's regulators, its pendulum swinging with metronomic precision, each beat a second, each second recorded on the dial. The star approached the meridian. At a certain moment, it would cross the vertical wire stretched across the eyepiece field. That moment, that instant when the star's light crossed the wire, was what mattered. It was the intersection of two curves: the arc's altitude line and the meridian plane where north and south overhead met the horizon. At that point, the star's position was determined by two things only: the altitude shown on the arc's scale, and the clock time.

"Now," said Flamsteed, or perhaps simply raised his hand. The assistant called out the time. The number was noted. The night moved on to the next star.

This was the method that would, over forty years, build the most accurate

catalog of stellar positions that science had yet achieved. It was based on two geometric insights, refined by two instruments, and made possible by a clock more accurate than any that had existed before Flamsteed's time.

## 4.2 THE INSTRUMENT

The mural arc was Flamsteed's own design, built in collaboration with Abraham Sharp between 1689 and 1691. The name describes it: a great arc mounted flat against a wall (*muralis*, wall), aligned precisely in the meridian plane—the plane that passes through true north, the zenith directly overhead, and true south. The arc's material was brass, chosen for its stability and its resistance to rust. The radius was approximately 6.5 to 7 feet. The extent of the arc was 140 degrees, far more than a simple quadrant, permitting observations across a wider range of celestial declinations.

The face of the arc was divided. Sharp had inscribed degree marks along the arc's face, using a dividing engine—a mechanical device that could mark equal intervals more accurately than the hand alone. From these degree marks, the scale was further subdivided into smaller units. The finest divisions visible to the naked eye, with a magnifying glass, permitted readings to single arc-minutes. With care, and by examining the finer scratch marks and estimating between them, precision approaching ten to fifteen arc-seconds was sometimes achieved.

The arc was mounted in a substantial wooden framework, the whole structure built into the octagon room itself. A telescope—initially a simple refractor, later improved—was mounted on an axis that slid along the arc. As the axis moved, the telescope swept across altitudes from horizon to zenith to horizon again. The vertical wire in the eyepiece defined the meridian plane precisely. When a star crossed that wire, the star was on the meridian. The altitude at that instant was read from the scale.



### 4.3 RIGHT ASCENSION FROM CLOCK TIME

Every star in the sky appears to circle the celestial pole once per day, a motion reflecting the Earth's rotation. This motion is perfectly regular—so regular, in fact, that it provides a natural clock. An observer can define time by the stars themselves. If one watches a particular star cross the meridian, waits for it to circle back, and measures the time elapsed, one has measured a sidereal day—the time it takes for the Earth to rotate once relative to the stars.

Sidereal time is different from solar time, the time kept by sundials and ordinary clocks. A sidereal day is about four minutes shorter than a solar day, because the Earth's orbit advances by roughly one degree per day, requiring an extra four minutes for the Earth to return to the same orientation with respect to the Sun. If one knows the solar time and the date, the sidereal time can be calculated. Conversely, if one knows the sidereal time, one can determine how many hours, minutes, and seconds have elapsed since some reference moment.

Now consider a star at a known position in the celestial coordinate system—let us say a star whose right ascension is exactly 12 hours. This means that when this star crosses the meridian, the sidereal time is exactly 12 hours. By definition. It is the zero-point by which other stars are measured.

Suppose we observe an unknown star and determine that it crosses the meridian when our accurate clock reads a certain time—let us say 3:45:32 solar time on a particular night. We can calculate what the sidereal time was at that moment (using tables or calculation). Let us suppose the sidereal time was 15 hours, 23 minutes, 45 seconds. Then, by definition, the right ascension of the observed star is exactly 15 hours, 23 minutes, 45 seconds.

$$\text{Right Ascension} = \text{Sidereal Time at Transit}$$

The dependence is absolute. If the clock is accurate, if the time of transit is observed accurately, and if the sidereal time can be calculated accurately from solar time and date, then the right ascension follows directly. Flamsteed's great innovation was to make this measurement routine, systematic, and accurate enough to build a usable catalog.

## 4.4 DECLINATION FROM ALTITUDE

Right ascension tells us where on the celestial equator a star's meridian circle intersects the sky. But a star may be above or below the celestial equator. Declination measures that angular distance north or south. Declination is determined by the star's altitude when it crosses the meridian.

The geometry is straightforward. When a star is on the meridian directly overhead—at the zenith—its altitude is 90 degrees. Its declination is equal to the observer's latitude. When a star is on the celestial equator and crosses the meridian, its altitude is equal to 90 degrees minus the observer's latitude. A star below the equator has a negative declination.

More generally, if we measure the altitude of a star at meridian crossing, we can write:

$$\text{Declination} = 90^\circ - z - R$$

where  $z$  is the zenith distance (so that altitude  $h = 90^\circ - z$ ) and  $R$  is a refraction correction. The refraction correction accounts for the fact that the atmosphere bends light rays, making stars appear higher in the sky than they actually are. Near the horizon, the refraction can be as large as half a degree. At the zenith, it vanishes. Flamsteed used tables of refraction based on Tycho Brahe's observations, which were reasonably accurate for the range of altitudes at which observations could be made comfortably.

$$z = 90^\circ - h$$

$$\text{Declination} = h - R$$

The refraction correction is systematic but not perfectly understood. The amount of refraction depends on temperature, pressure, and humidity—quantities that Flamsteed could observe but could not measure with precision. Over hundreds of observations, small errors in the refraction correction accumulate. But for stars observed near the meridian (where refraction is smaller), the effect is manageable.

## 4.5 THE CLOCK: TOMPION’S REGULATORS

Thomas Tompion was the finest clockmaker in England. Jonas Moore had commissioned two large clocks for the Observatory in the mid-1670s, gifts from a patron who understood that precision in astronomy depended absolutely on precision in time. These were regulator clocks—long-case clocks designed for maximum accuracy rather than portability, with large pendulums and escapements carefully designed to minimize friction.

A pendulum’s period of swing depends on its length and the local gravitational acceleration. For a simple pendulum:

$$T = 2\pi\sqrt{\frac{L}{g}}$$

Tompion’s clocks had long pendulums, perhaps four to five feet, which gave them periods of oscillation of about one to one-and-a-half seconds per swing. An escapement mechanism allowed the pendulum to drive gears that moved clock hands and, importantly, allowed a falling weight to drive the pendulum, replacing the energy lost to friction. With careful adjustment, these clocks could be made to keep time to within a few seconds per day. On clear nights, when multiple observations could be made and compared, Flamsteed could calibrate his clock’s rate with respect to the stars themselves—using the constancy of the celestial sphere as his reference.

But a pendulum is sensitive to temperature. Brass and steel both expand when heated. If the pendulum expands slightly, its effective length increases, the period lengthens, and the clock runs slow. Tompion’s design included a gridiron pendulum—a structure where a brass rod and a steel rod are arranged so that their thermal expansions partially cancel. The result is a pendulum whose length remains nearly constant over a range of temperatures. But the compensation is not perfect, and Flamsteed’s careful observers would note small changes in clock rate with the seasons.

## 4.6 SOURCES OF ERROR

The method depends on three things: an accurate altitude measurement, an accurate time, and an accurate refraction correction. Each is subject to error.

*Graduation errors.* The arc's scale, though carefully divided, is not perfectly uniform. One degree may be slightly longer or shorter than the next. These errors are small but cumulative. If one degree on the lower part of the arc is 0.02 degrees too large, then all altitudes measured in that region will be 0.02 degrees too high.

*Flexure.* The brass arc, suspended under its own weight, flexes slightly. As the telescope swings to different altitudes, the curvature of the arc changes minutely. These flexure effects are small but real, and they depend on the temperature, the exact position of the counterweight, and dozens of other factors.

*Collimation.* The telescope's optical axis must be precisely aligned with the arc's radius. If the wire at the focus of the eyepiece is not perfectly radial to the arc's center, systematic errors result. Flamsteed and his assistants checked collimation frequently but could never achieve perfect alignment.

*Refraction.* The refraction correction is based on observations made decades earlier. Atmospheric refraction depends sensitively on temperature and pressure. On a night when atmospheric turbulence is high, refraction can vary significantly even hour to hour. Flamsteed's refraction tables were the best available, but they could not capture all this variability.

*Reaction time.* When the star crossed the wire, the observer called out "now," and the assistant made a note of the clock time. But human reaction time is not zero. It varies from person to person and from moment to moment. The typical reaction time of a skilled observer is perhaps one-tenth of a second, corresponding to an arc-second or two of angular uncertainty. Over hundreds of observations, this averages out, but it remains a real source of noise.

*Atmospheric turbulence.* On cold winter nights, when the temperature difference between the earth and the air is greatest, the atmosphere shimmers and waves. Stars appear to dance in the eyepiece. It is difficult to judge exactly when the star passes the wire. On the best nights—clear, still, the temperature stable—this effect is minimized.

Despite all these sources of error, the mural arc method was far superior to

anything that had come before. The systematic approach, the use of an accurate clock, and the careful reduction of observations combined to produce positions accurate to 10 or 20 arc-seconds for the brighter stars. This was revolutionary. Tycho Brahe’s catalog, a century old, was typically accurate to only a few arc-minutes. Flamsteed’s positions would be an order of magnitude more precise.

Table 4.1: Error sources in meridian transit observations (Flamsteed era).

Error Source	Magnitude	Impact
Graduation errors	$\pm 5''$ – $10''$	Systematic, difficult to detect
Flexure	$\pm 2''$ – $5''$	Varies with position, temperature
Collimation	$\pm 3''$ – $8''$	Constant offset, can be calibrated
Refraction correction	$\pm 2''$ – $10''$	Larger near horizon, varies nightly
Reaction time	$\pm 0.5''$ – $1''$	Random, averages to zero
Atmospheric turbulence	$\pm 1''$ – $3''$	Random, worse in winter
Clock error	$\pm 0.1''$ – $1''$	Depends on clock calibration

The result was that Flamsteed could achieve, for carefully observed stars under good conditions, positions accurate to perhaps  $\pm 10''$  to  $\pm 15''$  in right ascension and declination. This precision, maintained over forty years and across three thousand stars, would establish the catalog that all of European astronomy would rely upon for the next century. The next chapter describes how these individual observations were collected, reduced from raw instrumental readings to catalog positions, and compiled into the final *Historia Coelestis Britannica*. chapter 5 takes up that story.



## CHAPTER 5

### BUILDING THE HISTORIA COELESTIS BRITANNICA





## CHAPTER 6

### CHAPTER TITLE



## CHAPTER 7

### CHAPTER TITLE



## CHAPTER 8

### CHAPTER TITLE



## CHAPTER 9

### CHAPTER TITLE





CHAPTER 10

CHAPTER TITLE



CHAPTER 11

CHAPTER TITLE



CHAPTER 12

CHAPTER TITLE



## CHAPTER 13

### CHAPTER TITLE





CHAPTER 14

CHAPTER TITLE



CHAPTER 15

CHAPTER TITLE



CHAPTER 16

CHAPTER TITLE



CHAPTER 17

CHAPTER TITLE





CHAPTER 18

CHAPTER TITLE



## CHAPTER 19

### CHAPTER TITLE



CHAPTER 20

CHAPTER TITLE



CHAPTER 21

CHAPTER TITLE





CHAPTER 22

CHAPTER TITLE



## CHAPTER 23

### CHAPTER TITLE



CHAPTER 24

CHAPTER TITLE



CHAPTER 25

CHAPTER TITLE





# Appendices



APPENDIX A

APPENDIX TITLE



APPENDIX B

APPENDIX TITLE



APPENDIX C

APPENDIX TITLE





APPENDIX D

APPENDIX TITLE



APPENDIX E

APPENDIX TITLE



APPENDIX F

APPENDIX TITLE



