University of Dublin, Trinity College



ST2004 Optional Assignment Investigation into Probabilistic Processes of Monopoly

Author:

Lecturer:

Edmond O'FLYNN 12304742

Brett Houlding

November 15, 2015



Contents

| Re | References 1 | | | |
|----|--|---------------------------------|--|--|
| 1 | ntroduction .1 What is Monopoly? | 1 1 1 | | |
| 2 | Model & Simulation | 2 | | |
| | .1 Dice Rolls .2 Chance and Community Chests .2.2.1 Chance Cards .2.2.2 Community Chest Cards .2.2.3 Exploitation .3 Jail | 2 3 4 4 5 5 5 | | |
| 3 | 2.3.2 Paradigm | 6 7 7 | | |
| | 3.2.1 Transition Matrices | 7 8 8 | | |
| | .4 Simulation 3.4.1 Set Up 3.4.2 Aspects .5 Tile Probabilities 3.5.1 Probabilistic Outcome | 8 8 8 9 10 | | |
| 4 | .6 Further Expansion | 11 11 | | |
| 5 | Bibliography | 11 | | |

1 Introduction

1.1 What is Monopoly?

Monopoly is a game where players traverse a board across 40 squares consisting of properties, which players may choose to purchase, as well as other spaces that offer chances and opportunities. Whilst the players move around the board with respect to independent dice rolls, the player may choose to buy and improve properties, or to pay rent to other players. The ultimate goal in the game is to cause the other players to become bankrupt, and to be the tycoon of the board. In this investigation, the American board's layout and tiles will be referred to.



1.2 Rules

Monopoly board traversal is the result of fundamentally rolling two independent dice and offsetting by the sum of the dice to the next end square.

1. Players start at Go

The player moves with respect to the sum of the dice faces clockwise around the board. If a player rolls a double, ie $\{1,1\}$, $\{2,2\}$... $\{6,6\}$, the player may roll again.

2. Players Can Get Sent to Jail

On landing on a space, picking up a specific card, or rolling three doubles in a row, players may get sent to the jail tile.

3. Players May Buy Properties

On landing on a non-special tile, a player may choose to buy the land and receive rent if other players land on it. Players may also develop their properties if and only if they possess all colours within that tile group.

4. Winning Conditions

A player is deemed the winner if the other players become bankrupt, and only one player is left standing.


2 Model & Simulation

2.1 Dice Rolls


| (1,1) | (1,2) | (1,3) | (1,4) | (1,5) | (1,6) |
|-------|-------|-------|-------|-------|-------|
| (2,1) | (2,2) | (2,3) | (2,4) | (2,5) | (2,6) |
| (3,1) | (3,2) | (3,3) | (3,4) | (3,5) | (3,6) |
| (4,1) | (4,2) | (4,3) | (4,4) | (4,5) | (4,6) |
| (5,1) | (5,2) | (5,3) | (5,4) | (5,5) | (5,6) |
| (6,1) | (6,2) | (6,3) | (6,4) | (6,5) | (6,6) |

Table 1: Dice Roll Outcomes


Given that a double has not been rolled on the first turn of the game, the following is the probabilistic outcome of landing on a square from starting position.



Given that the outcome was not a double, there is a significantly higher chance of landing on a chance square, which is comparatively higher than landing on squares Oriental Ave or Vermont Ave. Comparatively so, there is still a higher than 10% chance of landing on squares 5-9.



In the case that a double has been rolled in which the probability of this is lower than rolling permutations of non-double dice. Doubles can be extremely powerful, thus changing the probabilistic outcomes of square landing probability. The Monopoly board itself is a 40x40 Matrix containing a mixture of tiles ranging from properties to varying cards that affect the player in different ways, both positively and negatively.



It is possible to traverse from starting position to the highlighted chance space in one go by rolling 6 6s over 3 turns, its chance of occurrence is exceedingly low, and the player must succumb to the *No Speeding* rule, by which one must go to jail. The chance of rolling three doubles has a 0.4% chance of occurrence. Although small, in every 1,000 rolls there will tend to be 4 triple double-rolls thrown and therefore the player gets sent to jail. Rolling 3 double 6s has a chance of 0.0000214% (or $\left(\frac{1}{6}\right)^6$) of happening, which is probabilistically extremely unlikely, but still possible with fair dice, where it tends to happen twice in every 100,000 rolls.

$$\begin{split} \frac{1}{6} &\approx 16.7\% & \text{of rolling 1 double} \\ \frac{1}{36} &\approx 2.8\% & \text{of rolling 2 doubles} \\ \frac{1}{216} &\approx 0.4\% & \text{of rolling 3 doubles and ergo get sent to jail} \end{split}$$

Theoretically it is possible for double-rolls to tend to infinity, albeit exponentially this becomes probabilistically unlikely due to constant decreasing odds as well as the No Speeding rule. The expected value of rolling 1 die is 3.5, therefore on rolling two dice, it's most likely that the expected value will be 7. It's also quite likely that your opponents will roll a 5, 6, 8 or 9 with respect to cumulative probabilities of dice rolling.

2.2 Chance and Community Chests

Monopoly contains 16 Community Chest cards, and 16 Chance cards. On landing on a community chest or chance card square, the player must abide by one of the five outcomes of varying probabilities on the cards.

2.2.1 Chance Cards

The 32 cards, 16 from Community Chest and 16 from Chance, drastically change the outcome of what happens within a game. By drawing a card from either deck, one of the following five results may happen:

1. Go to the Stated Tile

There is a $\frac{8}{16}$ chance of this.

2. Collect Money

There is a $\frac{3}{16}$ chance of this.

3. Pay Money There is a $\frac{3}{16}$ chance of this.

4. Go to Jail

There is a $\frac{1}{16}$ chance of this.

5. Get out of Jail

There is a $\frac{1}{16}$ chance of this.

Therefore, a probability of $\frac{9}{16}$ cards have the ability to transport the player across the board to another location, thereby altering the odds to being in another place to having a higher probability of landing. There is a total of three possible outcomes of spaces to land on within the weighting effect of certain spaces on the board:

- Go to Jail
- Go Back Three Spaces
- Advance to Go
- Advance to Nearest Utility

- Advance to Nearest Railroad
- Advance to Boardwalk
- Advance to Illinois Avenue
- Advance to Reading Railroad
- Advance to St. Charles' Place

Within the diagram shown, there is a tendency for the game to probabilistically relocate the player more frequently to the first and second rows of the board, thus creating another weight for frequency on which certain spaces land.

Community Chest Cards 2.2.2

The 16 Community Chest cards have similar adverse effect as Chance cards, with the difference that the 5 outcomes have different weightings:

1. Collect Money

There is a $\frac{9}{16}$ chance of this.

2. Pay Money

There is a $\frac{4}{16}$ chance of this.

3. Advance to Stated Tile

There is a $\frac{1}{16}$ chance of this.

4. Go to Jail

There is a $\frac{1}{16}$ chance of this.

5. Get out of Jail

There is a $\frac{1}{16}$ chance of this.

Therefore, mathematically it is possible to anticipate the outcomes of certain cards under the weighting of the $Long\ Run\ Average$, where the favourability is determined on a scare from -2 to +2:

| Action | Favourability | Chance Card | Community Chest |
|-------------------------|---------------|---------------------------|---------------------------|
| Get out of Jail Free | +2 | $\frac{1}{16}$ | $\frac{1}{16}$ |
| Collect Money | +1 | $\frac{\frac{10}{3}}{16}$ | $\frac{\frac{9}{9}}{16}$ |
| Advance to Stated Space | 0 | $\frac{\frac{8}{8}}{16}$ | $\frac{1}{16}$ |
| Pay Money | -1 | $\frac{3}{16}$ | $\frac{\frac{10}{4}}{16}$ |
| Go to Jail | -2 | $\frac{10}{16}$ | $\frac{1}{16}$ |


Table 2: Favourability Odds of Cards

2.2.3 Exploitation

Therefore within the confines of Monopoly, it is possible to exploit these weightings in order to buy properties in these areas of higher weightings as well as their neighbouring tiles such that the probabilistic outcome of landing on a space within the vicinity is higher. As previously discussed and shown, the expected value combined with the positioning of Jail and Go allow for properties residing within these areas to have a higher chance of being landed on in comparison to other tiles on the board. Given the expected value of 3.5 per dice where 2 dice are rolled on any given turn, the expected value of the sum of two dice is given to be 7 over the long run.

2.3 Jail

2.3.1 Increasing Odds



Jail in monopoly acts as a hole on the map into which players are released from at a much higher percentage than any other tile on the map. From here, players emerge, and the expected value of dice causes a shift in dynamics in the field of play. Jail in Monopoly is by far the most probabilistic event within the set of cards of Monopoly's scope. Under regular game conditions, there is a total of 4 reasons for which one may get sent to jail:

- No Speeding Rule on Three Doubles
 - $\frac{1}{216}\approx 0.4\%$ chance of occurrence
- Go to Jail Tile
 - $-\frac{1}{40} = 2.5\%$ chance of occurrence given no tile bias
- Go to Jail Chance Card
 - $\frac{2}{16}=12.5\%$ chance of occurrence within the deck
- Go to Jail Community Card
 - $-\frac{2}{16} = 12.5\%$ chance of occurrence within the deck

2.3.2 Paradigm

There is a a set of four different way to attempt to break custody and escape from jail:

- 1. Get out of Jail Free Card
- 2. Pay \$50 at the Start of a Turn
- 3. Roll the Dice and Attempt to Roll a Double
- 4. Pay \$50 on Failure to Roll Doubles for the Third Time

On success of rolling a double out of jail, the player advances that amount of tiles displayed on the dice from the jail tile. Else on failure to roll a double three times, the player must pay \$50 and again move the total of spaces displayed on the dice from the previous roll. The cumulative effect of rolling dice means that over the course of three rolls, The important probabilistic factor to note is that getting sent to jail is quite a high factor in the scheme of the game, therefore the game has a explicitly hidden factor of game design to route players through the jail tile as both a starting point and a sink. The probability of rolling out of jail within 3 turns is approximately 42%, given two independent and fair dice as such:

| Roll | Process | Probability | Cumulative Probability |
|------|---|-------------|------------------------|
| 1 | $\frac{1}{6}$ | 16.7% | 16.7% |
| 2 | $\frac{5}{6} * \frac{1}{6}$ | 13.8% | 30.5% |
| 3 | $\frac{\frac{5}{6} * \frac{1}{6}}{\frac{5}{6} * \frac{5}{6} * \frac{1}{6}}$ | 11.8% | 42.3% |

Table 3: Cumulative Double Frequency

3 Markov Chains

3.1 What is a Markov Chain?

Monopoly is based on a 40x40 dimension probability matrix of tiles where each row and column pair represents a space on the board which is subject to a process called a *Markov Chain*. A Markov chain is a probabilistic process in which a steady state probability matrix which is seeded from long term rolls and forecasts. It involves a finite number of states within a finite encapsulation, in this case, the 40 tiles. Markov chains are memoryless, which means that the process in which the player may move freely from tile to tile is independent of the previous tile via dice rolls. Markovian processes are random process whose future probabilities are based on the only the current state and not on the sequence of events preceding the element.

3.2 Parametrisation

In order to calculate the probabilities per tile, Monopoly must have a set of Markovian properties calculable by some general factors:

- Probability vectors
 - A vector with non-negative entries populated to sum to 1.
- Stochastic matrices
 - A square matrix whose columns are populated by probability vectors.
- Steady state vector
 - Adheres to where the sequence $x_0, x_1, ...x_n$ is a set of probability vectors whereby the stochastic matrix A is such that $x_{n+1} = Ax_n$.
 - Approximates the long term process of the behaviour whereby over subsequent iterations, the Markov Chain tends to $(Ax_{n+1})A = A^2x_{n+1}, A^3x_{n+1}, ..., A^nx_{n+1}$ where n is the period later from the initial time t

3.2.1 Transition Matrices

The 40x40, or 1,600 transitional probabilities for all tiles within the Markov sequence encodes matrix M in a 40x40 of the probabilities of moving from one tile to another for in this case, n = 40.

| | | То | | | | |
|------|---|-----------|-----------|-----------|--|-----------|
| | | 1 | 2 | 3 | | n |
| | 1 | $a_{1,1}$ | $a_{1,2}$ | $a_{1,3}$ | | $a_{1,n}$ |
| | 2 | $a_{2,1}$ | $a_{2,2}$ | $a_{2,3}$ | | $a_{2,n}$ |
| From | 3 | $a_{3,1}$ | $a_{3,2}$ | $a_{3,3}$ | | $a_{3,n}$ |
| | | | | ••• | | ••• |
| | n | $a_{n,1}$ | $a_{n,2}$ | $a_{n,3}$ | | $a_{n,n}$ |

Table 4: Transition Matrix

3.3 Seeded Matrices

3.3.1 Assumptions

- On picking up a chance or community chest card, the deck is entirely shuffled in a randomised order having performed the indicated action.
- Jail escape is a process of only escape with respect to rolling doubles or the effect of having picked up a Get Out of Jail Free card prior to getting sent to the tile.
- There are three selective states within Monopoly over 40 tiles:
 - -40 tiles
 - Doubles rule
 - Community Chest/Chance cards
- Therefore there are 120 states in Monopoly in any given turn.

3.4 Simulation

3.4.1 Set Up

In order to quickly simulate a game of Monopoly over an exceedingly large amount of rolls, a simulation of the game was programmed in *Java* with respect to assumptions within the Markovian processes, as well as some generified aspects within the pseudo-random rolling process whereby a pseudo-random number was generated twice per turn using different seed values with respect to the current time in milliseconds on my machine.

3.4.2 Aspects


The Monopoly simulation worked on the bases of simplified aspects where 100,000 turns of play were simulated without the aspect of money or other players involved within the turns, therefore taking only cards, jail and dice values into account as per the effects possible per turn. The following is the list of tiles in order of their probability to be landed on which tends to the long run Markovian averages:

3.5 Tile Probabilities

- 01. Jail 0.094
- 02. Illinois Ave 0.03
- 03. Go 0.029
- 04. B&O RR 0.029
- 05. Free Parking 0.029
- 06. Tennessee Ave 0.028
- 07. New York Ave 0.028
- 08. Reading RR 0.028
- 09. St. James' Place 0.027
- 10. Water Works 0.027
- 11. Pennsylvania Ave 0.026
- 12. Electric Company 0.026
- 13. Kentucky Ave 0.026
- 14. Indiana Ave 0.026
- 15. St. Charles' Place 0.026
- 16. Pacific Ave 0.026
- 17. Atlantic Ave 0.025
- 18. Ventnor Ave 0.025
- 19. Boardwalk 0.025
- 20. Marvin Gardens 0.025

- 21. North Carolina Ave 0.025
- 22. Virginia Ave 0.024
- 23. Pennsylvania RR 0.024
- 24. Community Chest #2 0.024
- 25. Short Line 0.023
- 26. Community Chest #3 0.023
- 27. Income Tax 0.022
- 28. Vermont Ave 0.022
- 29. States Ave 0.022
- 30. Conneticut Ave 0.022
- 31. Just Visiting 0.022
- 32. Oriental Ave 0.021
- 33. Park Place 0.021
- 34. Luxury Tax 0.021
- 35. Baltic Ave 0.021
- 36. Mediterranean Ave 0.020
- 37. Community Chest #1 0.020
- 38. Chance #2 0.018
- 39. Chance #3 0.010
- 40. Chance #1 0.008

Tile Probabilities in Monopoly



Here is a graphical representation of the degree of simulated probabilities within long run averages of Monopoly within the most probabilistic 20 tiles.



Note that Jail, as forecasted, is the most probabilistic tile through long-run simulation; followed then by Illinois Avenue, which is a total of 14 tiles away from Jail (the expected value over two turns summed: 2 * 3.5 * 2).

3.5.1 Probabilistic Outcome

Given that the expected value of two dice is 7, it is optimal to purchase as per a threshold of +7 tiles with respect to turn from the jail tile in order to gain the maximum probability of other players landing on it. By maximising the probability of other players landing on tiles owned by the player himself, there is a higher cumulative frequency for receiving rent and the chance of inflicting bankruptcy on others.

3.6 Further Expansion

Given the probabilistic outcome strategy for individual tiles through Markovian logic, it is possible to extend this theory to developing property within the game. Given a probability of landing on a certain tile within a turn as the outcome of two dice, the following inequality must be satisfied in order to ensure a steady income and a lack of bankruptcy:

This begets an expansion of what revenue really pertains to:

$$p(n) * Rent * E[X] * n \ge Cost$$

Whereby on reordering becomes:

$$n = \left(\frac{Cost}{p(n) * Rent * E[X]}\right)$$

Where n is the current turn of play.

4 Conclusion

Overall a traditional game of Monopoly pertains to probabilistic rules governed by Markovian processes and dice theory. Through simulation and comparison with theory, features that were predicted to occur, were seen through Markov Chain probability matrices. Simulations and theory taken from studies on Monopoly games will differ slightly in comparison to this study, as dice may contain bias by having defects, as well as the addition of money and other players to play against. Simulations for determining the probability of landing on squares were on a single player, infinite rolls basis which is not true to actual gameplay; but nonetheless, provides a good basis for theory on understanding the influence of factors within a game, as well as that of seeing how each tile is not equal, and therefore choices of property determined by Markovian processes can be interpolated to improve chances of winning.

5 Bibliography

References

- [1] Jorg Bewersdorff, Luck, Logic, and White Lies: The Mathematics of Game, A K Peters (2005), 106-120.
- [2] J. Laurie Snell, Finite Markov Chains and their Applications, The American Mathematical Monthly (1959), 66 (2), 99-104.
- [3] R. B. Ash, Basic Probability Theory, (1970), Chapter 7.
- [4] Maxine Brady, The Monopoly Book, D. McKay, (1974).
- [5] W Feller, An Introduction to Probability Theory and Its Applications, Vol. 1, Wiley (1950).
- [6] Irving R. Hentzel, *How to Win at Monopoly*, Saturday Review of the Sciences, (April 1973), 44-48.