

Exploratory Data Analysis: Which genes and their expression levels may be associated with developing familial alzheimer's disease?

Orfeas Gkourlias

2022-10-06

## Introduction

This document aims to explore, analyse and explain the data set being used in answering the following research question: “Given 10 attributes, how do they compare in predicting the chances of a person’s risk of a stroke?”. As the research question implies, the data set consists of 10 attributes. This project has the goal of comparing those attributes, so that the most likely predictors for a stroke may be deduced. Some attributes affect each other, while others may not. Analysis of these correlations can help in finding the rankings of the attributes.

To get a feel for what the scope and attributes of the data set consists of, it will be loaded and the first 10 results will be displayed.

```
main <- read.csv("../data/stroke-data.csv")
head(main)
```

```
##      id gender age hypertension heart_disease ever_married work_type
## 1  9046   Male  67             0              1           Yes   Private
## 2 51676 Female  61             0              0           Yes Self-employed
## 3 31112   Male  80             0              1           Yes   Private
## 4 60182 Female  49             0              0           Yes   Private
## 5 1665   Female  79             1              0           Yes Self-employed
## 6 56669   Male  81             0              0           Yes   Private
##  Residence_type avg_glucose_level  bmi  smoking_status stroke
## 1             Urban          228.69 36.6  formerly smoked      1
## 2             Rural          202.21 N/A   never smoked      1
## 3             Rural          105.92 32.5   never smoked      1
## 4             Urban          171.23 34.4      smokes        1
## 5             Rural          174.12  24   never smoked      1
## 6             Urban          186.21  29  formerly smoked      1
```

```
nrow(main)
```

```
## [1] 5110
```

There are 12 attributes, 10 of which will be used in the analysis: Gender, age hypertension, heart\_disease, ever\_married, work\_type, residence\_type, avg\_glucose\_level, bmi and smoking\_status. The last column indicates whether the person has already experienced a prior stroke. This can be used to train the machine learning model which will be utilized to answer the research question.

There are 5110 entries in this data set. This is also why the row numbers will not be replaced with the id’s, because there is no order in the id numbers. They exceed the number 5110.

The attributes and their units can be seen in the code book on the next page.

## Codebook

```
knitr::kable(codebook)
```

Column	Unit	Description
ID	Number	Unique patient identifier
Gender	Text	“Male”, “Female” or “Other”
Age	Number	Age of patient
Hypertension	Boolean	Whether patient has hypertension
Heart_disease	Boolean	Whether patient has a heart disease
Ever_married	Boolean	Whether patient has ever been married
Work_type	Text	Occupation status of patient
Residence_type	Text	Patient living enviroment
Avg_glucose_level	Number	Average glucose level in blood
BMI	Number	Body mass index of patient
Smoking_status	Boolean	Whether patient smokes or not
Stroke	Boolean	Whether patient has ever experienced a stroke

## Initial Data and Attributes

In this section, the attributes will be examined individually. What these attributes could mean for the research question will be discussed. Correlations will be observed in a later section. Any preprocessing or cleanup required will also be performed in this section.

### ID

This column is neither noteworthy for analysis or data structure. This column will therefore be dropped, because the dataframe used already has row numbers and this makes the ID redundant.

```
main <- main[2:12]
```

### Age

The age of the patient. At first sight, it might look redundant for this data to be stored as a float, since most of the data consists of a rounded age number. Some of the entries contain very young patients. The younger a patient is, the more important the specificity of the age is, since the age difference is still significant at that point. It is for that reason that any patient under the age of 2 will contain a float number, with two decimal numbers. A couple of those instances will be shown in vector format below:

```
head(c(main[main$age < 2, 2]))
```

```
## [1] 1.32 0.64 0.88 1.80 0.32 1.08
```

The likelihood of a person experiencing a stroke increases with age. This will therefore be an important attribute in the analysis.

### Hypertension

This indicates with a 0 or 1 whether the patient is affected by hypertension. The first attribute which is relevant to the heart status of a patient. These types of attributes will always be important, because any heart condition tends to come with an increased risk of experiencing a stroke. Since this is a boolean, the patient either has hypertension, which is indicated with a 1, or not, which is indicated with a 0. This could be a harder type for the later machine learning model to work with. Correlations will probably be found between hypertension and the other attributes. No further cleanup is required here.

### Heart Disease

Similar to the previous attribute, this is also an important element when trying to predict stroke risk. The previous observation also applies to this attribute.

### Ever married

This displays whether the patient has ever been married in their lifetime. This will most likely not be detrimental in predicting the stroke risks of patients. But this is part of the dataset, so it will therefore be compared with the other attributes, to see where it ranks with its prediction.

## **Work Type**

A similar attribute to the prior one. Will most likely not be a good predictor for stroke risk. But it may rank higher than the marriage attribute. Some sectors could theoretically expose a person to environments where strokes are more likely.

## **Residence Type**

Considering that some types of residency might be healthier than others, this attribute may be slightly important in determining the stroke risk of a person.

## **Average Glucose Level**

This may be more important than the prior three attributes, especially when these levels are unusually low or high. The literature concerning glucose levels and their connection to strokes is still being debated. Some papers conclude that it is not detrimental when observed in non-diabetic people.

## **BMI**

The body mass index is an indicator for how a person's weight/height ratio. Age and gender also being taken into consideration for the calculation. Both extreme ends of this attribute could be important to the stroke risk of a person. Higher BMIs are also associated with developing heart disease. Glucose levels may also be affected. Several other attributes are most likely going to have a correlation to this attribute.

## **Smoking Status**

Whether a patient is smoking will most likely affect some of the other attributes in this data set. Whether these significant correlations will need to be tested. The smoking status is unknown for some of the patients.

## **Stroke**

The column indicating whether the patient has ever had a stroke. This will be used to train a machine learning model in the actual journal.

## Correlations