**Kafka Log Compaction** 

## **Kafka Log Compaction Overview**

- Recall Kafka can delete older records based on
  - time period
  - size of a log
- Kafka also supports log compaction for record key compaction
- Log compaction: keep latest version of record and delete older versions


#### **Log Compaction**

- Log compaction retains last known value for each record key
- Useful for restoring state after a crash or system failure, e.g., in- memory service, persistent data store, reloading a cache
- Data streams is to log changes to keyed, mutable data,
  - e.g., changes to a database table, changes to object in in-memory microservice
- Topic log has full snapshot of final values for every key not just recently changed keys
- Downstream consumers can restore state from a log compacted topic

### **Log Compaction Structure**

- Log has head and tail
- Head of compacted log identical to a traditional Kafka log
- New records get appended to the head
- Log compaction works at tail of the log
- Tail gets compacted
- \* Records in tail of log retain their original offset when written after compaction

# **Compaction Tail/Head**



## **Log Compaction Basics**

- All offsets remain valid, even if record at offset has been compacted away (next highest offset)
- Compaction also allows for deletes. A message with a key and a null payload acts like a tombstone (a delete marker for that key)
  - Tombstones get cleared after a period.
- Log compaction periodically runs in background by recopying log segments.
- Compaction does not block reads and can be throttled to avoid impacting I/O of producers and consumers


#### **Log Compaction Cleaning**

#### Before Compaction

Offset


Keys

Values



### Cleaning

Only keeps latest version of key. Older duplicates not needed.



After Compaction

#### **Log Compaction Guarantees**

- If consumer stays caught up to head of the log, it sees every record that is written.
  - Topic config min.compaction.lag.ms used to guarantee minimum period that must pass before message can be compacted.
- Consumer sees all tombstones as long as the consumer reaches head of log in a period less than the topic config delete.retention.ms (the default is 24 hours).
- Compaction will never re-order messages, just remove some.
- Offset for a message never changes.
- Any consumer reading from start of the log, sees at least final state of all records in order they were written

#### **Log Cleaner**

- Log cleaner does log compaction.
  - Has a pool of background compaction threads that recopy log segments, removing records whose key appears in head of log
- Each compaction thread works as follows:
  - Chooses topic log that has highest ratio: log head to log tail
  - Recopies log from start to end removes records whose keys occur later
- As log partition segments cleaned, they get swapped into log partition
  - Additional disk space required: only one log partition segment
  - not whole partition

## **Topic Config for Log Compaction**

- \* To turn on compaction for a topic
  - topic config *log.cleanup.policy=compact*
- To start compacting records after they are written
  - topic config log.cleaner.min.compaction.lag.ms
  - Records wont be compacted until after this period

# **Broker Config for Log Compaction**

NAME	DESCRIPTION	ТҮРЕ	DEFAULT
log.cleaner.backoff.ms	Sleep period when no legs need cleaning	Long	15,000
log.cleaner.dedupe.buffer.size	The total memory for log dedupe process for all cleaner threads	Long	134,217,728
log.cleaner.delete.retention.ms	How long record delete markers (tombstones) are retained	Long	86,400,000
log.cleaner.io.buffer.size	Total memory used for log cleaner I/O buffers for all cleaner threads	Int	524,288
log.cleaner.io.max.bytes.per. second	This is a way to throttle the log cleaner if it is taking up too much time	Double	1.797693134862 3157E3 08
log.cleaner.min.cleanable.ratio	The minimum ratio of dirty head log to total log(head and tail) for a log to get selected for cleaning	Double	0.5
log.cleaner.min.compaction.lag.ms	Minimum time period a new message will remain uncompacted in the log.	Long	0
log.cleaner.threads	Threads count used for log cleaning. Increase this if you have a lot of log compaction going on across many topic log partitions	Int	1
log.cleanup.policy	The default cleanup policy for segment files that are beyond their retention window. Valid policies are:"delete" and "compact". You could use log compaction just for older segment files instead of deleting them, you could just compact them.		

#### Lab:

confluent-rebalancer- Auto Data Balancing Movement of Partition from a Broker to another Broker.