

Task 5

1)

Start by creating a distance matrix between each point

	a	b	c	d	e	f	g	h	i	j	k	l	m
a	0	0	0	0	0	2	2	1	4	4	2	5	9
b	0	0	0	0	0	2	1	1	3	4	0	3	7
c	0	0	0	0	0	2	1	3	1	4	2	1	5
d	0	0	0	0	0	2	2	4	2	2	5	2	2
e	0	0	0	0	0	2	2	4	4	0	7	4	0
f	2	2	2	2	2	0	0	2	2	2	8	6	2
g	2	1	1	2	2	0	0	2	2	2	1	2	6
h	1	1	3	4	4	2	2	0	0	0	1	4	6
i	4	3	1	2	4	2	2	0	0	0	3	0	4
j	4	4	4	2	0	2	2	0	0	0	6	4	0
k	2	0	2	5	7	8	1	1	3	6	0	3	0
l	5	3	1	2	4	6	2	4	0	4	3	0	3
m	9	7	5	2	0	2	6	6	4	0	0	3	0
Density	9	9	10	11	9	11	12	8	8	8	7	5	6

We can see that the density of all nodes is above `minpts = 2`, and all nodes are therefore core.

Core = {a, b, c, d, e, f, g, h, i, j, k, l, m}

2)

j is density reachable from b. We can look at a path from `j` to `b`, where we first start by checking if `j` and `b` are neighbors. Looking at the matrix we see that the distance between `j` and `b` is 4. Larger than the `Eps`. Now we can look for shared neighbors.

We can see that the distance between **b** and **e**, and **j** and **e** is both 0. And this is the shared neighbor between **b** and **j**. Since **e** is a core point we can say that the path **b** → **e** → **j** completes the path of cores and **b** and **j** are density reachable.

3)

Density reachability has to be symmetrical since it relies on the distance between points. If **A** is in reach of **B**, we know for a fact that **B** is in reach of **A** if the reach distance is the same for both points. Therefore if there exists a density reachable path **A** → **D** → **B** there exists a path **B** → **D** → **A**