

<https://course.acciojob.com/idle?question=13c0380b-4ebc-4091-9eb7-7216e5a5a64c>

● EASY

● Max Score: 30 Points



TransposeMatrix

Write a program to find the transpose of a square matrix of size $N \times N$. Transpose of a matrix is obtained by changing rows to columns and columns to rows.

Expected Time Complexity: $O(N * N)$

Expected Auxiliary Space: $O(1)$

Input Format

The first line contains an integer N .

The next N lines contains N spaced integers each, elements of matrix.

Output Format

Print the transposed matrix.

Example 1

Input

```
4
1 1 1 1
2 2 2 2
3 3 3 3
4 4 4 4
```

Output

```
1 2 3 4
1 2 3 4
1 2 3 4
1 2 3 4
```

Explanation

The rows and columns are switched.

Example 2

Input

```
5
1 2 3 4 5
6 7 8 9 10
11 12 13 14 15
16 17 18 19 20
21 22 23 24 25
```

Output

```
1 6 11 16 21
2 7 12 17 22
3 8 13 18 23
4 9 14 19 24
5 10 15 20 25
```

Explanation

The rows and columns are switched. For example: 6 was at position 0, 1 in original matrix. In the transposed matrix, it is at position 1, 0.

Constraints

$1 \leq N \leq 100$

$-10^3 \leq \text{mat}[i][j] \leq 10^3$

- 2D-Arrays

My code

```
// in java
import java.util.*;
import java.lang.*;
import java.io.*;

public class Main
{
    public static void main (String[] args) throws java.lang.Exception
    {
        //your code here
        Scanner s=new Scanner(System.in);
        int n=s.nextInt();
        int arr[][]=new int[n][n];
        for(int i=0;i<n;i++)
            for(int j=0;j<n;j++)
                arr[i][j]=s.nextInt();

        for(int i=0;i<n;i++) {
            for(int j=0;j<n;j++)
                { System.out.print(arr[j][i]+" ");}
            System.out.println("");
        }
    }
}
```

