

Question #71

Topic 1

A user is trying to aggregate all the CloudWatch metric data of the last 1 week. Which of the below mentioned statistics is not available for the user as a part of data aggregation?

- A. Aggregate
- B. Sum
- C. Sample data
- D. Average

Correct Answer: A

Amazon CloudWatch is basically a metrics repository. Either the user can send the custom data or an AWS product can put metrics into the repository, and the user can retrieve the statistics based on those metrics. The statistics are metric data aggregations over specified periods of time. Aggregations are made using the namespace, metric name, dimensions, and the data point unit of measure, within the time period that is specified by the user. CloudWatch supports Sum, Min, Max, Sample Data and Average statistics aggregation.

Question #72

Topic 1

An organization is planning to use AWS for their production roll out. The organization wants to implement automation for deployment such that it will automatically create a LAMP stack, download the latest PHP installable from S3 and setup the ELB. Which of the below mentioned AWS services meets the requirement for making an orderly deployment of the software?

- A. AWS Elastic Beanstalk
- B. AWS Cloudfront
- C. AWS Cloudformation
- D. AWS DevOps

Correct Answer: C

AWS Cloudformation is an application management tool which provides application modelling, deployment, configuration, management and related activities.

Cloudformation provides an easy way to create and delete the collection of related AWS resources and provision them in an orderly way. AWS CloudFormation automates and simplifies the task of repeatedly and predictably creating groups of related resources that power the user's applications. AWS Cloudfront is a CDN;

Elastic Beanstalk does quite a few of the required tasks. However, it is a PAAS which uses a ready AML. AWS Elastic Beanstalk provides an environment to easily develop and run applications in the cloud.

A user has created a subnet with VPC and launched an EC2 instance in that subnet with only default settings. Which of the below mentioned options is ready to use on the EC2 instance as soon as it is launched?

- A. Elastic IP
- ☒ B. Private IP
- C. Public IP
- D. Internet gateway

Correct Answer: B

A Virtual Private Cloud (VPC) is a virtual network dedicated to a user's AWS account. A subnet is a range of IP addresses in the VPC. The user can launch the AWS resources into a subnet. There are two supported platforms into which a user can launch instances: EC2-Classic and EC2-VPC. When the user launches an instance which is not a part of the non-default subnet, it will only have a private IP assigned to it. The instances part of a subnet can communicate with each other but cannot communicate over the internet or to the AWS services, such as RDS / S3.

An organization is setting up programmatic billing access for their AWS account. Which of the below mentioned services is not required or enabled when the organization wants to use programmatic access?

- A. Programmatic access
- B. AWS bucket to hold the billing report
- ☒ C. AWS billing alerts
- D. Monthly Billing report

Correct Answer: C

AWS provides an option to have programmatic access to billing. Programmatic Billing Access leverages the existing Amazon Simple Storage Service (Amazon S3) APIs. Thus, the user can build applications that reference his billing data from a CSV (comma-separated value) file stored in an Amazon S3 bucket. To enable programmatic access, the user has to first enable the monthly billing report. Then the user needs to provide an AWS bucket name where the billing CSV will be uploaded. The user should also enable the Programmatic access option.

A user has configured the Auto Scaling group with the minimum capacity as 3 and the maximum capacity as 5. When the user configures the AS group, how many instances will Auto Scaling launch?

- ☒ A. 3
- B. 0
- C. 5
- D. 2

Correct Answer: A

An admin is planning to monitor the ELB. Which of the below mentioned services does not help the admin capture the monitoring information about the ELB activity?

- A. ELB Access logs
- B. ELB health check
- C. CloudWatch metrics
- D. ELB API calls with CloudTrail

Correct Answer: B

The admin can capture information about Elastic Load Balancer using either:

CloudWatch Metrics ELB Logs files which are stored in the S3 bucket CloudTrail with API calls which can notify the user as well generate logs for each API calls

The health check is internally performed by ELB and does not help the admin get the ELB activity.

A user is planning to use AWS Cloudformation. Which of the below mentioned functionalities does not help him to correctly understand Cloudformation?

- A. Cloudformation follows the DevOps model for the creation of Dev & Test
- B. AWS Cloudformation does not charge the user for its service but only charges for the AWS resources created with it
- C. Cloudformation works with a wide variety of AWS services, such as EC2, EBS, VPC, IAM, S3, RDS, ELB, etc.
- D. CloudFormation provides a set of application bootstrapping scripts which enables the user to install Software

Correct Answer: A

AWS Cloudformation is an application management tool which provides application modelling, deployment, configuration, management and related activities. It supports a wide variety of AWS services, such as EC2, EBS, AS, ELB, RDS, VPC, etc. It also provides application bootstrapping scripts which enable the user to install software packages or create folders. It is free of the cost and only charges the user for the services created with it. The only challenge is that it does not follow any model, such as DevOps; instead customers can define templates and use them to provision and manage the AWS resources in an orderly way.

A user has launched 10 instances from the same AMI ID using Auto Scaling. The user is trying to see the average CPU utilization across all instances of the last 2 weeks under the CloudWatch console. How can the user achieve this?

- A. View the Auto Scaling CPU metrics
- B. Aggregate the data over the instance AMI ID
- C. The user has to use the CloudWatch analyser to find the average data across instances
- D. It is not possible to see the average CPU utilization of the same AMI ID since the instance ID is different

Correct Answer: A

You can aggregate statistics for the EC2 instances in an Auto Scaling group. Note that Amazon CloudWatch cannot aggregate data across regions. Metrics are completely separate between regions.

Reference:

<http://docs.aws.amazon.com/AmazonCloudWatch/latest/monitoring/GetMetricAutoScalingGroup.html>

A user is trying to understand AWS SNS. To which of the below mentioned end points is SNS unable to send a notification?

- A. Email JSON
- B. HTTP
- C. AWS SQS
- D. AWS SES

Correct Answer: D

Amazon Simple Notification Service (Amazon SNS) is a fast, flexible, and fully managed push messaging service. Amazon SNS can deliver notifications by SMS text message or email to the Amazon Simple Queue Service (SQS) queues or to any HTTP endpoint. The user can select one of the following transports as part of the subscription requests: HTTP, HTTPS, Email, Email-JSON, SQS, and SMS.

A user has configured an Auto Scaling group with ELB. The user has enabled detailed CloudWatch monitoring on Auto Scaling. Which of the below mentioned statements will help the user understand the functionality better?

- A. It is not possible to setup detailed monitoring for Auto Scaling
- B. In this case, Auto Scaling will send data every minute and will charge the user extra
- C. Detailed monitoring will send data every minute without additional charges
- D. Auto Scaling sends data every minute only and does not charge the user

Correct Answer: B

CloudWatch is used to monitor AWS as well as the custom services. It provides either basic or detailed monitoring for the supported AWS products. In basic monitoring, a service sends data points to CloudWatch every five minutes, while in detailed monitoring a service sends data points to CloudWatch every minute. Auto Scaling includes 7 metrics and 1 dimension, and sends data to CloudWatch every 5 minutes by default. The user can enable detailed monitoring for Auto Scaling, which sends data to CloudWatch every minute. However, this will have some extra-costs.

[← Previous Questions](#)

[Next Questions →](#)