

## Part D: “Trojan Horse Super-Shell?”


- What tools have we invented?
- Where are we today?
- Where are we heading?
- How do we get there?

## MMAGA Revenues 2023 (USD billions)

Total: USD 1.611 Trillion (+7.26%)

**Omni\*Web  
2030 Targets!!**

**$0.1\% \times 1.6T$   
= USD 1.6B**



**A literal trillion dollar question: Do you know that the combined revenues of the top 5 technology companies in 2023 already exceeded USD 1.6 trillion and are growing strongly above 5% annually?**

## Part D: “Trojan Horse Super-Shell?”

– How do we get there?

– Consolidating Users across Open Source Projects & Commercial Social Media by adding Omni\*Shell to generate Omnihash User ID as universal decentralised ID.

– Add hash address in comment section in social media apps to redirect.

# Omni\* Omnihash

Omnihash GenKeys Save

Load Keypair  
Browse... No file selected.

Your Hash is  
DKfqoWZ07Q==  
Your Parent Hash is



<https://godmeta.github.io/h/?DKfqoWZ07Q==>

```
{"h":"DKfqoWZ07Q==","t":"2024-11-16T00:45:40.625Z"}
```

On this day  
Sat Nov 16 2024 08:45:40

## From Technofeudalism to Technosocialism: FORTH unexpected roles in Decentralised Systems

Technofeudalism is a term coined by former Greek finance minister Yanis Varoufakis as the title of a book which compares top American technology companies to feudal lords, who literally enslaved individual users and free software programmers, exploiting their data and source code without fairly rewarding them.

Technosocialism has been used by many other authors but I use it to describe the very real but underreported progress made by free software programmers and free software, despite the lack of fair mechanisms for rewards so far. Free software programmers or technosocialists have made technofeudalism possible as a matter of fact, but they do not get to enjoy the rewards.

Bitcoin and related projects were supposed to address this problem, and are successful in their own way, so we are now half way towards technosocialism.

# FORTH Roles in Decentralised Systems

Bitcoin & cryptocurrencies actually made FORTH (variants) *the most valuable and popular* (by number of devices, nodes, wallets) in the world – (need decentralised systems to gather statistics!!)

Football Analogy: I2P (Invisible Internet Project) and Bitcoin have proven the *technical viability of fundamental Decentralised algorithms*, produced many millionaires and billionaires – carrying football past half field. (25 years, *beneficiaries are like Bankers*)

Omni\*Web plan to *make more people rich – like McDonald's* vs. Hongkong & Shanghai Bank – second half of football field – next 25 years.

At section interval, recap past sections, preview this section

Trojan horse: small size of Omni\*Shell, 3kb minified gzipped JavaScript.

Football Analogy: I2P (Invisible Internet Project) and Bitcoin have proven the technical viability of fundamental Decentralised algorithms, produced many millionaires and billionaires – carrying football past half field. (25 years, beneficiaries are like Bankers)

Omni\*Web plan to make more people rich – like McDonald's vs. Hongkong & Shanghai Bank – second half of football field – next 25 years.

Existing web ecosystem – dominated by a few huge social media applications – difficult for small applications to grow – many reasons – User Fragmentation.

Solution: Omnihas User ID

Strategy: “Trojan Horse Super-Shell”, not the computer virus type – security guaranteed by hash & public key cryptography.

Omni\*Shell in JavaScript & Java – cover most client applications in web & Android – 1000 users per open source project or commercial social media – 100 projects → 100,000 Omni\*Web users.



Omni\*Shell in JavaScript & Java – cover most client applications in web & Android – easily ported to other programming languages – Apple – server side – PHP, Python, C++ – (show screenshots)

Omnihash – Decentralised Universal User ID – share digital assets – source code in native programming languages OR Phoscript / SWOOP / Forthic type high level words – emphasize on programmer-to-programmer collaboration – monetization via collaboration using Omnihash.

<https://github.com/udexon/SymForth>

```
0ms
number of terms: 3
Expanding r: 2*x*y + x**2 + y**2
TOS 8

sm_string:    x sym: y sym: add: 2 3 + pow: 3 5 +
sym: TOS x
Expanding: x
sym: TOS y
Expanding: y
In add: Expanding: x + y
+: 5 3 2 5
In pow:
Expanding a: x + y
Expanding: (x + y)**5
0ms
number of terms: 6
Expanding r: 5*x*y**4 + 10*x**2*y**3 + 10*x**3*y**2 + 5*x**4*y + x**5 + y**5
+: 8 5 3 8
mystack TOS: 8
(base) hongwu@hongwu-Dell-System-XPS-15Z:~/devel/2020/symengine/symengine-master/Bu
ild/benchmarks$ ./expandv x sym: y sym: add: 2 3 + pow: 3 5 +
```



master

SymForth / benchmarks / expandv.cpp

↑ Top

Code

Blame

Raw



```
100     int sm_string( std::string str0 )
219         }
220         else if (token.compare("sym:") == 0) { // SymEngine::expand1 terms
221
222             sprintf(sm_str, "%s", mystack.top().c_str() );
223             printf("sym: TOS %s\n", sm_str);
224
225             RCP_S.push( symbol( sm_str ) );
226
227             RCP<const Basic> e, r, t;
228
229             e = RCP_S.top();
230
231             std::cout << "Expanding: " << *e << std::endl;
232
233             mystack.pop();
234
```

```
libfgl.php
/var/www/html/oxw/auth

1087     $xk++;
1088 } while (1);
1089 } else {
1090     if ($v[$l - 1] == ":") {
1091         $l = strlen($v);
1092         $fn = substr($v, 0, $l - 1);
1093         if (function_exists("fgl_" . $fn)) {
1094             if (isset($D)) {
1095                 echo "xs: line " . __LINE__ . " fgl_" . $fn . " ";
1096             }
1097             call_user_func("fgl_" . $fn);
1098             if (is_array(end($S))) {
1099                 $va = end($S);
1100                 if (isset($va[0])) {
1101                     if ($va[0] == "prg_ctr") {
1102                         $va = array_pop($S);
1103                         $vk = $va[1];
1104                         $xk = $vk;
1105                         if (isset($D)) {
1106                             echo "\n xs: " . __LINE__ . " v " . $v . " xk " . $
xk . " vk " . $vk . " Z " . $Z . " SC[CC][3] " . $SC[$CC][3] . "\n";

```

```
hongwu@hongwu-Latitude-5480:/var/www/html/oxw/auth$ php phos.php 3 4 + hello h53: b64: s:
fgl_s 333 < 4 > array ( 0 => array ( 0 => 'phos.php', 1 => '3', 2 => '4', 3 => '+', 4 => 'hello', 5
=> 'h53:', 6 => 'b64:', 7 => 's:', ), 1 => 'phos.php', 2 => 7, 3 => 'EG86Y81yJg==', )

```



ActivitiesTerminalJum 15 Nov, 18:05zh

hongwu@hongwu-Latitude-5480: ~/devel/2024/my\_github/pyphos

hongwu@hongwu-Latitude-5480: ~... x hongwu@hongwu-Latitude-5480: ~... x hongwu@hongwu-Latitude-5480: /... x hongwu@hongwu-Latitude-5480: ~... x hongwu@hongwu-Latitude-5480: ~... x

>>> f('33 55 66 + \*')  
SM token list t ['33', '55', '66', '+', '\*']  
>>> s  
[['be0c6943b402575b-6723892835e9fc7d79b00268-97f7b13bf1e6e64c6c470e9fb0064aca339293a492786407d0d648d  
d2d9866d2d3f31ab308b5c6fffc978c81e4e2ec0fca4202e9193252d93ce57290d6171cab0d85509536c1cd557765d0493d13  
17af4678ea01210950f56fa198e8d82f0b7e3add5eb71a00ce5a4d65d9f4bc828631c7bb7eb8b8b7592f51e0dd28ea4099cd  
86e2d5f9f8b222995158ff3076d321aa1620d921440ef8e1f98a524a7745f214ae862e8b3a714b38c0872050584db00554b4  
984dbe13306081e95a3ff1da10cf41108ce6641fbac87c56e1d74f56cc41ccd11c32a43528f5736999da65a9394d770a024b  
3ac2ef276afe05d4697c5e68f196fbf4260741d8266ff79403024a8bfe330d47791ff20b792ea61c7f04342dfd9557ea7630  
116216b8ec62fd8fc36dd950a43089fdf4fa55b0eb50d47cbca9294ce246d325ccded5ccf82765a406025a5b4414ec6fe5db  
2e5ce18fbffd8df237da0856682f366ac6804716d2ffd0b93e4fb7995824ecf39b3163d18c1ac9edde3e750c475999d6f57c  
c519f07f9d6f73126f52f5490f3bfcc76f73ab0fd2b09bfaafe7208f90963176ce5351fa90de3efc89f1b0153110c139dfbf  
abcd35068db6e12189984ad800e77b65318f637763b4e575c8415745e0ff78aa30da9feab1b66ecff9e01f20564128001697  
80edf51c685d0fc6ff22608bdbf2309e4ba85f24ef43cf013e741d0fffbde4328522e547983ddd6ae09eb2eeb6f35613033ff  
91484805947c7f80ec08b18bbfd574268d9ee705e6649af61b3eaea04ce2fa4d9f73184528c83d13d3d008e65c25482eaa1b  
240a5f4e0c159b7273644023e539739076320facc2f6a8fe76f2ed155695b9c708b7415e019304a91a9966adc895b55a7d2d  
51d0c1f4d4beffbc6ea959f8c5003ec1e9037216338ee58dcdf408a3f73f94b5144f6dfd3964e6e875c0b57cdb06b205ba6b  
fd4e0284c539556541e5380f76b2b47f7653f3efe41e5722e864d0dc2ae34a1a38917dfb09a29f7d74e24562ef7bfed07be8  
b56f6fcec6f68041405c8dc81a44385b7e29da35dbeb301bde284d812a699a85f1f00e4a71e8abcbf67bf022e8a440e82a4b3  
112c15a192e8aaab72832a05458aefedd5ed7ef38291e369ed9e598e7cc180bd6fa43bbba86fdcf19e76246fbc36e1b94101  
9895767e66052de82a594bd639adcc80f04ed7fae7677b3a6103bcd9aefa6bcaa72d0d9349e368362ea9a0e22386b7f5675f  
ebf289a328bf2b73b9b8a463efa0fdbcb87d7416e373ca841b\n'], 33, 121, '\*', 33, 121, '\*', 3993, 3993]  
>>>

```
190 elif (tf=='f_newtab'):  
191     print('  hard code execute_script ' )  
192     driver.execute_script("window.open('"+ S.pop() +"')" ) # too complicated to eval quotes !!  
193  
194  
195 elif tf in dir(lib_chrome): # check tf in lib manually, until too many, automate all  
196     print( tf, ' is defined' )  
197     eval( 'lib_chrome.'+tf+'()' )  
198  
199 elif 'f_'+t[i][0:Lt-1] in globals().keys():  
200     print( 'f_'+t[i][0:Lt-1], ' is defined' )  
201     eval( 'f_'+t[i][0:Lt-1]+'()' )  
202  
203 elif tf in LIB.keys():  
204     print( tf, ' is in ', LIB[tf] )  
205 elif (t[i]=='f'):  
206     turtle.forward( S.pop() )  
207 elif (t[i]=='l'):  
208     turtle.left( S.pop() )  
209 elif isinstance(t[i], float):  
210     S.append( float(t[i]) )  
211 elif t[i].rstrip("-+").isdigit(): # check if digit  
212     S.append( int(t[i]) )  
213 elif t[i]=='+' :  
214     S.append( S.pop() + S.pop() )  
215 elif t[i]=='-':
```

## Probability of success?

Cloning: GNU & Linux began by cloning UNIX.

Now most commercial software companies use unspecified amount of free software.

Modify free software licence – separation of disclosure & royalties.

Track usage (execution) of free software using hashcodes – claim payments.

BitTorrent used to be carrying >30% of all Internet traffic.

Heavy censorship on popular platforms such as Reddit & TikTok – decentralised social media – impossible to censor – *FILTER model – users may choose various types of filters to filter unwanted text, videos, photos or user IDs* – data stored on devices owned by users – or access control belongs to users, not platform.



## Part E: FORTH roles in future

Bitcoin & cryptocurrencies actually made FORTH (variants) the most valuable and popular (by number of devices, nodes, wallets) in the world – (need decentralised systems to gather statistics!!)

Omni\*Web “trojan horse” strategy will (hopefully) attract more programmers to use FORTH (Phoscript or dialects) as interface programming language, if Omni\*Web plan of making Omnihash User ID as the universal decentralised ID works.

Metaprogramming & Mathematics are important – SymForth example.

Decentralised AI – ideas threatening commercial interests are filtered – hash based indices allowed AI training data to be distributed in users computers & mobile devices – much bigger (?) than commercially owned assets?

Same dilemma in history – land grab from farmers – now land owned by nation state or corporation – do we want this to happen again – now we know we can prevent it?



Although we have used ideological terms such as techno feudalism and techno socialism to express our views of reducing global rich poor gaps through Decentralised systems, the Chinese or Asian principle of Taichi views conflicts not as binary black versus white, but as forces in opposition feeding on each other, as quoted by Danish Physicist Niels Bohr in Latin as Contraria sunt complementa or in English “opposites are complementary”.

This philosophy can be seen in the Chinese Weiqi or Go chess, where on a board with 19 by 19 lines namely 361 spots, the goal of the game is to simply outdo the opponent by occupying at least one spot more than the opponent with the chosen black or white pieces, instead of killing the King of the opponent in the European chess.

Technosocialism = “better pay for some programmers”, not threatening Washington & Wall Street.

Metanarchy = Metaverse + (Mon)-archy = self governance through metaverse

- Trispecies Monetary Payments: Fiat currency, Cryptocurrency, Bullions (Gold/Silver)

# Escutcheons of Science



<http://www.numericana.com/arms/bohr.htm>

**Niels Bohr (1885-1962)**

**Danish physicist. Nobel laureate in 1922.**

**Knighted (Order of the Elephant) in 1947.**

Argent, a taijitu Gules and Sable.

**Motto :** *Contraria sunt complementa* (opposites are complementary).

---

Mixture of best & worst case scenario: Weiqi may predict a fragmented world in the future. Some algorithms and technologies discussed in this presentation may be banned in some countries but will thrive in others. Which?




# Science Fiction & Politics

American Russian author Isaac Asimov –  
Foundation – Psychohistory – Mathematics,  
Algorithms, Metaprogramming – changing the  
course of the Galactic Empire.

Recent science fiction on cryptography changing  
future of mankind? If not, do it in Omni\*Web.

Omni\*Web Simulation – all hypotheses (plural)  
can be proven (or disproved) using FORTH (like)  
metaprogramming languages (plural).



Final Thoughts: When programmers are young, we are usually well paid, so we may not worry about inequality.

When we get older, our understanding of science and technology is perhaps too far ahead of our peers or younger leaders in politics, who may not be so well trained in science and technology.

So those programmers who worry about inequality need to work harder to learn the art of communication including making speeches and videos, especially if they are forced into early retirement, a common trend in Asia and getting worse, due to all sorts of factors, primarily AI and US-China decoupling.