## Review Questions

1. What is output by the following code? (Choose all that apply)

```
1: public class Fish {
2: public static void main(String[] args) {
      int numFish = 4;
4:
      String fishType = "tuna";
5:
      String anotherFish = numFish + 1;
      System.out.println(anotherFish + " " + fishType);
6:
7:
      System.out.println(numFish + " " + 1);
8: } }
A. 4 1
B. 41
C. 5
D. 5 tuna
E. 5tuna
F. 51tuna
G. The code does not compile.
```

**2.** Which of the following are output by this code? (Choose all that apply)

```
3: String s = "Hello";
4: String t = new String(s);
5: if ("Hello".equals(s)) System.out.println("one");
6: if (t == s) System.out.println("two");
7: if (t.equals(s)) System.out.println("three");
8: if ("Hello" == s) System.out.println("four");
9: if ("Hello" == t) System.out.println("five");
A. one
B. two
C. three
D. four
E. five
```

- **F.** The code does not compile.
- **3.** Which are true statements? (Choose all that apply)
  - **A.** An immutable object can be modified.
  - **B.** An immutable object cannot be modified.
  - **C.** An immutable object can be garbage collected.

- **D.** An immutable object cannot be garbage collected.
- **E.** String is immutable.
- F. StringBuffer is immutable.
- **G.** StringBuilder is immutable.
- **4.** What is the result of the following code?

```
7: StringBuilder sb = new StringBuilder();
8: sb.append("aaa").insert(1, "bb").insert(4, "ccc");
```

- 9: System.out.println(sb);
- A. abbaaccc
- B. abbaccca
- C. bbaaaccc
- D. bbaaccca
- **E.** An exception is thrown.
- **F.** The code does not compile.
- **5.** What is the result of the following code?

```
2: String s1 = "java";
3: StringBuilder s2 = new StringBuilder("java");
4: if (s1 == s2)
```

- 5: System.out.print("1");
- 6: if (s1.equals(s2))
  7: System.out.print("2");
- **A.** 1
- **B**. 2
- **C**. 12
- **D.** No output is printed.
- **E.** An exception is thrown.
- **F.** The code does not compile.
- **6.** What is the result of the following code?

```
public class Lion {
  public void roar(String roar1, StringBuilder roar2) {
    roar1.concat("!!!");
    roar2.append("!!!");
  }
public static void main(String[] args) {
  String roar1 = "roar";
  StringBuilder roar2 = new StringBuilder("roar");
  new Lion().roar(roar1, roar2);
```

```
System.out.println(roar1 + " " + roar2);
    } }
    A. roar roar
    B. roar roar!!!
    C. roar!!! roar
    D. roar!!! roar!!!
    E. An exception is thrown.
    F. The code does not compile.
7. Which are the results of the following code? (Choose all that apply)
    String letters = "abcdef";
    System.out.println(letters.length());
    System.out.println(letters.charAt(3));
    System.out.println(letters.charAt(6));
    A. 5
    B. 6
    C. c
    D. d
    E. An exception is thrown.
       The code does not compile.
8. Which are the results of the following code? (Choose all that apply)
    String numbers = "012345678";
    System.out.println(numbers.substring(1, 3));
    System.out.println(numbers.substring(7, 7));
    System.out.println(numbers.substring(7));
    A. 12
    B. 123
    C. 7
    D. 78
    E. A blank line.
    F. An exception is thrown.
    G. The code does not compile.
9. What is the result of the following code?
    3: String s = "purr";
    4: s.toUpperCase();
    5: s.trim();
    6: s.substring(1, 3);
```

```
7: s += " two";
    8: System.out.println(s.length());
    A. 2
    B. 4
    C. 8
    D. 10
    E. An exception is thrown.
       The code does not compile.
10. What is the result of the following code? (Choose all that apply)
    13: String a = "";
    14: a += 2;
    15: a += 'c';
    16: a += false;
    17: if ( a == "2cfalse") System.out.println("==");
    18: if ( a.equals("2cfalse")) System.out.println("equals");
    A. Compile error on line 14.
    B. Compile error on line 15.
    C. Compile error on line 16.
    D. Compile error on another line.
    E. ==
    F. equals
    G. An exception is thrown.
11. What is the result of the following code?
    4: int total = 0;
    5: StringBuilder letters = new StringBuilder("abcdefg");
    6: total += letters.substring(1, 2).length();
    7: total += letters.substring(6, 6).length();
    8: total += letters.substring(6, 5).length();
    9: System.out.println(total);
    A. 1
    B. 2
    C. 3
    D. 7
    E. An exception is thrown.
       The code does not compile.
```

```
12. What is the result of the following code? (Choose all that apply)
   StringBuilder numbers = new StringBuilder("0123456789");
   numbers.delete(2, 8);
   numbers.append("-").insert(2, "+");
   System.out.println(numbers);
   A. 01+89-
   B. 012+9-
   C. 012+-9
   D. 0123456789
   E. An exception is thrown.
   F. The code does not compile.
13. What is the result of the following code?
   StringBuilder b = "rumble";
   b.append(4).deleteCharAt(3).delete(3, b.length() - 1);
   System.out.println(b);
   A. rum
   B. rum4
   C. rumb4
   D. rumble4
   E. An exception is thrown.
   F. The code does not compile.
14. Which of the following can replace line 4 to print "avaJ"? (Choose all that apply)
   3: StringBuilder puzzle = new StringBuilder("Java");
   4: // INSERT CODE HERE
   5: System.out.println(puzzle);
   A. puzzle.reverse();
   B. puzzle.append("vaJ$").substring(0, 4);
   C. puzzle.append("vaJ$").delete(0, 3).deleteCharAt(puzzle.length() - 1);
   D. puzzle.append("vaJ$").delete(0, 3).deleteCharAt(puzzle.length());
   E. None of the above.
15. Which of these array declarations is not legal? (Choose all that apply)
   A. int[][] scores = new int[5][];
   B. Object[][][] cubbies = new Object[3][0][5];
   C. String beans[] = new beans[6];
   D. java.util.Date[] dates[] = new java.util.Date[2][];
   E. int[][] types = new int[];
   F. int[][] java = new int[][];
```

**16.** Which of these compile when replacing line 8? (Choose all that apply)

```
7: char[]c = new char[2];
```

- 8: // INSERT CODE HERE
- **A.** int length = c.capacity;
- B. int length = c.capacity();
- C. int length = c.length;
- **D.** int length = c.length();
- E. int length = c.size;
- **F.** int length = c.size();
- **G.** None of the above.
- **17.** Which of these compile when replacing line 8? (Choose all that apply)

```
7: ArrayList l = new ArrayList();
```

```
8: // INSERT CODE HERE
```

- A. int length = l.capacity;
- B. int length = l.capacity();
- C. int length = l.length;
- D. int length = l.length();
- **E**. int length = l.size;
- F. int length = l.size();
- **G.** None of the above.
- **18.** Which of the following are true? (Choose all that apply)
  - **A.** An array has a fixed size.
  - **B.** An ArrayList has a fixed size.
  - **C.** An array allows multiple dimensions.
  - **D.** An array is ordered.
  - **E.** An ArrayList is ordered.
  - **F.** An array is immutable.
  - **G.** An ArrayList is immutable.
- **19.** Which of the following are true? (Choose all that apply)
  - **A.** Two arrays with the same content are equal.
  - **B.** Two ArrayLists with the same content are equal.
  - **C.** If you call remove (0) using an empty ArrayList object, it will compile successfully.
  - **D.** If you call remove (0) using an empty ArrayList object, it will run successfully.
  - **E.** None of the above.

```
20. What is the result of the following statements?
    6: List<String> list = new ArrayList<String>();
    7: list.add("one");
    8: list.add("two");
    9: list.add(7);
    10: for(String s : list) System.out.print(s);
    A. onetwo
    B. onetwo7
    C. one two followed by an exception
    D. Compiler error on line 9.
    E. Compiler error on line 10.
21. What is the result of the following statements?
    3: ArrayList<Integer> values = new ArrayList<>();
    4: values.add(4);
    5: values.add(5);
    6: values.set(1, 6);
    7: values.remove(0);
    8: for (Integer v : values) System.out.print(v);
    A. 4
    B. 5
    C. 6
    D. 46
    E. 45
    F. An exception is thrown.
    G. The code does not compile.
22. What is the result of the following?
    int[] random = { 6, -4, 12, 0, -10 };
    int x = 12;
    int y = Arrays.binarySearch(random, x);
    System.out.println(y);
    A. 2
    B. 4
    C. 6
    D. The result is undefined.
    E. An exception is thrown.
```

The code does not compile.

**23.** What is the result of the following? 4: List<Integer> list = Arrays.asList(10, 4, -1, 5); 5: Collections.sort(list); 6: Integer array[] = list.toArray(new Integer[4]); 7: System.out.println(array[0]); **A**. -1 **B**. 10 **C.** Compiler error on line 4. **D.** Compiler error on line 5. **E.** Compiler error on line 6. An exception is thrown. **24.** What is the result of the following? 6: String [] names = {"Tom", "Dick", "Harry"}; 7: List<String> list = names.asList(); 8: list.set(0, "Sue"); 9: System.out.println(names[0]); A. Sue B. Tom **C.** Compiler error on line 7. **D.** Compiler error on line 8. **E.** An exception is thrown. **25.** What is the result of the following? List<String> hex = Arrays.asList("30", "8", "3A", "FF"); Collections.sort(hex); int x = Collections.binarySearch(hex, "8"); int y = Collections.binarySearch(hex, "3A"); int z = Collections.binarySearch(hex, "4F"); System.out.println(x + "" + y + "" + z); A 01-2 **B.** 0 1 –3 **C**. 21-2 **D**. 2.1 – 3 **E.** None of the above. **F.** The code doesn't compile.

**26.** Which of the following are true statements about the following code? (Choose all that apply)

```
4: List<Integer> ages = new ArrayList<>();
5: ages.add(Integer.parseInt("5"));
```

```
6: ages.add(Integer.valueOf("6"));
    7: ages.add(7);
    8: ages.add(null);
    9: for (int age : ages) System.out.print(age);
    A. The code compiles.
    B. The code throws a runtime exception.
    C. Exactly one of the add statements uses autoboxing.
    D. Exactly two of the add statements use autoboxing.
    E. Exactly three of the add statements use autoboxing.
27. What is the result of the following?
    List<String> one = new ArrayList<String>();
    one.add("abc");
    List<String> two = new ArrayList<>();
    two.add("abc");
    if (one == two)
      System.out.println("A");
    else if (one.equals(two))
      System.out.println("B");
    else
      System.out.println("C");
    A. A
    B. B
    C. C
    D. An exception is thrown.
    E. The code does not compile.
28. Which of the following can be inserted into the blank to create a date of June 21, 2014?
    (Choose all that apply)
    import java.time.*;
    public class StartOfSummer {
      public static void main(String[] args) {
      LocalDate date = _____
      }
    }
    A. new LocalDate(2014, 5, 21);
    B. new LocalDate(2014, 6, 21);
    C. LocalDate.of(2014, 5, 21);
```

```
D. LocalDate.of(2014, 6, 21);
    E. LocalDate.of(2014, Calendar.JUNE, 21);
    F. LocalDate.of(2014, Month.JUNE, 21);
29. What is the output of the following code?
    LocalDate date = LocalDate.parse("2018-04-30", DateTimeFormatter.ISO_LOCAL_
    DATE);
    date.plusDays(2);
    date.plusHours(3);
    System.out.println(date.getYear() + " " + date.getMonth() + " "
    + date.getDayOfMonth());
    A. 2018 APRIL 2
    B. 2018 APRIL 30
    C. 2018 MAY 2
    D. The code does not compile.
    E. A runtime exception is thrown.
30. What is the output of the following code?
    LocalDate date = LocalDate.of(2018, Month.APRIL, 40);
    System.out.println(date.getYear() + " " + date.getMonth() + " "
    + date.getDayOfMonth());
    A. 2018 APRIL 4
    B. 2018 APRIL 30
    C. 2018 MAY 10
    D. Another date.
    E. The code does not compile.
    F. A runtime exception is thrown.
31. What is the output of the following code?
    LocalDate date = LocalDate.of(2018, Month.APRIL, 30);
    date.plusDays(2);
    date.plusYears(3);
    System.out.println(date.getYear() + " " + date.getMonth() + " "
    + date.getDayOfMonth());
    A. 2018 APRIL 2
    B. 2018 APRIL 30
    C. 2018 MAY 2
    D. 2021 APRIL 2
```

```
E. 2021 APRIL 30
```

- **F.** 2021 MAY 2
- **G.** A runtime exception is thrown.
- **32.** What is the output of the following code?

```
LocalDateTime d = LocalDateTime.of(2015, 5, 10, 11, 22, 33);
Period p = Period.of(1, 2, 3);
d = d.minus(p);
DateTimeFormatter f = DateTimeFormatter.ofLocalizedTime(FormatStyle.SHORT);
System.out.println(d.format(f));
```

- **A.** 3/7/14 11:22 AM
- **B**. 5/10/15 11:22 AM
- **C.** 3/7/14
- **D.** 5/10/15
- **E.** 11:22 AM
- **F.** The code does not compile.
- **G.** A runtime exception is thrown.
- **33.** What is the output of the following code?

```
LocalDateTime d = LocalDateTime.of(2015, 5, 10, 11, 22, 33);
Period p = Period.ofDays(1).ofYears(2);
d = d.minus(p);
DateTimeFormatter f = DateTimeFormatter.ofLocalizedDateTime(FormatStyle .SHORT);
System.out.println(f.format(d));
```

- **A.** 5/9/13 11:22 AM
- **B.** 5/10/13 11:22 AM
- **C.** 5/9/14
- **D.** 5/10/14
- **E.** The code does not compile.
- **F.** A runtime exception is thrown.