office copy (F)

Roll No: Thapar Institute of Engineering and Technology, Patiala Computer Science and Engineering Department BE (CSE) Third Year (Dera Bassi Campus) Course: Machine Learning Code: UML501 Time: 2 Hrs; Date: 25.1.2021 MM: 50 Note: Attempt any Five questions. To perform the data analysis of COVID cases and to make its predictions, which 5 machine learning technique you will use and why? Justify your answer. Why Naïve Bayes Classification is considered as Naïve? In case of zero 5 b) probability for an event, how data scientist handle this situation in Naïve Bayes Classification? Let's suppose as a data scientist you have to predict the price of house by 2) considering following dataset. How will you perform predictions over this dataset? Explain your approach by following all the steps like data loading, data pre-processing, model building and testing etc. by giving corresponding Python code. Number Covered Granite Upgraded Distance Age Price of Area in Flooring Kitchen from City of flat Bedrooms yards in Km in years 3 150 Y Y 2 2 70 2 250 Y Y 1 1 140 4 320 N Y 2 1 200 1 130 3 Y Y 2 60 4 500 Y N 5 3 200 3 160 N N 1 2 60

3 a)	How a data scientist decides about the number of nodes in hidden layer, input					5		
	layer and output layer? For database given in Q 2, What will number of these							
	nodes in each of these layers.							
b)	What are the limitations of k-means algorithm?							5
4 a)								5
,	behing building decision tree by using Gini Index?							
<b>b</b> )	Calculate the following for given Confusion Matrix.							5
, 1	Predicted							
	Actual		0	1 ·				
		0	28	3				
		1	2	23				
	True Positive							
	False Negative							
	Precision							
	• F	Recall						
	• F-Measure							
5 a)	Fit the straight line for simple linear regression with $0_0=2$ and $\theta_1=2$ as given							5
	below.							
	$Y = 0_0 + \theta_1 X$							
b)	What will happen if no elitism is applied in Genetic Algorithm?						5	
6)	Find the following for the threshold support of 50% and threshold confidence of							10
	.70% over the given database.							
					T1	1,3,4	1	
					T2	2,3,5		,
					Т3	1,2,3,5		
					T4	2,5		
	C1, L1, C2, L2, C3, L3, Possible Rules, Qualified Rules, Identify Improvement							
	due to pruning.							
	_							

7 a).	Compute the support for item sets {b, d}, and {b, d, e} by treating each transaction	5		
	ID as a market basket.			
	Container II)   Transperion II)   Itoms Bought			

Customer ID	Transaction ID	Items Bought
IN THE PARTY AND A STATE AND	()()()]	$\{a,d,e\}$
1	0024	$\{a,b,c,e\}$
2	0012	$\{a,b,d,e\}$
2	0031	$\{a,c,d,e\}$
3	0015	$\{b,c,c\}$
3	0022	$\{b,d,e\}$
-1	0029	$\{\psi,d\}$
4	()()4()	$\{a,b,c\}$
5	0033	$\{a,d,e\}$
17)	0038	$\{a,b,c\}$

Also compute the confidence and lift for the association rules

(b, d) → (e) and (e) → (b, d).
b) Explain the working principle of agglomerative and divisive clustering 5 algorithm?