While these are sometimes considered programming, often the term software development is used for this larger overall process – with the terms programming, implementation, and coding reserved for the writing and editing of code per se. It is very difficult to determine what are the most popular modern programming languages. In the 9th century, the Arab mathematician Al-Kindi described a cryptographic algorithm for deciphering encrypted code, in A Manuscript on Deciphering Cryptographic Messages. Scripting and breakpointing is also part of this process. Their jobs usually involve: Although programming has been presented in the media as a somewhat mathematical subject, some research shows that good programmers have strong skills in natural human languages, and that learning to code is similar to learning a foreign language. High-level languages made the process of developing a program simpler and more understandable, and less bound to the underlying hardware. For example, when a bug in a compiler can make it crash when parsing some large source file, a simplification of the test case that results in only few lines from the original source file can be sufficient to reproduce the same crash. Unreadable code often leads to bugs, inefficiencies, and duplicated code. Unreadable code often leads to bugs, inefficiencies, and duplicated code. One approach popular for requirements analysis is Use Case analysis. Implementation techniques include imperative languages (object-oriented or procedural), functional languages, and logic languages. Machine code was the language of early programs, written in the instruction set of the particular machine, often in binary notation. These compiled languages allow the programmer to write programs in terms that are syntactically richer, and more capable of abstracting the code, making it easy to target varying machine instruction sets via compilation declarations and heuristics. Some text editors such as Emacs allow GDB to be invoked through them, to provide a visual environment. Methods of measuring programming language popularity include: counting the number of job advertisements that mention the language, the number of books sold and courses teaching the language (this overestimates the importance of newer languages), and estimates of the number of existing lines of code written in the language (this underestimates the number of users of business languages such as COBOL). He gave the first description of cryptanalysis by frequency analysis, the earliest code-breaking algorithm. Some languages are more prone to some kinds of faults because their specification does not require compilers to perform as much checking as other languages. Computer programming or coding is the composition of sequences of instructions, called programs, that computers can follow to perform tasks. Scripting and breakpointing is also part of this process. One approach popular for requirements analysis is Use Case analysis. Compilers harnessed the power of computers to make programming easier by allowing programmers to specify calculations by entering a formula using infix notation. However, readability is more than just programming style. Computer programmers are those who write computer software. Some of these factors include: The presentation aspects of this (such as indents, line breaks, color highlighting, and so on) are often handled by the source code editor, but the content aspects reflect the programmer's talent and skills. After the bug is reproduced, the input of the program may need to be simplified to make it easier to debug.