

Computer programming or coding is the composition of sequences of instructions, called programs, that computers can follow to perform tasks. It is very difficult to determine what are the most popular modern programming languages. They are the building blocks for all software, from the simplest applications to the most sophisticated ones. For this purpose, algorithms are classified into orders using so-called Big O notation, which expresses resource use, such as execution time or memory consumption, in terms of the size of an input. Readability is important because programmers spend the majority of their time reading, trying to understand, reusing and modifying existing source code, rather than writing new source code. For example, when a bug in a compiler can make it crash when parsing some large source file, a simplification of the test case that results in only few lines from the original source file can be sufficient to reproduce the same crash. These compiled languages allow the programmer to write programs in terms that are syntactically richer, and more capable of abstracting the code, making it easy to target varying machine instruction sets via compilation declarations and heuristics. Computer programming or coding is the composition of sequences of instructions, called programs, that computers can follow to perform tasks. Integrated development environments (IDEs) aim to integrate all such help. Text editors were also developed that allowed changes and corrections to be made much more easily than with punched cards. While these are sometimes considered programming, often the term software development is used for this larger overall process – with the terms programming, implementation, and coding reserved for the writing and editing of code per se. However, Charles Babbage had already written his first program for the Analytical Engine in 1837. FORTRAN, the first widely used high-level language to have a functional implementation, came out in 1957, and many other languages were soon developed—in particular, COBOL aimed at commercial data processing, and Lisp for computer research. In 1206, the Arab engineer Al-Jazari invented a programmable drum machine where a musical mechanical automaton could be made to play different rhythms and drum patterns, via pegs and cams. It affects the aspects of quality above, including portability, usability and most importantly maintainability. Unreadable code often leads to bugs, inefficiencies, and duplicated code. Implementation techniques include imperative languages (object-oriented or procedural), functional languages, and logic languages. Various visual programming languages have also been developed with the intent to resolve readability concerns by adopting non-traditional approaches to code structure and display. Many applications use a mix of several languages in their construction and use. Techniques like Code refactoring can enhance readability. As early as the 9th century, a programmable music sequencer was invented by the Persian Banu Musa brothers, who described an automated mechanical flute player in the Book of Ingenious Devices. However, because an assembly language is little more than a different notation for a machine language, two machines with different instruction sets also have different assembly languages. As early as the 9th century, a programmable music sequencer was invented by the Persian Banu Musa brothers, who described an automated mechanical flute player in the Book of Ingenious Devices. A study found that a few simple readability transformations made code shorter and drastically reduced the time to understand it.