

However, because an assembly language is little more than a different notation for a machine language, two machines with different instruction sets also have different assembly languages. Computer programming or coding is the composition of sequences of instructions, called programs, that computers can follow to perform tasks. Code-breaking algorithms have also existed for centuries. Computer programmers are those who write computer software. A study found that a few simple readability transformations made code shorter and drastically reduced the time to understand it. Following a consistent programming style often helps readability. Later a control panel (plug board) added to his 1906 Type I Tabulator allowed it to be programmed for different jobs, and by the late 1940s, unit record equipment such as the IBM 602 and IBM 604, were programmed by control panels in a similar way, as were the first electronic computers. Some text editors such as Emacs allow GDB to be invoked through them, to provide a visual environment. Languages form an approximate spectrum from "low-level" to "high-level"; "low-level" languages are typically more machine-oriented and faster to execute, whereas "high-level" languages are more abstract and easier to use but execute less quickly. The choice of language used is subject to many considerations, such as company policy, suitability to task, availability of third-party packages, or individual preference. It is usually easier to code in "high-level" languages than in "low-level" ones. Some languages are very popular for particular kinds of applications, while some languages are regularly used to write many different kinds of applications. The first compiler related tool, the A-0 System, was developed in 1952 by Grace Hopper, who also coined the term 'compiler'. This can be a non-trivial task, for example as with parallel processes or some unusual software bugs. Some of these factors include: The presentation aspects of this (such as indents, line breaks, color highlighting, and so on) are often handled by the source code editor, but the content aspects reflect the programmer's talent and skills. The first compiler related tool, the A-0 System, was developed in 1952 by Grace Hopper, who also coined the term 'compiler'. Compilers harnessed the power of computers to make programming easier by allowing programmers to specify calculations by entering a formula using infix notation. Proficient programming usually requires expertise in several different subjects, including knowledge of the application domain, details of programming languages and generic code libraries, specialized algorithms, and formal logic. Following a consistent programming style often helps readability. The first computer program is generally dated to 1843, when mathematician Ada Lovelace published an algorithm to calculate a sequence of Bernoulli numbers, intended to be carried out by Charles Babbage's Analytical Engine. For example, COBOL is still strong in corporate data centers often on large mainframe computers, Fortran in engineering applications, scripting languages in Web development, and C in embedded software. High-level languages made the process of developing a program simpler and more understandable, and less bound to the underlying hardware. Different programming languages support different styles of programming (called programming paradigms). Text editors were also developed that allowed changes and corrections to be made much more easily than with punched cards. Use of a static code analysis tool can help detect some possible problems.