

Many programmers use forms of Agile software development where the various stages of formal software development are more integrated together into short cycles that take a few weeks rather than years. High-level languages made the process of developing a program simpler and more understandable, and less bound to the underlying hardware. It is very difficult to determine what are the most popular modern programming languages. The first computer program is generally dated to 1843, when mathematician Ada Lovelace published an algorithm to calculate a sequence of Bernoulli numbers, intended to be carried out by Charles Babbage's Analytical Engine. Proficient programming usually requires expertise in several different subjects, including knowledge of the application domain, details of programming languages and generic code libraries, specialized algorithms, and formal logic. The choice of language used is subject to many considerations, such as company policy, suitability to task, availability of third-party packages, or individual preference. Integrated development environments (IDEs) aim to integrate all such help. Machine code was the language of early programs, written in the instruction set of the particular machine, often in binary notation. As early as the 9th century, a programmable music sequencer was invented by the Persian Banu Musa brothers, who described an automated mechanical flute player in the Book of Ingenious Devices. The Unified Modeling Language (UML) is a notation used for both the OOAD and MDA. Implementation techniques include imperative languages (object-oriented or procedural), functional languages, and logic languages. Techniques like Code refactoring can enhance readability. Normally the first step in debugging is to attempt to reproduce the problem. Various visual programming languages have also been developed with the intent to resolve readability concerns by adopting non-traditional approaches to code structure and display. A study found that a few simple readability transformations made code shorter and drastically reduced the time to understand it. Computer programming or coding is the composition of sequences of instructions, called programs, that computers can follow to perform tasks. Allen Downey, in his book *How To Think Like A Computer Scientist*, writes: Many computer languages provide a mechanism to call functions provided by shared libraries. However, readability is more than just programming style. Some languages are very popular for particular kinds of applications, while some languages are regularly used to write many different kinds of applications. Techniques like Code refactoring can enhance readability. Many applications use a mix of several languages in their construction and use. Various visual programming languages have also been developed with the intent to resolve readability concerns by adopting non-traditional approaches to code structure and display. Programmers typically use high-level programming languages that are more easily intelligible to humans than machine code, which is directly executed by the central processing unit. Some languages are more prone to some kinds of faults because their specification does not require compilers to perform as much checking as other languages. While these are sometimes considered programming, often the term software development is used for this larger overall process – with the terms programming, implementation, and coding reserved for the writing and editing of code per se.