



MIDDLE EAST TECHNICAL UNIVERSITY

IE407

Term Project Report

ASSORTMENT SELECTION AND SHELF SPACE ALLOCATION
PROBLEM

January 15, 2021

Students:

John Doe

Contents

1	Introduction	2
2	Project	3
2.1	Proposed Model	4
2.1.1	Q2	6
2.1.2	Q3	7
2.1.3	Q4	11
2.1.4	Q5	11
2.1.5	Q6	12
2.1.6	Q7	12
2.2	Discussion and Recommendations	13
3	Conclusion	13
4	Appendix	14
4.1	Data Set for Q1,Q2	14
4.2	Rules	15
4.3	Opensolver Results	15
4.3.1	Q2 Result	16
4.3.2	Q3 Result	17
4.3.3	Q4 Result	18
4.3.4	Q5 Result	18
4.3.5	Q6 Result - 5cm increase	19
4.3.6	Q6 Result - 10cm increase	19
4.3.7	Q7 Result	19

1 Introduction

In this project, we have conducted a study on "Assortment Selection and Shelf Space Allocation Problem". Although in the literature, the problem has different variations, we studied a simplified version of the problem where,

- If a product is chosen for the assortment, then all the facings of the product have to be filled fully. This restriction was especially important since dealing with variable sized number of products per facing makes the problem more complex.
- The manager does not want to allocate more than four facings for a product. The importance of this constraint is explained in 2 in detail, basically we used this constraint to transform our non-linear model to a linear one.
- Other constraints and rules can be found in 4.2

The task we worked on was determining the optimal way to select products for the assortment and how these products placed in shelves, in order to gain maximum profit.

Initially, in the market, we had 25 products belong to a certain category and 5 shelves to place those products on, where for each product,

- π_i : Profit made by selling one unit of the product, this parameter was used to calculate total profit gained from the product
- b_i : Width of a facing for the product (in cm)
- dp_i : Depth of unit the product (in cm)
- β_i : Space elasticity factor for the product
- s_i^l : Lower bound on the shelf inventory of the product, if it is selected in the assortment
- s_i^u : Upper bound on the shelf inventory of the product, if it is selected in the assortment
- d_i : Coefficient for demand rate for the product per unit width and one facing

- β_i : Space elasticity factor for the product

parameters and for each shelf,

- w_k : Width of the shelf (in cm)
- ds_k : Depth of the shelf (in cm)
- γ_k : Shelf k's effect on demand

parameters were given. In line with these parameters, demand for a product was calculated as follows,

$$d_i(f_i * b_i)_i^\beta$$

Our approach to the given problem and the proposed mathematical model that best fits to our objective and constraints are given in 2

2 Project

Initially, we approached the problem by defining two decision variables:

X_{ik} : Will the product i be on shelf k. Such that,

$$X_{ik} = \begin{cases} 1, & \text{if } i \text{ is allocated in } k \\ 0, & \text{otherwise} \end{cases}$$

f_{ik} : Number of allocated facings for product i on shelf k.

With these decision variables, the objective function (since our aim is maximizing the profit) became:

$$\max \sum_{i=1}^{|I|} \sum_{k=1}^{|K|} \pi_i \gamma_k d_i(f_{ik} * b_i)^{\beta_i}$$

As can be confirmed, if we choose f_{ik} as a decision variable then the given objective function makes the model non-linear. Since the "opensolver" is not good at solving non-linear problems, we decided to modify the initial model to obtain a linear model.

The proposed model 2.1 has been built considering (with the help of) Rule 2. Since for a product we can not allocate more than 4 facings (i.e. $f_{ik} \in \{1, 2, 3, 4\}$, if the product is chosen for the assortment), defining a separate decision variable for facings was unnecessary. Rather we defined a new decision variable instead of the previous ones,

X_{ijk} : Will the product i have j allocations (facings) on shelf k . Such that,

$$X_{ijk} = \begin{cases} 1, & \text{if } i \text{ is allocated } j \text{ times in } k \\ 0, & \text{otherwise} \end{cases}$$

where $j \in \{1, 2, 3, 4\}$. With this new approach, we have achieved to develop a linear model which can be seen in 2.1.

2.1 Proposed Model

Parameters:

I : Set of products

I^1 : Set of product pairs (i_1, i_2) that cannot be placed on the same shelf.

I^2 : Set of product pairs (i_1, i_2) that will be included together in the assortment.

K : Set of shelves

π_i : Profit made by selling one unit of product i

w_k : Width of shelf k

γ_k : Shelf k 's effect on demand

ds_k : Depth of shelf k

dp_i : Depth of unit product i

b_i : Width of a facing for product i

d_i : Coefficient for demand rate for product i per unit width and one facing

β_i : Space elasticity factor for product i

s_i^l : Lower bound on the shelf inventory of product, if i is selected in the assortment

s_i^u : Upper bound on the shelf inventory of product, if i is selected in the assortment

Notation:

$|I|$: Size of the set of products

$|K|$: Size of the set of shelves

Calculated Parameters:

N_{ik} : number of product i in shelf k per allocation (facing):

$$N_{ik} = \lfloor ds_k / dp_i \rfloor$$

As mentioned in the introduction part, since the we are expected to fill all facings fully, N_{ik} is a constant parameter calculated from the given data set rather than a decision variable which makes our life easier.

Decision Variables:

X_{ijk} : Will the product i have j allocations (facings) on shelf k . Such that,

$$X_{ijk} = \begin{cases} 1, & \text{if } i \text{ is allocated } j \text{ times (i.e. has } j \text{ facings) in } k \\ 0, & \text{otherwise} \end{cases}$$

Objective function:

$$\max \sum_{i=1}^{|I|} \sum_{k=1}^{|K|} \sum_{j=1}^4 \gamma_k * \pi_i * d_i * (b_i)^{\beta_i} * (j)^{\beta_i} * X_{ijk}$$

Subjected To:

$$\sum_{k=1}^{|K|} \sum_{j=1}^4 X_{ijk} \leq 1 \quad \forall i \in I \quad (\text{Rule 1})$$

$$\sum_{k=1}^{|K|} (N_{ik} * (\sum_{j=1}^4 X_{ijk} * (j)) - s_i^u * (\sum_{j=1}^4 X_{ijk})) \leq 0 \quad \forall i \in I \quad (1)$$

$$\sum_{k=1}^{|K|} (N_{ik} * (\sum_{j=1}^4 X_{ijk} * (j)) - s_i^l * (\sum_{j=1}^4 X_{ijk})) \geq 0 \quad \forall i \in I \quad (2)$$

Constraint (1) and (2) come from Rule 3 and 4.

$$-w_k + \sum_{i=1}^{|I|} (b_i * (\sum_{j=1}^4 X_{ijk} * (j))) \leq 0 \quad \forall k \in K \quad (\text{Rule 6})$$

$$\left(\sum_{k=1}^{|K|} \sum_{j=1}^4 X_{i_1jk}\right) - \left(\sum_{k=1}^{|K|} \sum_{j=1}^4 X_{i_2jk}\right) = 0 \quad \forall (i_1, i_2) \in I^2 \quad (\text{Rule 7})$$

$$\left(\sum_{j=1}^4 X_{i_1jk}\right) + \left(\sum_{j=1}^4 X_{i_2jk}\right) \leq 1 \quad \forall k \in K \quad \forall (i_1, i_2) \in I^1 \quad (\text{Rule 8})$$

Restrictions:

$$X_{ijk} \in \{0, 1\} \quad \forall i \in I \quad \forall j \in \{1, 2, 3, 4\} \quad \forall k \in K$$

2.1.1 Q2

In this section, solution of the problem for given data set 4.1 obtained by using the given model and our observations about the results can be found. We used below formulas in our excel files to simplify our calculations for Questions from 2 to 7:

$$1) \quad f(i, k)^{\beta_i} = \sum_{j=1}^4 X_{ijk} * j^{\beta_i} \quad \forall i \in I \quad \forall k \in K$$

$$2) \quad f(i, k) = \sum_{j=1}^4 X_{ijk} * j \quad \forall i \in I \quad \forall k \in K$$

$$3) \quad Z(i, k) = \sum_{j=1}^4 X_{ijk} \quad \forall i \in I \quad \forall k \in K$$

Important Notes: 1st formula is used in objective function.

2nd and 3rd formulas are used repeatedly on constraints. 1st formula was selected like that to make our model linear.

2nd one is basically used to determine the number of allocations (facings) of the product in shelf k while 3rd one is used to determine whether the product is placed in shelf k or not.

Objective function result was found as: **6945.73351921896**

Refer to 4.3.1 for decision variable results.

According to results from opensolver, the supermarket gained:
175.5006626 from products in shelf 1 which has γ_k of 0.25 and width of 50cm
1317.396698 from products in shelf 2 which has γ_k of 0.6 and width of 65cm
3512.138959 from products in shelf 3 which has γ_k of 1 and width of 80cm
1588.496409 from products in shelf 4 which has γ_k of 0.6 and width of 95cm
352.2007896 from products in shelf 5 which has γ_k of 0.25 and width of 110cm

3rd shelf that has the highest γ_k value gained most money. Also the supermarket gained more from shelf 4 in comparison to shelf 2 and 5 in comparison to shelf 1 even though they had the same γ_k . The reason of this is the difference in their width. Shelves 4 and 5 had more space for more products and facings. Because of that those shelves gained more money even though they had the same γ_k .

Products 5,9,10,12,14,15,25 that has highest amount of β_i (0.8-0.9) had most number of facings(3-4) and made most money for the supermarket. Products 18 and 24 also had high β_i values but they weren't either selected for the assortment or only had 2 facing because their coefficient for demand (d_i) were much lower than others. Also all of these products were in shelves 2,3 and 4 which has higher γ_k values than shelves 1 and 5

Using above information the supermarket should choose products with high space elasticity factor (β_i) while considering coefficients like π_i , d_i and b_i and place them in most profitable shelves.

2.1.2 Q3

According to opnesolver objective function result was found as: **37906,15197**
Refer to 4.3.2 for decision variable results.

We also used formulas $f(i, k)^{\beta_i}$, $f(i, k)$, $Z(i, k)$ from Question 2 for this part to simplify our calculations once again.

In our model we are using **4*ProductCount*ShelfCount** decision variables(500 for smaller, 2000 for bigger data set).

While the lesser data set worked in an instant larger data set took 34 seconds to finish. This is because number of decision variables increases, which in turn increases the time it takes to solve relaxation of a problem and number of problems(increase in number of problems is the main reason).

For a problem like this the worst case is complete enumeration of decision variables. And all of our decision variables are binary which means normally for the worst case we would have needed to solve 2^{500} for lesser data set and 2^{2000} for bigger data set. but because of our first constraint for any i and k values we would have 5 cases which are:

	X_{i1k}	X_{i2k}	X_{i3k}	X_{i4k}
case1:	0	0	0	0
case2:	1	0	0	0
case3:	0	1	0	0
case4:	0	0	1	0
case5:	0	0	0	1

That means we have only 5 different cases for every 4 decision variables instead of 2^4 . Because of that in the case of complete enumeration we would have 5^{100} problems for smaller data set and 5^{400} for bigger data set (these numbers were only calculated using 1st group of constraints. By adding other constrains we can reduce it more). As we can see for the worst case(complete enumeration) number of problems that we need to solve increases exponentially(There would have been 5^{300} times more problems which we would need to solve if we only had 1st group of constraints). Because of that total solution time will also increase exponentially.

Since we are using more constraints and decision variables, the size of the matrices we are gonna need the LP relaxation of a problem, will also increase in size.

Lets calculate sizes of these matrixes for each data set:

1- Smaller data set:

400 decision variables

25 constrains from 1st group of constraints. Which also adds 25 slack variables(\leq)

25 constrains from 2nd group of constraints. Which also adds 25 excess variables(\geq)

25 constrains from 3rd group of constraints. Which also adds 25 slack

variables(\leq)
 5 constrains from 4th group of constraints. Which also adds 5 slack variables(\leq)
 4 constrains from 5th group of constraints. ($=$)
 15 constrains from 6th group of constraints. Which also adds 15 slack
 variables(\leq)
 so we have 99 constrains
 and 495 decision variables
 $495-99=396$

That means size of our Matrices are:

$B=99*99$
 $N=99*396$
 $x_B=99*1$
 $x_N=396*1$
 $c_B=99*1$
 $c_N=396*1$
 $b=99*1$
 $B^{-1}=99*99$

2- Larger data set:

2000 decision variables
 100 constrains from rule 1st group of constraints. Which also adds 100 slack
 variables(\leq)
 100 constrains from rule 2nd group of constraints. Which also adds 100 ex-
 cess variables(\geq)
 100 constrains from rule 3rd group of constraints. Which also adds 100 slack
 variables(\leq)
 5 constrains from rule 4th group of constraints. Which also adds 5 slack
 variables(\leq)
 13 constrains from rule 5th group of constraints. ($=$)
 60 constrains from rule 6th group of constraints. Which also adds 60 slack
 variables(\leq)
 so we have 378 constrains
 and 2365 decision variables
 $2365-378=1987$

That means size of our Matrices for larger data set is:

$B=378*378$

$N=378*1987$
 $x_B=378*1$
 $x_N=1987*1$
 $c_B=378*1$
 $c_N=1987*1$
 $b=378*1$
 $B^{-1}=378*378$

Note: Above numbers are calculated while ignoring artificial variables

Since we are going to use simplex method we would need to make matrix multiplications.

Which are the most costly operations in big data sets.

(if you are making operation: AxB for A matrix being $a*b$ and B matrix $b*c$ you would need to do $a*b*c$ multiplications)

The costliest operation we are going to need to do in Simplex method is:
 $c_B^T * B^{-1} * N$ (its actually: $c_N^T - c_B^T * B^{-1} * N$ (reduced cost vector) but matrix multiplication is much slower than matrix differentiation so it doesn't make almost any difference)

For first data set the number of operations this multiplication will take is:

$(1*99*99)*(1*99*396)=384238404$ operations

For larger data set the number of operations this multiplication will take is:

$(1*378*378)*(1*378*1987)=107318172024$ operations

$283910508/3881196=279.30100403$

so as we can easily see, the time it takes to calculate multiplication of these 3 matrices has increased more than 275 times. But since difference between other operations won't be as big as this operation, rate of time it takes to solve a the group of operations for a given x_B and x_N will be a little less then this number. But simplex method most probably will need to change more variables in bigger data set since it has more variables. Which would cause a great increase in solution time for an LP relaxation but it is still nowhere near the increase on number of problems.

So in the end, solution time of our problem will generally grow exponen-

tially for larger data sets due to exponential increase in problem count.

2.1.3 Q4

Initial Profit	6945.73351921896
New Profit	7165.30316863258
Profit Change	+219.569649414
Decision Variables	Check 4.3.3

Table 1: Q4 Comparison Table

In this section, we analysed how the solution given in 2.1.1 changes if we add the 6th shelf with $w_6 = 40$, $ds_6 = 25$, $\gamma_6 = 0.45$ to the K given in 4.1.

2.1.4 Q5

Initial Profit	6945.73351921896
New Profit	6845.90079723537
Profit Change	-99.8327219836
Decision Variables	Check 4.3.4

Table 2: Q5 Comparison Table

In this section, we analysed how the solution and profit given in 2.1.1 change, if the shortest (in width) available shelf is allocated to some other category. The shortest shelf in 4.1 is the one with Shelf number 1. Since the shelves are allocated for only the products belong to the same category, by allocating it to some other category, in fact we remove it from our data set.

2.1.5 Q6

Initial Profit	6945.73351921896
Profit after 5cm increase	6958.7030298688
Profit Change after 5cm increase	+12.9695106498
Profit after 10cm increase	6971.460542
Profit Change after 10cm increase	+25.72702278104
Decision Variables	Check 4.3.5 and 4.3.6

Table 3: Q6 Comparison Table

In this section, we analysed how the profit found in 2.1.1 changes and what are the basic variables when two separate cases happen:

- the width of Shelf 5 (w_5) is increased by 5 cm
- the width of Shelf 5 (w_5) is increased by 10 cm

Firstly, for both cases, we are relaxing constraints. Therefore, we can say that our profit will be a little higher, or will be the same.

For the first case, we see that the new profit is 6958.7. As a result of increasing shelf width, we gain a 12.96 profit increase.

For the second case, we are relaxing constraints a bit more. As a result of increasing shelf width even more, our new profit is 6971.46, even 25.7 more than the first case, as we expected.

What we can say about our basic variables is ...

Lastly, in classes, we see that as we relax the constraints more, the optimized value will be worse, or the same. And here, we especially see how the constraint changes are affecting the value in practice.

2.1.6 Q7

Initial Profit	6945.73351921896
New Profit	6943.00439273943
Profit Change	-2.72912647953
Decision Variables	Check 4.3.7

Table 4: Q7 Comparison Table

In this section, we analysed how the solution found in 2.1.1 changes when the restriction requiring Product 3 and Product 8 to be placed on different shelves is removed and the restriction requiring these two products to be assorted together and placed to the same shelf is added.

As a result of this change in constraints, we should see a change in profits probably. Nevertheless, this may not always happen. In the case of the products are never put in the shelves, or the constraint does not really constrain our optimal value, we should see that profit does not change. Otherwise, we still cannot say that this will change profit positively or negatively. The reason is we are removing one constraint, and adding a new constraint. Generally, what we can say is if we are removing a constraint, the profit will be at least as good as before, and vice versa. However, here two things happening, we are removing a constraint, and at the same time adding a new constraint. Before solving the model, it is almost impossible to say whether the profit will increase or decrease.

We removed the constraint in the model and saw that profit decreased a little bit. From that, we can conclude that it is better if we put product 3 and 8 separately.

2.2 Discussion and Recommendations

By modelling the problem and using OpenSolver, we found that under these circumstances our max profit is 6945 dollars. The most important features of our model, and the ones that will add the most profit in case of addition, are space elasticity factors, shelves effect on demand, coefficient for demand rate, and product profit per unit. We also want to note that, since shelf effect on demand multiplies all the products on it, it is the best feature if we can only afford to increase one feature. We see that by changing the numbers in our model in OpenSolver, but we also see that in our objective function. All of the things are unique to a product, and one of them unique for every situation of products, except shelf effect on demand.

3 Conclusion

Conclusion

4 Appendix

4.1 Data Set for Q1,Q2

Table 5: Sets of product pairs

I^1 : (2, 5) , (3, 8), (16, 20)

I^2 : (1, 12), (3, 8), (9, 15), (16, 20)

Table 6: Product based data

Product number	π_i	b_i	dp_i	d_i	β_i	s_i^l	s_i^U
1	15	10	7	4	0.5	2	15
2	8	9	6	10	0.2	1	19
3	12	5	10	10	0.3	1	23
4	6	7	7	7	0.2	1	9
5	11	9	9	5	0.9	1	16
6	14	6	8	2	0.4	1	21
7	14	9	6	1	0.5	1	11
8	6	5	9	6	0.3	1	18
9	5	9	9	7	0.8	2	11
10	11	10	9	3	0.8	1	11
11	12	7	5	4	0.1	2	17
12	8	5	6	7	0.8	2	22
13	11	7	6	2	0.1	1	12
14	13	8	9	9	0.8	3	12
15	7	9	8	11	0.8	3	19
16	14	23	5	2	0.1	2	16
17	9	25	6	9	0.1	1	10
18	10	17	8	1	0.8	2	16
19	13	15	9	4	0.2	2	20
20	5	23	6	2	0.6	3	19
21	11	19	8	6	0.6	2	24
22	11	19	9	6	0.4	1	16
23	7	16	7	8	0.5	2	13
24	10	14	5	2	0.8	1	16
25	13	16	10	4	0.9	2	14

Table 7: Shelf based data

Shelf number	w_k	ds_k	γ_k
1	50	34	0.25
2	65	30	0.60
3	80	26	1
4	95	27	0.60
5	110	29	0.25

4.2 Rules

- 1- If a product is selected in the assortment, than all facings for the product must be placed on the same shelf.✓
- 2- The manager does not want to allocate more than four facings for a product. ✓
- 3- If a product is selected in the assortment, then a minimum shelf inventory amount must be placed on the shelves. Similarly, for each product there is an upper bound on the shelf-inventory.✓
- 4- If a product is selected in the assortment, lower and upper bounds on its facing number are calculated by using shelf depth, product depth and lower and upper bounds on the shelf-inventory.✓
- 5- *Each product provides a certain profit per unit sold.*
- 6- Each shelf has a certain width and the total width of the facings placed in the shelf cannot exceed its width.✓
- 7- For some pairs of products, there is a restriction that if one is included in the assortment, the other product must also be included.✓
- 8- For some pairs of products, there is a restriction that they cannot be on the same shelf✓

4.3 Opensolver Results

Objective function results for the scenarios are already given and discussed in the 2 section. In this section, the tables for the decision variable values calculated by opensolver for the corresponding objective function results are given.

$$X_{ijk} = \begin{cases} 1, & \text{if } i \text{ is allocated } j \text{ times (i.e. has } j \text{ facings) in } k \\ 0, & \text{otherwise} \end{cases}$$

Tables given below represent X_{i1k} , X_{i2k} , X_{i3k} , X_{i4k} from left to right, respectively. For each table,

- Column k represents k th shelf,
- Row i represents i th product

For instance, if the value in the table 3, row 4 and column 2 equals to 1, that denotes that in the optimum value of the objective function, product 4 would be placed in 2nd shelf with 3 allocations (facings).

4.3.1 Q2 Result

Figure 1: Q2 Result

DECISION VARIABLES						
$x(i,j,k)$ = is there going to be j facings of product i at shelf k.						
$x(i,1,k)$						
i\k	new	1	2	3	4	5
0	0	0	0	0	1	0
1	0	0	0	0	0	1
2	0	0	1	0	0	0
3	0	0	1	0	0	0
4	0	0	0	0	0	1
5	0	0	0	0	0	1
6	0	0	0	0	0	0
7	0	0	0	0	0	0
8	1	0	0	0	0	0
9	0	0	0	0	0	0
10	0	0	0	0	0	0
11	0	0	0	0	0	0
12	0	0	0	0	0	0
13	0	0	0	0	0	0
14	0	0	0	0	0	0
15	0	0	0	0	0	0
16	0	0	0	0	0	0
17	0	0	0	0	0	0
18	0	0	0	0	0	0
19	0	0	0	0	0	0
20	0	0	0	0	0	0
21	0	0	0	0	0	0
22	0	0	0	0	0	0
23	0	0	0	0	0	0
24	0	0	0	0	0	0
25	0	0	0	0	0	0
26	0	0	0	0	0	0
27	0	0	0	0	0	0
28	0	0	0	0	0	0
29	0	0	0	0	0	0
30	0	0	0	0	0	0
31	0	0	0	0	0	0
32	0	0	0	0	0	0
33	0	0	0	0	0	0
34	0	0	0	0	0	0
35	0	0	0	0	0	0
36	0	0	0	0	0	0
37	0	0	0	0	0	0
38	0	0	0	0	0	0
39	0	0	0	0	0	0
40	0	0	0	0	0	0
41	0	0	0	0	0	0
42	0	0	0	0	0	0
43	0	0	0	0	0	0
44	0	0	0	0	0	0
45	0	0	0	0	0	0
46	0	0	0	0	0	0
47	0	0	0	0	0	0
48	0	0	0	0	0	0
49	0	0	0	0	0	0
50	0	0	0	0	0	0
51	0	0	0	0	0	0
52	0	0	0	0	0	0
53	0	0	0	0	0	0
54	0	0	0	0	0	0
55	0	0	0	0	0	0
56	0	0	0	0	0	0
57	0	0	0	0	0	0
58	0	0	0	0	0	0
59	0	0	0	0	0	0
60	0	0	0	0	0	0
61	0	0	0	0	0	0
62	0	0	0	0	0	0
63	0	0	0	0	0	0
64	0	0	0	0	0	0
65	0	0	0	0	0	0
66	0	0	0	0	0	0
67	0	0	0	0	0	0
68	0	0	0	0	0	0
69	0	0	0	0	0	0
70	0	0	0	0	0	0
71	0	0	0	0	0	0
72	0	0	0	0	0	0
73	0	0	0	0	0	0
74	0	0	0	0	0	0
75	0	0	0	0	0	0
76	0	0	0	0	0	0
77	0	0	0	0	0	0
78	0	0	0	0	0	0
79	0	0	0	0	0	0
80	0	0	0	0	0	0
81	0	0	0	0	0	0
82	0	0	0	0	0	0
83	0	0	0	0	0	0
84	0	0	0	0	0	0
85	0	0	0	0	0	0
86	0	0	0	0	0	0
87	0	0	0	0	0	0
88	0	0	0	0	0	0
89	0	0	0	0	0	0
90	0	0	0	0	0	0
91	0	0	0	0	0	0
92	0	0	0	0	0	0
93	0	0	0	0	0	0
94	0	0	0	0	0	0
95	0	0	0	0	0	0
96	0	0	0	0	0	0
97	0	0	0	0	0	0
98	0	0	0	0	0	0
99	0	0	0	0	0	0
100	0	0	0	0	0	0
101	0	0	0	0	0	0
102	0	0	0	0	0	0
103	0	0	0	0	0	0
104	0	0	0	0	0	0
105	0	0	0	0	0	0
106	0	0	0	0	0	0
107	0	0	0	0	0	0
108	0	0	0	0	0	0
109	0	0	0	0	0	0
110	0	0	0	0	0	0
111	0	0	0	0	0	0
112	0	0	0	0	0	0
113	0	0	0	0	0	0
114	0	0	0	0	0	0
115	0	0	0	0	0	0
116	0	0	0	0	0	0
117	0	0	0	0	0	0
118	0	0	0	0	0	0
119	0	0	0	0	0	0
120	0	0	0	0	0	0
121	0	0	0	0	0	0
122	0	0	0	0	0	0
123	0	0	0	0	0	0
124	0	0	0	0	0	0
125	0	0	0	0	0	0
126	0	0	0	0	0	0
127	0	0	0	0	0	0
128	0	0	0	0	0	0
129	0	0	0	0	0	0
130	0	0	0	0	0	0
131	0	0	0	0	0	0
132	0	0	0	0	0	0
133	0	0	0	0	0	0
134	0	0	0	0	0	0
135	0	0	0	0	0	0
136	0	0	0	0	0	0
137	0	0	0	0	0	0
138	0	0	0	0	0	0
139	0	0	0	0	0	0
140	0	0	0	0	0	0
141	0	0	0	0	0	0
142	0	0	0	0	0	0
143	0	0	0	0	0	0
144	0	0	0	0	0	0
145	0	0	0	0	0	0
146	0	0	0	0	0	0
147	0	0	0	0	0	0
148	0	0	0	0	0	0
149	0	0	0	0	0	0
150	0	0	0	0	0	0
151	0	0	0	0	0	0
152	0	0	0	0	0	0
153	0	0	0	0	0	0
154	0	0	0	0	0	0
155	0	0	0	0	0	0
156	0	0	0	0	0	0
157	0	0	0	0	0	0
158	0	0	0	0	0	0
159	0	0	0	0	0	0
160	0	0	0	0	0	0
161	0	0	0	0	0	0
162	0	0	0	0	0	0
163	0	0	0	0	0	0
164	0	0	0	0	0	0
165	0	0	0	0	0	0
166	0	0	0	0	0	0
167	0	0	0	0	0	0
168	0	0	0	0	0	0
169	0	0	0	0	0	0
170	0	0	0	0	0	0
171	0	0	0	0	0	0
172	0	0	0	0	0	0
173	0	0	0	0	0	0
174	0	0	0	0	0	0
175	0	0	0	0	0	0
176	0	0	0	0	0	0
177	0	0	0	0	0	0
178	0	0	0	0	0	0
179	0	0	0	0	0	0
180	0	0	0	0	0	0
181	0	0	0	0	0	0
182	0	0	0	0	0	0
183	0	0	0	0	0	0
184	0	0	0	0	0	0
185	0	0	0	0	0	0
186	0	0	0	0	0	0
187	0	0	0	0	0	0
188	0	0	0	0	0	0
189	0	0	0	0	0	0
190	0	0	0	0	0	0
191	0	0	0	0	0	0
192	0	0	0	0	0	0
193	0	0	0	0	0	0
194	0	0	0	0	0	0
195	0	0	0	0	0	0
196	0	0	0	0	0	0
197	0	0	0	0	0	0
198	0	0	0	0	0	0
199	0	0	0	0	0	0
200	0	0	0	0	0	0
201	0	0	0	0	0	0
202	0	0	0	0	0	0
203	0	0	0	0	0	0
204	0	0	0	0	0	0
205	0	0	0	0	0	0
206	0	0	0	0	0	0
207	0	0	0	0	0	0
208	0	0	0	0	0	0
209	0	0	0	0	0	0
210	0	0	0	0	0	0
211	0	0	0	0	0	0
212	0	0	0	0	0	0
213	0	0	0	0	0	0
214	0	0	0	0	0	0
215	0	0	0	0	0	0
216	0	0	0	0	0	0
217	0	0	0	0	0	0
218	0	0	0	0	0	0
219	0	0	0	0	0	0
220	0	0	0	0	0	0
221	0	0	0	0	0	0
222	0	0	0	0	0	0
223	0	0	0	0	0	0
224	0	0	0	0	0	0
225	0	0	0	0	0	0
226	0	0	0	0	0	0
227	0	0	0	0	0	0
228	0	0	0	0	0	0
229	0	0	0	0	0	0
230	0	0	0	0	0	0
231	0	0	0	0	0	0
232	0	0	0	0	0	0
233	0	0	0	0	0	0
234	0	0	0	0	0	0
235	0	0	0	0	0	0
236	0	0	0	0	0	0
237	0	0	0	0	0	0
238	0	0	0	0	0	0
239	0	0	0	0	0	0
240	0	0	0	0	0	0
241	0	0	0	0	0	0
242	0	0	0	0	0	0
243	0	0	0	0	0	0
244	0	0	0	0	0	0
245	0	0	0	0	0	0
246	0	0	0	0	0	0
247	0	0	0	0	0	0
248	0	0	0	0	0	0
249	0	0	0	0	0	0
250	0	0	0	0	0	0
251	0	0	0	0	0	0
252	0	0	0	0	0	0
253	0	0	0	0	0	0
254	0	0	0	0	0	0
255	0	0	0	0	0	0
256	0	0	0	0	0	0
257	0	0	0	0	0	

4.3.2 Q3 Result

Figure 2: Q3 Result

X(1, k)						X(1, 2, k)						X(1, 3, k)						X(1, 4, k)					
ik	1	2	3	4	5	ik	1	2	3	4	5	ik	1	2	3	4	5	ik	1	2	3	4	5
1	0	0	0	0	0	1	0	0	0	0	0	1	0	0	0	0	0	1	0	0	0	0	0
2	0	0	0	0	0	2	0	0	0	0	0	2	0	0	0	0	0	2	0	0	0	0	0
3	0	0	0	0	0	3	0	0	0	0	0	3	0	0	0	0	0	3	0	0	0	0	0
4	0	0	0	0	0	4	0	0	0	0	0	4	0	0	0	0	0	4	0	0	0	0	0
5	0	0	0	0	0	5	0	0	0	0	0	5	0	0	0	0	0	5	0	0	0	0	0
6	0	0	0	0	0	6	0	0	0	0	0	6	0	0	0	0	0	6	0	0	0	0	0
7	0	0	0	0	0	7	0	0	0	0	0	7	0	0	0	0	0	7	0	0	0	0	0
8	0	0	0	0	0	8	0	0	0	0	0	8	0	0	0	0	0	8	0	0	0	0	0
9	0	0	0	0	0	9	0	0	0	0	0	9	0	0	0	0	0	9	0	0	0	0	0
10	0	0	0	0	0	10	0	0	0	0	0	10	0	0	0	0	0	10	0	0	0	0	0
11	0	0	0	0	0	11	0	0	0	0	0	11	0	0	0	0	0	11	0	0	0	0	0
12	0	0	0	0	0	12	0	0	0	0	0	12	0	0	0	0	0	12	0	0	0	0	0
13	0	0	0	0	0	13	0	0	0	0	0	13	0	0	0	0	0	13	0	0	0	0	0
14	0	0	0	0	0	14	0	0	0	0	0	14	0	0	0	0	0	14	0	0	0	0	0
15	0	0	0	0	0	15	0	0	0	0	0	15	0	0	0	0	0	15	0	0	0	0	0
16	0	0	0	0	0	16	0	0	0	0	0	16	0	0	0	0	0	16	0	0	0	0	0
17	0	0	0	0	0	17	0	0	0	0	0	17	0	0	0	0	0	17	0	0	0	0	0
18	0	0	0	0	0	18	0	0	0	0	0	18	0	0	0	0	0	18	0	0	0	0	0
19	0	0	0	0	0	19	0	0	0	0	0	19	0	0	0	0	0	19	0	0	0	0	0
20	0	0	0	0	0	20	0	0	0	0	0	20	0	0	0	0	0	20	0	0	0	0	0
21	0	0	0	0	0	21	0	0	0	0	0	21	0	0	0	0	0	21	0	0	0	0	0
22	0	0	0	0	0	22	0	0	0	0	0	22	0	0	0	0	0	22	0	0	0	0	0
23	0	0	0	0	0	23	0	0	0	0	0	23	0	0	0	0	0	23	0	0	0	0	0
24	0	0	0	0	0	24	0	0	0	0	0	24	0	0	0	0	0	24	0	0	0	0	0
25	0	0	0	0	0	25	0	0	0	0	0	25	0	0	0	0	0	25	0	0	0	0	0
26	0	0	0	0	0	26	0	0	0	0	0	26	0	0	0	0	0	26	0	0	0	0	0
27	0	0	0	0	0	27	0	0	0	0	0	27	0	0	0	0	0	27	0	0	0	0	0
28	0	0	0	0	0	28	0	0	0	0	0	28	0	0	0	0	0	28	0	0	0	0	0
29	0	0	0	0	0	29	0	0	0	0	0	29	0	0	0	0	0	29	0	0	0	0	0
30	0	0	0	0	0	30	0	0	0	0	0	30	0	0	0	0	0	30	0	0	0	0	0
31	0	0	0	0	0	31	0	0	0	0	0	31	0	0	0	0	0	31	0	0	0	0	0
32	0	0	0	0	0	32	0	0	0	0	0	32	0	0	0	0	0	32	0	0	0	0	0
33	0	0	0	0	0	33	0	0	0	0	0	33	0	0	0	0	0	33	0	0	0	0	0
34	0	0	0	0	0	34	0	0	0	0	0	34	0	0	0	0	0	34	0	0	0	0	0
35	0	0	0	0	0	35	0	0	0	0	0	35	0	0	0	0	0	35	0	0	0	0	0
36	0	0	0	0	0	36	0	0	0	0	0	36	0	0	0	0	0	36	0	0	0	0	0
37	0	0	0	0	0	37	0	0	0	0	0	37	0	0	0	0	0	37	0	0	0	0	0
38	0	0	0	0	0	38	0	0	0	0	0	38	0	0	0	0	0	38	0	0	0	0	0
39	0	0	0	0	0	39	0	0	0	0	0	39	0	0	0	0	0	39	0	0	0	0	0
40	0	0	0	0	0	40	0	0	0	0	0	40	0	0	0	0	0	40	0	0	0	0	0
41	0	0	0	0	0	41	0	0	0	0	0	41	0	0	0	0	0	41	0	0	0	0	0
42	0	0	0	0	0	42	0	0	0	0	0	42	0	0	0	0	0	42	0	0	0	0	0
43	0	0	0	0	0	43	0	0	0	0	0	43	0	0	0	0	0	43	0	0	0	0	0
44	0	0	0	0	0	44	0	0	0	0	0	44	0	0	0	0	0	44	0	0	0	0	0
45	0	0	0	0	0	45	0	0	0	0	0	45	0	0	0	0	0	45	0	0	0	0	0
46	0	0	0	0	0	46	0	0	0	0	0	46	0	0	0	0	0	46	0	0	0	0	0
47	0	0	0	0	0	47	0	0	0	0	0	47	0	0	0	0	0	47	0	0	0	0	0
48	0	0	0	0	0	48	0	0	0	0	0	48	0	0	0	0	0	48	0	0	0	0	0
49	0	0	0	0	0	49	0	0	0	0	0	49	0	0	0	0	0	49	0	0	0	0	0

Figure 3: Q3 Result cont'd

[illegible]

4.3.3 Q4 Result

Figure 4: Q4 Result

DECISION VARIABLES																											
$x(i,j,k)$ = Is there going to be j facings of product i at shelf k .																											
$i \backslash j,k$	$x(i,2,k)$						$x(i,3,k)$						$x(i,4,k)$														
$i \backslash k$	1	2	3	4	5	6	Binary	1	2	3	4	5	6	Binary	1	2	3	4	5	6	Binary	1	2	3	4	5	6
1	0	0	0	0	0	0	Binary	0	0	0	0	0	0	Binary	0	0	0	0	0	0	Binary	0	0	0	0	0	0
2	0	0	0	0	0	0	Binary	0	0	0	0	0	0	Binary	0	0	0	0	0	0	Binary	0	0	0	0	0	0
3	0	0	0	0	0	0	Binary	0	0	0	0	0	0	Binary	0	0	0	0	0	0	Binary	0	0	0	0	0	0
4	0	0	0	0	0	0	Binary	0	0	0	0	0	0	Binary	0	0	0	0	0	0	Binary	0	0	0	0	0	0
5	0	0	0	0	0	0	Binary	0	0	0	0	0	0	Binary	0	0	0	0	0	0	Binary	0	0	0	0	0	0
6	0	0	0	0	0	0	Binary	0	0	0	0	0	0	Binary	0	0	0	0	0	0	Binary	0	0	0	0	0	0
7	0	0	0	0	0	0	Binary	0	0	0	0	0	0	Binary	0	0	0	0	0	0	Binary	0	0	0	0	0	0
8	0	0	0	0	0	0	Binary	0	0	0	0	0	0	Binary	0	0	0	0	0	0	Binary	0	0	0	0	0	0
9	0	0	0	0	0	0	Binary	0	0	0	0	0	0	Binary	0	0	0	0	0	0	Binary	0	0	0	0	0	0
10	0	0	0	0	0	0	Binary	0	0	0	0	0	0	Binary	0	0	0	0	0	0	Binary	0	0	0	0	0	0
11	0	0	0	0	0	0	Binary	0	0	0	0	0	0	Binary	0	0	0	0	0	0	Binary	0	0	0	0	0	0
12	0	0	0	0	0	0	Binary	0	0	0	0	0	0	Binary	0	0	0	0	0	0	Binary	0	0	0	0	0	0
13	0	0	0	0	0	0	Binary	0	0	0	0	0	0	Binary	0	0	0	0	0	0	Binary	0	0	0	0	0	0
14	0	0	0	0	0	0	Binary	0	0	0	0	0	0	Binary	0	0	0	0	0	0	Binary	0	0	0	0	0	0
15	0	0	0	0	0	0	Binary	0	0	0	0	0	0	Binary	0	0	0	0	0	0	Binary	0	0	0	0	0	0
16	0	0	0	0	0	0	Binary	0	0	0	0	0	0	Binary	0	0	0	0	0	0	Binary	0	0	0	0	0	0
17	0	0	0	0	0	0	Binary	0	0	0	0	0	0	Binary	0	0	0	0	0	0	Binary	0	0	0	0	0	0
18	0	0	0	0	0	0	Binary	0	0	0	0	0	0	Binary	0	0	0	0	0	0	Binary	0	0	0	0	0	0
19	0	0	0	0	0	0	Binary	0	0	0	0	0	0	Binary	0	0	0	0	0	0	Binary	0	0	0	0	0	0
20	0	0	0	0	0	0	Binary	0	0	0	0	0	0	Binary	0	0	0	0	0	0	Binary	0	0	0	0	0	0
21	0	0	0	0	0	0	Binary	0	0	0	0	0	0	Binary	0	0	0	0	0	0	Binary	0	0	0	0	0	0
22	0	0	0	0	0	0	Binary	0	0	0	0	0	0	Binary	0	0	0	0	0	0	Binary	0	0	0	0	0	0
23	0	0	0	0	0	0	Binary	0	0	0	0	0	0	Binary	0	0	0	0	0	0	Binary	0	0	0	0	0	0
24	0	0	0	0	0	0	Binary	0	0	0	0	0	0	Binary	0	0	0	0	0	0	Binary	0	0	0	0	0	0
25	0	0	0	0	0	0	Binary	0	0	0	0	0	0	Binary	0	0	0	0	0	0	Binary	0	0	0	0	0	0
26	0	0	0	0	0	0	Binary	0	0	0	0	0	0	Binary	0	0	0	0	0	0	Binary	0	0	0	0	0	0
27	0	0	0	0	0	0	Binary	0	0	0	0	0	0	Binary	0	0	0	0	0	0	Binary	0	0	0	0	0	0
28	0	0	0	0	0	0	Binary	0	0	0	0	0	0	Binary	0	0	0	0	0	0	Binary	0	0	0	0	0	0
29	0	0	0	0	0	0	Binary	0	0	0	0	0	0	Binary	0	0	0	0	0	0	Binary	0	0	0	0	0	0
30	0	0	0	0	0	0	Binary	0	0	0	0	0	0	Binary	0	0	0	0	0	0	Binary	0	0	0	0	0	0
31	0	0	0	0	0	0	Binary	0	0	0	0	0	0	Binary	0	0	0	0	0	0	Binary	0	0	0	0	0	0
32	0	0	0	0	0	0	Binary	0	0	0	0	0	0	Binary	0	0	0	0	0	0	Binary	0	0	0	0	0	0
33	0	0	0	0	0	0	Binary	0	0	0	0	0	0	Binary	0	0	0	0	0	0	Binary	0	0	0	0	0	0
34	0	0	0	0	0	0	Binary	0	0	0	0	0	0	Binary	0	0	0	0	0	0	Binary	0	0	0	0	0	0
35	0	0	0	0	0	0	Binary	0	0	0	0	0	0	Binary	0	0	0	0	0	0	Binary	0	0	0	0	0	0
36	0	0	0	0	0	0	Binary	0	0	0	0	0	0	Binary	0	0	0	0	0	0	Binary	0	0	0	0	0	0
37	0	0	0	0	0	0	Binary	0	0	0	0	0	0	Binary	0	0	0	0	0	0	Binary	0	0	0	0	0	0
38	0	0	0	0	0	0	Binary	0	0	0	0	0	0	Binary	0	0	0	0	0	0	Binary	0	0	0	0	0	0
39	0	0	0	0	0	0	Binary	0	0	0	0	0	0	Binary	0	0	0	0	0	0	Binary	0	0	0	0	0	0
40	0	0	0	0	0	0	Binary	0	0	0	0	0	0	Binary	0	0	0	0	0	0	Binary	0	0	0	0	0	0
41	0	0	0	0	0	0	Binary	0	0	0	0	0	0	Binary	0	0	0	0	0	0	Binary	0	0	0	0	0	0
42	0	0	0	0	0	0	Binary	0	0	0	0	0	0	Binary	0	0	0	0	0	0	Binary	0	0	0	0	0	0
43	0	0	0	0	0	0	Binary	0	0	0	0	0	0	Binary	0	0	0	0	0	0	Binary	0	0	0	0	0	0
44	0	0	0	0	0	0	Binary	0	0	0	0	0	0	Binary	0	0	0	0	0	0	Binary	0	0	0	0	0	0
45	0	0	0	0	0	0	Binary	0	0	0	0	0	0	Binary	0	0	0	0	0	0	Binary	0	0	0	0	0	0
46	0	0	0	0	0	0	Binary	0	0	0	0	0	0	Binary	0	0	0	0	0	0	Binary	0	0	0	0	0	0
47	0	0	0	0	0	0	Binary	0	0	0	0	0	0	Binary	0	0	0	0	0	0	Binary	0	0	0	0	0	0
48	0	0	0	0	0	0	Binary	0	0	0	0	0	0	Binary	0	0	0	0	0	0	Binary	0	0	0	0	0	0
49	0	0	0	0	0	0	Binary	0	0	0	0	0	0	Binary	0	0	0	0	0	0	Binary	0	0	0	0	0	0
50	0	0	0	0	0	0	Binary	0	0	0	0	0	0	Binary	0	0	0	0	0	0	Binary	0	0	0	0	0	0
51	0	0	0	0	0	0	Binary	0	0	0	0	0	0	Binary	0	0	0	0	0	0	Binary	0	0	0	0	0	0
52	0	0	0	0	0	0	Binary	0	0	0	0	0	0	Binary	0	0	0	0	0	0	Binary	0	0	0	0	0	0
53	0	0	0	0	0	0	Binary	0	0	0	0	0	0	Binary	0	0	0	0	0	0	Binary	0	0	0	0	0	0
54	0	0	0	0	0	0	Binary	0	0	0	0	0	0	Binary	0	0	0	0	0	0	Binary	0	0	0	0	0	0
55	0	0	0	0	0	0	Binary	0	0	0	0	0	0	Binary	0	0	0	0	0	0	Binary	0	0	0	0	0	0
56	0	0	0	0	0	0	Binary	0	0	0	0	0	0	Binary	0	0	0	0	0	0	Binary	0	0	0	0	0	0
57	0	0	0	0	0	0	Binary	0	0	0	0	0	0	Binary	0	0	0	0	0	0	Binary	0	0	0	0	0	0
58	0	0	0	0	0	0	Binary	0	0	0	0	0	0	Binary	0	0	0	0	0	0	Binary	0	0	0	0	0	0
59	0	0	0	0	0	0	Binary	0	0	0	0	0	0	Binary	0	0	0	0	0	0	Binary	0	0	0	0	0	0
60	0	0	0	0	0	0	Binary	0	0	0	0	0	0	Binary	0	0	0	0	0	0	Binary	0	0	0	0	0	0
61	0	0	0	0	0	0	Binary	0	0	0	0	0	0	Binary	0	0	0	0	0	0	Binary	0	0	0	0	0	0
62	0	0	0	0	0	0	Binary	0	0	0	0	0	0	Binary	0	0	0	0	0	0	Binary	0	0	0	0	0	0
63	0	0	0	0	0	0	Binary	0	0	0	0	0	0	Binary	0	0	0	0	0	0	Binary	0	0	0	0	0	0
64	0	0	0	0	0	0	Binary	0	0	0	0	0	0	Binary	0	0	0	0	0	0	Binary	0	0	0	0	0	0
65	0	0	0	0	0	0	Binary	0	0	0	0	0	0	Binary	0	0	0	0	0	0	Binary	0	0	0	0	0	0
66	0	0	0	0	0	0	Binary	0	0	0	0	0	0	Binary	0	0	0	0	0	0	Binary	0	0	0	0	0	0
67	0	0	0	0	0	0	Binary	0	0	0	0	0	0	Binary	0	0	0	0	0	0	Binary	0	0	0	0	0	0
68	0	0	0	0	0	0	Binary	0	0	0	0	0	0	Binary	0	0	0	0	0	0	Binary	0	0	0	0	0	0
69	0	0	0	0	0	0	Binary	0	0	0	0	0	0	Binary	0	0	0	0	0	0	Binary	0	0	0	0	0	0
70	0	0	0	0	0	0	Binary	0	0	0	0	0	0	Binary	0	0	0	0	0	0	Binary	0</					

4.3.4 Q5 Result

Figure 5: Q5 Result

DECISION VARIABLES					
$x(i,j,k)$ = Is there going to be j facings of product i at shelf k .					
$i \backslash j,k$	1	2	3	4	5
1	0	0	0	0	0
2	0	0	0	0	0
3	0	0	0	0	0
4	0	0	0	0	0
5	0	0	0	0	0
6	0	0	0	0	0
7	0	0	0	0	0
8	0	0	0	0	0
9	0	0	0	0	0
10	0	0	0	0	0
11	0	0	0	0	0
12	0	0	0	0	0
13	0	0	0	0	0
14	0	0	0	0	0
15	0	0	0	0	0
16	0	0	0	0	0
17	0	0	0	0	0
18	0	0	0	0	0
19	0	0	0	0	0
20	0	0	0	0	0
21	0	0	0	0	0
22	0	0	0	0	0
23	0	0	0	0	0
24	0	0	0	0	0
25	0	0	0	0	0
26	0	0	0	0	0
27	0	0	0	0	0
28	0	0	0	0	0
29	0	0	0	0	0
30	0	0	0	0	0
31	0	0	0	0	0
32	0	0	0	0	0
33	0	0	0	0	0
34	0	0	0	0	0
35	0	0	0	0	0
36	0	0	0	0	0
37	0	0	0	0	0
38	0	0	0	0	0
39	0	0	0	0	0
40	0	0	0	0	0
41	0	0	0	0	0
42	0	0	0	0	0
43	0	0	0	0	0
44	0	0	0	0	0
45	0	0	0	0	0
46	0	0	0	0	0
47	0	0	0	0	0
48	0	0	0	0	0
49	0	0	0	0	0
50	0	0	0	0	0
51	0	0	0	0	0
52	0	0	0	0	0
53	0	0	0	0	0
54	0	0	0	0	0
55	0	0	0	0	0
56	0	0	0	0	0
57	0	0	0	0	0
58	0	0	0	0	0
59	0	0	0	0	0
60	0	0	0	0	0
61	0	0	0	0	0
62	0	0	0	0	0
63	0	0	0	0	0
64	0	0	0	0	0
65	0	0	0	0	0
66	0	0	0	0	0
67	0	0	0	0	0
68	0	0	0	0	0
69	0	0	0	0	0
70	0	0	0	0	0
71	0	0	0	0	0
72	0	0	0	0	0
73	0	0	0	0	0
74	0	0	0	0	0
75	0	0	0	0	0
76	0	0	0	0	0
77	0	0	0	0	0
78	0	0	0	0	0
79	0	0	0	0	0
80	0	0	0	0	0
81	0	0	0	0	0
82	0	0	0	0	0
83	0	0	0	0	0
84	0	0	0	0	0
85	0	0	0	0	0
86	0	0	0	0	0
87	0	0	0	0	0
88	0	0	0	0	0
89	0	0	0	0	0
90	0	0	0	0	0
91	0	0	0	0	0
92	0	0	0	0	0

4.3.5 Q6 Result - 5cm increase

Figure 6: Q6 Result after 5cm increase

DECISION VARIABLES						
x(i,j,k)= Is there going to be j facings of product i at shelf k.						
x(i,1,k)		1	2	3	4	5
ijk	ijkl	0	0	0	0	0
	1	0	0	0	0	0
	2	0	0	0	0	0
	3	0	0	0	0	0
	4	0	0	0	0	0
	5	0	0	0	0	0
	6	0	0	0	0	0
	7	0	0	0	0	0
	8	0	0	0	0	0
	9	0	0	0	0	0
	10	0	0	0	0	0
	11	0	0	0	0	0
	12	0	0	0	0	0
	13	0	0	0	0	0
	14	0	0	0	0	0
	15	0	0	0	0	0
	16	0	0	0	0	0
	17	0	0	0	0	0
	18	0	0	0	0	0
	19	0	0	0	0	0
	20	0	0	0	0	0
	21	0	0	0	0	0
	22	0	0	0	0	0
	23	0	0	0	0	0
	24	0	0	0	0	0
	25	0	0	0	0	0
	26	0	0	0	0	0
	27	0	0	0	0	0
	28	0	0	0	0	0
	29	0	0	0	0	0
	30	0	0	0	0	0
	31	0	0	0	0	0
	32	0	0	0	0	0
	33	0	0	0	0	0
	34	0	0	0	0	0
	35	0	0	0	0	0
	36	0	0	0	0	0
	37	0	0	0	0	0
	38	0	0	0	0	0
	39	0	0	0	0	0
	40	0	0	0	0	0
	41	0	0	0	0	0
	42	0	0	0	0	0
	43	0	0	0	0	0
	44	0	0	0	0	0
	45	0	0	0	0	0
	46	0	0	0	0	0
	47	0	0	0	0	0
	48	0	0	0	0	0
	49	0	0	0	0	0
	50	0	0	0	0	0
	51	0	0	0	0	0
	52	0	0	0	0	0
	53	0	0	0	0	0
	54	0	0	0	0	0
	55	0	0	0	0	0
	56	0	0	0	0	0
	57	0	0	0	0	0
	58	0	0	0	0	0
	59	0	0	0	0	0
	60	0	0	0	0	0
	61	0	0	0	0	0
	62	0	0	0	0	0
	63	0	0	0	0	0
	64	0	0	0	0	0
	65	0	0	0	0	0
	66	0	0	0	0	0
	67	0	0	0	0	0
	68	0	0	0	0	0
	69	0	0	0	0	0
	70	0	0	0	0	0
	71	0	0	0	0	0
	72	0	0	0	0	0
	73	0	0	0	0	0
	74	0	0	0	0	0
	75	0	0	0	0	0
	76	0	0	0	0	0
	77	0	0	0	0	0
	78	0	0	0	0	0
	79	0	0	0	0	0
	80	0	0	0	0	0
	81	0	0	0	0	0
	82	0	0	0	0	0
	83	0	0	0	0	0
	84	0	0	0	0	0
	85	0	0	0	0	0
	86	0	0	0	0	0
	87	0	0	0	0	0
	88	0	0	0	0	0
	89	0	0	0	0	0
	90	0	0	0	0	0
	91	0	0	0	0	0
	92	0	0	0	0	0
	93	0	0	0	0	0
	94	0	0	0	0	0
	95	0	0	0	0	0
	96	0	0	0	0	0
	97	0	0	0	0	0
	98	0	0	0	0	0
	99	0	0	0	0	0
	100	0	0	0	0	0
	101	0	0	0	0	0
	102	0	0	0	0	0
	103	0	0	0	0	0
	104	0	0	0	0	0
	105	0	0	0	0	0
	106	0	0	0	0	0
	107	0	0	0	0	0
	108	0	0	0	0	0
	109	0	0	0	0	0
	110	0	0	0	0	0
	111	0	0	0	0	0
	112	0	0	0	0	0
	113	0	0	0	0	0
	114	0	0	0	0	0
	115	0	0	0	0	0
	116	0	0	0	0	0
	117	0	0	0	0	0
	118	0	0	0	0	0
	119	0	0	0	0	0
	120	0	0	0	0	0
	121	0	0	0	0	0
	122	0	0	0	0	0
	123	0	0	0	0	0
	124	0	0	0	0	0
	125	0	0	0	0	0
	126	0	0	0	0	0
	127	0	0	0	0	0
	128	0	0	0	0	0
	129	0	0	0	0	0
	130	0	0	0	0	0
	131	0	0	0	0	0
	132	0	0	0	0	0
	133	0	0	0	0	0
	134	0	0	0	0	0
	135	0	0	0	0	0
	136	0	0	0	0	0
	137	0	0	0	0	0
	138	0	0	0	0	0
	139	0	0	0	0	0
	140	0	0	0	0	0
	141	0	0	0	0	0
	142	0	0	0	0	0
	143	0	0	0	0	0
	144	0	0	0	0	0
	145	0	0	0	0	0
	146	0	0	0	0	0
	147	0	0	0	0	0
	148	0	0	0	0	0
	149	0	0	0	0	0
	150	0	0	0	0	0
	151	0	0	0	0	0
	152	0	0	0	0	0
	153	0	0	0	0	0
	154	0	0	0	0	0
	155	0	0	0	0	0
	156	0	0	0	0	0
	157	0	0	0	0	0
	158	0	0	0	0	0
	159	0	0	0	0	0
	160	0	0	0	0	0
	161	0	0	0	0	0
	162	0	0	0	0	0
	163	0	0	0	0	0
	164	0	0	0	0	0
	165	0	0	0	0	0
	166	0	0	0	0	0
	167	0	0	0	0	0
	168	0	0	0	0	0
	169	0	0	0	0	0
	170	0	0	0	0	0
	171	0	0	0	0	0
	172	0	0	0	0	0
	173	0	0	0	0	0
	174	0	0	0	0	0
	175	0	0	0	0	0
	176	0	0	0	0	0
	177	0	0	0	0	0
	178	0	0	0	0	0
	179	0	0	0	0	0
	180	0	0	0	0	0
	181	0	0	0	0	0
	182	0	0	0	0	0
	183	0	0	0	0	0
	184	0	0	0	0	0
	185	0	0	0	0	0
	186	0	0	0	0	0
	187	0	0	0	0	0
	188	0	0	0	0	0
	189	0	0	0	0	0
	190	0	0	0	0	0
	191	0	0	0	0	0
	192	0	0	0	0	0
	193	0	0	0	0	0
	194	0	0	0	0	0
	195	0	0	0	0	0
	196	0	0	0	0	0
	197	0	0	0	0	0
	198	0	0	0	0	0
	199	0	0	0	0	0
	200	0	0	0	0	0
	201	0	0	0	0	0
	202	0	0	0	0	0
	203	0	0	0	0	0
	204	0	0	0	0	0
	205	0	0	0	0	0
	206	0	0	0	0	0
	207	0	0	0	0	0
	208	0	0	0	0	0
	209	0	0	0	0	0
	210	0	0	0	0	0
	211	0	0	0	0	0
	212	0	0	0	0	0
	213	0	0	0	0	0
	214	0	0	0	0	0
	215	0	0	0	0	0
	216	0	0	0	0	0
	217	0	0	0	0	0
	218	0	0	0	0	0
	219	0	0	0	0	0
	220	0	0	0	0	0
	221	0	0	0	0	0
	222	0	0	0	0	0
	223	0	0	0	0	0
	224	0	0	0	0	0
	225	0	0	0	0	0
	226	0	0	0	0	0
	227	0	0	0	0	0
	228	0	0	0	0	0
	229	0	0	0	0	0
	230	0	0	0	0	0
	231	0	0	0	0	0
	232	0	0	0	0	0
	233	0	0	0	0	0
	234	0	0	0	0	0
	235	0	0	0	0	0
	236	0	0	0	0	0
	237	0	0	0	0	0
	238	0	0	0	0	0
	239	0	0	0	0	0
	240	0	0	0	0	0
	241	0	0	0	0	0
	242	0	0	0	0	0
	243	0	0	0	0	0
	244	0	0	0	0	0
	245	0	0	0	0	0
	246	0	0	0	0	0
	247	0	0	0	0	0
	248	0	0	0	0	0
	249	0	0	0	0	0
	250	0	0	0	0	0
	251	0	0	0	0	0
	252	0	0	0	0	0
	253	0	0	0	0	0
	254	0	0	0	0	0
	255	0	0	0	0	0
	256	0	0	0	0	0
	257	0	0	0	0	0
	258	0	0	0	0	0
	259	0	0	0	0	0
	260	0	0	0	0	0
	261	0	0	0	0	0
	262	0	0	0	0	0
	263	0	0	0	0	0
	264	0	0	0	0	0
	265	0	0	0	0	0
	266	0	0	0	0	0
	267	0	0	0	0	0
	268	0	0	0	0	0
	269	0	0			

4.3.6 Q6 Result - 10cm increase

4.3.7 Q7 Result

Figure 7: Q7 Result

[illegible]