OGC® DOCUMENT: 18-053R2

External identifier of this OGC® document: http://www.opengis.net/docs/CS/3DTiles/1.0



OGC DOCUMENT TITLE

COMMUNITY STANDARD

APPROVED

Version: 1.0

Submission Date: 2018-06-04 Approval Date: 2018-12-14 Publication Date: 2019-01-31 Editor: Patrick Cozzi, Sean Lilley

Notice: This document is an OGC Member approved international standard. This document is available on a royalty free, non-discriminatory basis. Recipients of this document are invited to submit, with their comments, notification of any relevant patent rights of which they are aware and to provide supporting documentation.



License Agreement

Use of this document is subject to the license agreement at https://www.ogc.org/license

Copyright notice

Copyright © 2025 Open Geospatial Consortium To obtain additional rights of use, visithttps://www.ogc.org/legal

Note

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. The Open Geospatial Consortium shall not be held responsible for identifying any or all such patent rights.

Recipients of this document are requested to submit, with their comments, notification of any relevant patent claims or other intellectual property rights of which they may be aware that might be infringed by any implementation of the standard set forth in this document, and to provide supporting documentation.

CONTENTS

l.	ABSTRACT	xvi
II.	KEYWORDS	xvi
III.	PREFACE	xvii
IV.	SECURITY CONSIDERATIONS	xix
V.	SUBMITTERS	xix
VI.	SOURCE OF THE CONTENT FOR THIS OGC DOCUMENT	xix
VII.	VALIDITY OF CONTENT	xix
VIII	FUTURE WORK	xix
IX.	CONTRIBUTORS	X>
1.	SCOPE	2
2.	CONFORMANCE	4
3.	NORMATIVE REFERENCES	<i>6</i>
4.	TERMS AND DEFINITIONS	8
5.	CONVENTIONS	10
	CORE 6.1. Coordinate Reference System Parameters 6.2. Coordinate Reference System Properties 6.3. Coordinate Reference System Types	13 14
7.	COORDINATE OPERATION MODULE 7.1. Coordinate Operation Categories 7.2. Coordinate Operation Methods 7.3. Coordinate Operation Parameters 7.4. Coordinate Operation Properties	27 30
	7.7. Coordinate Operation Hoperties	∪∠

8.	COORDINATE SYSTEM MODULE	36
	8.1. 3D Coordinate Systems	36
	8.2. Celestial Coordinate Systems	37
	8.3. Coordinate System Components	39
	8.4. Coordinate System Properties	40
	8.5. Coordinate System Types	41
	8.6. Orthogonal Coordinate Systems	45
	8.7. Temporal Coordinate Systems	46
9.	DATUM MODULE	49
	9.1. Datum Parameters	49
	9.2. Datum Properties	50
	9.3. Datum Types	51
	9.4. Spheroid Properties	54
	9.5. Spheroid Types	56
10.	SRS APPLICATION MODULE	58
	10.1. Map Types	58
	10.2. SRS Application Types	60
11.	PROJECTIONS MODULE	64
	11.1. Azimuthal Projections	65
	11.2. Compromise Projections	66
	11.3. Conformal Projections	70
	11.4. Conical Projections	72
	11.5. Cylindrical Projections	75
	11.6. Equal Area Projections	79
	11.7. Equidistant Projections	81
	11.8. Globular Projections	84
	11.9. Lenticular Projections	85
	11.10. Minimum Error Projections	89
	11.11. Perspective Projections	89
	11.12. Polyconic Projections	92
	11.13. Polyhedral Projections	96
	11.14. Pseudo Azimuthal Projections	100
	11.15. Pseudo Conical Projections	101
	11.16. Pseudo Cylindrical Projections	103
	11.17. Stereographic Projections	118
12.	PLANET MODULE	121
	12.1. Interstellar Body	121
13.	COMMON INSTANCES	125
	13.1. Coordinate System Axis	125
	13.2. Spheroids	127

ANNEX A (INFORMATIVE) ALIGNMENTS	
OverviewA.1. IGN Ontology	
A.2. ISO19111 Ontology	
A.3. IFC Ontology	
ANNEX B (INFORMATIVE) SHACL SHAPES	
ANNEX C (INFORMATIVE) REVISION HISTORY	147
BIBLIOGRAPHY	149
OF TABLES	
Table 1 — geosrs:AreaOfUse	13
Table 2 — geosrs:Extent	13
Table 3 — geosrs:GeographicBoundingBox	13
Table 4 — geosrs:AxesList	14
Table 5 — geosrs:SingleCRSList	14
Table 6 — geosrs:baseCRS	14
Table 7 – geosrs:conversion	15
Table 8 — geosrs:coordinateSystem	15
Table 9 — geosrs:datum	16
Table 10 — geosrs:datumEnsemble	
Table 11 — geosrs:domainOfValidity	16
Table 12 – geosrs:method	17
Table 13 – geocrs:asProj4	17
Table 14 — geocrs:asProjJSON	17
Table 15 – geocrs:asWKT	
Table 16 – geosrs:EPSGcode	
Table 17 – geosrs:BoundCRS	
Table 18 — geosrs:CompoundCRS	
Table 19 — geosrs:CRS	
Table 20 — geosrs:EngineeringCRS	
Table 21 — geosrs:GeocentricCRS	
Table 22 — geosrs:GeodeticCRS	
Table 23 — geosrs:GeographicCRS	
Table 24 — geosrs:ParametricCRS	
Table 25 — geosrs:ProjectedCRS	

Table 26 — geosr	rs:SelenographicCRS	22
Table 27 — geosi	rs:ReferenceSystem	22
Table 28 — geosi	rs:SingleCRS	22
Table 29 – geosr	rs:SpatialReferenceSystem	23
Table 30 — geosr	rs:SpatioParametricCompoundCRS	23
Table 31 — geosr	rs:SpatioParametricTemporalCompoundCRS	23
Table 32 — geosr	rs:SpatioTemporalCompoundCRS	24
Table 33 — geosi	rs:StaticCRS	24
Table 34 – geosi	rs:TemporalCRS	24
Table 35 — geosi	rs:VerticalCRS	25
Table 36 – geosi	rs:GeographicObject	27
Table 37 – geosr	rs:RegisterOperations	28
Table 38 — geosi	rs:ScaleOperation	28
Table 39 – geosr	rs:RotationOperation	28
Table 40 — geosi	rs:IdentityOperation	28
Table 41 – geosi	rs:ShearOperation	29
Table 42 – geosr	rs:TranslationOperation	29
Table 43 — geosr	rs:AffineTransformationOperation	29
Table 44 — geocr	rs:CoordinateTransformationOperation	30
Table 45 — geosr	rs:PassThroughOperation	30
Table 46 – geosr	rs:ConcatenatedOperation	30
Table 47 — geosr	rs:PointMotionOperation	31
Table 48 — geosr	rs:OperationParameterGroup	32
Table 49 – geosr	rs:ParameterValueGroup	32
Table 50 — geosr	rs:derivingConversion	33
Table 51 — geosi	rs:parameter	33
Table 52 — geosi	rs:sourceCRS	34
Table 53 — geosi	rs:targetCRS	34
Table 54 – geosr	rs:CylindricalCoordinateSystem	37
Table 55 — geosr	rs:CelestialCoordinateSystem	37
Table 56 — geosr	rs:EclipticCoordinateSystem	38
Table 57 — geosr	rs:EquatorialCoordinateSystem	38
Table 58 — geosr	rs:GalacticCoordinateSystem	38
Table 59 — geosr	rs:HorizontalCoordinateSystem	38
Table 60 — geosr	rs:PerifocalCoordinateSystem	39
Table 61 — geosi	rs:SuperGalacticCS	39
	rs:axis	
	rs:axisDirection	
Table 64 – geosr	rs:1DCoordinateSystem	41
Table 65 – geosr	rs:3DCoordinateSystem	41
Table 66 — geosr	rs:AffineCoordinateSystem	42

Table 67 — geosrs:BarycentricCoordinateSystem	42
Table 68 — geosrs:CurvilinearCoordinateSystem	42
Table 69 — geosrs:EngineeringCoordinateSystem	43
Table 70 — geosrs:GeodeticCoordinateSystem	43
Table 71 — geosrs:GeographicalCoordinateSystem	43
Table 72 — geosrs:GridCoordinateSystem	44
Table 73 — geosrs:HexagonalCoordinateSystem	44
Table 74 — geosrs:LocalCoordinateSystem	44
Table 75 — geosrs:ObliqueCoordinateSystem	44
Table 76 — geosrs:OrthogonalCoordinateSystem	45
Table 77 — geosrs:PlanarCoordinateSystem	45
Table 78 — geosrs:ConicalCoordinateSystem	46
Table 79 — geosrs:DateTimeTemporalCoordinateSystem	46
Table 80 — geosrs:TemporalCountCoordinateSystem	46
Table 81 — geosrs:TemporalCoordinateSystem	47
Table 82 — geosrs:TemporalMeasureCoordinateSystem	47
Table 83 — geosrs:DefiningParameter	49
Table 84 — geosrs:datumDefiningParameter	50
Table 85 — geosrs:ellipsoid	50
Table 86 — geosrs:primeMeridian	51
Table 87 — geosrs:DynamicGeodeticReferenceFrame	51
Table 88 — geosrs:DynamicVerticalDatum	52
Table 89 — geosrs:ParametricDatum	52
Table 90 — geosrs:EngineeringDatum	52
Table 91 — geosrs:TemporalDatum	53
Table 92 — geosrs:DatumEnsemble	53
Table 93 — geosrs:eccentricity	54
Table 94 — geosrs:inverseFlattening	54
Table 95 — geosrs:isSphere	55
Table 96 — geosrs:semiMajorAxis	55
Table 97 — geosrs:semiMinorAxis	56
Table 98 — geosrs:TriaxialEllipsoid	56
Table 99 — geosrs:CadastreMap	58
Table 100 — geosrs:NauticalChart	59
Table 101 — geosrs:ThematicMap	59
Table 102 — geosrs:TopographicMap	59
Table 103 — geosrs:WeatherMap	59
Table 104 — geosrs:SRSApplication	60
Table 105 — geosrs:SpatialReferencing	60
Table 106 — geosrs:EngineeringSurvey	61
Table 107 — geosrs:SatelliteSurvey	61

Table 108 — geosrs:SatelliteNavigation	61
Table 109 — geosrs:CoastalHydrography	61
Table 110 — geosrs:OffshoreEngineering	61
Table 111 — geosrs:Hydrography	62
Table 112 — geosrs:Drilling	62
Table 113 — geosrs:OilAndGasExploration	62
Table 114 — geosrs:BreusingGeometricProjection	65
Table 115 — geosrs:BreusingHarmonicProjection	65
Table 116 — geosrs:GinzburgIIProjection	65
Table 117 — geosrs:GinzburglProjection	66
Table 118 — geosrs:GnomonicProjection	66
Table 119 — geosrs:JamesAzimuthalProjection	66
Table 120 — geosrs:ArmadilloProjection	67
Table 121 — geosrs:BakerDinomicProjection	67
Table 122 — geosrs:BertinProjection	67
Table 123 — geosrs:ChamberlinTrimetricProjection	67
Table 124 — geosrs:DenoyerSemiEllipticalProjection	68
Table 125 — geosrs:FairgrieveProjection	68
Table 126 — geosrs:LarriveeProjection	68
Table 127 — geosrs:PetermannStarProjection	68
Table 128 — geosrs:SpilhausOceanicProjection	69
Table 129 — geosrs:VanDerGrintenIIIProjection	69
Table 130 — geosrs:WinkelIIProjection	69
Table 131 — geosrs:WinkellProjection	69
Table 132 — geosrs:WinkelSnyderProjection	69
Table 133 — geosrs:AdamsProjection	70
Table 134 — geosrs:AdamsWorldInASquareIIProjection	70
Table 135 — geosrs:AdamsWorldInASquareIProjection	71
Table 136 — geosrs:AugustEpicycloidalProjection	71
Table 137 — geosrs:CoxConformalProjection	71
Table 138 — geosrs:EisenlohrProjection	71
Table 139 — geosrs:GS50Projection	72
Table 140 — geosrs:PeirceQuincuncialProjection	72
Table 141 — geosrs:StereographicProjection	72
Table 142 — geosrs:BipolarObliqueConicConformalProjection	73
Table 143 — geosrs:CentralConicProjection	73
Table 144 — geosrs:HerschelConformalConicProjection	73
Table 145 — geosrs:Krovak	73
Table 146 — geosrs:LambertConformalConicProjection	74
Table 147 — geosrs:MurdochIIIProjection	74
Table 148 — geosrs:MurdochIIProjection	

Table 149 — geosrs:MurdochIProjection	74
Table 150 — geosrs:SchjerninglProjection	75
Table 151 — geosrs:VitkovskylProjection	75
Table 152 — geosrs:ArdenCloseProjection	75
Table 153 — geosrs:BraunPerspectiveProjection	76
Table 154 — geosrs:CompactMillerProjection	76
Table 155 — geosrs:CylindricalStereographicProjection	76
Table 156 — geosrs:KarchenkoShabanovaProjection	76
Table 157 — geosrs:LabordeProjection	77
Table 158 — geosrs:MercatorProjection	77
Table 159 — geosrs:MillerProjection	77
Table 160 — geosrs:PattersonCylindricalProjection	77
Table 161 — geosrs:PavlovProjection	78
Table 162 — geosrs:ToblerCylindricalIIProjection	78
Table 163 — geosrs:ToblerCylindricalIProjection	78
Table 164 — geosrs:UrmayevIIIProjection	78
Table 165 — geosrs:WebMercatorProjection	79
Table 166 — geosrs:AlbersEqualAreaProjection	79
Table 167 — geosrs:AzimuthalEqualAreaProjection	79
Table 168 — geosrs:CylindricalEqualArea	80
Table 169 — geosrs:GallPetersProjection	80
Table 170 — geosrs:HoboDyerProjection	80
Table 171 — geosrs:LambertAzimuthalEqualArea	80
Table 172 — geosrs:TrystanEdwardsProjection	81
Table 173 — geosrs:WiechelProjection	81
Table 174 — geosrs:AzimuthalEquidistantProjection	81
Table 175 — geosrs:BerghausStarProjection	82
Table 176 — geosrs:CassiniProjection	82
Table 177 — geosrs:EquidistantConicProjection	82
Table 178 — geosrs:EquidistantCylindricalProjection	82
Table 179 — geosrs:EquirectangularProjection	83
Table 180 — geosrs:ObliquePlateCarreeProjection	83
Table 181 — geosrs:PlateCarreeProjection	83
Table 182 — geosrs:TwoPointEquidistantProjection	83
Table 183 — geosrs:ApianGlobularIProjection	84
Table 184 — geosrs:BaconGlobularProjection	84
Table 185 — geosrs:FournierGlobularIProjection	84
Table 186 — geosrs:A4Projection	85
Table 187 — geosrs:BriesemeisterProjection	85
Table 188 — geosrs:CiriclProjection	85
Table 189 — geosrs:CupolaProjection	

Table 190 — geosrs:DedistortProjection	86
Table 191 — geosrs:DietrichKitadaProjection	86
Table 192 — geosrs:FranculaIIIProjection	86
Table 193 — geosrs:FranculalVProjection	87
Table 194 — geosrs:FranculalXProjection	87
Table 195 — geosrs:FranculaVIIIProjection	87
Table 196 — geosrs:FranculaVProjection	87
Table 197 — geosrs:FranculaXIIIProjection	87
Table 198 — geosrs:FranculaXIIProjection	88
Table 199 — geosrs:FranculaXIVProjection	88
Table 200 — geosrs:HamusoidalProjection	88
Table 201 — geosrs:KissProjection	88
Table 202 — geosrs:AiryProjection	89
Table 203 — geosrs:CentralCylindricalProjection	90
Table 204 — geosrs:GeneralVerticalPerspectiveProjection	90
Table 205 — geosrs:GilbertTwoWorldPerspectiveProjection	90
Table 206 — geosrs:LaHireProjection	90
Table 207 — geosrs:LorgnaProjection	90
Table 208 — geosrs:LowryProjection	91
Table 209 — geosrs:OrthographicProjection	91
Table 210 — geosrs:PerspectiveConicProjection	91
Table 211 — geosrs:TiltedPerspectiveProjection	91
Table 212 — geosrs:VerticalPerspectiveProjection	92
Table 213 — geosrs:GinzburgIVProjection	92
Table 214 — geosrs:GinzburgIXProjection	92
Table 215 — geosrs:GinzburgVIProjection	93
Table 216 — geosrs:GinzburgVProjection	93
Table 217 — geosrs:GottWagnerProjection	93
Table 218 — geosrs:HillEucyclicProjection	93
Table 219 — geosrs:LagrangeProjection	94
Table 220 — geosrs:LaskowskiProjection	94
Table 221 — geosrs:RectangularPolyconicProjection	94
Table 222 — geosrs:StabiusWernerIIIProjection	94
Table 223 — geosrs:StabiusWernerIProjection	95
Table 224 — geosrs:VanDerGrintenIIProjection	95
Table 225 — geosrs:VanDerGrintenIProjection	95
Table 226 — geosrs:VanDerGrintenIVProjection	95
Table 227 — geosrs:WagnerIXProjection	95
Table 228 — geosrs:WagnerVIIIProjection	96
Table 229 — geosrs:WagnerVIIProjection	
Table 230 — geosrs:AuthaGraphProjection	97

Table 231 — geosrs:CahillKeyesProjection	97
Table 232 — geosrs:CollignonButterflyProjection	97
Table 233 — geosrs:DodecahedralProjection	97
Table 234 — geosrs:DymaxionProjection	97
Table 235 — geosrs:GnomonicButterflyProjection	98
Table 236 — geosrs:GnomonicCubedSphereProjection	98
Table 237 — geosrs:GnomoniclcosahedronProjection	98
Table 238 — geosrs:GuyouProjection	98
Table 239 — geosrs:IcosahedralProjection	99
Table 240 — geosrs:LeeProjection	99
Table 241 — geosrs:MyrahedalProjection	99
Table 242 — geosrs:OctantProjection	99
Table 243 — geosrs:QuadrilateralizedSphericalCubeProjection	100
Table 244 — geosrs:WatermanButterflyProjection	100
Table 245 — geosrs:AitoffObliqueProjection	100
Table 246 — geosrs:AitoffProjection	101
Table 247 — geosrs:HammerProjection	101
Table 248 — geosrs:Strebe1995Projection	101
Table 249 — geosrs:WinkelTripelProjection	101
Table 250 — geosrs:AmericanPolyconicProjection	102
Table 251 — geosrs:BonneProjection	102
Table 252 — geosrs:BottomleyProjection	102
Table 253 — geosrs:NicolosiGlobularProjection	103
Table 254 — geosrs:PtolemyIIProjection	103
Table 255 — geosrs:WernerProjection	103
Table 256 — geosrs:ApianIIProjection	104
Table 257 — geosrs:AtlantisProjection	104
Table 258 — geosrs:BaranyillIProjection	104
Table 259 — geosrs:BaranyillProjection	105
Table 260 — geosrs:BaranyilProjection	105
Table 261 — geosrs:BaranyilVProjection	105
Table 262 — geosrs:BoggsEumorphicProjection	105
Table 263 — geosrs:BromleyProjection	106
Table 264 — geosrs:CabotProjection	106
Table 265 — geosrs:CollignonProjection	106
Table 266 — geosrs:CrasterParabolicProjection	106
Table 267 — geosrs:DeakinMinimumErrorProjection	107
Table 268 — geosrs:Eckert1Projection	107
Table 269 — geosrs:Eckert2Projection	107
Table 270 — geosrs:Eckert3Projection	107
Table 271 — geosrs:Eckert4Projection	107

Table 272 — geosrs:Eckert5Projection	108
Table 273 — geosrs:Eckert6Projection	108
Table 274 — geosrs:EqualEarthProjection	108
Table 275 — geosrs:FaheyProjection	108
Table 276 — geosrs:FoucautProjection	109
Table 277 — geosrs:FoucautSinusoidalProjection	109
Table 278 — geosrs:FournierIIProjection	109
Table 279 — geosrs:GinzburgVIIIProjection	109
Table 280 — geosrs:GoodeHomolosineProjection	110
Table 281 — geosrs:HEALPixProjection	110
Table 282 — geosrs:HufnagelProjection	110
Table 283 — geosrs:Kavrayskiy7Projection	110
Table 284 — geosrs:LoximuthalProjection	110
Table 285 — geosrs:MayrProjection	111
$Table\ 286-geosrs: McBryde Thomas Flat Polar Parabolic Projection\$	111
${\it Table~287-geosrs:} McBryde Thomas Flat Polar Quartic Projection~$	111
$Table\ 288-geosrs: McBryde Thomas Flat Polar Sinusoidal Projection\$	111
Table 289 — geosrs:McBrydeThomasIIProjection	112
Table 290 — geosrs:McBrydeThomasIProjection	112
Table 291 — geosrs:NaturalEarth2Projection	112
Table 292 — geosrs:NaturalEarthProjection	112
Table 293 — geosrs:NellHammerProjection	113
Table 294 — geosrs:NellProjection	113
Table 295 — geosrs:OrteliusOvalProjection	113
Table 296 — geosrs:PutninsP1Projection	113
Table 297 — geosrs:PutninsP2Projection	113
Table 298 — geosrs:PutninsP3Projection	114
Table 299 — geosrs:PutninsP5Projection	114
Table 300 — geosrs:PutninsP6Projection	114
Table 301 — geosrs:QuarticAuthalicProjection	114
Table 302 — geosrs:RobinsonProjection	115
Table 303 — geosrs:SinusoidalProjection	115
Table 304 — geosrs:TheTimesProjection	115
Table 305 — geosrs:ToblerG1Projection	115
Table 306 — geosrs:ToblerHyperellipticalProjection	115
Table 307 — geosrs:WagnerIIIProjection	116
Table 308 — geosrs:WagnerIIProjection	116
Table 309 — geosrs:WagnerIProjection	116
Table 310 — geosrs:WagnerIVProjection	116
Table 311 — geosrs:WagnerVIProjection	117
Table 312 — geosrs:WagnerVProjection	117

Table 313 — geosrs:WerenskioldIProjection	117
Table 314 — geosrs:PutninsP3'Projection	117
Table 315 — geosrs:PutninsP4'Projection	117
Table 316 — geosrs:PutninsP5'Projection	118
Table 317 — geosrs:PutninsP6'Projection	118
Table 318 — geosrs:MillerOblatedStereographicProjection	118
Table 319 — geosrs:RoussilheProjection	119
Table 320 — geosrs:ArtificialSatellite	121
Table 321 — geosrs:Asteroid	121
Table 322 — geosrs:Comet	122
Table 323 — geosrs:DwarfPlanet	122
Table 324 — geosrs:InterstellarBody	122
Table 325 — geosrs:Moon	122
Table 326 — geosrs:NaturalSatellite	122
Table 327 — geosrs:Planet	123
Table 328 — geosrs:PlanetStatus	123
Table 329 — geosrs:Plutoid	123
Table 330 — geosrs:Star	123
Table 331 — geosrs:down	125
Table 332 — geosrs:east	126
Table 333 — geosrs:north	126
Table 334 — geosrs:south	126
Table 335 — geosrs:up	126
Table 336 — geosrs:west	127
Table 337 — geosrs:GRS1980	127
Table 338 — geosrs:GRS67	128
Table 339 — geosrs:PZ90	128
Table 340 — geosrs:Airy1830	128
Table 341 — geosrs:AiryModified1849	128
Table 342 — geosrs:International1924	129
Table 343 — geosrs:AustralianNationalSpheroid	129
Table 344 — geosrs:Everest1930	129
Table 345 — geosrs:Clarke1866	130
Table 346 — geosrs:Plessis1817	130
Table 347 — geosrs:Danish1876	130
Table 348 — geosrs:Struve1860	130
Table 349 — geosrs:IAG1975	131
Table 350 — geosrs:Clarke1858	131
Table 351 — geosrs:Clarke1880	131
Table 352 — geosrs:Helmert1906	
Table 353 — geosrs:CGCS2000	132

	Table 354 — geosrs:GSK-2011	132
	Table 355 — geosrs:Zach1812	132
	Table 356 — geosrs:Clarke1880ARC	133
	Table 357 — geosrs:Clarke1880IGN	
	Table 358 — geosrs:WGS66	
	Table 359 — geosrs:WGS72	
	Table 360 — geosrs:WGS84 Table 361 — geosrs:Krassowsky1940	
	Table A.1 — Alignment: Namespaces	
	Table A.2 — Alignment: IGN Ontology	
	Table A.3 — Alignment: ISO19111 Ontology	
	Table A.4 — Alignment: IFC Ontology	
LIST	OF FIGURES	
	Figure 1	12
	REQUIREMENTS CLASS 1: 06-CORE.ADOC EXTENSION	12
	REQUIREMENTS CLASS 2: 07-CO_MODULE.ADOC EXTENSION	27
	REQUIREMENTS CLASS 3: 08-CS_MODULE.ADOC EXTENSION	
	REQUIREMENTS CLASS 4: 09-DATUM_MODULE.ADOC EXTENSION	
	REQUIREMENTS CLASS 5: 10-SRSAPPLICATION_MODULE.ADOC EXTENSION	
	REQUIREMENTS CLASS 6: 11-PROJECTIONS MODULE.ADOC EXTENSION	
	REQUIREMENTS CLASS 7: 12-PLANET_MODULE.ADOC EXTENSION	
	REQUIREMENTS CLASS 8: 13-INSTANCES.ADOC EXTENSION	
	REQUIREMENT 1: COORDINATE REFERENCE SYSTEM PARAMETERS	
	REQUIREMENT 2: COORDINATE REFERENCE SYSTEM PROPERTIES	
	REQUIREMENT 3: COORDINATE REFERENCE SYSTEM TYPES	
	REQUIREMENT 4: COORDINATE OPERATION CATEGORIES	27
	REQUIREMENT 5: COORDINATE OPERATION METHODS	30
	REQUIREMENT 6: COORDINATE OPERATION PARAMETERS	32
	REQUIREMENT 7: COORDINATE OPERATION PROPERTIES	33

REQUIREMENT 8: 3D COORDINATE SYSTEMS	36
REQUIREMENT 9: CELESTIAL COORDINATE SYSTEMS	37
REQUIREMENT 10: COORDINATE SYSTEM COMPONENTS	39
REQUIREMENT 11: COORDINATE SYSTEM PROPERTIES	40
REQUIREMENT 12: COORDINATE SYSTEM TYPES	41
REQUIREMENT 13: ORTHOGONAL COORDINATE SYSTEMS	45
REQUIREMENT 14: TEMPORAL COORDINATE SYSTEMS	46
REQUIREMENT 15: DATUM PARAMETERS	49
REQUIREMENT 16: DATUM PROPERTIES	50
REQUIREMENT 17: DATUM TYPES	51
REQUIREMENT 18: SPHEROID PROPERTIES	54
REQUIREMENT 19: SPHEROID TYPES	56
REQUIREMENT 20: MAP TYPES	58
REQUIREMENT 21: SRS APPLICATION TYPES	60
REQUIREMENT 22: AZIMUTHAL PROJECTIONS	65
REQUIREMENT 23: COMPROMISE PROJECTIONS	66
REQUIREMENT 24: CONFORMAL PROJECTIONS	70
REQUIREMENT 25: CONICAL PROJECTIONS	72
REQUIREMENT 26: CYLINDRICAL PROJECTIONS	75
REQUIREMENT 27: EQUAL AREA PROJECTIONS	79
REQUIREMENT 28: EQUIDISTANT PROJECTIONS	81
REQUIREMENT 29: GLOBULAR PROJECTIONS	84
REQUIREMENT 30: LENTICULAR PROJECTIONS	85
REQUIREMENT 31: MINIMUM ERROR PROJECTIONS	89
REQUIREMENT 32: PERSPECTIVE PROJECTIONS	89
REQUIREMENT 33: POLYCONIC PROJECTIONS	92
REQUIREMENT 34: POLYHEDRAL PROJECTIONS	96
REQUIREMENT 35: PSEUDO AZIMUTHAL PROJECTIONS	100
REQUIREMENT 36: PSEUDO CONICAL PROJECTIONS	102
REQUIREMENT 37: PSEUDO CYLINDRICAL PROJECTIONS	103
REQUIREMENT 38: STEREOGRAPHIC PROJECTIONS	118
REQUIREMENT 39: INTERSTELLAR BODY	121
REQUIREMENT 40: COORDINATE SYSTEM AXIS	125

DECHIDENAENT 41, COLLEDOID	S	10) 7	,
RECOREMENT 41. SPITEROID	J	$\perp Z$	_ /	



<Insert Abstract Text here>



The following are keywords to be used by search engines and document catalogues.

keyword_1, keyword_2, keyword_3, etc.

PREFACE

This document establishes the OGC CRS ontology and its submodules. The definition of elements of coordinate reference systems is an essential part of geospatial data provision. However, until now, coordinate reference systems and their components could not be represented in an OGC-standardized semantic web vocabulary. This document introduces the ontology model, its classes and properties, application examples and can serve as the foundation of a semantic web based coordinate system registry at OGC. Special attention is given to the compatibility of the CRS Ontology vocabulary to other OGC-endorsed Semantic Web standards such as GeoSPARQL and alignments to other data standards are provided as part of this specification.

NOTE: Insert Preface Text here. Give OGC specific commentary: describe the technical content, reason for document, history of the document and precursors, and plans for future work.

There are two ways to specify the Preface: "simple clause" or "full clasuse"

If the Preface does not contain subclauses, it is considered a simple preface clause. This one is entered as text after the .Preface label and must be placed between the AsciiDoc document attributes and the first AsciiDoc section title. It should not be give a section title of its own.

If the Preface contains subclauses, it needs to be encoded as a full preface clause. This one is recognized as a full Metanorma AsciiDoc section with te title "Preface", i.e. == Preface. (Simple preface content can also be encoded like full preface.)



SECURITY CONSIDERATIONS

No security considerations have been made for this Standard.



SUBMITTERS

All questions regarding this submission should be directed to the editor or the submitters:

NAME	AFFILIATION	OGC MEMBER
Luís Moreira de Sousa	Instituto Superior Técnico: Lisbon, PT	Yes
Timo Homburg	Mainz University Of Applied Sciences	No
Nathalie Abadie	IGN France	Yes
Ghislain Atemezing	European Union Agency for Railways (ERA)	Yes



SOURCE OF THE CONTENT FOR THIS OGC DOCUMENT



VALIDITY OF CONTENT



FUTURE WORK

NOTE: If you need to place any further sections in the preface area use the [.preface] attribute.



Additional contributors to this Standard include the following: Individual name(s), Organization



1 SCOPE

<Insert Scope text here>

NOTE: Give the subject of the document and the aspects of that scope covered by the document.

2

CONFORMANCE



CONFORMANCE

<Insert conformance content here>

NOTE: Provide a short description of the content approached in subsequent sections and the main subject of the document

3

NORMATIVE REFERENCES



NORMATIVE REFERENCES

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

- Identification of Common Molecular Subsequences. Smith, T.F., Waterman, M.S., J. Mol. Biol. 147, 195–197 (1981)
- ZIB Structure Prediction Pipeline: Composing a Complex Biological Workflow through Web Services.

 May, P., Ehrlich, H.C., Steinke, T. In: Nagel, W.E., Walter, W.V., Lehner, W. (eds.)

 Euro-Par 2006. LNCS, vol. 4128, pp. 1148–1158. Springer, Heidelberg (2006)
- The Grid: Blueprint for a New Computing Infrastructure., Foster, I., Kesselman, C.. Morgan Kaufmann, San Francisco (1999).
- Grid Information Services for Distributed Resource Sharing. Czajkowski, K., Fitzgerald, S., Foster, I., Kesselman, C. In: 10th IEEE International Symposium on High Performance Distributed Computing, pp. 181–184. IEEE Press, New York (2001)



TERMS AND DEFINITIONS



TERMS AND DEFINITIONS

This document uses the terms defined in <u>OGC Policy Directive 49</u>, which is based on the ISO/IEC Directives, Part 2, Rules for the structure and drafting of International Standards. In particular, the word "shall" (not "must") is the verb form used to indicate a requirement to be strictly followed to conform to this document and OGC documents do not use the equivalent phrases in the ISO/IEC Directives, Part 2.

This document also uses terms defined in the OGC Standard for Modular specifications (OGC 08-131r3), also known as the 'ModSpec'. The definitions of terms such as standard, specification, requirement, and conformance test are provided in the ModSpec.

For the purposes of this document, the following additional terms and definitions apply.

4.1. example term

term used for exemplary purposes

Note 1 to entry: An example note.

Example Here's an example of an example term.

[SOURCE:]

5 CONVENTIONS

5

CONVENTIONS

NOTE: This section provides details and examples for any conventions used in the document. Examples of conventions are symbols, abbreviations, use of XML schema, or special notes regarding how to read the document.

5.1. Identifiers

The normative provisions in this standard are denoted by the URI

http://www.opengis.net/spec/{standard}/{m.n}

All requirements and conformance tests that appear in this document are denoted by partial URIs which are relative to this base.

5.2. Other conventions

<Place any other convention needed with its corresponding title>



6 CORE

This clause establishes the **Core** Requirements class, with IRI /req/core, which has a corresponding Conformance Class, **Core**, with IRI /conf/core.

The Core module establishes a set of classes and properties which define the building blocks of a spatial reference system definition. Some of the definitions are extended in specialized modules related to the Core module.



Figure 1

From a base class SpatialReferenceSystem, we define a class for a coordinate system, as the superclass of all spatial reference systems describing locations using coorindates. These SpatialReferenceSystems are described using a Datum and a coordinate system definitions with at least one coordinate axis. Together with several subtypes of coordnate reference system, these definitions complete the Core module.

REQUIREMENTS CLASS 1: 06-CORE.ADOC EXTENSION		
IDENTIFIER	/req/06-core.adoc	
TARGET TYPE	Implementation Specification	
	/req/Coordinate_Reference_System_Parameters	
REQUIREMENT	/req/Coordinate_Reference_System_Types	
	/req/Coordinate_Reference_System_Properties	

6.1. Coordinate Reference System Parameters

REQUIREMENT 1	L: COORDINATE REFERENCE SYSTEM PARAMETERS
IDENTIFIER	/req/Coordinate_Reference_System_Parameters
STATEMENT	Implementations shall allow the RDFS classes geosrs:AreaOfUse, geosrs:Extent, geosrs: GeographicBoundingBox, geosrs:AxesList, geosrs:SingleCRSList to be used in SPARQL graph patterns.

6.1.1. Class: geosrs:AreaOfUse

Table 1 − geosrs:AreaOfUse

URI	https://w3id.org/geosrs/srs/AreaOfUse
Definition	Area within which a coordinate operation may be used.
Example	geosrs:AreaOfUse

6.1.2. Class: geosrs:Extent

Table 2 — geosrs:Extent

URI	https://w3id.org/geosrs/srs/Extent
Definition	Geographic area or time interval in which the referring object is valid. Cf. ISO 19115-1:2014:2014-04, part 6.6.1 and table B.15 line 335.

6.1.3. Class: geosrs:GeographicBoundingBox

 $\textbf{Table 3}-\mathsf{geosrs:} Geographic Bounding Box$

URI	https://w3id.org/geosrs/srs/GeographicBoundingBox
Definition	Frame delimiting an area of interest. See ISO 19115-1:2014:2014-04, part 6.6.1 and table B.15.1 line 344.

6.1.4. Class: geosrs:AxesList

Table 4 — geosrs:AxesList

URI	https://w3id.org/geosrs/srs/AxesList
Definition	Ordered list of coordinate system axes.

6.1.5. Class: geosrs:SingleCRSList

Table 5 − geosrs:SingleCRSList

URI	https://w3id.org/geosrs/srs/SingleCRSList
Definition	Ordered list of simple reference coordinate systems.

6.2. Coordinate Reference System Properties

REQUIREMEN	IT 2: COORDINATE REFERENCE SYSTEM PROPERTIES
IDENTIFIER	/req/Coordinate_Reference_System_Properties
STATEMENT	Implementations shall allow the RDFS properties geosrs:baseCRS, geosrs:conversion, geosrs: coordinateSystem, geosrs:datum, geosrs:datumEnsemble, geosrs:domainOfValidity, geosrs: method, geocrs:asProj4, geocrs:asProjJSON, geocrs:asWKT, geosrs:EPSGcode to be used in SPARQL graph patterns.

6.2.1. Property: geosrs:baseCRS

Table 6 − geosrs:baseCRS

URI	https://w3id.org/geosrs/srs/baseCRS
Туре	owl:ObjectProperty

Definition	The geodetic coordinate reference system on which a projected coordinate reference system is based. Cf. ISO 19111:2007:2007-07, table 11, association role base CRS.
Range	GeodeticCRS
Domain	<u>ProjectedCRS</u>

6.2.2. Property: geosrs:conversion

Table 7 — geosrs:conversion

URI	https://w3id.org/geosrs/srs/conversion
Туре	owl:ObjectProperty
Definition	The conversion used to define a projected coordinate reference system. Cf. ISO 19111:2007:2007-07, table 7, named association Definition.
Range	Conversion
Domain	CRS

6.2.3. Property: geosrs:coordinateSystem

Table 8 — geosrs:coordinateSystem

URI	https://w3id.org/geosrs/srs/coordinateSystem
Туре	owl:ObjectProperty
Definition	The property relates a coordinate reference system to its coordinate system
Range	<u>CoordinateSystem</u>
Domain	CRS
Example	geosrs:coordinateSystem

6.2.4. Property: geosrs:datum

Table 9 — geosrs:datum

URI	https://w3id.org/geosrs/srs/datum
Туре	owl:ObjectProperty
Definition	The property relates a coordinate reference system to a datum
Range	<u>Datum</u>
Domain	CRS

6.2.5. Property: geosrs:datumEnsemble

Table 10 — geosrs:datumEnsemble

URI	https://w3id.org/geosrs/srs/datumEnsemble
Туре	owl:ObjectProperty
Definition	Indicates a single CRS referring to a collection of one or more datums (Datum Ensemble)
Range	<u>DatumEnsemble</u>
Domain	<u>SingleCRS</u>

6.2.6. Property: geosrs:domainOfValidity

Table 11 — geosrs:domainOfValidity

URI	https://w3id.org/geosrs/srs/domainOfValidity
Туре	owl:ObjectProperty
Definition	Geographic area or time interval in which the referring object is valid. Cf. ISO 19111:2007:2007-07, tables 4, 33 and 42, attribute domainOfValidity.

Range	<u>AreaOfUse</u>
Domain	CRS

6.2.7. Property: geosrs:method

Table 12 — geosrs:method

URI	https://w3id.org/geosrs/srs/method
Туре	owl:ObjectProperty
Range	<u>CoordinateOperation</u>
Domain	CRS

6.2.8. Property: geocrs:asProj4

Table 13 — geocrs:asProj4

URI	geocrs:asProj4
Туре	owl:DatatypeProperty
Definition	PROJ4 string defining a CRS. Note: this paradigm is ambiguous and presently considered outdated.
Range	proj4Literal
Domain	CRS

6.2.9. Property: geocrs:asProjJSON

Table 14 — geocrs:asProjJSON

URI	geocrs:asProjJSON
Туре	owl:DatatypeProperty

Definition	CRS definition encoded as a JSON object interpretable by PROJ4.
Range	projJSONLiteral
Domain	CRS

6.2.10. Property: geocrs:asWKT

Table 15 — geocrs:asWKT

URI	geocrs:asWKT
Туре	owl:DatatypeProperty
Definition	CRS definition encoded according to the Well Known Text structure. Cf. ISO 19162:2019.
Range	wktLiteral
Domain	CRS

6.2.11. Property: geosrs:EPSGcode

Table 16 — geosrs:EPSGcode

URI	https://w3id.org/geosrs/srs/EPSGcode
Туре	owl:DatatypeProperty
Definition	Identifier of this resource in the EPSG Geodetic Parameter Dataset.
Range	xsd:string[xsd:string]

6.3. Coordinate Reference System Types

REQUIREMENT 3: COORDINATE REFERENCE SYSTEM TYPES

IDENTIFIER	/req/Coordinate_Reference_System_Types
STATEMENT	Implementations shall allow the RDFS classes geosrs:BoundCRS, geosrs:CompoundCRS, geosrs: CRS, geosrs:EngineeringCRS, geosrs:GeocentricCRS, geosrs:GeodeticCRS, geosrs:GeographicCRS, geosrs:ParametricCRS, geosrs:ProjectedCRS, geosrs:SelenographicCRS, geosrs:ReferenceSystem, geosrs:SingleCRS, geosrs:SpatialReferenceSystem, geosrs:SpatioParametricCompoundCRS, geosrs: SpatioParametricTemporalCompoundCRS, geosrs:SpatioTemporalCompoundCRS, geosrs:StaticCRS, geosrs:TemporalCRS, geosrs:VerticalCRS to be used in SPARQL graph patterns.

6.3.1. Class: geosrs:BoundCRS

Table 17 — geosrs:BoundCRS

URI	https://w3id.org/geosrs/srs/BoundCRS
Super-classes	<u>BoundCRS</u>

6.3.2. Class: geosrs:CompoundCRS

Table 18 — geosrs:CompoundCRS

URI	https://w3id.org/geosrs/srs/CompoundCRS
Definition	Coordinate reference system using at least two independent single coordinate reference systems. Cf. ISO 19111:2007:2007-07, parts 8.2.3.c, 8.2.4, table 6 and annex B.1.2.4.
Super-classes	CompoundCRS
Example	geosrs:CompoundCRS

6.3.3. Class: geosrs:CRS

Table 19 — geosrs:CRS

URI	https://w3id.org/geosrs/srs/CRS

Definition	Depending on the spatial dimension of coordinates (1D, 2D, 3D), this piece of metadata is used for specifying the elements of definition associated to a given set of coordinates: its datum, its ellipsoid, its prime meridian, the type of coordinates (geocentric, geographic, projected,), the coordinates units of measure, when appropriate the cartographic projection used, the vertical coordinate reference system.
Super-classes	CRS

6.3.4. Class: geosrs:EngineeringCRS

Table 20 — geosrs:EngineeringCRS

URI	https://w3id.org/geosrs/srs/EngineeringCRS
Definition	A contextually local coordinate reference system which can be divided into two broad categories: — earth-fixed systems applied to engineering activities on or near the surface of the earth; — CRSs on moving platforms such as road vehicles, vessels, aircraft or spacecraft.
Super-classes	<u>EngineeringCRS</u>

6.3.5. Class: geosrs:GeocentricCRS

Table 21 — geosrs:GeocentricCRS

URI	https://w3id.org/geosrs/srs/GeocentricCRS
Definition	A cartesian coordinate reference system that represents locations in the vicinity of the Earth (including its surface, interior, atmosphere, and surrounding outer space) as X, Y, and Z measurements from its center of mass. Commonly used to track the orbits of satellites.
Super-classes	GeocentricCRS
Example	geosrs:GeocentricCRS

6.3.6. Class: geosrs:GeodeticCRS

Table 22 — geosrs:GeodeticCRS

URI	https://w3id.org/geosrs/srs/GeodeticCRS
Definition	Coordinate Reference System associated with a geodetic datum. Cf. ISO 19111:2007:2007-07, part 8.2.2.a, table 10 and annex B.1.2.1.a.
Super-classes	GeodeticCRS

6.3.7. Class: geosrs:GeographicCRS

Table 23 — geosrs:GeographicCRS

URI	https://w3id.org/geosrs/srs/GeographicCRS
Definition	Coordinate Reference System that has a geodetic reference frame and an ellipsoidal coordinate system
Super-classes	<u>GeographicCRS</u>
Example	geosrs:GeographicCRS

6.3.8. Class: geosrs:ParametricCRS

Table 24 — geosrs:ParametricCRS

URI	https://w3id.org/geosrs/srs/ParametricCRS
Definition	Coordinate Reference System based on a parametric datum
Super-classes	<u>ParametricCRS</u>

6.3.9. Class: geosrs:ProjectedCRS

Table 25 — geosrs:ProjectedCRS

URI	https://w3id.org/geosrs/srs/ProjectedCRS
Definition	Coordinate Reference System derived from a two-dimensional geodetic coordinate reference system by applying a map projection. Cf. ISO 19111:2007:2007-07, part 8.2.3.b, table 11 and annex B.1.2.3.
Super-classes	ProjectedCRS
Example	geosrs:ProjectedCRS

6.3.10. Class: geosrs:SelenographicCRS

Table 26 — geosrs:SelenographicCRS

URI	https://w3id.org/geosrs/srs/SelenographicCRS
Definition	Coordinate Reference System to refer locations on the surface of the Earth's Moon.
Super-classes	<u>SelenographicCRS</u>

6.3.11. Class: geosrs:ReferenceSystem

Table 27 — geosrs:ReferenceSystem

URI	https://w3id.org/geosrs/srs/ReferenceSystem
Definition	An abstract coordinate system, whose origin, orientation and scale are specified in physical space. It is based on a set of reference points, defined as geometric points whose position is identified physically and mathematically.

6.3.12. Class: geosrs:SingleCRS

Table 28 — geosrs:SingleCRS

URI	https://w3id.org/geosrs/srs/SingleCRS

Definition	Coordinate reference system consisting of one coordinate system and one datum. Cf. ISO 19111:2007:2007-07, table 5.
Super-classes	SingleCRS

6.3.13. Class: geosrs:SpatialReferenceSystem

Table 29 — geosrs:SpatialReferenceSystem

URI	https://w3id.org/geosrs/srs/SpatialReferenceSystem
Definition	A spatial reference system (SRS) is a system for establishing spatial position. A spatial reference system can use geographic identifiers (place names, for example), coordinates (in which case it is a coordinate reference system), or identifiers with structured geometry (in which case it is a discrete global grid system).
Super-classes	<u>SpatialReferenceSystem</u>

6.3.14. Class: geosrs:SpatioParametricCompoundCRS

Table 30 — geosrs:SpatioParametricCompoundCRS

URI	https://w3id.org/geosrs/srs/ SpatioParametricCompoundCRS
Definition	A spatio-parametric coordinate reference system is a compound CRS in which one component is a geographic 2D, projected 2D or engineering 2D CRS, supplemented by a parametric CRS to create a three-dimensional CRS
Super-classes	SpatioParametricCompoundCRS

6.3.15. Class: geosrs:SpatioParametricTemporalCompoundCRS

 $\textbf{Table 31} - \mathsf{geosrs:} Spatio Parametric Temporal Compound CRS$

URI	https://w3id.org/geosrs/srs/
OKI	<u>SpatioParametricTemporalCompoundCRS</u>

Definition	Coordinate reference system combining a spatio- parametric reference system with at least one temporal reference system
Super-classes	<u>SpatioParametricTemporalCompoundCRS</u>

6.3.16. Class: geosrs:SpatioTemporalCompoundCRS

 Table 32 — geosrs:SpatioTemporalCompoundCRS

URI	https://w3id.org/geosrs/srs/ SpatioTemporalCompoundCRS
Definition	Coordinate reference system combining a spatial reference system with at least one temporal reference system
Super-classes	<u>SpatioTemporalCompoundCRS</u>

6.3.17. Class: geosrs:StaticCRS

Table 33 — geosrs:StaticCRS

URI	https://w3id.org/geosrs/srs/StaticCRS
Definition	Coordinate Reference System that has a static reference frame
Super-classes	StaticCRS

6.3.18. Class: geosrs:TemporalCRS

Table 34 — geosrs:TemporalCRS

URI	https://w3id.org/geosrs/srs/TemporalCRS
Definition	Coordinate Reference System based on a temporal datum
Super-classes	TemporalCRS

6.3.19. Class: geosrs: Vertical CRS

 $\textbf{Table 35} - \mathsf{geosrs:} \mathsf{VerticalCRS}$

URI	https://w3id.org/geosrs/srs/VerticalCRS
Definition	One-dimensional coordinate reference system associated with a vertical datum and used for recording heights or depths. Ellipsoidal heights are not captured in a vertical coordinate reference system but as part of a 3D coordinates tuple defined in a geodetic 3D coordinate reference system. Cf. ISO 19111:2007:2007-07, parts 8.2.2.b, table 14 and annex B.1.2.1.b.
Super-classes	<u>VerticalCRS</u>
Example	geosrs:VerticalCRS



COORDINATE OPERATION MODULE



COORDINATE OPERATION MODULE

This clause establishes the **Co** Requirements class, with IRI /req/co, which has a corresponding Conformance Class, **Co**, with IRI /conf/co.

REQUIREMENTS CLASS 2: 07-CO_MODULE.ADOC EXTENSION	
IDENTIFIER	/req/07-co_module.adoc
TARGET TYPE	Implementation Specification
REQUIREMENT	/req/Coordinate_Operation_Methods
	/req/Coordinate_Operation_Parameters
	/req/Coordinate_Operation_Categories
	/req/Coordinate_Operation_Properties

7.1. Coordinate Operation Categories

REQUIREMENT 4: COORDINATE OPERATION CATEGORIES	
IDENTIFIER	/req/Coordinate_Operation_Categories
STATEMENT	Implementations shall allow the RDFS classes geosrs:GeographicObject, geosrs:Register Operations, geosrs:ScaleOperation, geosrs:RotationOperation, geosrs:IdentityOperation, geosrs: ShearOperation, geosrs:TranslationOperation, geosrs:AfflineTransformationOperation, geocrs: CoordinateTransformationOperation to be used in SPARQL graph patterns.

7.1.1. Class: geosrs:GeographicObject

Table 36 — geosrs:GeographicObject

URI	https://w3id.org/geosrs/co/GeographicObject
Definition	Identifier of a geographic feature of which the coordinates are used as operation parameters.

Super-classes <u>GeographicObject</u>

7.1.2. Class: geosrs:RegisterOperations

Table 37 — geosrs:RegisterOperations

URI	https://w3id.org/geosrs/co/RegisterOperations
Definition	Operations supported in the Coordinate Operations package.

7.1.3. Class: geosrs:ScaleOperation

Table 38 — geosrs:ScaleOperation

URI	https://w3id.org/geosrs/co/ScaleOperation
Definition	Scale transformation operation
Super-classes	ScaleOperation

7.1.4. Class: geosrs:RotationOperation

Table 39 — geosrs:RotationOperation

URI	https://w3id.org/geosrs/co/RotationOperation
Definition	Rotation transformation operation
Super-classes	RotationOperation

7.1.5. Class: geosrs:IdentityOperation

Table 40 — geosrs:IdentityOperation

URI	https://w3id.org/geosrs/co/ldentityOperation

Definition	Identity transformation operation
Super-classes	<u>IdentityOperation</u>

7.1.6. Class: geosrs:ShearOperation

Table 41 — geosrs:ShearOperation

URI	https://w3id.org/geosrs/co/ShearOperation
Definition	Shear transformation operation
Super-classes	<u>ShearOperation</u>

7.1.7. Class: geosrs:TranslationOperation

Table 42 — geosrs:TranslationOperation

URI	https://w3id.org/geosrs/co/TranslationOperation
Definition	Translation transformation operation
Super-classes	<u>TranslationOperation</u>

7.1.8. Class: geosrs:AffineTransformationOperation

 $\textbf{Table 43}- {\tt geosrs:} Affine Transformation Operation$

URI	https://w3id.org/geosrs/co/ AffineTransformationOperation
Definition	Affine coordinate transformation operation
Super-classes	CoordinateTransformationOperation []

7.1.9. Class: geocrs:CoordinateTransformationOperation

Table 44- geocrs: Coordinate Transformation Operation

URI	geocrs:CoordinateTransformationOperation[]
Definition	Coordinate operation in which the two coordinate reference systems are based on different datums.
Super-classes	geocrs:CoordinateTransformationOperation[geocrs: CoordinateTransformationOperation]

7.2. Coordinate Operation Methods

REQUIREME	NT 5: COORDINATE OPERATION METHODS
IDENTIFIER	/req/Coordinate_Operation_Methods
STATEMENT	Implementations shall allow the RDFS classes geosrs:CoordinateOperation, geosrs:PassThrough Operation, geosrs:ConcatenatedOperation, geosrs:SingleOperation, geosrs:Transformation, geosrs:Conversion, geosrs:PointMotionOperation, geosrs:OperationMethod to be used in SPARQL graph patterns.

7.2.1. Class: geosrs:PassThroughOperation

Table 45 — geosrs:PassThroughOperation

URI	https://w3id.org/geosrs/co/PassThroughOperation
Definition	Specification of a subset of coordinate tuples that is subject to a coordinate operation
Super-classes	<u>PassThroughOperation</u>

7.2.2. Class: geosrs:ConcatenatedOperation

Table 46 — geosrs:ConcatenatedOperation

URI	https://w3id.org/geosrs/co/ConcatenatedOperation
Definition	Ordered sequence of two or more single coordinate operations. Note: The sequence of coordinate operations is constrained by the requirement that the source

	coordinate reference system of step (n + 1) shall be the same as the target coordinate reference system of step (n). The source coordinate reference system of the first step and the target coordinate reference system of the last step are the source and target coordinate reference system of the last step are the source and target coordinate reference system associated with the concatenated coordinate operation. For a concatenated coordinate operation sequence of n coordinate operations: source CRS (concatenated coordinate operation) .eq. source CRS (coordinate operation step 1) target CRS (coordinate operation step i) .eq. source CRS (coordinate operation step i) .eq. target CRS (coordinate operation step i) lnstead of a forward coordinate operation, an inverse coordinate operation may be used for one or more of the coordinate operation steps mentioned above, if the inverse coordinate operation is uniquely defined by the forward coordinate operation method.
Super-classes	ConcatenatedOperation

7.2.3. Class: geosrs:PointMotionOperation

Table 47 — geosrs:PointMotionOperation

URI	https://w3id.org/geosrs/co/PointMotionOperation
Definition	Mathematical operation that decribes the change of coordinate values within one coordinate reference system due to the motion of the point between one coordinate epoch and another coordinate epoch Note: In this document the motion is due to tectonic plate movement or deformation.
Super-classes	<u>PointMotionOperation</u>

7.3. Coordinate Operation Parameters

REQUIREMENT 6: COORDINATE OPERATION PARAMETERS

IDENTIFIER	/req/Coordinate_Operation_Parameters
STATEMENT	Implementations shall allow the RDFS classes geosrs:GeneralOperationParameter, geosrs: OperationParameterGroup, geosrs:OperationParameter, geosrs:GeneralParameterValue, geosrs: ParameterValueGroup, geosrs:OperationParameterValue to be used in SPARQL graph patterns.

7.3.1. Class: geosrs:OperationParameterGroup

Table 48 — geosrs:OperationParameterGroup

URI	https://w3id.org/geosrs/co/OperationParameterGroup
Definition	Definition of a group of related parameters used by a coordinate operation method.
Super-classes	<u>OperationParameterGroup</u>

7.3.2. Class: geosrs:ParameterValueGroup

Table 49 — geosrs:ParameterValueGroup

URI	https://w3id.org/geosrs/co/ParameterValueGroup
Definition	Group of related parameter values. Note: The same group can be repeated more than once in a coordinate operation or higher level ParameterValueGroup, if those instances contain different values of one or more ParameterValues which suitably distinguish among those groups.
Super-classes	<u>ParameterValueGroup</u>

7.4. Coordinate Operation Properties

REQUIREMENT 7: COORDINATE OPERATION PROPERTIES

IDENTIFIER	/req/Coordinate_Operation_Properties
STATEMENT	Implementations shall allow the RDFS properties geosrs:derivingConversion, geosrs: parameter, geosrs:sourceCRS, geosrs:targetCRS to be used in SPARQL graph patterns.

7.4.1. Property: geosrs:derivingConversion

Table 50 — geosrs:derivingConversion

URI	https://w3id.org/geosrs/co/derivingConversion
Туре	owl:ObjectProperty
Definition	Relates a derived CRS to a conversion
Range	Conversion
Domain	<u>DerivedCRS</u>

7.4.2. Property: geosrs:parameter

Table 51 — geosrs:parameter

URI	https://w3id.org/geosrs/co/parameter
Туре	owl:ObjectProperty
Definition	Value of the datum-defining parameter
Range	<u>OperationParameter</u>
Domain	Conversion

7.4.3. Property: geosrs:sourceCRS

Table 52 — geosrs:sourceCRS

URI	https://w3id.org/geosrs/co/sourceCRS
Туре	owl:ObjectProperty
Definition	The coordinate reference system associated to the data used as input of a given operation. Cf. ISO 19111:2007:2007-07, table 42, named association Source.
Range	CRS
Domain	<u>CoordinateOperation</u>
Example	geosrs:sourceCRS

7.4.4. Property: geosrs:targetCRS

Table 53 — geosrs:targetCRS

URI	https://w3id.org/geosrs/co/targetCRS
Туре	owl:ObjectProperty
Definition	The coordinate reference system associated to the data obtained as output of a given operation. Cf. ISO 19111:2007:2007-07, table 42, named association Target.
Range	CRS
Domain	<u>CoordinateOperation</u>

8

COORDINATE SYSTEM MODULE

COORDINATE SYSTEM MODULE

This clause establishes the **CS** Requirements class, with IRI /req/cs, which has a corresponding Conformance Class, **CS**, with IRI /conf/cs.

The coordinate system module introduces different types of coordinate systems which are dinstinguished in geospatial science and applications. Coordinate systems are distinguished by their area of use, i.e planetary or interstellar and by their multidimensionality.

REQUIREMENTS CLASS 3: 08-CS_MODULE.ADOC EXTENSION	
IDENTIFIER	/req/08-cs_module.adoc
TARGET TYPE	Implementation Specification
REQUIREMENT	/req/Coordinate_System_Types
	/req/Celestial_Coordinate_Systems
	/req/Orthogonal_Coordinate_Systems
	/req/3D_Coordinate_Systems
	/req/Temporal_Coordinate_Systems
	/req/Coordinate_System_Components
	/req/Coordinate_System_Properties

8.1. 3D Coordinate Systems

REQUIREMENT 8: 3D COORDINATE SYSTEMS	
IDENTIFIER	/req/3D_Coordinate_Systems
STATEMENT	Implementations shall allow the RDFS classes geosrs:CylindricalCoordinateSystem, geosrs: SphericalCoordinateSystem to be used in SPARQL graph patterns.

8.1.1. Class: geosrs:CylindricalCoordinateSystem

Table 54 — geosrs:CylindricalCoordinateSystem

URI	https://w3id.org/geosrs/cs/CylindricalCoordinateSystem
Definition	Three-dimensional coordinate system in Euclidean space in which position is specified by two linear coordinates and one angular coordinate
Super-classes	CylindricalCoordinateSystem

8.2. Celestial Coordinate Systems

REQUIREMENT 9: CELESTIAL COORDINATE SYSTEMS	
IDENTIFIER	/req/Celestial_Coordinate_Systems
STATEMENT	Implementations shall allow the RDFS classes geosrs:CelestialCoordinateSystem, geosrs:Ecliptic CoordinateSystem, geosrs:EquatorialCoordinateSystem, geosrs:GalacticCoordinateSystem, geosrs: HorizontalCoordinateSystem, geosrs:PerifocalCoordinateSystem, geosrs:SuperGalacticCS to be used in SPARQL graph patterns.

8.2.1. Class: geosrs:CelestialCoordinateSystem

Table 55 — geosrs:CelestialCoordinateSystem

URI	https://w3id.org/geosrs/cs/CelestialCoordinateSystem
Definition	A coordinate system for specifying positions of celestial objects relative to physical reference points
Super-classes	<u>CelestialCoordinateSystem</u>

8.2.2. Class: geosrs:EclipticCoordinateSystem

Table 56 — geosrs:EclipticCoordinateSystem

URI	https://w3id.org/geosrs/cs/EclipticCoordinateSystem
Definition	An ecliptic coordinate system is used for representing the apparent positions and orbits of solar system objects.
Super-classes	<u>EclipticCoordinateSystem</u>

8.2.3. Class: geosrs:EquatorialCoordinateSystem

 $\textbf{Table 57}- {\tt geosrs:} Equatorial Coordinate System$

URI	https://w3id.org/geosrs/cs/EquatorialCoordinateSystem
Definition	A celestial coordinate system in which an object's position on the celestial sphere is described in terms of its north-south declination and east-west right ascension, measured relative to the celestial equator and vernal equinox, respectively.
Super-classes	<u>EquatorialCoordinateSystem</u>

8.2.4. Class: geosrs:GalacticCoordinateSystem

Table 58 — geosrs:GalacticCoordinateSystem

URI	https://w3id.org/geosrs/cs/GalacticCoordinateSystem
Definition	A coordinate system with the Sun as its center, the primary direction aligned with the approximate center of the Milky Way Galaxy, and the fundamental plane parallel to an approximation of the galactic plane but offset to its north.
Super-classes	CelestialCoordinateSystem 3DCoordinateSystem

8.2.5. Class: geosrs:HorizontalCoordinateSystem

 $\textbf{Table 59}- {\sf geosrs:} Horizontal Coordinate System$

URI	https://w3id.org/geosrs/cs/HorizontalCoordinateSystem

Definition	A horizontal coordinate system is a celestial coordinate system that uses the observer's local horizon as the fundamental plane.
Super-classes	<u>HorizontalCoordinateSystem</u>

8.2.6. Class: geosrs:PerifocalCoordinateSystem

 $\textbf{Table 60} - \mathsf{geosrs:} Perifocal Coordinate System$

URI	https://w3id.org/geosrs/cs/PerifocalCoordinateSystem
Definition	A frame of reference centered at the focus of the orbit, i. e. the celestial body about which the orbit is centered.
Super-classes	<u>PerifocalCoordinateSystem</u>

8.2.7. Class: geosrs:SuperGalacticCS

Table 61 — geosrs:SuperGalacticCS

URI	https://w3id.org/geosrs/cs/SuperGalacticCS
Definition	A reference frame for the supercluster of galaxies that contains the Milky Way galaxy, referenced to a local relatively flat collection of galaxy clusters used to define the supergalactic plane.
Super-classes	CelestialCoordinateSystem 3DCoordinateSystem

8.3. Coordinate System Components

REQUIREMENT 10: COORDINATE SYSTEM COMPONENTS	
IDENTIFIER	/req/Coordinate_System_Components
STATEMENT	Implementations shall allow the RDFS classes geosrs:CoordinateSystemAxis to be used in SPARQL graph patterns.

8.4. Coordinate System Properties

REQUIREMENT 11: COORDINATE SYSTEM PROPERTIES	
IDENTIFIER	/req/Coordinate_System_Properties
STATEMENT	Implementations shall allow the RDFS properties geosrs:axis, geosrs:axisDirection to be used in SPARQL graph patterns.

8.4.1. Property: geosrs:axis

Table 62 — geosrs:axis

URI	https://w3id.org/geosrs/cs/axis
Туре	owl:ObjectProperty
Definition	The property relates a coordinate system to one of its axis
Range	Axis
Domain	<u>CoordinateSystem</u>

8.4.2. Property: geosrs:axisDirection

Table 63 — geosrs:axisDirection

URI	https://w3id.org/geosrs/cs/axisDirection
Туре	owl:ObjectProperty
Definition	The direction of an axis. Cf. ISO 19111:2007:2007-07, table 27, attribute coordinate system axis direction.
Range	AxisDirection
Domain	Axis
Example	geosrs:axisDirection

8.5. Coordinate System Types

REQUIREMENT 12: COORDINATE SYSTEM TYPES		
IDENTIFIER	/req/Coordinate_System_Types	
STATEMENT	Implementations shall allow the RDFS classes geosrs:1DCoordinateSystem, geosrs:3DCoordinate System, geosrs:CoordinateSystem, geosrs:AffineCoordinateSystem, geosrs:BarycentricCoordinate System, geosrs:CartesianCoordinateSystem, geosrs:CurvilinearCoordinateSystem, geosrs:Engineering CoordinateSystem, geosrs:GeodeticCoordinateSystem, geosrs:GeographicalCoordinateSystem, geosrs:GridCoordinateSystem, geosrs:HexagonalCoordinateSystem, geosrs:LocalCoordinate System, geosrs:ObliqueCoordinateSystem, geosrs:OrdinalCoordinateSystem, geosrs:Orthogonal CoordinateSystem, geosrs:ParametricCoordinateSystem, geosrs:PlanarCoordinateSystem, geosrs:PolarCoordinateSystem, geosrs:VerticalCoordinateSystem to be used in SPARQL graph patterns.	

8.5.1. Class: geosrs:1DCoordinateSystem

Table 64 — geosrs:1DCoordinateSystem

URI	https://w3id.org/geosrs/cs/1DCoordinateSystem
Definition	Non-repeating sequence of coordinate system axes that spans a given coordinate space in one dimension
Super-classes	1DCoordinateSystem

8.5.2. Class: geosrs:3DCoordinateSystem

Table 65 — geosrs:3DCoordinateSystem

URI	https://w3id.org/geosrs/cs/3DCoordinateSystem
Definition	Non-repeating sequence of coordinate system axes that spans a given coordinate space in three dimensions
Super-classes	<u>3DCoordinateSystem</u>
Example	geosrs:3DCoordinateSystem

8.5.3. Class: geosrs:AffineCoordinateSystem

Table 66 — geosrs:AffineCoordinateSystem

URI	https://w3id.org/geosrs/cs/AffineCoordinateSystem
Definition	Coordinate system in Euclidean space with straight axes that are not necessarily mutually perpendicular
Super-classes	AffineCoordinateSystem

8.5.4. Class: geosrs:BarycentricCoordinateSystem

Table 67 — geosrs:BarycentricCoordinateSystem

URI	https://w3id.org/geosrs/cs/BarycentricCoordinateSystem
Definition	A coordinate system in which the location of a point is specified by reference to a simplex (a triangle for points in a plane, a tetrahedron for points in three-dimensional space, etc.)
Super-classes	BarycentricCoordinateSystem

8.5.5. Class: geosrs:CurvilinearCoordinateSystem

Table 68 — geosrs:CurvilinearCoordinateSystem

URI	https://w3id.org/geosrs/cs/CurvilinearCoordinateSystem
Definition	A coordinate system for the Euclidean space in which the coordinate lines may be curved
Super-classes	CurvilinearCoordinateSystem

8.5.6. Class: geosrs:EngineeringCoordinateSystem

Table 69 — geosrs:EngineeringCoordinateSystem

URI	https://w3id.org/geosrs/cs/ EngineeringCoordinateSystem
Definition	Coordinate system used by an engineering coordinate reference system, one of an affine coordinate system, a Cartesian coordinate system, a cylindrical coordinate system, a linear coordinate system, an ordinal coordinate system, a polar coordinate system or a spherical coordinate system
Super-classes	<u>EngineeringCoordinateSystem</u>

8.5.7. Class: geosrs:GeodeticCoordinateSystem

Table 70 — geosrs:GeodeticCoordinateSystem

URI	https://w3id.org/geosrs/cs/GeodeticCoordinateSystem
Definition	Coordinate system used by a Geodetic CRS, one of a Cartesian coordinate system or a spherical coordinate system.
Super-classes	GeodeticCoordinateSystem

$8.5.8.\,Class:\,geosrs: Geographical Coordinate System$

Table 71 — geosrs:GeographicalCoordinateSystem

URI	https://w3id.org/geosrs/cs/ GeographicalCoordinateSystem
Definition	Spherical or geodetic coordinate system for measuring and communicating positions directly on Earth as latitude and longitude.
Super-classes	SphericalCoordinateSystem GeodeticCoordinateSystem

8.5.9. Class: geosrs:GridCoordinateSystem

Table 72 — geosrs:GridCoordinateSystem

URI	https://w3id.org/geosrs/cs/GridCoordinateSystem
Definition	A grid coordinate system identifies areas within a grid.
Super-classes	<u>GridCoordinateSystem</u>

8.5.10. Class: geosrs:HexagonalCoordinateSystem

Table 73 — geosrs:HexagonalCoordinateSystem

URI	https://w3id.org/geosrs/cs/HexagonalCoordinateSystem
Definition	A hexagonal coordinate system identifies areas within a hexagonal lattice.
Super-classes	<u>HexagonalCoordinateSystem</u>

8.5.11. Class: geosrs:LocalCoordinateSystem

Table 74 — geosrs:LocalCoordinateSystem

URI	https://w3id.org/geosrs/cs/LocalCoordinateSystem
Definition	Coordinate system with a point of local reference.
Super-classes	<u>LocalCoordinateSystem</u>

8.5.12. Class: geosrs:ObliqueCoordinateSystem

Table 75 — geosrs:ObliqueCoordinateSystem

URI	https://w3id.org/geosrs/cs/ObliqueCoordinateSystem
Definition	A plane coordinate system whose axes are not perpendicular.
Super-classes	<u>ObliqueCoordinateSystem</u>

8.5.13. Class: geosrs:OrthogonalCoordinateSystem

Table 76 — geosrs:OrthogonalCoordinateSystem

URI	https://w3id.org/geosrs/cs/OrthogonalCoordinateSystem
Definition	A orthogonal coordinate system is a system of curvilinear coordinates in which each family of surfaces intersects the others at right angles.
Super-classes	<u>OrthogonalCoordinateSystem</u>

8.5.14. Class: geosrs:PlanarCoordinateSystem

Table 77 — geosrs:PlanarCoordinateSystem

URI	https://w3id.org/geosrs/cs/PlanarCoordinateSystem
Definition	A two-dimensional measurement system that locates features on a plane based on their distance from an origin (0,0) along two perpendicular axes.
Super-classes	<u>PlanarCoordinateSystem</u>
Example	geosrs:PlanarCoordinateSystem

8.6. Orthogonal Coordinate Systems

REQUIREMENT 13: ORTHOGONAL COORDINATE SYSTEMS	
IDENTIFIER	/req/Orthogonal_Coordinate_Systems
STATEMENT	Implementations shall allow the RDFS classes geosrs:ConicalCoordinateSystem, geosrs: EllipsoidalCoordinateSystem to be used in SPARQL graph patterns.

8.6.1. Class: geosrs:ConicalCoordinateSystem

Table 78 — geosrs:ConicalCoordinateSystem

URI	https://w3id.org/geosrs/cs/ConicalCoordinateSystem
Definition	A conical coordinate system is a three-dimensional orthogonal coordinate system consisting of concentric spheres (described by their radius r) and by two families of perpendicular cones, aligned along the z- and x-axes, respectively
Super-classes	ConicalCoordinateSystem

8.7. Temporal Coordinate Systems

REQUIREMENT 14: TEMPORAL COORDINATE SYSTEMS	
IDENTIFIER	/req/Temporal_Coordinate_Systems
STATEMENT	Implementations shall allow the RDFS classes geosrs:DateTimeTemporalCoordinateSystem, geosrs:TemporalCountCoordinateSystem, geosrs:TemporalCoordinateSystem, geosrs:Temporal MeasureCoordinateSystem to be used in SPARQL graph patterns.

8.7.1. Class: geosrs:DateTimeTemporalCoordinateSystem

Table 79 - geosrs:DateTimeTemporalCoordinateSystem

URI	https://w3id.org/geosrs/cs/ DateTimeTemporalCoordinateSystem
Definition	One-dimensional coordinate system used to record time in dateTime representation as defined in ISO 8601.
Super-classes	<u>DateTimeTemporalCoordinateSystem</u>

8.7.2. Class: geosrs:TemporalCountCoordinateSystem

 $\textbf{Table 80} - {\tt geosrs:TemporalCountCoordinateSystem}$

URI	https://w3id.org/geosrs/cs/
OKI	<u>TemporalCountCoordinateSystem</u>

Definition	One-dimensional coordinate system used to record time as an integer count.
Super-classes	<u>TemporalCountCoordinateSystem</u>

8.7.3. Class: geosrs:TemporalCoordinateSystem

 $\textbf{Table 81} - {\tt geosrs:} Temporal Coordinate System$

URI	https://w3id.org/geosrs/cs/TemporalCoordinateSystem
Definition	One-dimensional coordinate system where the axis is time.
Super-classes	<u>TemporalCoordinateSystem</u>

8.7.4. Class: geosrs:TemporalMeasureCoordinateSystem

 $\textbf{Table 82}-\mathsf{geosrs:} Temporal Measure Coordinate System$

URI	https://w3id.org/geosrs/cs/ TemporalMeasureCoordinateSystem
Definition	One-dimensional coordinate system used to record a time as a real number.
Super-classes	<u>TemporalMeasureCoordinateSystem</u>



DATUM MODULE

9

DATUM MODULE

This clause establishes the **Datum** Requirements class, with IRI /req/datum, which has a corresponding Conformance Class, **Datum**, with IRI /conf/datum.

REQUIREMENTS CLASS 4: 09-DATUM_MODULE.ADOC EXTENSION	
IDENTIFIER	/req/09-datum_module.adoc
TARGET TYPE	Implementation Specification
	/req/Datum_Types
	/req/Datum_Parameters
REQUIREMENT	/req/Spheroid_Types
	/req/Datum_Properties
	/req/Spheroid_Properties

9.1. Datum Parameters

REQUIREMENT 15: DATUM PARAMETERS	
IDENTIFIER	/req/Datum_Parameters
STATEMENT	Implementations shall allow the RDFS classes geosrs:PrimeMeridian, geosrs:DefiningParameter to be used in SPARQL graph patterns.

9.1.1. Class: geosrs:DefiningParameter

Table 83 — geosrs:DefiningParameter

URI	https://w3id.org/geosrs/datum/DefiningParameter
Definition	Parameter value, an ordered sequence of values, or a reference to a file of parameter values that define

9.2. Datum Properties

REQUIREMENT 16: DATUM PROPERTIES	
IDENTIFIER	/req/Datum_Properties
STATEMENT	Implementations shall allow the RDFS properties geosrs:datumDefiningParameter, geosrs: ellipsoid, geosrs:primeMeridian to be used in SPARQL graph patterns.

9.2.1. Property: geosrs:datumDefiningParameter

Table 84 — geosrs:datumDefiningParameter

URI	https://w3id.org/geosrs/datum/datumDefiningParameter
Туре	owl:ObjectProperty
Definition	Parameter used to define the parametric datum
Range	<u>DefiningParameter</u>
Domain	ParametricDatum

9.2.2. Property: geosrs:ellipsoid

Table 85 — geosrs:ellipsoid

URI	https://w3id.org/geosrs/datum/ellipsoid
Туре	owl:ObjectProperty
Definition	The properties relates a datum to its ellipsoid definition
Range	Ellipsoid

Domain <u>Datum</u>	
---------------------	--

9.2.3. Property: geosrs:primeMeridian

 Table 86 - geosrs:primeMeridian

URI	https://w3id.org/geosrs/datum/primeMeridian
Туре	owl:ObjectProperty
Definition	The prime meridian used by a geodetic datum. Cf. ISO 19111:2007:2007-07, table 34, association role prime Meridian.
Range	<u>PrimeMeridian</u>
Domain	<u>Datum</u>

9.3. Datum Types

REQUIREMENT 17: DATUM TYPES	
IDENTIFIER	/req/Datum_Types
STATEMENT	Implementations shall allow the RDFS classes geosrs:Datum, geosrs:GeodeticDatum, geosrs:DynamicGeodeticReferenceFrame, geosrs:VerticalDatum, geosrs:DynamicVerticalDatum, geosrs:ParametricDatum, geosrs:EngineeringDatum, geosrs:TemporalDatum, geosrs:DatumEnsemble to be used in SPARQL graph patterns.

9.3.1. Class: geosrs:DynamicGeodeticReferenceFrame

Table 87 — geosrs:DynamicGeodeticReferenceFrame

URI	https://w3id.org/geosrs/datum/ DynamicGeodeticReferenceFrame
Definition	Geodetic reference frame in which some of the parameters describe time evolution of defining station

	coordinatesExample: defining station coordinates having linear velocities to account for crustal motion.
Super-classes	<u>DynamicGeodeticReferenceFrame</u>

9.3.2. Class: geosrs:DynamicVerticalDatum

 $\textbf{Table 88} - \mathsf{geosrs:DynamicVerticalDatum}$

URI	https://w3id.org/geosrs/datum/DynamicVerticalDatum
Definition	Vertical reference frame in which some of the defining parameters have time dependencyExample: Defining station heights have velocity to account for post-glacial isostatic rebound motion. Cf. ISO 19111:2019 Geographic information — Referencing by coordinates.
Super-classes	<u>DynamicVerticalDatum</u>
Example	geosrs:DynamicVerticalDatum

9.3.3. Class: geosrs:ParametricDatum

Table 89 — geosrs:ParametricDatum

URI	https://w3id.org/geosrs/datum/ParametricDatum
Definition	Textual description and/or a set of parameters identifying a particular reference surface used as the origin of a parametric coordinate system, including its position with respect to the Earth. Cf. ISO 19111:2019 Geographic information — Referencing by coordinates.
Super-classes	<u>ParametricDatum</u>

9.3.4. Class: geosrs:EngineeringDatum

 $\textbf{Table 90} - \mathsf{geosrs:} Engineering Datum$

URI	https://w3id.org/geosrs/datum/EngineeringDatum

Definition	Definition of the origin and orientation of an engineering coordinate reference systemNote: The origin can be fixed with respect to the Earth (such as a defined point at a construction site), or be a defined point on a moving vehicle (such as on a ship or satellite), or a defined point of an image. Cf. ISO 19111:2019 Geographic information — Referencing by coordinates.
Super-classes	EngineeringDatum

9.3.5. Class: geosrs:TemporalDatum

 $\textbf{Table 91} - \mathsf{geosrs:} \mathsf{TemporalDatum}$

URI	https://w3id.org/geosrs/datum/TemporalDatum
Definition	Definition of the relationship of a temporal coordinate system to an objectNote: The object is normally time on the Earth. Cf. ISO 19111:2019 Geographic information — Referencing by coordinates.
Super-classes	<u>TemporalDatum</u>

9.3.6. Class: geosrs:DatumEnsemble

Table 92 — geosrs:DatumEnsemble

URI	https://w3id.org/geosrs/datum/DatumEnsemble
Definition	A collection of two or more datums (or if geodetic or vertical, a collection of two or more reference frames) that are realizations of one Conventional Reference System and which for all but the highest accuracy requirements may be considered to be insignificantly different from each other. Note: Within the datum ensemble every frame or datum is constrained to be a realization of the same reference system. Cf. ISO 19111:2019 Geographic information — Referencing by coordinates.

9.4. Spheroid Properties

REQUIREMENT 18: SPHEROID PROPERTIES	
IDENTIFIER	/req/Spheroid_Properties
STATEMENT	Implementations shall allow the RDFS properties geosrs:eccentricity, geosrs:inverseFlattening, geosrs:isSphere, geosrs:semiMajorAxis, geosrs:semiMinorAxis to be used in SPARQL graph patterns.

9.4.1. Property: geosrs:eccentricity

Table 93 — geosrs:eccentricity

URI	https://w3id.org/geosrs/datum/eccentricity
Туре	owl:DatatypeProperty
Definition	A measure of how much an ellipse deviates from a perfect circle.
Range	xsd:double[xsd:double]
Domain	Ellipsoid
Example	geosrs:eccentricity

9.4.2. Property: geosrs:inverseFlattening

Table 94 — geosrs:inverseFlattening

URI	https://w3id.org/geosrs/datum/inverseFlattening
Туре	owl:DatatypeProperty
Definition	Indicates the inverse flattening value of an ellipsoid, expressed as a number or a ratio (percentage rate, parts per million, etc.). Cf. ISO 19111:2007:2007-07, table 37, attribute inverse flattening

Range	xsd:double[xsd:double]
Domain	Ellipsoid

9.4.3. Property: geosrs:isSphere

Table 95 — geosrs:isSphere

URI	https://w3id.org/geosrs/datum/isSphere
Туре	owl:DatatypeProperty
Definition	Indicates whether the ellipsoid is a sphere. Cf. ISO 19111:2007:2007-07, table 37, attribute ellipsoid= sphere indicator.
Range	xsd:boolean[xsd:boolean]
Domain	Ellipsoid

9.4.4. Property: geosrs:semiMajorAxis

Table 96 — geosrs:semiMajorAxis

URI	https://w3id.org/geosrs/datum/semiMajorAxis
Туре	owl:DatatypeProperty
Definition	Indicates the length of the semi major axis of an ellipsoid. Cf. ISO 19111:2007:2007-07, table 36, attribute length of semi-major axis.
Range	xsd:double[xsd:double]
Domain	Ellipsoid
Example	geosrs:semiMajorAxis

9.4.5. Property: geosrs:semiMinorAxis

Table 97 — geosrs:semiMinorAxis

URI	https://w3id.org/geosrs/datum/semiMinorAxis
Туре	owl:DatatypeProperty
Definition	Indicates the length of the semi minor axis of an ellipsoid. Cf. ISO 19111:2007:2007-07, table 37, attribute length of semi-minor axis.
Range	xsd:double[xsd:double]
Domain	Ellipsoid
Example	geosrs:semiMinorAxis

9.5. Spheroid Types

REQUIREMENT 19: SPHEROID TYPES	
IDENTIFIER	/req/Spheroid_Types
STATEMENT	Implementations shall allow the RDFS classes geosrs:Ellipsoid, geosrs:TriaxialEllipsoid to be used in SPARQL graph patterns.

9.5.1. Class: geosrs:TriaxialEllipsoid

 Table 98 — geosrs:TriaxialEllipsoid

URI	https://w3id.org/geosrs/datum/TriaxialEllipsoid
Definition	Surface of an analytic ellipsoid defined by three axes of different length. Also referred as scalene ellipsoid.



SRS APPLICATION MODULE



SRS APPLICATION MODULE

This clause establishes the **SRSAPP** Requirements class, with IRI /req/srsapp, which has a corresponding Conformance Class, **SRSAPP**, with IRI /conf/srsapp.

REQUIREMENTS CLASS 5: 10-SRSAPPLICATION_MODULE.ADOC EXTENSION		
IDENTIFIER	/req/10-srsapplication_module.adoc	
TARGET TYPE	Implementation Specification	
REQUIREMENT	/req/SRS_Application_Types	
	/req/Map_Types	

10.1. Map Types

REQUIREMENT 20: MAP TYPES	
IDENTIFIER	/req/Map_Types
STATEMENT	Implementations shall allow the RDFS classes geosrs:CadastreMap, geosrs:NauticalChart, geosrs: ThematicMap, geosrs:TopographicMap, geosrs:WeatherMap to be used in SPARQL graph patterns.

10.1.1. Class: geosrs:CadastreMap

Table 99 — geosrs:CadastreMap

URI	https://w3id.org/geosrs/application/CadastreMap
Definition	A map displaying a cadastre.
Super-classes	<u>CadastreMap</u>

10.1.2. Class: geosrs:NauticalChart

Table 100 — geosrs:NauticalChart

URI	https://w3id.org/geosrs/application/NauticalChart
Definition	A graphic representation of a sea area and adjacent coastal regions.
Super-classes	NauticalChart

10.1.3. Class: geosrs:ThematicMap

Table 101 — geosrs:ThematicMap

URI	https://w3id.org/geosrs/application/ThematicMap
Definition	A map used to highlight a specific phenomenon.
Super-classes	ThematicMap

10.1.4. Class: geosrs:TopographicMap

Table 102 — geosrs:TopographicMap

URI	https://w3id.org/geosrs/application/TopographicMap
Definition	A type of map characterized by large-scale detail and quantitative representation of relief.
Super-classes	<u>TopographicMap</u>

10.1.5. Class: geosrs:WeatherMap

Table 103 — geosrs:WeatherMap

URI	https://w3id.org/geosrs/application/WeatherMap

Definition	A map for showing the local direction in which weather systems are moving.
Super-classes	<u>WeatherMap</u>

10.2. SRS Application Types

REQUIREMENT 21: SRS APPLICATION TYPES	
IDENTIFIER	/req/SRS_Application_Types
STATEMENT	Implementations shall allow the RDFS classes geosrs:SRSApplication, geosrs:SpatialReferencing, geosrs:EngineeringSurvey, geosrs:SatelliteSurvey, geosrs:SatelliteNavigation, geosrs:Coastal Hydrography, geosrs:OffshoreEngineering, geosrs:Hydrography, geosrs:Drilling, geosrs:OilAndGas Exploration to be used in SPARQL graph patterns.

10.2.1. Class: geosrs:SRSApplication

Table 104 — geosrs:SRSApplication

URI	https://w3id.org/geosrs/application/SRSApplication
Definition	An application for which a spatial reference system is used.

10.2.2. Class: geosrs:SpatialReferencing

Table 105 — geosrs:SpatialReferencing

URI	https://w3id.org/geosrs/application/SpatialReferencing
Super-classes	SpatialReferencing

10.2.3. Class: geosrs:EngineeringSurvey

Table 106 — geosrs:EngineeringSurvey

URI	https://w3id.org/geosrs/application/EngineeringSurvey
Super-classes	<u>EngineeringSurvey</u>

10.2.4. Class: geosrs:SatelliteSurvey

Table 107 — geosrs:SatelliteSurvey

URI	https://w3id.org/geosrs/application/SatelliteSurvey
Super-classes	SatelliteSurvey

10.2.5. Class: geosrs:SatelliteNavigation

Table 108 — geosrs:SatelliteNavigation

URI	https://w3id.org/geosrs/application/SatelliteNavigation
Super-classes	<u>SatelliteNavigation</u>

10.2.6. Class: geosrs:CoastalHydrography

Table 109 — geosrs:CoastalHydrography

URI	https://w3id.org/geosrs/application/CoastalHydrography
Super-classes	CoastalHydrography

10.2.7. Class: geosrs:OffshoreEngineering

Table 110 — geosrs:OffshoreEngineering

URI	https://w3id.org/geosrs/application/OffshoreEngineering
Super-classes	OffshoreEngineering

10.2.8. Class: geosrs:Hydrography

Table 111 — geosrs:Hydrography

URI	https://w3id.org/geosrs/application/Hydrography
Super-classes	Hydrography

10.2.9. Class: geosrs:Drilling

Table 112 — geosrs:Drilling

URI	https://w3id.org/geosrs/application/Drilling
Super-classes	<u>Drilling</u>

10.2.10. Class: geosrs:OilAndGasExploration

Table 113 — geosrs:OilAndGasExploration

URI	https://w3id.org/geosrs/application/ OilAndGasExploration
Super-classes	<u>OilAndGasExploration</u>



PROJECTIONS MODULE



PROJECTIONS MODULE

This clause establishes the **PROJ** Requirements class, with IRI /req/proj, which has a corresponding Conformance Class, **PROJ**, with IRI /conf/proj.

REQUIREMENTS CLASS 6: 11-PROJECT	TIONS_MODULE.ADOC EXTENSION
IDENTIFIER	/req/11-projections_module.adoc
TARGET TYPE	Implementation Specification
	/req/Lenticular_Projections
	/req/Conformal_Projections
	/req/Minimum_Error_Projections
	/req/Pseudo_Azimuthal_Projections
	/req/Equal_Area_Projections
	/req/Pseudo_Conical_Projections
	/req/Globular_Projections
	/req/Pseudo_Cylindrical_Projections
REQUIREMENT	/req/Cylindrical_Projections
	/req/Compromise_Projections
	/req/Polyhedral_Projections
	/req/Equidistant_Projections
	/req/Conical_Projections
	/req/Azimuthal_Projections
	/req/Perspective_Projections
	/req/Polyconic_Projections
	/req/Stereographic_Projections

11.1. Azimuthal Projections

REQUIREMENT 22: AZIMUTHAL PROJECTIONS	
IDENTIFIER	/req/Azimuthal_Projections
STATEMENT	Implementations shall allow the RDFS classes geosrs:BreusingGeometricProjection, geosrs: BreusingHarmonicProjection, geosrs:GinzburgIIProjection, geosrs:GinzburgIProjection, geosrs: GnomonicProjection, geosrs:JamesAzimuthalProjection to be used in SPARQL graph patterns.

11.1.1. Class: geosrs:BreusingGeometricProjection

Table 114 — geosrs:BreusingGeometricProjection

URI	https://w3id.org/geosrs/projection/ BreusingGeometricProjection
Super-classes	BreusingGeometricProjection

11.1.2. Class: geosrs:BreusingHarmonicProjection

Table 115 — geosrs:BreusingHarmonicProjection

URI	https://w3id.org/geosrs/projection/ BreusingHarmonicProjection
Super-classes	<u>BreusingHarmonicProjection</u>

11.1.3. Class: geosrs:GinzburgIIProjection

Table 116 — geosrs:GinzburgIIProjection

URI	https://w3id.org/geosrs/projection/GinzburgIIProjection
Super-classes	GinzburgIIProjection

11.1.4. Class: geosrs:GinzburglProjection

Table 117 — geosrs:GinzburglProjection

URI	https://w3id.org/geosrs/projection/GinzburglProjection
Super-classes	GinzburglProjection

11.1.5. Class: geosrs:GnomonicProjection

Table 118 — geosrs:GnomonicProjection

URI	https://w3id.org/geosrs/projection/GnomonicProjection
Super-classes	GnomonicProjection

11.1.6. Class: geosrs:JamesAzimuthalProjection

Table 119 — geosrs:JamesAzimuthalProjection

URI	https://w3id.org/geosrs/projection/ JamesAzimuthalProjection
Super-classes	<u>JamesAzimuthalProjection</u>

11.2. Compromise Projections

REQUIREMENT 23: COMPROMISE PROJECTIONS	
IDENTIFIER	/req/Compromise_Projections
STATEMENT	Implementations shall allow the RDFS classes geosrs:ArmadilloProjection, geosrs:BakerDinomic Projection, geosrs:BertinProjection, geosrs:ChamberlinTrimetricProjection, geosrs:DenoyerSemi EllipticalProjection, geosrs:FairgrieveProjection, geosrs:LarriveeProjection, geosrs:PetermannStar Projection, geosrs:SpilhausOceanicProjection, geosrs:VanDerGrintenIIIProjection, geosrs:Winkel

REQUIREMENT 23: COMPROMISE PROJECTIONS

IIProjection, geosrs: WinkelIProjection, geosrs: WinkelSnyderProjection to be used in SPARQL graph patterns.

11.2.1. Class: geosrs:ArmadilloProjection

Table 120 — geosrs:ArmadilloProjection

URI	https://w3id.org/geosrs/projection/ArmadilloProjection
Super-classes	ArmadilloProjection

11.2.2. Class: geosrs:BakerDinomicProjection

Table 121 — geosrs:BakerDinomicProjection

URI	https://w3id.org/geosrs/projection/ BakerDinomicProjection
Super-classes	BakerDinomicProjection

11.2.3. Class: geosrs:BertinProjection

Table 122 — geosrs:BertinProjection

URI	https://w3id.org/geosrs/projection/BertinProjection
Super-classes	<u>BertinProjection</u>

11.2.4. Class: geosrs:ChamberlinTrimetricProjection

Table 123 — geosrs:ChamberlinTrimetricProjection

URI	https://w3id.org/geosrs/projection/ ChamberlinTrimetricProjection
Super-classes	<u>ChamberlinTrimetricProjection</u>

11.2.5. Class: geosrs:DenoyerSemiEllipticalProjection

Table 124 — geosrs:DenoyerSemiEllipticalProjection

URI	https://w3id.org/geosrs/projection/ DenoyerSemiEllipticalProjection
Super-classes	<u>DenoyerSemiEllipticalProjection</u>

11.2.6. Class: geosrs:FairgrieveProjection

Table 125 — geosrs:FairgrieveProjection

URI	https://w3id.org/geosrs/projection/FairgrieveProjection
Super-classes	<u>FairgrieveProjection</u>

11.2.7. Class: geosrs:LarriveeProjection

Table 126 — geosrs:LarriveeProjection

URI	https://w3id.org/geosrs/projection/LarriveeProjection
Super-classes	LarriveeProjection

11.2.8. Class: geosrs:PetermannStarProjection

Table 127 — geosrs:PetermannStarProjection

URI	https://w3id.org/geosrs/projection/ PetermannStarProjection
Super-classes	<u>PetermannStarProjection</u>

11.2.9. Class: geosrs:SpilhausOceanicProjection

Table 128 — geosrs:SpilhausOceanicProjection

URI	https://w3id.org/geosrs/projection/ SpilhausOceanicProjection
Super-classes	<u>SpilhausOceanicProjection</u>

11.2.10. Class: geosrs:VanDerGrintenIIIProjection

Table 129 — geosrs:VanDerGrintenIIIProjection

URI	https://w3id.org/geosrs/projection/ VanDerGrintenIIIProjection
Super-classes	VanDerGrintenIIIProjection

11.2.11. Class: geosrs:WinkelIIProjection

Table 130 — geosrs:WinkelIIProjection

URI	https://w3id.org/geosrs/projection/WinkelIIProjection
Super-classes	WinkellIProjection

11.2.12. Class: geosrs:WinkellProjection

Table 131 — geosrs:WinkellProjection

URI	https://w3id.org/geosrs/projection/WinkellProjection
Super-classes	WinkellProjection

11.2.13. Class: geosrs:WinkelSnyderProjection

Table 132 — geosrs:WinkelSnyderProjection

URI	https://w3id.org/geosrs/projection/
	WinkelSnyderProjection

11.3. Conformal Projections

REQUIREMENT 24: CONFORMAL PROJECTIONS	
IDENTIFIER	/req/Conformal_Projections
STATEMENT	Implementations shall allow the RDFS classes geosrs:AdamsProjection, geosrs:AdamsWorld InASquareIIProjection, geosrs:AdamsWorldInASquareIProjection, geosrs:AugustEpicycloidal Projection, geosrs:CoxConformalProjection, geosrs:EisenlohrProjection, geosrs:GS50Projection, geosrs:PeirceQuincuncialProjection, geosrs:StereographicProjection to be used in SPARQL graph patterns.

11.3.1. Class: geosrs:AdamsProjection

Table 133 — geosrs:AdamsProjection

URI	https://w3id.org/geosrs/projection/AdamsProjection
Super-classes	<u>AdamsProjection</u>

11.3.2. Class: geosrs:AdamsWorldInASquareIIProjection

Table 134 — geosrs:AdamsWorldInASquareIIProjection

URI	https://w3id.org/geosrs/projection/ AdamsWorldInASquareIIProjection
Super-classes	AdamsWorldInASquareIIProjection

11.3.3. Class: geosrs:AdamsWorldInASquareIProjection

 Table 135 — geosrs:AdamsWorldInASquareIProjection

URI	https://w3id.org/geosrs/projection/ AdamsWorldInASquareIProjection
Super-classes	AdamsWorldInASquareIProjection

11.3.4. Class: geosrs:AugustEpicycloidalProjection

Table 136 — geosrs:AugustEpicycloidalProjection

URI	https://w3id.org/geosrs/projection/ AugustEpicycloidalProjection
Definition	A projection in which every angle between two curves that crosss each other on a celestical body is preserved in the image of the projection
Super-classes	AugustEpicycloidalProjection

11.3.5. Class: geosrs:CoxConformalProjection

Table 137 — geosrs:CoxConformalProjection

URI	https://w3id.org/geosrs/projection/ CoxConformalProjection
Super-classes	CoxConformalProjection

11.3.6. Class: geosrs:EisenlohrProjection

Table 138 — geosrs:EisenlohrProjection

URI	https://w3id.org/geosrs/projection/EisenlohrProjection
Super-classes	EisenlohrProjection

11.3.7. Class: geosrs:GS50Projection

Table 139 — geosrs:GS50Projection

URI	https://w3id.org/geosrs/projection/GS50Projection
Super-classes	GS50Projection

11.3.8. Class: geosrs:PeirceQuincuncialProjection

Table 140 — geosrs:PeirceQuincuncialProjection

URI	https://w3id.org/geosrs/projection/ PeirceQuincuncialProjection
Super-classes	<u>PeirceQuincuncialProjection</u>

11.3.9. Class: geosrs:StereographicProjection

Table 141 — geosrs:StereographicProjection

URI	https://w3id.org/geosrs/projection/ StereographicProjection
Super-classes	<u>StereographicProjection</u>
Example	geosrs:StereographicProjection

11.4. Conical Projections

REQUIREMENT 25: CONICAL PROJECTIONS IDENTIFIER /req/Conical_Projections Implementations shall allow the RDFS classes geosrs:BipolarObliqueConicConformalProjection, geosrs:CentralConicProjection, geosrs:HerschelConformalConicProjection, geosrs:Krovak, geosrs: STATEMENT LambertConformalConicProjection, geosrs:MurdochIIIProjection, geosrs:MurdochIIProjection, geosrs:MurdochIIProjection, geosrs:VitkovskyIProjection to be used in SPARQL graph patterns.

11.4.1. Class: geosrs:BipolarObliqueConicConformalProjection

 Table 142 — geosrs:BipolarObliqueConicConformalProjection

URI	https://w3id.org/geosrs/projection/ BipolarObliqueConicConformalProjection
Super-classes	BipolarObliqueConicConformalProjection

11.4.2. Class: geosrs:CentralConicProjection

Table 143 — geosrs:CentralConicProjection

URI	https://w3id.org/geosrs/projection/ CentralConicProjection
Super-classes	<u>CentralConicProjection</u>

11.4.3. Class: geosrs:HerschelConformalConicProjection

Table 144 — geosrs:HerschelConformalConicProjection

URI	https://w3id.org/geosrs/projection/ HerschelConformalConicProjection
Super-classes	HerschelConformalConicProjection

11.4.4. Class: geosrs:Krovak

Table 145 — geosrs:Krovak

URI	https://w3id.org/geosrs/projection/Krovak
Super-classes	Krovak
Example	geosrs:Krovak

11.4.5. Class: geosrs:LambertConformalConicProjection

Table 146 — geosrs:LambertConformalConicProjection

URI	https://w3id.org/geosrs/projection/ LambertConformalConicProjection
Super-classes	<u>LambertConformalConicProjection</u>
Example	geosrs:LambertConformalConicProjection

11.4.6. Class: geosrs: Murdoch III Projection

Table 147 — geosrs:MurdochIIIProjection

URI	https://w3id.org/geosrs/projection/MurdochIIIProjection
Super-classes	MurdochIIIProjection

11.4.7. Class: geosrs:MurdochIIProjection

Table 148 — geosrs:MurdochIIProjection

URI	https://w3id.org/geosrs/projection/MurdochIIProjection
Super-classes	MurdochIIProjection

11.4.8. Class: geosrs:MurdochlProjection

Table 149 — geosrs:MurdochlProjection

URI	https://w3id.org/geosrs/projection/MurdochlProjection
Super-classes	MurdochlProjection

11.4.9. Class: geosrs:SchjerninglProjection

Table 150 — geosrs:SchjerninglProjection

URI	https://w3id.org/geosrs/projection/SchjerninglProjection
Super-classes	<u>SchjerningIProjection</u>

11.4.10. Class: geosrs:VitkovskylProjection

Table 151 — geosrs:VitkovskylProjection

URI	https://w3id.org/geosrs/projection/VitkovskylProjection
Super-classes	VitkovskylProjection

11.5. Cylindrical Projections

REQUIREMENT 26: CYLINDRICAL PROJECTIONS IDENTIFIER /req/Cylindrical_Projections Implementations shall allow the RDFS classes geosrs:ArdenCloseProjection, geosrs:Braun PerspectiveProjection, geosrs:CompactMillerProjection, geosrs:CylindricalStereographicProjection, geosrs:KarchenkoShabanovaProjection, geosrs:LabordeProjection, geosrs:MercatorProjection, geosrs:MillerProjection, geosrs:PattersonCylindricalProjection, geosrs:PavlovProjection, geosrs: ToblerCylindricalIIProjection, geosrs:UrmayevIIIProjection, geosrs:WebMercatorProjection to be used in SPARQL graph patterns.

11.5.1. Class: geosrs:ArdenCloseProjection

Table 152 — geosrs:ArdenCloseProjection

URI	https://w3id.org/geosrs/projection/
ONI	<u>ArdenCloseProjection</u>

11.5.2. Class: geosrs:BraunPerspectiveProjection

Table 153 — geosrs:BraunPerspectiveProjection

URI	https://w3id.org/geosrs/projection/ BraunPerspectiveProjection
Super-classes	BraunPerspectiveProjection

11.5.3. Class: geosrs:CompactMillerProjection

Table 154 — geosrs:CompactMillerProjection

URI	https://w3id.org/geosrs/projection/ CompactMillerProjection
Super-classes	<u>CompactMillerProjection</u>

11.5.4. Class: geosrs:CylindricalStereographicProjection

Table 155 — geosrs:CylindricalStereographicProjection

URI	https://w3id.org/geosrs/projection/ CylindricalStereographicProjection
Super-classes	<u>CylindricalStereographicProjection</u>

11.5.5. Class: geosrs:KarchenkoShabanovaProjection

Table 156 — geosrs:KarchenkoShabanovaProjection

URI	https://w3id.org/geosrs/projection/ KarchenkoShabanovaProjection
Super-classes	<u>KarchenkoShabanovaProjection</u>

11.5.6. Class: geosrs:LabordeProjection

Table 157 — geosrs:LabordeProjection

URI	https://w3id.org/geosrs/projection/LabordeProjection
Super-classes	<u>LabordeProjection</u>
Example	geosrs:LabordeProjection

11.5.7. Class: geosrs:MercatorProjection

Table 158 — geosrs:MercatorProjection

URI	https://w3id.org/geosrs/projection/MercatorProjection
Super-classes	<u>MercatorProjection</u>
Example	geosrs:MercatorProjection

11.5.8. Class: geosrs:MillerProjection

Table 159 — geosrs:MillerProjection

URI	https://w3id.org/geosrs/projection/MillerProjection
Super-classes	<u>MillerProjection</u>

11.5.9. Class: geosrs:PattersonCylindricalProjection

Table 160 — geosrs:PattersonCylindricalProjection

URI	https://w3id.org/geosrs/projection/ PattersonCylindricalProjection
Super-classes	<u>PattersonCylindricalProjection</u>

11.5.10. Class: geosrs:PavlovProjection

Table 161 — geosrs:PavlovProjection

URI	https://w3id.org/geosrs/projection/PavlovProjection
Super-classes	<u>PavlovProjection</u>

11.5.11. Class: geosrs:ToblerCylindricalIIProjection

Table 162 — geosrs:ToblerCylindricalIIProjection

URI	https://w3id.org/geosrs/projection/ ToblerCylindricalIIProjection
Super-classes	<u>ToblerCylindricalIIProjection</u>

11.5.12. Class: geosrs:ToblerCylindricallProjection

Table 163 — geosrs:ToblerCylindricallProjection

URI	https://w3id.org/geosrs/projection/ ToblerCylindricallProjection
Super-classes	<u>ToblerCylindricallProjection</u>

11.5.13. Class: geosrs:UrmayevIIIProjection

Table 164 — geosrs:UrmayevIIIProjection

URI	https://w3id.org/geosrs/projection/UrmayevIIIProjection
Super-classes	<u>UrmayevIIIProjection</u>

11.5.14. Class: geosrs:WebMercatorProjection

Table 165 — geosrs:WebMercatorProjection

URI	https://w3id.org/geosrs/projection/ WebMercatorProjection
Super-classes	WebMercatorProjection

11.6. Equal Area Projections

REQUIREMENT 27: EQUAL AREA PROJECTIONS	
IDENTIFIER	/req/Equal_Area_Projections
STATEMENT	Implementations shall allow the RDFS classes geosrs:AlbersEqualAreaProjection, geosrs:Azimuthal EqualAreaProjection, geosrs:CylindricalEqualArea, geosrs:GallPetersProjection, geosrs:HoboDyer Projection, geosrs:LambertAzimuthalEqualArea, geosrs:TrystanEdwardsProjection, geosrs:Wiechel Projection to be used in SPARQL graph patterns.

11.6.1. Class: geosrs:AlbersEqualAreaProjection

Table 166 — geosrs:AlbersEqualAreaProjection

URI	https://w3id.org/geosrs/projection/ AlbersEqualAreaProjection
Super-classes	<u>AlbersEqualAreaProjection</u>
Example	geosrs:AlbersEqualAreaProjection

11.6.2. Class: geosrs:AzimuthalEqualAreaProjection

Table 167 — geosrs:AzimuthalEqualAreaProjection

URI	https://w3id.org/geosrs/projection/ AzimuthalEqualAreaProjection
Super-classes	<u>AzimuthalEqualAreaProjection</u>

11.6.3. Class: geosrs:CylindricalEqualArea

Table 168 — geosrs:CylindricalEqualArea

URI	https://w3id.org/geosrs/projection/CylindricalEqualArea
Super-classes	CylindricalEqualArea
Example	geosrs:CylindricalEqualArea

11.6.4. Class: geosrs:GallPetersProjection

Table 169 — geosrs:GallPetersProjection

URI	https://w3id.org/geosrs/projection/GallPetersProjection
Super-classes	GallPetersProjection

11.6.5. Class: geosrs:HoboDyerProjection

Table 170 — geosrs:HoboDyerProjection

URI	https://w3id.org/geosrs/projection/HoboDyerProjection
Super-classes	<u>HoboDyerProjection</u>

11.6.6. Class: geosrs:LambertAzimuthalEqualArea

Table 171 — geosrs:LambertAzimuthalEqualArea

URI	https://w3id.org/geosrs/projection/ LambertAzimuthalEqualArea
Super-classes	<u>LambertAzimuthalEqualArea</u>

11.6.7. Class: geosrs:TrystanEdwardsProjection

Table 172 — geosrs:TrystanEdwardsProjection

URI	https://w3id.org/geosrs/projection/ TrystanEdwardsProjection
Super-classes	TrystanEdwardsProjection

11.6.8. Class: geosrs:WiechelProjection

Table 173 — geosrs:WiechelProjection

URI	https://w3id.org/geosrs/projection/WiechelProjection
Super-classes	WiechelProjection

11.7. Equidistant Projections

REQUIREMENT 28: EQUIDISTANT PROJECTIONS	
IDENTIFIER	/req/Equidistant_Projections
STATEMENT	Implementations shall allow the RDFS classes geosrs:AzimuthalEquidistantProjection, geosrs: BerghausStarProjection, geosrs:CassiniProjection, geosrs:EquidistantConicProjection, geosrs: EquidistantCylindricalProjection, geosrs:EquirectangularProjection, geosrs:ObliquePlateCarree Projection, geosrs:PlateCarreeProjection, geosrs:TwoPointEquidistantProjection to be used in SPARQL graph patterns.

11.7.1. Class: geosrs:AzimuthalEquidistantProjection

Table 174 — geosrs:AzimuthalEquidistantProjection

URI	https://w3id.org/geosrs/projection/
ON	AzimuthalEquidistantProjection

11.7.2. Class: geosrs:BerghausStarProjection

Table 175 — geosrs:BerghausStarProjection

URI	https://w3id.org/geosrs/projection/ BerghausStarProjection
Super-classes	BerghausStarProjection

11.7.3. Class: geosrs:CassiniProjection

Table 176 — geosrs:CassiniProjection

URI	https://w3id.org/geosrs/projection/CassiniProjection
Definition	A map projection first described in an approximate form by César-François Cassini de Thury in 1745
Super-classes	CassiniProjection
Example	geosrs:CassiniProjection

11.7.4. Class: geosrs:EquidistantConicProjection

Table 177 — geosrs:EquidistantConicProjection

URI	https://w3id.org/geosrs/projection/ EquidistantConicProjection
Super-classes	<u>EquidistantConicProjection</u>

11.7.5. Class: geosrs:EquidistantCylindricalProjection

Table 178 — geosrs:EquidistantCylindricalProjection

URI	https://w3id.org/geosrs/projection/
OKI	<u>EquidistantCylindricalProjection</u>

Super-classes	EquidistantCylindricalProjection
Example	geosrs:EquidistantCylindricalProjection

11.7.6. Class: geosrs: Equirectangular Projection

Table 179 — geosrs:EquirectangularProjection

URI	https://w3id.org/geosrs/projection/ EquirectangularProjection
Super-classes	<u>EquirectangularProjection</u>

11.7.7. Class: geosrs:ObliquePlateCarreeProjection

Table 180 — geosrs:ObliquePlateCarreeProjection

URI	https://w3id.org/geosrs/projection/ ObliquePlateCarreeProjection
Super-classes	<u>ObliquePlateCarreeProjection</u>

11.7.8. Class: geosrs:PlateCarreeProjection

Table 181 — geosrs:PlateCarreeProjection

URI	https://w3id.org/geosrs/projection/ PlateCarreeProjection
Super-classes	PlateCarreeProjection

11.7.9. Class: geosrs:TwoPointEquidistantProjection

Table 182 — geosrs:TwoPointEquidistantProjection

URI	https://w3id.org/geosrs/projection/ TwoPointEquidistantProjection
Super-classes	<u>TwoPointEquidistantProjection</u>

11.8. Globular Projections

REQUIREMENT 29: GLOBULAR PROJECTIONS

IDENTIFIER /req/Globular_Projections

STATEMENT Implementations shall allow the RDFS classes geosrs:ApianGlobularIProjection, geosrs:Bacon GlobularProjection, geosrs:FournierGlobularIProjection to be used in SPARQL graph patterns.

11.8.1. Class: geosrs:ApianGlobularIProjection

Table 183 — geosrs:ApianGlobularlProjection

URI	https://w3id.org/geosrs/projection/ ApianGlobularlProjection
Super-classes	<u>ApianGlobularIProjection</u>

11.8.2. Class: geosrs:BaconGlobularProjection

Table 184 — geosrs:BaconGlobularProjection

URI	https://w3id.org/geosrs/projection/ BaconGlobularProjection
Super-classes	BaconGlobularProjection

11.8.3. Class: geosrs:FournierGlobularIProjection

Table 185 — geosrs:FournierGlobularlProjection

URI	https://w3id.org/geosrs/projection/ FournierGlobularIProjection
Super-classes	<u>FournierGlobularIProjection</u>

11.9. Lenticular Projections

REQUIREMENT 30: LENTICULAR PROJECTIONS	
IDENTIFIER	/req/Lenticular_Projections
STATEMENT	Implementations shall allow the RDFS classes geosrs:A4Projection, geosrs:BriesemeisterProjection, geosrs:CiricIProjection, geosrs:CupolaProjection, geosrs:DedistortProjection, geosrs:DietrichKitada Projection, geosrs:FranculaIIIProjection, geosrs:FranculaIVProjection, geosrs:FranculaIXProjection, geosrs:FranculaVIIIProjection, geosrs:FranculaVIIIProjection, geosrs:FranculaXIIIProjection, geosrs:Kiss Projection to be used in SPARQL graph patterns.

11.9.1. Class: geosrs:A4Projection

Table 186 — geosrs:A4Projection

URI	https://w3id.org/geosrs/projection/A4Projection
Super-classes	<u>A4Projection</u>

11.9.2. Class: geosrs:BriesemeisterProjection

Table 187 — geosrs:BriesemeisterProjection

URI	https://w3id.org/geosrs/projection/ BriesemeisterProjection
Super-classes	<u>BriesemeisterProjection</u>

11.9.3. Class: geosrs:CiriclProjection

Table 188 — geosrs:CiriclProjection

URI	https://w3id.org/geosrs/projection/CiriclProjection
Super-classes	<u>CiricIProjection</u>

11.9.4. Class: geosrs:CupolaProjection

Table 189 — geosrs:CupolaProjection

URI	https://w3id.org/geosrs/projection/CupolaProjection
Super-classes	CupolaProjection

11.9.5. Class: geosrs:DedistortProjection

Table 190 — geosrs:DedistortProjection

URI	https://w3id.org/geosrs/projection/DedistortProjection
Super-classes	<u>DedistortProjection</u>

11.9.6. Class: geosrs:DietrichKitadaProjection

Table 191 — geosrs:DietrichKitadaProjection

URI	https://w3id.org/geosrs/projection/ DietrichKitadaProjection
Super-classes	DietrichKitadaProjection

11.9.7. Class: geosrs:FranculalIIProjection

Table 192 — geosrs:FranculaIIIProjection

URI	https://w3id.org/geosrs/projection/FranculalIIProjection
Super-classes	<u>FranculalIIProjection</u>

11.9.8. Class: geosrs:FranculalVProjection

Table 193 — geosrs:FranculalVProjection

URI	https://w3id.org/geosrs/projection/FranculalVProjection
Super-classes	FranculalVProjection

11.9.9. Class: geosrs:FranculalXProjection

Table 194 — geosrs:FranculalXProjection

URI	https://w3id.org/geosrs/projection/FranculalXProjection
Super-classes	FranculalXProjection

11.9.10. Class: geosrs:FranculaVIIIProjection

Table 195 — geosrs:FranculaVIIIProjection

URI	https://w3id.org/geosrs/projection/ FranculaVIIIProjection
Super-classes	FranculaVIIIProjection

11.9.11. Class: geosrs:FranculaVProjection

Table 196 — geosrs:FranculaVProjection

URI	https://w3id.org/geosrs/projection/FranculaVProjection
Super-classes	<u>FranculaVProjection</u>

11.9.12. Class: geosrs:FranculaXIIIProjection

Table 197 — geosrs:FranculaXIIIProjection

URI	https://w3id.org/geosrs/projection/ FranculaXIIIProjection
Super-classes	<u>FranculaXIIIProjection</u>

11.9.13. Class: geosrs:FranculaXIIProjection

Table 198 — geosrs:FranculaXIIProjection

URI	https://w3id.org/geosrs/projection/FranculaXIIProjection
Super-classes	<u>FranculaXIIProjection</u>

11.9.14. Class: geosrs:FranculaXIVProjection

Table 199 — geosrs:FranculaXIVProjection

URI	https://w3id.org/geosrs/projection/ FranculaXIVProjection
Super-classes	<u>FranculaXIVProjection</u>

11.9.15. Class: geosrs:HamusoidalProjection

Table 200 — geosrs:HamusoidalProjection

URI	https://w3id.org/geosrs/projection/ HamusoidalProjection
Super-classes	<u>HamusoidalProjection</u>

11.9.16. Class: geosrs:KissProjection

Table 201 — geosrs:KissProjection

URI	https://w3id.org/geosrs/projection/KissProjection
Super-classes	<u>KissProjection</u>

11.10. Minimum Error Projections

REQUIREMENT 31: MINIMUM ERROR PROJECTIONS	
IDENTIFIER	/req/Minimum_Error_Projections
STATEMENT	Implementations shall allow the RDFS classes geosrs:AiryProjection to be used in SPARQL graph patterns.

11.10.1. Class: geosrs:AiryProjection

Table 202 — geosrs:AiryProjection

URI	https://w3id.org/geosrs/projection/AiryProjection
Definition	An azimuthal minimum error projection for the region within the small or great circle defined by an angular distance, from the tangency point of the plane
Super-classes	AiryProjection

11.11. Perspective Projections

REQUIREMENT 32: PERSPECTIVE PROJECTIONS IDENTIFIER /req/Perspective_Projections Implementations shall allow the RDFS classes geosrs:CentralCylindricalProjection, geosrs:General VerticalPerspectiveProjection, geosrs:GilbertTwoWorldPerspectiveProjection, geosrs:LaHire STATEMENT Projection, geosrs:LorgnaProjection, geosrs:LowryProjection, geosrs:OrthographicProjection, geosrs:PerspectiveConicProjection, geosrs:TiltedPerspectiveProjection, geosrs:VerticalPerspective Projection to be used in SPARQL graph patterns.

11.11.1. Class: geosrs:CentralCylindricalProjection

Table 203 — geosrs:CentralCylindricalProjection

URI	https://w3id.org/geosrs/projection/ CentralCylindricalProjection
Super-classes	<u>CentralCylindricalProjection</u>

11.11.2. Class: geosrs:GeneralVerticalPerspectiveProjection

Table 204 — geosrs:GeneralVerticalPerspectiveProjection

URI	https://w3id.org/geosrs/projection/ GeneralVerticalPerspectiveProjection
Super-classes	GeneralVerticalPerspectiveProjection

11.11.3. Class: geosrs:GilbertTwoWorldPerspectiveProjection

Table 205 — geosrs:GilbertTwoWorldPerspectiveProjection

URI	https://w3id.org/geosrs/projection/ GilbertTwoWorldPerspectiveProjection
Super-classes	GilbertTwoWorldPerspectiveProjection

11.11.4. Class: geosrs:LaHireProjection

Table 206 — geosrs:LaHireProjection

URI	https://w3id.org/geosrs/projection/LaHireProjection
Super-classes	<u>LaHireProjection</u>

11.11.5. Class: geosrs:LorgnaProjection

Table 207 — geosrs:LorgnaProjection

URI	https://w3id.org/geosrs/projection/LorgnaProjection

Super-classes <u>LorgnaProjection</u>

11.11.6. Class: geosrs:LowryProjection

Table 208 — geosrs:LowryProjection

URI	https://w3id.org/geosrs/projection/LowryProjection
Super-classes	LowryProjection

11.11.7. Class: geosrs:OrthographicProjection

Table 209 — geosrs:OrthographicProjection

URI	https://w3id.org/geosrs/projection/ OrthographicProjection
Super-classes	<u>OrthographicProjection</u>

11.11.8. Class: geosrs:PerspectiveConicProjection

Table 210 — geosrs:PerspectiveConicProjection

URI	https://w3id.org/geosrs/projection/ PerspectiveConicProjection
Super-classes	<u>PerspectiveConicProjection</u>

11.11.9. Class: geosrs:TiltedPerspectiveProjection

Table 211 — geosrs:TiltedPerspectiveProjection

URI	https://w3id.org/geosrs/projection/ TiltedPerspectiveProjection
Super-classes	TiltedPerspectiveProjection

11.11.10. Class: geosrs: Vertical Perspective Projection

Table 212 — geosrs:VerticalPerspectiveProjection

URI	https://w3id.org/geosrs/projection/ VerticalPerspectiveProjection
Super-classes	VerticalPerspectiveProjection

11.12. Polyconic Projections

REQUIREMENT 33: POLYCONIC PROJECTIONS	
IDENTIFIER	/req/Polyconic_Projections
STATEMENT	Implementations shall allow the RDFS classes geosrs:GinzburgIVProjection, geosrs:Ginzburg IXProjection, geosrs:GinzburgVIProjection, geosrs:GinzburgVProjection, geosrs:GottWagner Projection, geosrs:HillEucyclicProjection, geosrs:LagrangeProjection, geosrs:LaskowskiProjection, geosrs:RectangularPolyconicProjection, geosrs:StabiusWernerIIIProjection, geosrs:StabiusWerner IProjection, geosrs:VanDerGrintenIIProjection, geosrs:VanDerGrintenIProjection, geosrs:VanDerGrintenIVProjection, geosrs:WagnerIXProjection, geosrs:WagnerVIIIProjection, geosrs:Wagner VIIProjection to be used in SPARQL graph patterns.

11.12.1. Class: geosrs:GinzburgIVProjection

Table 213 — geosrs:GinzburgIVProjection

URI	https://w3id.org/geosrs/projection/GinzburgIVProjection
Super-classes	<u>GinzburgIVProjection</u>

11.12.2. Class: geosrs:GinzburgIXProjection

Table 214 — geosrs:GinzburgIXProjection

URI	https://w3id.org/geosrs/projection/GinzburgIXProjection

11.12.3. Class: geosrs:GinzburgVIProjection

Table 215 — geosrs:GinzburgVIProjection

URI	https://w3id.org/geosrs/projection/GinzburgVIProjection
Super-classes	<u>GinzburgVIProjection</u>

11.12.4. Class: geosrs:GinzburgVProjection

Table 216 — geosrs:GinzburgVProjection

URI	https://w3id.org/geosrs/projection/GinzburgVProjection
Super-classes	<u>GinzburgVProjection</u>

11.12.5. Class: geosrs:GottWagnerProjection

Table 217 — geosrs:GottWagnerProjection

URI	https://w3id.org/geosrs/projection/ GottWagnerProjection
Super-classes	<u>GottWagnerProjection</u>

11.12.6. Class: geosrs:HillEucyclicProjection

Table 218 — geosrs:HillEucyclicProjection

URI	https://w3id.org/geosrs/projection/HillEucyclicProjection
Super-classes	<u>HillEucyclicProjection</u>

11.12.7. Class: geosrs:LagrangeProjection

Table 219 — geosrs:LagrangeProjection

URI	https://w3id.org/geosrs/projection/LagrangeProjection
Super-classes	<u>LagrangeProjection</u>

11.12.8. Class: geosrs:LaskowskiProjection

Table 220 — geosrs:LaskowskiProjection

URI	https://w3id.org/geosrs/projection/LaskowskiProjection
Super-classes	LaskowskiProjection

11.12.9. Class: geosrs:RectangularPolyconicProjection

Table 221 — geosrs:RectangularPolyconicProjection

URI	https://w3id.org/geosrs/projection/ RectangularPolyconicProjection
Super-classes	RectangularPolyconicProjection

11.12.10. Class: geosrs:StabiusWernerIIIProjection

Table 222 — geosrs:StabiusWernerIIIProjection

URI	https://w3id.org/geosrs/projection/ StabiusWernerIIIProjection
Super-classes	<u>StabiusWernerIIIProjection</u>

11.12.11. Class: geosrs:StabiusWernerlProjection

Table 223 — geosrs:StabiusWernerlProjection

URI	https://w3id.org/geosrs/projection/ StabiusWernerlProjection
Super-classes	<u>StabiusWernerlProjection</u>

11.12.12. Class: geosrs:VanDerGrintenIIProjection

Table 224 — geosrs:VanDerGrintenIIProjection

URI	https://w3id.org/geosrs/projection/ VanDerGrintenIIProjection
Super-classes	VanDerGrintenIIProjection

11.12.13. Class: geosrs:VanDerGrintenlProjection

Table 225 — geosrs:VanDerGrintenlProjection

URI	https://w3id.org/geosrs/projection/ VanDerGrintenlProjection
Super-classes	<u>VanDerGrintenIProjection</u>

11.12.14. Class: geosrs:VanDerGrintenIVProjection

Table 226 — geosrs:VanDerGrintenIVProjection

URI	https://w3id.org/geosrs/projection/ VanDerGrintenIVProjection
Super-classes	<u>VanDerGrintenIVProjection</u>

11.12.15. Class: geosrs: Wagner IXProjection

Table 227 — geosrs:WagnerIXProjection

URI	https://w3id.org/geosrs/projection/WagnerIXProjection

11.12.16. Class: geosrs: Wagner VIII Projection

Table 228 — geosrs:WagnerVIIIProjection

URI	https://w3id.org/geosrs/projection/WagnerVIIIProjection
Super-classes	<u>WagnerVIIIProjection</u>

11.12.17. Class: geosrs: Wagner VII Projection

Table 229 — geosrs:WagnerVIIProjection

URI	https://w3id.org/geosrs/projection/WagnerVIIProjection
Super-classes	WagnerVIIProjection

11.13. Polyhedral Projections

REQUIREMENT 34: POLYHEDRAL PROJECTIONS IDENTIFIER /req/Polyhedral_Projections Implementations shall allow the RDFS classes geosrs:AuthaGraphProjection, geosrs:CahillKeyes Projection, geosrs:CollignonButterflyProjection, geosrs:DodecahedralProjection, geosrs:Dymaxion Projection, geosrs:GnomonicButterflyProjection, geosrs:GnomonicCubedSphereProjection, geosrs:GnomonicCubedSphereProjection, geosrs:Lee Projection, geosrs:MyrahedalProjection, geosrs:OctantProjection, geosrs:QuadrilateralizedSpherical CubeProjection, geosrs:WatermanButterflyProjection to be used in SPARQL graph patterns.

11.13.1. Class: geosrs: Autha Graph Projection

Table 230 — geosrs:AuthaGraphProjection

URI	https://w3id.org/geosrs/projection/ AuthaGraphProjection
Super-classes	AuthaGraphProjection

11.13.2. Class: geosrs:CahillKeyesProjection

Table 231 — geosrs:CahillKeyesProjection

URI	https://w3id.org/geosrs/projection/CahillKeyesProjection
Super-classes	<u>CahillKeyesProjection</u>

11.13.3. Class: geosrs:CollignonButterflyProjection

Table 232 — geosrs:CollignonButterflyProjection

URI	https://w3id.org/geosrs/projection/ CollignonButterflyProjection
Super-classes	<u>CollignonButterflyProjection</u>

11.13.4. Class: geosrs:DodecahedralProjection

Table 233 — geosrs:DodecahedralProjection

URI	https://w3id.org/geosrs/projection/ DodecahedralProjection
Super-classes	<u>DodecahedralProjection</u>

11.13.5. Class: geosrs:DymaxionProjection

Table 234 — geosrs:DymaxionProjection

URI	https://w3id.org/geosrs/projection/DymaxionProjection

11.13.6. Class: geosrs:GnomonicButterflyProjection

Table 235 — geosrs:GnomonicButterflyProjection

URI	https://w3id.org/geosrs/projection/ GnomonicButterflyProjection
Super-classes	GnomonicButterflyProjection

11.13.7. Class: geosrs:GnomonicCubedSphereProjection

Table 236 — geosrs:GnomonicCubedSphereProjection

URI	https://w3id.org/geosrs/projection/ GnomonicCubedSphereProjection
Super-classes	GnomonicCubedSphereProjection

11.13.8. Class: geosrs:GnomoniclcosahedronProjection

Table 237 — geosrs:GnomoniclcosahedronProjection

URI	https://w3id.org/geosrs/projection/ GnomoniclcosahedronProjection
Super-classes	<u>GnomoniclcosahedronProjection</u>

11.13.9. Class: geosrs:GuyouProjection

Table 238 — geosrs:GuyouProjection

URI	https://w3id.org/geosrs/projection/GuyouProjection
Super-classes	<u>GuyouProjection</u>

11.13.10. Class: geosrs:lcosahedralProjection

Table 239 — geosrs:lcosahedralProjection

URI	https://w3id.org/geosrs/projection/IcosahedralProjection
Super-classes	<u>IcosahedralProjection</u>

11.13.11. Class: geosrs:LeeProjection

Table 240 — geosrs:LeeProjection

URI	https://w3id.org/geosrs/projection/LeeProjection
Super-classes	<u>LeeProjection</u>

11.13.12. Class: geosrs:MyrahedalProjection

Table 241 — geosrs:MyrahedalProjection

URI	https://w3id.org/geosrs/projection/MyrahedalProjection
Super-classes	MyrahedalProjection

11.13.13. Class: geosrs:OctantProjection

Table 242 — geosrs:OctantProjection

URI	https://w3id.org/geosrs/projection/OctantProjection
Super-classes	<u>OctantProjection</u>

11.13.14. Class: geosrs:QuadrilateralizedSphericalCubeProjection

Table 243 — geosrs:QuadrilateralizedSphericalCubeProjection

URI	https://w3id.org/geosrs/projection/ QuadrilateralizedSphericalCubeProjection
Super-classes	QuadrilateralizedSphericalCubeProjection

11.13.15. Class: geosrs: Waterman Butterfly Projection

 $\textbf{Table 244}- {\tt geosrs:} Waterman Butterfly Projection$

URI	https://w3id.org/geosrs/projection/ WatermanButterflyProjection
Super-classes	<u>WatermanButterflyProjection</u>

11.14. Pseudo Azimuthal Projections

REQUIREMENT 35: PSEUDO AZIMUTHAL PROJECTIONS		
IDENTIFIER	/req/Pseudo_Azimuthal_Projections	
STATEMENT	Implementations shall allow the RDFS classes geosrs:AitoffObliqueProjection, geosrs:Aitoff Projection, geosrs:HammerProjection, geosrs:Strebe1995Projection, geosrs:WinkelTripel Projection to be used in SPARQL graph patterns.	

11.14.1. Class: geosrs:AitoffObliqueProjection

Table 245 — geosrs:AitoffObliqueProjection

URI	https://w3id.org/geosrs/projection/ AitoffObliqueProjection
Super-classes	AitoffObliqueProjection

11.14.2. Class: geosrs:AitoffProjection

Table 246 — geosrs:AitoffProjection

URI	https://w3id.org/geosrs/projection/AitoffProjection
Definition	A modified azimuthal projection whose graticule takes the form of an ellipse
Super-classes	<u>AitoffProjection</u>

11.14.3. Class: geosrs:HammerProjection

Table 247 — geosrs:HammerProjection

URI	https://w3id.org/geosrs/projection/HammerProjection
Super-classes	HammerProjection

11.14.4. Class: geosrs:Strebe1995Projection

Table 248 — geosrs:Strebe1995Projection

URI	https://w3id.org/geosrs/projection/ Strebe1995Projection
Super-classes	Strebe1995Projection

11.14.5. Class: geosrs:WinkelTripelProjection

Table 249 — geosrs:WinkelTripelProjection

URI	https://w3id.org/geosrs/projection/ WinkelTripelProjection
Super-classes	WinkelTripelProjection

11.15. Pseudo Conical Projections

REQUIREMENT 36: PSEUDO CONICAL PROJECTIONS

IDENTIFIER	/req/Pseudo_Conical_Projections
STATEMENT	Implementations shall allow the RDFS classes geosrs:AmericanPolyconicProjection, geosrs: BonneProjection, geosrs:BottomleyProjection, geosrs:NicolosiGlobularProjection, geosrs:Ptolemy IIProjection, geosrs:WernerProjection to be used in SPARQL graph patterns.

11.15.1. Class: geosrs:AmericanPolyconicProjection

Table 250 — geosrs:AmericanPolyconicProjection

URI	https://w3id.org/geosrs/projection/ AmericanPolyconicProjection
Super-classes	AmericanPolyconicProjection
Example	geosrs:AmericanPolyconicProjection

11.15.2. Class: geosrs:BonneProjection

Table 251 — geosrs:BonneProjection

URI	https://w3id.org/geosrs/projection/BonneProjection
Super-classes	BonneProjection

11.15.3. Class: geosrs:BottomleyProjection

Table 252 — geosrs:BottomleyProjection

URI	https://w3id.org/geosrs/projection/BottomleyProjection
Super-classes	BottomleyProjection

11.15.4. Class: geosrs:NicolosiGlobularProjection

Table 253 — geosrs:NicolosiGlobularProjection

URI	https://w3id.org/geosrs/projection/ NicolosiGlobularProjection
Super-classes	<u>NicolosiGlobularProjection</u>

11.15.5. Class: geosrs:PtolemyllProjection

Table 254 — geosrs:PtolemyIIProjection

URI	https://w3id.org/geosrs/projection/PtolemyllProjection
Super-classes	PtolemyllProjection

11.15.6. Class: geosrs:WernerProjection

Table 255 — geosrs:WernerProjection

URI	https://w3id.org/geosrs/projection/WernerProjection
Super-classes	<u>WernerProjection</u>

11.16. Pseudo Cylindrical Projections

REQUIREMENT 37: PSEUDO CYLINDRICAL PROJECTIONS IDENTIFIER /req/Pseudo_Cylindrical_Projections Implementations shall allow the RDFS classes geosrs:ApianIIProjection, geosrs:AtlantisProjection, geosrs:BaranyiIIIProjection, geosrs:BaranyiIIProjection, geosrs:BaranyiIIProjection, geosrs:Baranyi IVProjection, geosrs:BoggsEumorphicProjection, geosrs:BromleyProjection, geosrs:CabotProjection, geosrs:CollignonProjection, geosrs:CrasterParabolicProjection, geosrs:DeakinMinimumError Projection, geosrs:Eckert1Projection, geosrs:Eckert2Projection, geosrs:Eckert3Projection, geosrs:Eckert4Projection, geosrs:Eckert5Projection, geosrs:FoucautSinusoidalProjection, geosrs:FournierIIProjection, geosrs:GoodeHomolosineProjection, geosrs:HEALPixProjection, geosrs:HufnagelProjection, geosrs:Kavrayskiy7Projection, geosrs:

LoximuthalProjection, geosrs:MayrProjection, geosrs:McBrydeThomasFlatPolarParabolicProjection,

REQUIREMENT 37: PSEUDO CYLINDRICAL PROJECTIONS

geosrs:McBrydeThomasFlatPolarQuarticProjection, geosrs:McBrydeThomasFlatPolarSinusoidal Projection, geosrs:McBrydeThomasIlProjection, geosrs:Natural Earth2Projection, geosrs:NaturalEarthProjection, geosrs:NellHammerProjection, geosrs:Nell Projection, geosrs:OrteliusOvalProjection, geosrs:PutninsP1Projection, geosrs:PutninsP2Projection, geosrs:PutninsP3Projection, geosrs:PutninsP5Projection, geosrs:PutninsP6Projection, geosrs:QuarticAuthalicProjection, geosrs:RobinsonProjection, geosrs:SinusoidalProjection, geosrs:The TimesProjection, geosrs:ToblerG1Projection, geosrs:ToblerHyperellipticalProjection, geosrs:Wagner IllProjection, geosrs:WagnerIlProjection, geosrs:WagnerIVProjection, geosrs:WagnerVProjection, geosrs:PutninsP3'Projection, geosrs:PutninsP4'Projection, geosrs:PutninsP5'Projection, geosrs:PutninsP6'Projection to be used in SPARQL graph patterns.

11.16.1. Class: geosrs:ApianIIProjection

Table 256 — geosrs:ApianIIProjection

URI	https://w3id.org/geosrs/projection/ApianIIProjection
Super-classes	ApianIIProjection

11.16.2. Class: geosrs:AtlantisProjection

Table 257 — geosrs:AtlantisProjection

URI	https://w3id.org/geosrs/projection/AtlantisProjection
Super-classes	AtlantisProjection

11.16.3. Class: geosrs:BaranyillIProjection

Table 258 — geosrs:BaranyillIProjection

URI	https://w3id.org/geosrs/projection/BaranyillIProjection
Super-classes	BaranyillIProjection

11.16.4. Class: geosrs:BaranyillProjection

Table 259 — geosrs:BaranyillProjection

URI	https://w3id.org/geosrs/projection/BaranyillProjection
Super-classes	BaranyillProjection

11.16.5. Class: geosrs:BaranyilProjection

Table 260 — geosrs:BaranyilProjection

URI	https://w3id.org/geosrs/projection/BaranyilProjection
Super-classes	BaranyilProjection

11.16.6. Class: geosrs:BaranyilVProjection

Table 261 — geosrs:BaranyilVProjection

URI	https://w3id.org/geosrs/projection/BaranyilVProjection
Super-classes	BaranyilVProjection

11.16.7. Class: geosrs:BoggsEumorphicProjection

Table 262 — geosrs:BoggsEumorphicProjection

URI	https://w3id.org/geosrs/projection/ BoggsEumorphicProjection
Super-classes	BoggsEumorphicProjection

11.16.8. Class: geosrs:BromleyProjection

Table 263 — geosrs:BromleyProjection

URI	https://w3id.org/geosrs/projection/BromleyProjection
Super-classes	BromleyProjection

11.16.9. Class: geosrs:CabotProjection

Table 264 — geosrs:CabotProjection

URI	https://w3id.org/geosrs/projection/CabotProjection
Super-classes	<u>CabotProjection</u>

11.16.10. Class: geosrs:CollignonProjection

Table 265 — geosrs:CollignonProjection

URI	https://w3id.org/geosrs/projection/CollignonProjection
Definition	An equal-area pseudocylindrical projection that maps the sphere onto a triangle or diamond
Super-classes	CollignonProjection

11.16.11. Class: geosrs:CrasterParabolicProjection

Table 266 — geosrs:CrasterParabolicProjection

URI	https://w3id.org/geosrs/projection/ CrasterParabolicProjection
Super-classes	<u>CrasterParabolicProjection</u>

11.16.12. Class: geosrs:DeakinMinimumErrorProjection

Table 267 — geosrs:DeakinMinimumErrorProjection

URI	https://w3id.org/geosrs/projection/ DeakinMinimumErrorProjection
Super-classes	<u>DeakinMinimumErrorProjection</u>

11.16.13. Class: geosrs:Eckert1Projection

Table 268 — geosrs:Eckert1Projection

URI	https://w3id.org/geosrs/projection/Eckert1Projection
Super-classes	Eckert1Projection

11.16.14. Class: geosrs:Eckert2Projection

Table 269 — geosrs:Eckert2Projection

URI	https://w3id.org/geosrs/projection/Eckert2Projection
Super-classes	Eckert2Projection

11.16.15. Class: geosrs:Eckert3Projection

Table 270 — geosrs:Eckert3Projection

URI	https://w3id.org/geosrs/projection/Eckert3Projection
Super-classes	Eckert3Projection

11.16.16. Class: geosrs: Eckert4Projection

Table 271 — geosrs:Eckert4Projection

URI	https://w3id.org/geosrs/projection/Eckert4Projection
Super-classes	Eckert4Projection

11.16.17. Class: geosrs:Eckert5Projection

Table 272 — geosrs:Eckert5Projection

URI	https://w3id.org/geosrs/projection/Eckert5Projection
Super-classes	Eckert5Projection

11.16.18. Class: geosrs:Eckert6Projection

Table 273 — geosrs:Eckert6Projection

URI	https://w3id.org/geosrs/projection/Eckert6Projection
Super-classes	Eckert6Projection

11.16.19. Class: geosrs:EqualEarthProjection

Table 274 — geosrs:EqualEarthProjection

URI	https://w3id.org/geosrs/projection/EqualEarthProjection
Super-classes	EqualEarthProjection
Example	geosrs:EqualEarthProjection

11.16.20. Class: geosrs:FaheyProjection

Table 275 — geosrs:FaheyProjection

URI	https://w3id.org/geosrs/projection/FaheyProjection
Super-classes	FaheyProjection

11.16.21. Class: geosrs:FoucautProjection

Table 276 — geosrs:FoucautProjection

URI	https://w3id.org/geosrs/projection/FoucautProjection
Super-classes	<u>FoucautProjection</u>

11.16.22. Class: geosrs:FoucautSinusoidalProjection

Table 277 — geosrs:FoucautSinusoidalProjection

URI	https://w3id.org/geosrs/projection/ FoucautSinusoidalProjection
Super-classes	<u>FoucautSinusoidalProjection</u>

11.16.23. Class: geosrs:FournierIIProjection

Table 278 — geosrs:FournierIIProjection

URI	https://w3id.org/geosrs/projection/FournierIIProjection
Super-classes	FournierIIProjection

11.16.24. Class: geosrs:GinzburgVIIIProjection

Table 279 — geosrs:GinzburgVIIIProjection

URI	https://w3id.org/geosrs/projection/ GinzburgVIIIProjection
Super-classes	GinzburgVIIIProjection

11.16.25. Class: geosrs:GoodeHomolosineProjection

Table 280 — geosrs:GoodeHomolosineProjection

URI	https://w3id.org/geosrs/projection/ GoodeHomolosineProjection
Super-classes	GoodeHomolosineProjection

11.16.26. Class: geosrs: HEALPixProjection

Table 281 — geosrs:HEALPixProjection

URI	https://w3id.org/geosrs/projection/HEALPixProjection
Super-classes	HEALPixProjection

11.16.27. Class: geosrs:HufnagelProjection

Table 282 — geosrs:HufnagelProjection

URI	https://w3id.org/geosrs/projection/HufnagelProjection
Super-classes	HufnagelProjection

11.16.28. Class: geosrs:Kavrayskiy7Projection

Table 283 — geosrs:Kavrayskiy7Projection

URI	https://w3id.org/geosrs/projection/ Kavrayskiy7Projection
Super-classes	Kavrayskiy7Projection

11.16.29. Class: geosrs:LoximuthalProjection

Table 284 — geosrs:LoximuthalProjection

URI	https://w3id.org/geosrs/projection/LoximuthalProjection
Super-classes	LoximuthalProjection

11.16.30. Class: geosrs:MayrProjection

Table 285 — geosrs:MayrProjection

URI	https://w3id.org/geosrs/projection/MayrProjection
Super-classes	<u>MayrProjection</u>

11.16.31. Class: geosrs:McBrydeThomasFlatPolarParabolicProjection

Table 286 — geosrs:McBrydeThomasFlatPolarParabolicProjection

URI	https://w3id.org/geosrs/projection/ McBrydeThomasFlatPolarParabolicProjection
Super-classes	$\underline{McBrydeThomasFlatPolarParabolicProjection}$

11.16.32. Class: geosrs:McBrydeThomasFlatPolarQuarticProjection

Table 287 — geosrs:McBrydeThomasFlatPolarQuarticProjection

URI	https://w3id.org/geosrs/projection/ McBrydeThomasFlatPolarQuarticProjection
Super-classes	$\underline{McBrydeThomasFlatPolarQuarticProjection}$

11.16.33. Class: geosrs:McBrydeThomasFlatPolarSinusoidalProjection

Table 288 — geosrs:McBrydeThomasFlatPolarSinusoidalProjection

URI	https://w3id.org/geosrs/projection/ McBrydeThomasFlatPolarSinusoidalProjection
Super-classes	<u>McBrydeThomasFlatPolarSinusoidalProjection</u>

11.16.34. Class: geosrs:McBrydeThomasIIProjection

Table 289 — geosrs:McBrydeThomasIIProjection

URI	https://w3id.org/geosrs/projection/ McBrydeThomasIIProjection
Super-classes	McBrydeThomasIIProjection

11.16.35. Class: geosrs:McBrydeThomaslProjection

Table 290 — geosrs:McBrydeThomaslProjection

URI	https://w3id.org/geosrs/projection/ McBrydeThomaslProjection
Super-classes	McBrydeThomaslProjection

11.16.36. Class: geosrs:NaturalEarth2Projection

Table 291 — geosrs:NaturalEarth2Projection

URI	https://w3id.org/geosrs/projection/ NaturalEarth2Projection
Super-classes	NaturalEarth2Projection

11.16.37. Class: geosrs:NaturalEarthProjection

Table 292 — geosrs:NaturalEarthProjection

URI	https://w3id.org/geosrs/projection/ NaturalEarthProjection
Definition	A pseudocylindrical map projection designed by Tom Patterson and introduced in 2008
Super-classes	<u>NaturalEarthProjection</u>

11.16.38. Class: geosrs:NellHammerProjection

Table 293 — geosrs:NellHammerProjection

URI	https://w3id.org/geosrs/projection/ NellHammerProjection
Super-classes	<u>NellHammerProjection</u>

11.16.39. Class: geosrs: Nell Projection

Table 294 — geosrs:NellProjection

URI	https://w3id.org/geosrs/projection/NellProjection
Super-classes	NellProjection

11.16.40. Class: geosrs:OrteliusOvalProjection

Table 295 — geosrs:OrteliusOvalProjection

URI	https://w3id.org/geosrs/projection/ OrteliusOvalProjection
Super-classes	<u>OrteliusOvalProjection</u>

11.16.41. Class: geosrs:PutninsP1Projection

Table 296 — geosrs:PutninsP1Projection

URI	https://w3id.org/geosrs/projection/PutninsP1Projection
Super-classes	PutninsP1Projection

11.16.42. Class: geosrs:PutninsP2Projection

Table 297 — geosrs:PutninsP2Projection

URI	https://w3id.org/geosrs/projection/PutninsP2Projection
Super-classes	PutninsP2Projection

11.16.43. Class: geosrs:PutninsP3Projection

Table 298 — geosrs:PutninsP3Projection

URI	https://w3id.org/geosrs/projection/PutninsP3Projection
Super-classes	PutninsP3Projection

11.16.44. Class: geosrs:PutninsP5Projection

Table 299 — geosrs:PutninsP5Projection

URI	https://w3id.org/geosrs/projection/PutninsP5Projection
Super-classes	PutninsP5Projection

11.16.45. Class: geosrs:PutninsP6Projection

Table 300 — geosrs:PutninsP6Projection

URI	https://w3id.org/geosrs/projection/PutninsP6Projection
Super-classes	PutninsP6Projection

11.16.46. Class: geosrs:QuarticAuthalicProjection

Table 301 — geosrs:QuarticAuthalicProjection

URI	https://w3id.org/geosrs/projection/ QuarticAuthalicProjection
Super-classes	QuarticAuthalicProjection

11.16.47. Class: geosrs:RobinsonProjection

Table 302 — geosrs:RobinsonProjection

URI	https://w3id.org/geosrs/projection/RobinsonProjection
Super-classes	RobinsonProjection

11.16.48. Class: geosrs:SinusoidalProjection

Table 303 — geosrs:SinusoidalProjection

URI	https://w3id.org/geosrs/projection/SinusoidalProjection
Super-classes	SinusoidalProjection

11.16.49. Class: geosrs:TheTimesProjection

Table 304 — geosrs:TheTimesProjection

URI	https://w3id.org/geosrs/projection/TheTimesProjection
Super-classes	<u>TheTimesProjection</u>

11.16.50. Class: geosrs:ToblerG1Projection

Table 305 — geosrs:ToblerG1Projection

URI	https://w3id.org/geosrs/projection/ToblerG1Projection
Super-classes	ToblerG1Projection

11.16.51. Class: geosrs:ToblerHyperellipticalProjection

Table 306 — geosrs:ToblerHyperellipticalProjection

URI	https://w3id.org/geosrs/projection/ ToblerHyperellipticalProjection
Super-classes	<u>ToblerHyperellipticalProjection</u>

11.16.52. Class: geosrs: Wagner III Projection

Table 307 — geosrs:WagnerIIIProjection

URI	https://w3id.org/geosrs/projection/WagnerIIIProjection
Super-classes	WagnerIIIProjection

11.16.53. Class: geosrs: Wagner II Projection

Table 308 — geosrs:WagnerIIProjection

URI	https://w3id.org/geosrs/projection/WagnerIIProjection
Super-classes	<u>WagnerIIProjection</u>

11.16.54. Class: geosrs: Wagnerl Projection

Table 309 — geosrs:WagnerlProjection

URI	https://w3id.org/geosrs/projection/WagnerlProjection
Super-classes	WagnerlProjection

11.16.55. Class: geosrs: Wagner IV Projection

Table 310 — geosrs:WagnerIVProjection

URI	https://w3id.org/geosrs/projection/WagnerIVProjection
Super-classes	WagnerIVProjection

11.16.56. Class: geosrs: Wagner VIProjection

Table 311 — geosrs:WagnerVIProjection

URI	https://w3id.org/geosrs/projection/WagnerVIProjection
Super-classes	<u>WagnerVIProjection</u>

11.16.57. Class: geosrs: Wagner VProjection

Table 312 — geosrs:WagnerVProjection

URI	https://w3id.org/geosrs/projection/WagnerVProjection
Super-classes	WagnerVProjection

11.16.58. Class: geosrs: Werenskiold I Projection

Table 313 — geosrs:WerenskioldlProjection

URI	https://w3id.org/geosrs/projection/ WerenskioldlProjection
Super-classes	WerenskioldIProjection

11.16.59. Class: geosrs:PutninsP3'Projection

Table 314 — geosrs:PutninsP3'Projection

URI	https://w3id.org/geosrs/projection/PutninsP3'Projection
Super-classes	PutninsP3'Projection

11.16.60. Class: geosrs:PutninsP4'Projection

Table 315 — geosrs:PutninsP4'Projection

URI	https://w3id.org/geosrs/projection/PutninsP4'Projection
Super-classes	PutninsP4'Projection

11.16.61. Class: geosrs:PutninsP5'Projection

Table 316 — geosrs:PutninsP5'Projection

URI	https://w3id.org/geosrs/projection/PutninsP5'Projection
Super-classes	PutninsP5'Projection

11.16.62. Class: geosrs:PutninsP6'Projection

Table 317 — geosrs:PutninsP6'Projection

URI	https://w3id.org/geosrs/projection/PutninsP6'Projection
Super-classes	PutninsP6'Projection

11.17. Stereographic Projections

REQUIREMENT 38: STEREOGRAPHIC PROJECTIONS		
IDENTIFIER	/req/Stereographic_Projections	
STATEMENT	Implementations shall allow the RDFS classes geosrs:MillerOblatedStereographicProjection, geosrs:RoussilheProjection to be used in SPARQL graph patterns.	

11.17.1. Class: geosrs:MillerOblatedStereographicProjection

Table 318 — geosrs:MillerOblatedStereographicProjection

URI	https://w3id.org/geosrs/projection/ MillerOblatedStereographicProjection
Super-classes	MillerOblatedStereographicProjection

11.17.2. Class: geosrs:RoussilheProjection

Table 319 — geosrs:RoussilheProjection

URI	https://w3id.org/geosrs/projection/RoussilheProjection
Super-classes	Roussilhe Projection



PLANET MODULE

12 PLANET MODULE

This clause establishes the **PLANET** Requirements class, with IRI /req/planet, which has a corresponding Conformance Class, **PLANET**, with IRI /conf/planet.

REQUIREMENTS CLASS 7: 12-PLANET_MODULE.ADOC EXTENSION		
IDENTIFIER	/req/12-planet_module.adoc	
TARGET TYPE	Implementation Specification	
REQUIREMENT	/req/Interstellar_Body	

12.1. Interstellar Body

REQUIREMENT 39: INTERSTELLAR BODY		
IDENTIFIER	/req/Interstellar_Body	
STATEMENT	Implementations shall allow the RDFS classes geosrs:ArtificialSatellite, geosrs:Asteroid, geosrs: Comet, geosrs:DwarfPlanet, geosrs:InterstellarBody, geosrs:Moon, geosrs:NaturalSatellite, geosrs: Planet, geosrs:PlanetStatus, geosrs:Plutoid, geosrs:Star to be used in SPARQL graph patterns.	

12.1.1. Class: geosrs:ArtificialSatellite

Table 320 — geosrs:ArtificialSatellite

URI	https://w3id.org/geosrs/planet/ArtificialSatellite

12.1.2. Class: geosrs:Asteroid

Table 321 — geosrs:Asteroid

URI	https://w3id.org/geosrs/planet/Asteroid

12.1.3. Class: geosrs:Comet

Table 322 — geosrs:Comet

URI https://w3id.org/geosrs/planet/Comet

12.1.4. Class: geosrs:DwarfPlanet

Table 323 — geosrs:DwarfPlanet

URI https://w3id.org/geosrs/planet/DwarfPlanet

12.1.5. Class: geosrs:InterstellarBody

Table 324 — geosrs:InterstellarBody

URI https://w3id.org/geosrs/planet/InterstellarBody

12.1.6. Class: geosrs:Moon

Table 325 — geosrs:Moon

URI https://w3id.org/geosrs/planet/Moon

12.1.7. Class: geosrs:NaturalSatellite

Table 326 — geosrs:NaturalSatellite

URI https://w3id.org/geosrs/planet/NaturalSatellite

12.1.8. Class: geosrs:Planet

Table 327 — geosrs:Planet

URI https://w3id.org/geosrs/planet/Planet

12.1.9. Class: geosrs:PlanetStatus

Table 328 — geosrs:PlanetStatus

URI https://w3id.org/geosrs/planet/PlanetStatus

12.1.10. Class: geosrs:Plutoid

Table 329 — geosrs:Plutoid

URI https://w3id.org/geosrs/planet/Plutoid

12.1.11. Class: geosrs:Star

Table 330 — geosrs:Star

URI https://w3id.org/geosrs/planet/Star

13

COMMON INSTANCES



COMMON INSTANCES

This clause establishes common instances which are needed in CRS specifications as Requirement class **INSTANCES**, with IRI /req/instances, which has a corresponding Conformance Class, **INSTANCES**, with IRI /conf/instances.

REQUIREMENTS CLASS 8: 13-INSTANCES.ADOC EXTENSION	
IDENTIFIER	/req/13-instances.adoc
TARGET TYPE	Implementation Specification
REQUIREMENT	/req/Coordinate_System_Axis
	/req/Spheroids

13.1. Coordinate System Axis

REQUIREMENT 40: COORDINATE SYSTEM AXIS	
IDENTIFIER	/req/Coordinate_System_Axis
STATEMENT	Implementations shall allow the RDFS classes geosrs:down, geosrs:east, geosrs:north, geosrs: south, geosrs:up, geosrs:west to be used in SPARQL graph patterns.

13.1.1. Instance: geosrs:down

Table 331 — geosrs:down

URI	https://w3id.org/geosrs/down
Туре	geosrs:AxisDirection
Definition	Downwards axis direction

13.1.2. Instance: geosrs:east

Table 332 — geosrs:east

URI	https://w3id.org/geosrs/east
Туре	geosrs:AxisDirection
Definition	east axis direction

13.1.3. Instance: geosrs:north

Table 333 — geosrs:north

URI	https://w3id.org/geosrs/north
Туре	geosrs:AxisDirection
Definition	North axis direction

13.1.4. Instance: geosrs:south

Table 334 — geosrs:south

URI	https://w3id.org/geosrs/south
Туре	geosrs:AxisDirection
Definition	South axis direction

13.1.5. Instance: geosrs:up

Table 335 — geosrs:up

URI	https://w3id.org/geosrs/up

Туре	geosrs:AxisDirection
Definition	Up axis direction

13.1.6. Instance: geosrs:west

Table 336 – geosrs:west

URI	https://w3id.org/geosrs/west
Туре	geosrs:AxisDirection
Definition	West axis direction

13.2. Spheroids

REQUIREMENT 41: SPHEROIDS IDENTIFIER /req/Spheroids Implementations shall allow the RDFS classes geosrs:GRS1980, geosrs:GRS67, geosrs:PZ90, geosrs: Airy1830, geosrs:AiryModified1849, geosrs:International1924, geosrs:AustralianNationalSpheroid, geosrs:Everest1930, geosrs:Clarke1866, geosrs:Plessis1817, geosrs:Danish1876, geosrs:Struve1860, geosrs:IAG1975, geosrs:Clarke1858, geosrs:Clarke1880, geosrs:Helmert1906, geosrs:CGCS2000, geosrs:GSK-2011, geosrs:Zach1812, geosrs:Clarke1880ARC, geosrs:Clarke1880IGN, geosrs:WGS66, geosrs:WGS72, geosrs:WGS84, geosrs:Krassowsky1940 to be used in SPARQL graph patterns.

13.2.1. Instance: geosrs:GRS1980

Table 337 — geosrs:GRS1980

URI	https://w3id.org/geosrs/GRS1980
Туре	geosrs:Ellipsoid
Definition	GRS 1980 Ellipsoid

13.2.2. Instance: geosrs:GRS67

Table 338 — geosrs:GRS67

URI	https://w3id.org/geosrs/GRS67
Туре	geosrs:Ellipsoid
Definition	GRS 67 Ellipsoid

13.2.3. Instance: geosrs:PZ90

Table 339 — geosrs:PZ90

URI	https://w3id.org/geosrs/PZ90
Туре	geosrs:Ellipsoid
Definition	PZ 90 Ellipsoid

13.2.4. Instance: geosrs:Airy1830

Table 340 — geosrs:Airy1830

URI	https://w3id.org/geosrs/Airy1830
Туре	geosrs:Ellipsoid
Definition	Airy 1830 Ellipsoid

13.2.5. Instance: geosrs:AiryModified1849

Table 341 — geosrs:AiryModified1849

URI	https://w3id.org/geosrs/AiryModified1849
URI	https://w3id.org/geosrs/AiryModified1849

Туре	geosrs:Ellipsoid
Definition	Airy 1849 Modified Ellipsoid

13.2.6. Instance: geosrs:International1924

Table 342 — geosrs:International1924

URI	https://w3id.org/geosrs/International1924
Туре	geosrs:Ellipsoid
Definition	International 1924 Ellipsoid

13.2.7. Instance: geosrs:AustralianNationalSpheroid

Table 343 — geosrs:AustralianNationalSpheroid

URI	https://w3id.org/geosrs/AustralianNationalSpheroid
Туре	geosrs:Ellipsoid
Definition	Australian National Spheroid

13.2.8. Instance: geosrs:Everest1930

Table 344 — geosrs:Everest1930

URI	https://w3id.org/geosrs/Everest1930
Туре	geosrs:Ellipsoid
Definition	Everest 1930 Spheroid

13.2.9. Instance: geosrs:Clarke1866

Table 345 — geosrs:Clarke1866

URI	https://w3id.org/geosrs/Clarke1866
Туре	geosrs:Ellipsoid
Definition	Clarke 1866 Spheroid

13.2.10. Instance: geosrs:Plessis1817

Table 346 — geosrs:Plessis1817

URI	https://w3id.org/geosrs/Plessis1817
Туре	geosrs:Ellipsoid
Definition	Plessis 1817 Spheroid

13.2.11. Instance: geosrs:Danish1876

Table 347 — geosrs:Danish1876

URI	https://w3id.org/geosrs/Danish1876
Туре	geosrs:Ellipsoid
Definition	Danish 1876 Spheroid

13.2.12. Instance: geosrs:Struve1860

Table 348 — geosrs:Struve1860

URI	https://w3id.org/geosrs/Struve1860
Туре	geosrs:Ellipsoid
Definition	Struve 1860 Spheroid

13.2.13. Instance: geosrs:IAG1975

Table 349 — geosrs:IAG1975

URI	https://w3id.org/geosrs/IAG1975
Туре	geosrs:Ellipsoid
Definition	IAG 1975 Spheroid

13.2.14. Instance: geosrs:Clarke1858

Table 350 — geosrs:Clarke1858

URI	https://w3id.org/geosrs/Clarke1858
Туре	geosrs:Ellipsoid
Definition	Clarke 1858 Spheroid

13.2.15. Instance: geosrs:Clarke1880

Table 351 — geosrs:Clarke1880

URI	https://w3id.org/geosrs/Clarke1880
Туре	geosrs:Ellipsoid
Definition	Clarke 1880 Spheroid

13.2.16. Instance: geosrs:Helmert1906

Table 352 — geosrs:Helmert1906

URI	https://w3id.org/geosrs/Helmert1906
ON	https://word.org/geosis/Heimert1700

Туре	geosrs:Ellipsoid
Definition	Helmert 1906 Spheroid

13.2.17. Instance: geosrs:CGCS2000

Table 353 — geosrs:CGCS2000

URI	https://w3id.org/geosrs/CGCS2000
Туре	geosrs:Ellipsoid
Definition	CGCS2000 Spheroid

13.2.18. Instance: geosrs:GSK-2011

Table 354 — geosrs:GSK-2011

URI	https://w3id.org/geosrs/GSK-2011
Туре	geosrs:Ellipsoid
Definition	GSK-2011 Spheroid

13.2.19. Instance: geosrs:Zach1812

Table 355 — geosrs:Zach1812

URI	https://w3id.org/geosrs/Zach1812
Туре	geosrs:Ellipsoid
Definition	Zach 1812 Spheroid

13.2.20. Instance: geosrs:Clarke1880ARC

Table 356 — geosrs:Clarke1880ARC

URI	https://w3id.org/geosrs/Clarke1880ARC
Туре	geosrs:Ellipsoid
Definition	Clarke 1880 (Arc) Spheroid

13.2.21. Instance: geosrs:Clarke1880IGN

Table 357 — geosrs:Clarke1880IGN

URI	https://w3id.org/geosrs/Clarke1880IGN
Туре	geosrs:Ellipsoid
Definition	Clarke 1880 (Ing) Spheroid

13.2.22. Instance: geosrs:WGS66

Table 358 — geosrs:WGS66

URI	https://w3id.org/geosrs/WGS66
Туре	geosrs:Ellipsoid
Definition	WGS 66 Spheroid

13.2.23. Instance: geosrs:WGS72

Table 359 — geosrs:WGS72

URI	https://w3id.org/geosrs/WGS72
Туре	geosrs:Ellipsoid
Definition	WGS 72 Spheroid

13.2.24. Instance: geosrs:WGS84

Table 360 — geosrs:WGS84

URI	https://w3id.org/geosrs/WGS84
Туре	geosrs:Ellipsoid
Definition	WGS 84 Spheroid

13.2.25. Instance: geosrs:Krassowsky1940

Table 361 — geosrs:Krassowsky1940

URI	https://w3id.org/geosrs/Krassowsky1940
Туре	geosrs:Ellipsoid
Definition	Krassowsky 1940 Spheroid







ANNEX A (INFORMATIVE) ALIGNMENTS



Overview

Overview

The prefixes used for the ontologies mapped to in all following sections are given in the following table.

Table A.1 — Alignment: Namespaces

ign:	http://data.ign.fr/def/ignf#
iso19111:	http://def.isotc211.org/iso19112/2019/SpatialReferencingByGeographicIdentifier#
geosrs:	http://www.opengis.net/ont/geosparql#
ifc:	https://standards.buildingsmart.org/IFC/DEV/IFC4/ADD2_TC1/OWL/
owl:	http://www.w3.org/2002/07/owl#
prov:	http://www.w3.org/ns/prov#
rdf:	http://www.w3.org/1999/02/22-rdf-syntax-ns#
rdfs:	http://www.w3.org/2000/01/rdf-schema#

A.1. IGN Ontology

Table A.2 - Alignment: IGN Ontology

FROM ELEMENT	MAPPING RELATION	TO ELEMENT	NOTES
geosrs:CoordinateSystem	owl:equivalentClass	ign:CoordinateSystem	-
geosrs:Datum	owl:equivalentClass	ign:Datum	-
geosrs:Ellipsoid	owl:equivalentClass	ign:Ellipsoid	-
geosrs:Conversion	owl:equivalentClass	ign:Conversion	-
geosrs:CoordinateOperation	owl:equivalentClass	ign:CoordinateOperation	-
geosrs:OperationMethod	owl:equivalentClass	ign:OperationMethod	-
geosrs:OperationParameter	owl:equivalentClass	ign:OperationParameter	-
geosrs:OperationParameterValue	owl:equivalentClass	ign:OperationParameterValue	-
geosrs:SingleOperation	owl:equivalentClass	ign:SingleOperation	-
geosrs:Transformation	owl:equivalentClass	ign:Transformation	-
geosrs:CartesianCoordinateSystem	owl:equivalentClass	ign:CartesianCS	-
geosrs:CoordinateSystem	owl:equivalentClass	ign:CoordinateSystem	-
geosrs:CoordinateSystemAxis	owl:equivalentClass	ign:CoordinateSystemAxis	-
geosrs:EllipsoidalCoordinateSystem	owl:equivalentClass	ign:EllipsoidalCS	-
geosrs:VerticalCoordinateSystem	owl:equivalentClass	ign:VerticalCS	-
geosrs:Datum	owl:equivalentClass	ign:Datum	-
geosrs:Ellipsoid	owl:equivalentClass	ign:Ellipsoid	-
geosrs:GeodeticDatum	owl:equivalentClass	ign:GeodeticDatum	-
geosrs:PrimeMeridian	owl:equivalentClass	ign:PrimeMeridian	-
geosrs:VerticalDatum	owl:equivalentClass	ign:VerticalDatum	-
geosrs:AxesList	owl:equivalentClass	ign:AxesList	-

FROM ELEMENT	MAPPING RELATION	TO ELEMENT	NOTES
geosrs:CRS	owl:equivalentClass	ign:CRS	-
geosrs:CompoundCRS	owl:equivalentClass	ign:CompoundCRS	-
geosrs:Extent	owl:equivalentClass	ign:Extent	-
geosrs:GeodeticCRS	owl:equivalentClass	ign:GeodeticCRS	-
geosrs:GeographicBoundingBox	owl:equivalentClass	ign:GeographicBoundingBox	-
geosrs:ProjectedCRS	owl:equivalentClass	ign:ProjectedCRS	-
geosrs:SingleCRS	owl:equivalentClass	ign:SingleCRS	-
geosrs:SingleCRSList	owl:equivalentClass	ign:SingleCRSList	-
geosrs:VerticalCRS	owl:equivalentClass	ign:VerticalCRS	-

A.2. ISO19111 Ontology

Table A.3 — Alignment: ISO19111 Ontology

FROM ELEMENT	MAPPING RELATION	TO ELEMENT	NOTES
geosrs:CoordinateSystem	owl:equivalentClass	iso19111:CoordinateSystem	-
geosrs:Datum	owl:equivalentClass	iso19111:Datum	-
geosrs:Ellipsoid	owl:equivalentClass	iso19111:Ellipsoid	-
geosrs:CRS	owl:equivalentClass	iso19111:CRS	-
geosrs:CompoundCRS	owl:equivalentClass	iso19111:CompoundCRS	-
geosrs:EngineeringCRS	owl:equivalentClass	iso19111:EngineeringCRS	-
geosrs:GeodeticCRS	owl:equivalentClass	iso19111:GeodeticCRS	-

FROM ELEMENT	MAPPING RELATION	TO ELEMENT	NOTES
geosrs:GeographicCRS	owl:equivalentClass	iso19111:GeographicCRS	-
geosrs:ParametricCRS	owl:equivalentClass	iso19111:ParametricCRS	-
geosrs:ProjectedCRS	owl:equivalentClass	iso19111:ProjectedCRS	-
geosrs:SingleCRS	owl:equivalentClass	iso19111:SingleCRS	-
geosrs:TemporalCRS	owl:equivalentClass	iso19111:TemporalCRS	-
geosrs:VerticalCRS	owl:equivalentClass	iso19111:VerticalCRS	-

A.3. IFC Ontology

Table A.4 — Alignment: IFC Ontology

FROM ELEMENT	MAPPING RELATION	TO ELEMENT	NOTES
geosrs:AxisDirection	owl:equivalentClass	ifc:IfcDirection	-
geosrs:CRS	owl:equivalentClass	ifc:IfcCoordinateReferenceSystem	-
geosrs:CoordinateOperation	owl:equivalentClass	ifc:IfcCoordinateOperation	-
geosrs:ProjectedCRS	owl:equivalentClass	ifc:IfcProjectedCRS	-
geosrs:axis	owl:equivalentProperty	ifc:axis IfcAxis1Placement	-
geosrs:sourceCRS	owl:equivalentProperty	ifc:sourceCRS	-
geosrs:targetCRS	owl:equivalentProperty	ifc:targetCRS	-



ANNEX B (INFORMATIVE) SHACL SHAPES

В

ANNEX B (INFORMATIVE) SHACL SHAPES

Overview

Overview



ANNEX C (INFORMATIVE) REVISION HISTORY



DATE	RELEASE	AUTHOR	PRIMARY CLAUSES MODIFIED	DESCRIPTION
2016-04-28	0.1	G. Editor	all	initial version



BIBLIOGRAPHY

NOTE: The TC has approved Springer LNCS as the official document citation type. Springer LNCS is widely used in technical and computer science journals and other publications For citations in the text please use square brackets and consecutive numbers: [1], [2], [3] Actual References: [n] Journal: Author Surname, A.: Title. Publication Title. Volume number, Issue number, Pages Used (Year Published)

- [1] ISO: ISO 19142, Geographic information Web Feature Service. International Organization for Standardization, Geneva https://www.iso.org/standard/42136.html.
- [2] W3C: **Data Catalog Vocabulary**, W3C Recommendation 16 January 2014, https://www.w3.org/TR/vocab-dcat/
- [3] IANA: Link Relation Types, https://www.iana.org/assignments/link-relations/link-relations.xml
- [4] W3C/OGC: **Spatial Data on the Web Best Practices,** W3C Working Group Note 28 September 2017, https://www.w3.org/TR/sdw-bp/
- [5] W3C: Data on the Web Best Practices, W3C Recommendation 31 January 2017, https://www.w3.org/TR/dwbp/
- [6] Ben-Kiki, O., Evans, C., Ingy döt Net: YAML Ain't Markup Language, https://yaml.org/
- [7] OGC: Web Feature Service 2.0, http://docs.opengeospatial.org/is/09-025r2/09-025r2. html
- [8] Berners-Lee, T., Fielding, R., Masinter, L.: IETF RFC 3986 Uniform Resource Identifier (URI): Generic Syntax, http://tools.ietf.org/rfc/rfc3986.txt