Author:

Last Modified: 2005-01-22T19:27:00Z

By:

Table of Contents

1		Intro	duction	•••••	••••••	3
2		Conc	epts		•••••	3
2	.1	The ServiceBroker Instance			•••••	3
2		Immut 2.2.1 2.2.2 2.2.3 2.2.4 2.2.5 2.2.6 2.2.7	able Types Returned by Ad public struct User public struct LabServer public struct LabClient public struct ClientInfo public struct Group public struct UserSession public struct SystemMessage			3 3 3 3 3 3
2	.3	Autho	rization		•••••	3
3		Meth	ods		•••••	3
	3. 3. 3. 3. 3. 3. 3. 3. 3. 3. 3. 3. 3. 3	1.1 1.2 1.3 1.4 1.5 1.6 1.7 1.8 1.9 1.10 1.11 1.12 1.13 1.14	AddLabServer	skeykey.		3 3 3 3 3 3 3 3 3 3 3 3 3 3
		1.16 1.17	GetLabClientsSetUserXMLExtensionSchen			
3	.2 3.2		Ianagement Methods AddUserRemoveUsers			3 3
			Pag	ge 2 of 37	2005-01-22	Γ19:27:0 <mark>0</mark> Ζ

3.2.3	ModifyUser	3
3.2.4	ListUserIDs	3
3.2.5	ListOrphanedUserIDs	3
3.2.6	GetUsers	3
3.2.7	GetUserID	3
3.2.8		
3.2.9	GetUserNames	3
3.2.10	InsertUserSession	3
3.2.11	SaveUserSessionEndTime	3
3.2.12	GetUserSessions	3
3.2.13	GetUserSessions	3
33 Groun	Management Methods	3
3.3.1	AddGroup	
3.3.2	RemoveGroups	
3.3.3	ModifyGroup	
3.3.4	ListGroupIDs.	
3.3.5	GetGroups	
3.3.6	AddMemberToGroup.	
3.3.7	RemoveMembersFromGroup	
3.3.8	ListUserIDsInGroup	
3.3.9	ListUserIDsInGroupRecursively	
3.3.10	ListMemberIDsInGroup	
3.3.11	ListSubGroupIDs	
3.3.12	ListSubGroupIDsRecursively	
3.3.13	ListGroupsForAgent	
3.3.14	ListGroupsForAgentRecursively	
3.3.14	IsAgentMember	
	cation Methods	
3.4.1	NotifyUsers	3
3.5 Client	Storage Methods	3
3.5.1	SaveClientItemValue	
3.5.2		
3.5.3		3
3.5.4	RemoveClientItems	
3.5.5	ListClientItems	
3.6		
	n Message Methods	
3.7.1	AddSystemMessage	
3.7.2	GetSystemMessages	
3.7.3	RemoveSystemMessages	
3.7.4	ModifySystemMessage	3

Page 3 of 37

2005-01-22T19:27:00Z

than the Service Broker / Lab Server API and the Client /Service Broker API. The latter two interfaces span processes than run on separate machines. We intend to implement their calls using web services. While we could implement the Service Broker Administrative API using a separate client application that would communicate with