

pref_voting: The Preferential Voting Tools package for Python

Wesley H. Holliday 1 and Eric Pacuit 2 and Eric Pacuit 1 and Eric

1 University of California, Berkeley 2 University of Maryland * These authors contributed equally.

DOI: 10.21105/joss.07020

Software

- Review 🗗
- Repository 🗗
- Archive ♂

Editor: Britta Westner 🗗 💿

Reviewers:

- @dmnapolitano
- @pkrafft

Submitted: 24 April 2024 Published: 28 January 2025

License

Authors of papers retain copyright and release the work under a Creative Commons Attribution 4.0 International License (CC BY 4.0).

Summary

Preferential Voting Tools (pref_voting) is a Python package designed for research in voting theory (Brams & Fishburn, 2002; Dummett, 1984; Pacuit, 2019; Tideman, 2006; Zwicker, 2016), a subfield of social choice theory (Arrow, 1963; Fishburn, 1973; Kelly, 1988; Sen, 2017), and for practical applications of the theory. The basic problem of voting theory concerns how to combine "inputs" from multiple individual voters into a single social "output". For example, a common type of input from each voter is a ranking of some set of candidates, while a common type of social output is the selection of a winning candidate (or perhaps a set of candidates tied for winning). A voting method is then a function that takes in a ranking from each voter and outputs a winning candidate (or set of tied candidates). Other functions may instead output a social ranking of the candidates (Arrow, 1963) or a probability distribution over the candidates (Brandt, 2017), and other input types are also possible, such as sets of approved candidates (Brams & Fishburn, 2007), or assignments of grades to candidates (Balinski & Laraki, 2010), or real-valued functions on the set of candidates (d'Aspremont & Gevers, 2002; Sen, 2017). Faced with a function of any of these types, voting theorists study the function from several perspectives, including the general principles or "axioms" it satisfies (Felsenthal, 2012; Nurmi, 1987, 1999), its susceptibility to manipulation by strategic voters (Taylor, 2005), its statistical behavior according to probability models for generating voter inputs (Green-Armytage et al., 2016; Merrill, 1988), the complexity of the function and related computational problems (e.g., the problem of determining if the function can be manipulated in a given election) (Faliszewski et al., 2009), and more. These studies are greatly facilitated by the implementation of algorithms for computing the relevant functions and checking their properties, which are provided in pref voting.

Statement of need

Research in the burgeoning field of computational social choice (COMSOC) (Aziz et al., 2019; Brandt et al., 2016; Geist & Peters, 2017) often applies computer-assisted techniques to the study of voting methods and other collective decision procedures. The aim of pref_voting is to contribute to a comprehensive set of tools for such research. Other packages in this area include abcvoting (Lackner et al., 2023), which focuses on approval-based committee voting, preflibtools (Mattei & Walsh, 2013), which contains tools for working with preference data from PrefLib.org, and prefsampling (Boehmer et al., 2024), which implements probability models for generating voter rankings. The pref_voting package provides functionality not available in these previous packages, while also interfacing with preflibtools and prefsampling. Like pref_voting, the VoteKit (MGGG Redistricting Lab, 2024) and VoteLib (Šimbera, 2021) packages provide implementations of a number of voting methods; and like prefsampling, VoteKit provides tools for generating elections. However, neither package includes all the voting methods and functionality in pref_voting, as described below. The



pref_voting package has already been used in COMSOC research (Holliday et al., 2025; Hornischer & Terzopoulou, 2024) and in online COMSOC tools (Peters, 2024). The package can also be used by election administrators to determine election outcomes, as it is used in the Stable Voting website.

Functionality

Elections

The pref_voting package includes classes for the most important representations of elections, or types of edata, used in voting theory:

- Profile: each voter linearly orders the candidates;
- ProfileWithTies: each voter ranks the candidates, allowing ties and omissions of candidates:
- GradeProfile: each voter assigns grades from some finite list of grades to selected candidates (with approval ballots as a special case);
- UtilityProfile: each voter assigns a real number to each candidate;
- SpatialProfile: each voter and each candidate is placed in a multi-dimensional space;
- MajorityGraph: an edge from candidate A to candidate B represents that more voters rank A above B than vice versa;
- MarginGraph: a weighted version of a MajorityGraph, where the weight on an edge represents the margin of victory (or other measure of strength of majority preference).

The package also includes methods for transforming one type of representation into another, e.g., turning a SpatialProfile into a UtilityProfile given a choice of how spatial positions of voters and candidates determine voter utility functions (Merrill & Grofman, 1999), or turning a MarginGraph into a minimal Profile that induces that MarginGraph by solving an associated linear program, and so on. Other methods are included for standard voting-theoretic tests and operations, e.g., testing for the existence of Condorcet winners/losers, removing candidates, and so on. Methods are also included to import from and export to the PrefLib preference data format, the ABIF format (Lanphier, 2024), and other data formats.

Generating elections

For sampling profiles according to standard probability models, pref_voting interfaces with the prefsampling package. In addition, pref_voting contains functions for sampling other types of edata listed above, as well as functions for enumerating such objects up to certain equivalence relations.

Collective decision procedures

Several classes of collective decision procedures are built into pref voting:

- VotingMethod: given edata, outputs a list of candidates, representing tied winners;
- ProbVotingMethod: given edata, outputs a dictionary whose keys are candidates and whose values are probabilities;
- SocialWelfareFunction: given edata, outputs a ranking of the candidates.

Dozens of such functions are implemented in pref_voting and organized into standard groups identified in voting theory, e.g., positional scoring rules, iterative methods, margin-based methods (weighted tournament solutions), and cardinal methods.

Axioms

The pref_voting package also contains an Axiom class for functions that check whether a collective decision procedure satisfies a given axiom with respect to some edata. Each axiom



comes with a has_violation method that checks whether there is at least one violation of the axiom by the procedure for the given edata, as well as a find_all_violations method that enumerates all such violations together with relevant data. Axioms are divided into several well-known groups from voting theory, e.g., dominance axioms, monotonicity axioms, variable voter axioms, and variable candidate axioms.

Analysis

Finally, pref_voting comes with functions that facilitate the analysis of collective decision procedures, such as producing data on the frequency of axiom violations in elections generated using one of the available probability models.

Acknowledgements

We thank Jobst Heitzig and Dominik Peters for helpful contributions, Zoi Terzopoulou for helpful feature requests, and all three for helpful feedback on this paper.

References

- Arrow, K. J. (1963). *Social choice and individual values* (2nd ed.). John Wiley & Sons, Inc. https://doi.org/10.12987/9780300186987
- Aziz, H., Brandt, F., Elkind, E., & Skowron, P. (2019). Computational social choice: The first ten years and beyond. In B. Steffen & G. Woeginger (Eds.), *Computing and software science* (Vol. 10000). Springer. https://doi.org/10.1007/978-3-319-91908-9 4
- Balinski, M., & Laraki, R. (2010). *Majority judgement: Measuring, ranking and electing*. MIT Press. https://doi.org/10.7551/mitpress/9780262015134.003.0001
- Boehmer, N., Faliszewski, P., Janeczko, Ł., Kaczmarczyk, A., Lisowski, G., Pierczyński, G., Rey, S., Stolicki, D., Szufa, S., & Wąs, T. (2024). Guide to numerical experiments on elections in computational social choice. In K. Larson (Ed.), *Proceedings of the thirty-third international joint conference on artificial intelligence, IJCAI-24* (pp. 7962–7970). International Joint Conferences on Artificial Intelligence Organization. https://doi.org/10.24963/ijcai.2024/881
- Brams, S. J., & Fishburn, P. C. (2002). Voting procedures. In K. J. Arrow, A. K. Sen, & K. Suzumura (Eds.), *Handbook of social choice and welfare* (Vol. 1, pp. 173–236). North-Holland. https://doi.org/10.1016/S1574-0110(02)80008-X
- Brams, S. J., & Fishburn, P. C. (2007). *Approval voting* (2nd ed.). Springer. https://doi.org/10.1007/978-0-387-49896-6
- Brandt, F. (2017). Rolling the dice: Recent results in probabilistic social choice. In U. Endriss (Ed.), *Trends in computational social choice* (pp. 3–26). Al Access. https://archive.illc.uva.nl/COST-IC1205/BookDocs/Chapters/TrendsCOMSOC-01.pdf
- Brandt, F., Conitzer, V., Endriss, U., Lang, J., & Procaccia, A. D. (Eds.). (2016). *Handbook of computational social choice*. Cambridge University Press. https://doi.org/10.1017/CBO9781107446984
- d'Aspremont, C., & Gevers, L. (2002). Social welfare functionals and interpersonal comparability. In K. J. Arrow, A. K. Sen, & K. Suzumura (Eds.), *Handbook of social choice and welfare* (Vol. 1, pp. 459–541). North-Holland. https://doi.org/10.1016/S1574-0110(02)80014-5
- Dummett, M. (1984). Voting procedures. Clarendon Press.
- Faliszewski, P., Hemaspaandra, E., Hemaspaandra, L., & Rothe, J. (2009). A richer understanding of the complexity of election systems. In S. Ravi & S. Shukla (Eds.), Fundamental



- problems in computing: Essays in honor of Professor Daniel J. Rosenkrantz. Springer-Verlag. https://doi.org/10.1007/978-1-4020-9688-4 14
- Felsenthal, D. S. (2012). Review of paradoxes afflicting procedures for electing a single candidate. *Electoral Systems: Paradoxes, Assumptions and Procedures*, 19–92. https://doi.org/10.1007/978-3-642-20441-8_3
- Fishburn, P. C. (1973). *The theory of social choice*. Princeton University Press. https://doi.org/10.1515/9781400868339
- Geist, C., & Peters, D. (2017). Computer-aided methods for social choice theory. In U. Endriss (Ed.), *Trends in computational social choice* (pp. 249–267). Al Access. https://archive.illc.uva.nl/COST-IC1205/BookDocs/Chapters/TrendsCOMSOC-13.pdf
- Green-Armytage, J., Tideman, T. N., & Cosman, R. (2016). Statistical evaluation of voting rules. *Social Choice and Welfare*, 46, 183–212. https://doi.org/10.1007/s00355-015-0909-0
- Holliday, W. H., Kristoffersen, A., & Pacuit, E. (2025). Learning to manipulate under limited information. *Proceedings of the 39th Annual AAAI Conference on Artificial Intelligence* (AAAI-25). https://arxiv.org/abs/2401.16412
- Hornischer, L., & Terzopoulou, Z. (2024). Learning how to vote with principles: Axiomatic insights into the collective decisions of neural networks. https://arxiv.org/abs/2410.16170
- Kelly, J. S. (1988). Social choice theory: An introduction. Springer. https://doi.org/10.1007/978-3-662-09925-4
- Lackner, M., Regner, P., & Krenn, B. (2023). abcvoting: A python package for approval-based multi-winner voting rules. *Journal of Open Source Software*, 8(81), 4880. https://doi.org/10.21105/joss.04880
- Lanphier, R. (2024). Abif. In GitHub repository. GitHub. https://github.com/electorama/abif
- Mattei, N., & Walsh, T. (2013). PrefLib: A library of preference data. *Proceedings of Third International Conference on Algorithmic Decision Theory (ADT 2013)*, 259–270. https://doi.org/10.1007/978-3-642-41575-3_20
- Merrill, S. (1988). *Making multicandidate elections more democratic*. Princeton University Press. https://doi.org/10.1515/9781400859504
- Merrill, S., & Grofman, B. (1999). A unified theory of voting: Directional and proximity spatial models. Cambridge University Press. https://doi.org/10.1017/CBO9780511605864
- MGGG Redistricting Lab. (2024). VoteKit. In *GitHub repository*. GitHub. https://github.com/mggg/VoteKit
- Nurmi, H. (1987). *Comparing voting systems*. D. Reidel. https://doi.org/10.1007/978-94-009-3985-1
- Nurmi, H. (1999). Voting paradoxes and how to deal with them. Springer. https://doi.org/10. 1007/978-3-662-03782-9
- Pacuit, E. (2019). Voting methods. In E. N. Zalta (Ed.), The Stanford Encyclopedia of Philosophy (Fall 2019). https://plato.stanford.edu/archives/fall2019/entries/voting-methods/; Metaphysics Research Lab, Stanford University.
- Peters, D. (2024). Pref.tools: Tools that are useful for analyzing preferences. https://pref.tools
- Sen, A. (2017). *Collective choice and social welfare: An expanded edition*. Harvard University Press. https://doi.org/10.4159/9780674974616
- Šimbera, J. (2021). Votelib: Evaluation of voting systems in python. In *GitHub repository*. GitHub. https://github.com/simberaj/votelib



- Taylor, A. D. (2005). *Social choice and the mathematics of manipulation*. Cambridge University Press. https://doi.org/10.1017/cbo9780511614316
- Tideman, N. (2006). *Collective decisions and voting: The potential for public choice*. Routledge. https://doi.org/10.4324/9781315259963
- Zwicker, W. S. (2016). Introduction to the theory of voting. In F. Brandt, V. Conitzer, U. Endriss, J. Lang, & A. D. Procaccia (Eds.), *Handbook of computational social choice* (pp. 23–56). Cambridge University Press. https://doi.org/10.1017/cbo9781107446984.003