elmada: Dynamic electricity carbon emission factors and prices for Europe

Markus Fleschutz[1, 2] and Michael D. Murphy[1]

1 Department of Process, Energy and Transport Engineering, Munster Technological University **2** Institute of Refrigeration, Air-Conditioning, and Environmental Engineering, Karlsruhe University of Applied Sciences

Summary

The expansion of intermittent renewable energy sources such as solar and wind requires increased operational flexibility in electricity systems. Energy system models at the scale of individual decentral energy hubs can help decision-makers of energy hubs such as city quarters or industrial sites evaluate the cost and carbon emission saving potentials of their flexibility. For national scale models, the carbon emissions of the electricity supply system are endogenously determined. However, low-level models (at the scale of decentral energy hubs) need this information as input. Since specific carbon emissions of national electricity supply systems fluctuate hourly, the usage of dynamic (i.e. at least hourly resolved) carbon emission factors (CEFs) is essential (Prina et al., 2020).

elmada is an easy-to-use open-source Python package designed to provide dynamic electricity CEFs and prices for European countries. The target group includes modelers of distributed energy hubs who need electricity market data. This is where the name **elmada** comes from: **el**ectricity **ma**rket **da**ta. elmada is developed in the open on GitHub (Fleschutz, 2021a). Each release is archived on Zenodo (Fleschutz, 2021b).

Statement of Need

Dynamic CEFs are important for the environmental assessment of electricity supply in not fully decarbonized energy systems. To the best of the authors' knowledge, elmada is the first free and open-source Python interface for dynamic CEFs in Europe. This makes elmada an important complement to existing commercial services.

At the moment, there are two main commercial services that provide an Application Programming Interface (API) for historical dynamic CEFs: the electricityMap API (Tomorrow, 2021) and the Automated Emissions Reduction from WattTime (WattTime, 2021). The electricityMap is maintained by Tomorrow, a startup based in Denmark, and WattTime is a nonprofit organization in the USA. However, both focus on real-time CEFs as incentive signals for demand response answering the question "How clean is my electricity right now?" We elaborate more on electricityMap here, as they originate in Europe, which is also the focus of elmada. The services of WattTime are broadly similar.

electricityMap is a software project that visualizes the carbon emission intensity linked to the generation and consumption of electricity on a global choropleth map. Additionally, the electricityMap API provides historical, real-time (current hour), forecast, and since recently also marginal data. The calculation methods consider international energy exchanges and the fact that the list of data sources is curated by Tomorrow (the company behind it) makes

it save-to-use as a live incentive signal e.g. for carbon-based demand response applications. However, the use of `electricityMap` API requires a data-dependent payment even for the historic data, so it is not free of charge.

There are two types of dynamic CEFs:

- grid-mix emission factors (XEFs), which represent the emission intensity based on the current generation mix of the electricity system,
- and marginal emission factors (MEFs), which quantify the emission intensity of the generators likely to react to a marginal system change.

Currently, there is no multi-national solution for modelers of decentral energy hubs searching for free historical hourly CEFs (in particular MEFs). This gap often leads to the usage of yearly average CEFs, which are potentially misleading (Hawkes, 2010). We close this gap by providing the conveniently installable Python package `elmada` that calculates XEFs and MEFs in hourly (or higher) resolution for 30 European countries for free. `elmada` provides modelers a no-regret (free) entry point to European dynamic CEFs leaving it open to the modeler to later switch to a paid service that generate more accurate CEFs, e.g. through advanced methods such as the consideration of cross-border energy flows through flow tracing (Tranberg et al., 2019).

Functionality

`elmada` calculates both types of dynamic CEFs: XEFs and MEFs. MEFs are more challenging to approximate than XEFs since MEFs require the identification of the marginal power plants per time step. In `elmada`, this is done through a merit order simulation within the power plant (PP) and piecewise linear (PWL) method described in (Fleschutz et al., 2021).

Also, historical and simulated day-ahead electricity market prices are provided. They can be used either for the economic evaluation of electricity demands or to model the incentive signal of price-based demand response.

Currently, `elmada` provides data for 30 European countries and for each year since 2017. `elmada` works mainly with data from the ENTSO-E Transparency Platform (European Network of Transmission System Operators for Electricity (ENTSO-E), 2021).

Current and Future Usage

So far, `elmada` has been used in a study where MEFs, XEFs and the results of load shift simulations based on them are compared across 20 European countries (Fleschutz et al., 2021). In ongoing research, `elmada` is used to quantify the costs and emission-saving potentials that arise from the exploitation of existing and future flexibility in decentral energy hubs.

We hope that `elmada` reduces the difficulty associated with the use of dynamic CEFs and prices in the modeling of decentral energy systems.

Acknowledgements

References

European Network of Transmission System Operators for Electricity (ENTSO-E). (2021). *ENTSOE Transparency Platform*. https://transparency.entsoe.eu

Fleschutz, M. (2021a). *Elmada*. https://github.com/DrafProject/elmada

Fleschutz, M. (2021b). *Elmada*. https://doi.org/10.5281/zenodo.5566694

Fleschutz, M., Bohlayer, M., Braun, M., Henze, G., & Murphy, M. D. (2021). The effect of price-based demand response on carbon emissions in european electricity markets: The importance of adequate carbon prices. *Applied Energy*, *295*, 117040. https://doi.org/10.1016/j.apenergy.2021.117040

Hawkes, A. D. (2010). Estimating marginal CO2 emissions rates for national electricity systems. *Energy Policy*, *38*(10), 5977–5987. https://doi.org/10.1016/j.enpol.2010.05.053

Prina, M. G., Manzolini, G., Moser, D., Nastasi, B., & Sparber, W. (2020). Classification and challenges of bottom-up energy system models - a review. *Renewable and Sustainable Energy Reviews*, *129*, 109917. https://doi.org/10.1016/j.rser.2020.109917

Tomorrow. (2021). *electricityMap API*. https://api.electricitymap.org/

Tranberg, B., Corradi, O., Lajoie, B., Gibon, T., Staffell, I., & Andresen, G. B. (2019). Real-time carbon accounting method for the European electricity markets. *Energy Strategy Reviews*, *26*, 100367. https://doi.org/10.1016/j.esr.2019.100367

WattTime. (2021). *Automated emissions reduction*. https://www.watttime.org/aer/