The Journal of Open Source Software

DispersiveShallowWater.jl: A Julia library of structure-preserving numerical methods for dispersive wave equations

Joshua Lampert [1], **Collin Wittenstein** [2], **and Hendrik Ranocha** [2]

1 Department of Mathematics, University of Hamburg, Germany **2** Institute of Mathematics, Johannes Gutenberg University Mainz, Germany

DOI: 10.xxxxxx/draft

Software

- Review
- Repository
- Archive

Editor: Jack Atkinson

Reviewers:

- @Alexander-Barth
- @giordano
- @pnavaro

Submitted: 28 August 2025
Published: unpublished

License
Authors of papers retain copyright and release the work under a Creative Commons Attribution 4.0 International License (CC BY 4.0).

DRAFT

Summary

DispersiveShallowWater.jl is a Julia library designed for the numerical simulation of dispersive wave equations, with a focus on structure-preserving methods. The library aims to provide a flexible and efficient framework for researchers and users working in the field of wave dynamics. The design of DispersiveShallowWater.jl emphasizes broad applicability to a variety of dispersive wave equations, supporting multiple numerical methods including finite difference (FD), discontinuous Galerkin (DG), continuous Galerkin (CG), and Fourier pseudospectral approaches enabled by the generality of summation-by-parts (SBP) operators. A central goal is the preservation of key structural properties of the underlying equations, ensuring physically meaningful and robust simulations across diverse scenarios.

Statement of need

Dispersive wave equations are fundamental in modeling various physical phenomena including shallow water waves, tsunamis, inundations, and other geophysical flows. These phenomena are often modeled as partial differential equations (PDEs) that exhibit dispersive behavior. The complexity and analytical intractability of most dispersive wave PDEs make the use of numerical methods inevitable for their practical solution.

Accurate simulation of dispersive wave equations requires advanced numerical methods capable of capturing both nonlinear and dispersive effects. It is crucial that these methods preserve fundamental physical invariants, such as conservation laws and stability, to ensure that the resulting simulations remain physically meaningful, accurate, and reliable. DispersiveShallowWater.jl addresses these needs by implementing structure-preserving algorithms tailored for a wide range of dispersive wave models. Summation-by-parts (SBP) operators play a crucial role in the library by enabling the construction of numerical schemes that mimic the integration-by-parts property at the discrete level. This property is essential for ensuring provable conservation and stability in the numerical solution of dispersive wave equations, making SBP operators particularly well-suited for structure-preserving simulations. In recent years, SBP operators have gained significant attention in the numerical analysis community and have been successfully applied to a variety of problems including dispersive wave equations (Almquist et al., 2014; Biswas et al., 2025; Giesselmann & Ranocha, 2025; Kjelldahl & Mattsson, 2025; Lampert & Ranocha, 2025; Lindeberg et al., 2021; Linders et al., 2023; Mattsson, 2014; Mattsson & Werpers, 2016; Ranocha, Mitsotakis, et al., 2021; Ranocha, de Luna, et al., 2021; Ranocha & Ricchiuto, 2025; Rydin et al., 2021).

Despite the importance of structure-preserving methods for dispersive wave equations, such approaches are rarely available in existing open-source software packages. DispersiveShal-

lowWater.jl is specifically designed to serve researchers who develop and compare numerical algorithms and mathematical models for dispersive wave phenomena. By providing a unified framework, the library enables users to systematically evaluate different models, numerical discretizations, and physical setups. This focus facilitates reproducible research and accelerates the development and assessment of new methods in the field.

Features

DispersiveShallowWater.jl is written in the Julia programming language (Bezanson et al., 2017) and leverages Julia's strengths in scientific computing, such as high performance, ease of use, and rich ecosystem of libraries and tools.

To date, DispersiveShallowWater.jl supports classical one-dimensional scalar dispersive wave equations like the Korteweg-de Vries (KdV) equation (Korteweg & de Vries, 1895) and the Benjamin-Bona-Mahony (BBM) equation (Benjamin et al., 1972) as well as more sophisticated one-dimensional systems of equations like the BBM-BBM system (Bona & Chen, 1998), the Serre-Green-Naghdi equations (Green & Naghdi, 1976; Serre, 1953), a hyperbolic approximation thereof (Favrie & Gavrilyuk, 2017), and the Svärd-Kalisch equations (Svärd & Kalisch, 2025).

The package integrates well into the existing ecosystem of Julia using SummationByPartsOperators.jl (Ranocha, 2021) for the construction of SBP operators, OrdinaryDiffEq.jl (Rackauckas & Nie, 2017) for solving the ordinary differential equations resulting from spatial discretization, and Plots.jl (Christ et al., 2023) for visualization. This allows the library to use advanced techniques implemented in these packages and benefit from their extensive functionality. Moreover, the design concept behind DispersiveShallowWater.jl is largely inspired by the well-established numerical solution framework Trixi.jl (Ranocha et al., 2022; Schlottke-Lakemper et al., 2021, 2025) making the interface familiar to users of Trixi.jl and easy to extend.

In addition, users benefit from a suite of built-in analysis and postprocessing tools for investigation of numerical and physical properties, performance evaluation, and visualization. Entropy-conserving time integration schemes based on relaxation approaches are implemented, enabling stability also on the fully-discrete level, see Ketcheson (2019), Ranocha et al. (2020). Furthermore, DispersiveShallowWater.jl includes routines for computing and analyzing linear dispersion relations, enabling theoretical investigation and comparison of different models.

Related research and software

Over the last century, several mathematical models describing the behavior of water waves have been proposed. As, e.g., outlined by Glimsdal et al. (2013), the ability to model dispersion effects is essential for many applications in fluid dynamics, coastal engineering, and environmental science. Therefore, many equations have been developed to capture these effects, which makes them physically more accurate compared to, e.g., the well-known shallow water equations, but also numerically more challenging to solve. Hence, researchers have developed a wide range of numerical methods to solve these equations, including finite difference, finite volume, discontinuous Galerkin, and spectral methods. However, many of these methods do not preserve the underlying structure of the equations, which can lead to numerical artifacts and inaccuracies in the simulations.

This leads to the recent trend in numerical analysis to develop structure-preserving discretization methods that maintain the physical properties of the equations. For the dispersive wave equations mentioned above, several structure-preserving methods have been proposed and analyzed in the literature, including the use of summation-by-parts (SBP) operators, cf. Biswas et al. (2025), Ranocha, Mitsotakis, et al. (2021), Linders et al. (2023), Lampert & Ranocha (2025), and Ranocha & Ricchiuto (2025). DispersiveShallowWater.jl provides a unified framework, which offers access to the numerical discretizations developed in these works.

In Lampert & Ranocha (2025), DispersiveShallowWater.jl is used for the implementation of the presented methods. The work also compares the numerical solutions to data obtained from experiments showing good agreement.

To the authors' knowledge, no other software package provides the same level of functionality for simulating dispersive shallow water waves as DispersiveShallowWater.jl. Other open-source software packages, such as Basilisk (http://basilisk.fr/, accessed 2025-08-22), FUNWAVE-TVD (https://fengyanshi.github.io, accessed 2025-08-22), SWASH (https://www.tudelft.nl/swash, accessed 2025-08-22), and the HySEA family of codes (https://edanya.uma.es/hysea/, accessed 2025-08-22) focus on operational, production-grade simulations while DispersiveShallowWater.jl is aimed at developing and comparing models and numerical methods. The widely used coastal/tsunami models mentioned above offer similar capabilities for some of the relevant equations but may not include all the features and tools available in DispersiveShallowWater.jl and rely on different numerical methods and approaches. Other Julia packages, such as Oceananigans.jl (Ramadhan et al., 2020), GeophysicalFlows.jl (Constantinou et al., 2021), SpectralWaves.jl (Paprota, 2025), WaterWaves1D.jl (Duchêne & Navaro, n.d.), ShallowWaters.jl (Klöwer, n.d.), and TrixiShallowWater.jl (Winters et al., 2025), also provide tools for simulating shallow water and dispersive wave phenomena, but differ in their focus, supported models, and numerical methods. While some research papers offer supplementary code, these are typically limited to small scripts intended for reproducing specific results and are not developed as general-purpose software libraries.

Acknowledgments

JL acknowledges the support by the Deutsche Forschungsgemeinschaft (DFG) within the Research Training Group GRK 2583 "Modeling, Simulation and Optimization of Fluid Dynamic Applications". HR additionally acknowledges support from the DFG through individual research grants 513301895 and 528753982, as well as within the DFG priority program SPP 2410 with project number 526031774.

References

Almquist, M., Mattsson, K., & Edvinsson, T. (2014). High-fidelity numerical solution of the time-dependent Dirac equation. *Journal of Computational Physics*, *262*, 86–103. https://doi.org/10.1016/j.jcp.2013.12.038

Benjamin, T. B., Bona, J. L., & Mahony, J. J. (1972). Model equations for long waves in nonlinear dispersive systems. *Philosophical Transactions of the Royal Society of London. Series A, Mathematical and Physical Sciences*, *272*(1220), 47–78. https://doi.org/10.1098/rsta.1972.0032

Bezanson, J., Edelman, A., Karpinski, S., & Shah, V. B. (2017). Julia: A fresh approach to numerical computing. *SIAM Review*, *59*(1), 65–98. https://doi.org/10.1137/141000671

Biswas, A., Ketcheson, D. I., Ranocha, H., & Schütz, J. (2025). Traveling-wave solutions and structure-preserving numerical methods for a hyperbolic approximation of the Korteweg-de Vries equation. *Journal of Scientific Computing*, *103*, 90. https://doi.org/10.1007/s10915-025-02898-x

Bona, J. L., & Chen, M. (1998). A Boussinesq system for two-way propagation of nonlinear dispersive waves. *Physica D: Nonlinear Phenomena*, *116*(1), 191–224. https://doi.org/10.1016/S0167-2789(97)00249-2

Christ, S., Schwabeneder, D., Rackauckas, C., Borregaard, M. K., & Breloff, T. (2023). Plots.jl — a user extendable plotting API for the Julia programming language. *Journal of Open Research Software*, *11*(1), 5. https://doi.org/10.5334/jors.431

DRAFT

Constantinou, N. C., Wagner, G. L., Siegelman, L., Pearson, B. C., & Palóczy, A. (2021). GeophysicalFlows.jl: Solvers for geophysical fluid dynamics problems in periodic domains on CPUs & GPUs. *Journal of Open Source Software*, *6*(60), 3053. https://doi.org/10.21105/joss.03053

Duchêne, V., & Navaro, P. (n.d.). *WaterWaves1D.jl*. https://github.com/WaterWavesModels/WaterWaves1D.jl. https://doi.org/10.5281/zenodo.7142921

Favrie, N., & Gavrilyuk, S. (2017). A rapid numerical method for solving Serre–Green–Naghdi equations describing long free surface gravity waves. *Nonlinearity*, *30*(7), 2718. https://doi.org/10.1088/1361-6544/aa712d

Giesselmann, J., & Ranocha, H. (2025, August). *Convergence of hyperbolic approximations to higher-order PDEs for smooth solutions*. https://doi.org/10.48550/arXiv.2508.04112

Glimsdal, S., Pedersen, G. K., Harbitz, C. B., & Løvholt, F. (2013). Dispersion of tsunamis: Does it really matter? *Natural Hazards and Earth System Sciences*, *13*(6), 1507–1526. https://doi.org/10.5194/nhess-13-1507-2013

Green, A. E., & Naghdi, P. M. (1976). A derivation of equations for wave propagation in water of variable depth. *Journal of Fluid Mechanics*, *78*(2), 237–246. https://doi.org/10.1017/S0022112076002425

Ketcheson, D. I. (2019). Relaxation Runge–Kutta methods: Conservation and stability for inner-product norms. *SIAM Journal on Numerical Analysis*, *57*(6), 2850–2870. https://doi.org/10.1137/19M1263662

Kjelldahl, V., & Mattsson, K. (2025). Numerical simulation of the generalized modified Benjamin-Bona-Mahony equation using SBP-SAT in time. *Journal of Computational and Applied Mathematics*, *459*, 116377. https://doi.org/10.1016/j.cam.2024.116377

Klöwer, M. (n.d.). *ShallowWaters.jl - a type-flexible 16-bit shallow water model*. https://github.com/milankl/ShallowWaters.jl. https://doi.org/10.5281/zenodo.3626102

Korteweg, D., & de Vries, G. (1895). On the change of form of long waves advancing in a rectangular canal, and on a new type of long stationary waves. *The London, Edinburgh, and Dublin Philosophical Magazine and Journal of Science*, *39*(240), 422–443. https://doi.org/10.1080/14786449508620739

Lampert, J., & Ranocha, H. (2025). Structure-preserving numerical methods for two nonlinear systems of dispersive wave equations. *Computational Science and Engineering*, *2*(2). https://doi.org/10.1007/s44207-025-00006-3

Lindeberg, L., Dao, T., & Mattsson, K. (2021). A high order accurate finite difference method for the drinfel'd–sokolov–wilson equation. *Journal of Scientific Computing*, *88*(1), 1–22. https://doi.org/10.1007/s10915-021-01481-4

Linders, V., Ranocha, H., & Birken, P. (2023). Resolving entropy growth from iterative methods. *BIT Numerical Mathematics*, *63*(4), 45. https://doi.org/10.1007/s10543-023-00992-w

Mattsson, K. (2014). Diagonal-norm summation by parts operators for finite difference approximations of third and fourth derivatives. *Journal of Computational Physics*, *274*, 432–454. https://doi.org/10.1016/j.jcp.2014.06.027

Mattsson, K., & Werpers, J. (2016). High-fidelity numerical simulation of solitons in the nerve axon. *Journal of Computational Physics*, *305*, 793–816. https://doi.org/10.1016/j.jcp.2015.11.007

Paprota, M. (2025). A fully spectral framework for nonlinear water waves propagating over topography. *Coastal Engineering*, *200*. https://doi.org/10.1016/j.coastaleng.2025.104759

Rackauckas, C., & Nie, Q. (2017). DifferentialEquations.jl – A performant and feature-rich ecosystem for solving differential equations in Julia. *Journal of Open Research Software*,

5(1), 15. https://doi.org/10.5334/jors.151

Ramadhan, A., Wagner, G. L., Hill, C., Campin, J.-M., Churavy, V., Besard, T., Souza, A., Edelman, A., Ferrari, R., & Marshall, J. (2020). Oceananigans.jl: Fast and friendly geophysical fluid dynamics on GPUs. *Journal of Open Source Software*, *5*(53), 2018. https://doi.org/10.21105/joss.02018

Ranocha, H. (2021). SummationByPartsOperators.jl: A Julia library of provably stable semidiscretization techniques with mimetic properties. *Journal of Open Source Software*, *6*(64), 3454. https://doi.org/10.21105/joss.03454

Ranocha, H., de Luna, M. Q., & Ketcheson, D. I. (2021). On the rate of error growth in time for numerical solutions of nonlinear dispersive wave equations. *Partial Differential Equations and Applications*, *2*(6), 76. https://doi.org/10.1007/s42985-021-00126-3

Ranocha, H., Mitsotakis, D., & Ketcheson, D. I. (2021). A broad class of conservative numerical methods for dispersive wave equations. *Communications in Computational Physics*, *29*(4), 979–1029. https://doi.org/10.4208/cicp.OA-2020-0119

Ranocha, H., & Ricchiuto, M. (2025). Structure-preserving approximations of the Serre-Green-Naghdi equations in standard and hyperbolic form. *Numerical Methods for Partial Differential Equations*, *41*(4), e70016. https://doi.org/10.1002/num.70016

Ranocha, H., Sayyari, M., Dalcin, L., Parsani, M., & Ketcheson, D. I. (2020). Relaxation Runge–Kutta methods: Fully discrete explicit entropy-stable schemes for the compressible Euler and Navier–Stokes equations. *SIAM Journal on Scientific Computing*, *42*(2), A612–A638. https://doi.org/10.1137/19M1263480

Ranocha, H., Schlottke-Lakemper, M., Winters, A. R., Faulhaber, E., Chan, J., & Gassner, G. (2022). Adaptive numerical simulations with Trixi.jl: A case study of Julia for scientific computing. *Proceedings of the JuliaCon Conferences*, *1*(1), 77. https://doi.org/10.21105/jcon.00077

Rydin, Y. L., Mattsson, K., Werpers, J., & Sjöqvist, E. (2021). High-order finite difference method for the Schrödinger equation on deforming domains. *Journal of Computational Physics*, *443*, 110530. https://doi.org/10.1016/j.jcp.2021.110530

Schlottke-Lakemper, M., Gassner, G. J., Ranocha, H., Winters, A. R., Chan, J., & Rueda-Ramírez, A. (2025). *Trixi.jl: Adaptive high-order numerical simulations of hyperbolic PDEs in Julia*. https://github.com/trixi-framework/Trixi.jl. https://doi.org/10.5281/zenodo.3996439

Schlottke-Lakemper, M., Winters, A. R., Ranocha, H., & Gassner, G. J. (2021). A purely hyperbolic discontinuous Galerkin approach for self-gravitating gas dynamics. *Journal of Computational Physics*, *442*, 110467. https://doi.org/10.1016/j.jcp.2021.110467

Serre, F. (1953). Contribution à l'étude des Écoulements permanents et variables dans les canaux. *La Houille Blanche*, *39*(3), 374–388. https://doi.org/10.1051/lhb/1953034

Svärd, M., & Kalisch, H. (2025). A novel energy-bounded Boussinesq model and a well balanced and stable numerical discretisation. *Journal of Computational Physics*, *520*, 113516. https://doi.org/10.1016/j.jcp.2024.113516

Winters, A. R., Ersing, P., Ranocha, H., & Schlottke-Lakemper, M. (2025). *TrixiShallowWater.jl: Shallow water simulations with Trixi.jl*. https://github.com/trixi-framework/TrixiShallowWater.jl. https://doi.org/10.5281/zenodo.15206520

DRAFT