

CSS flex-shrink Property

[Reference](#)

Example

Let the second flex-item shrink three times more than the rest:

```
div:nth-of-type(2) {  
  flex-shrink: 3;  
}
```

[Try it Yourself »](#)

Definition and Usage

The `flex-shrink` property specifies how the item will shrink relative to the rest of the flexible items inside the same container.

Note: If the element is not a flexible item, the `flex-shrink` property has no effect.

Default value:	1	
Inherited:	no	
Animatable:	yes. Read about animatable	Try it
Version:	CSS3	
JavaScript syntax:	<code>object.style.flexShrink="5"</code>	Try it

The numbers in the table specify the first browser version that fully supports the property.

Numbers followed by `-webkit-` or `-moz-` specify the first version that worked with a prefix.

Property					
flex-shrink	29.0 21.0 -webkit-	11.0	28.0 18.0 -moz-	9.0 6.1 -webkit-	17.0

CSS Syntax

```
flex-shrink: number|initial|inherit;
```

Property Values

Value	Description	Play it
<i>number</i>	A number specifying how much the item will shrink relative to the rest of the flexible items. Default value is 1	Play it »
initial	Sets this property to its default value. Read about <i>initial</i>	Play it »
inherit	Inherits this property from its parent element. Read about <i>inherit</i>	

Related Pages

CSS Tutorial: [CSS Flexible Box](#)

CSS Reference: [flex property](#).

CSS Reference: [flex-basis property](#).

CSS Reference: [flex-direction property](#).

CSS Reference: [flex-flow property](#).

CSS Reference: [flex-grow property](#).



Reference



50% OFF
All Courses and Certificates

Shop now!

From 7th of July 2023 - 1st of August 2023

*Does not include
Bootcamps and Subscriptions*



COLOR PICKER



Join our Mini CSS Bootcamp



*"W3Schools Bootcamp is the best
investment that I have ever made"*
Student at W3Schools

[Read more](#)[Spaces](#)[Upgrade](#)[Newsletter](#)[Get Certified](#)[Report Error](#)

Top Tutorials

[HTML Tutorial](#)[CSS Tutorial](#)[JavaScript Tutorial](#)[How To Tutorial](#)

[Java Tutorial](#)
[C++ Tutorial](#)
[jQuery Tutorial](#)

Top References

[HTML Reference](#)
[CSS Reference](#)
[JavaScript Reference](#)
[SQL Reference](#)
[Python Reference](#)
[W3.CSS Reference](#)
[Bootstrap Reference](#)
[PHP Reference](#)
[HTML Colors](#)
[Java Reference](#)
[Angular Reference](#)
[jQuery Reference](#)

Top Examples

[HTML Examples](#)
[CSS Examples](#)
[JavaScript Examples](#)
[How To Examples](#)
[SQL Examples](#)
[Python Examples](#)
[W3.CSS Examples](#)
[Bootstrap Examples](#)
[PHP Examples](#)
[Java Examples](#)
[XML Examples](#)
[jQuery Examples](#)

Get Certified

[HTML Certificate](#)
[CSS Certificate](#)
[JavaScript Certificate](#)
[Front End Certificate](#)
[SQL Certificate](#)
[Python Certificate](#)
[PHP Certificate](#)
[jQuery Certificate](#)
[Java Certificate](#)
[C++ Certificate](#)
[C# Certificate](#)
[XML Certificate](#)

[FORUM](#) | [ABOUT](#)

W3Schools is optimized for learning and training. Examples might be simplified to improve reading and learning. Tutorials, references, and examples are constantly reviewed to avoid errors, but we cannot warrant full correctness of all content. While using W3Schools, you agree to have read and accepted our terms of use, cookie and privacy policy.



Menu ▼

🌟 Bootcamps

📁 Spaces

Sign Up

Log in

☰ HTML CSS JAVASCRIPT SQL

