

# CSS animation-iteration-count Property

[Reference](#)

## Example

Play the animation two times:

```
div {  
  animation-iteration-count: 2;  
}
```

[Try it Yourself »](#)

More "Try it Yourself" examples below.

## Definition and Usage

The `animation-iteration-count` property specifies the number of times an animation should be played.

Default value:	1
Inherited:	no



HTML

CSS

JAVASCRIPT

**JavaScript syntax:** `object.style.animationIterationCount="infinite"`

Try it

## Browser Support

The numbers in the table specify the first browser version that fully supports the property.

Numbers followed by -webkit-, -moz-, or -o- specify the first version that worked with a prefix.

Property					
animation-iteration-count	43.0 4.0 -webkit-	10.0	16.0 5.0 -moz-	9.0 4.0 -webkit-	30.0 15.0 -webkit- 12.0 -o-

## CSS Syntax

```
animation-iteration-count: number|infinite|initial|inherit;
```

## Property Values

Value	Description	Demo
<i>number</i>	A number that defines how many times an animation should be played. Default value is 1	<a href="#">Play it »</a>
infinite	Specifies that the animation should be played infinite times (for ever)	<a href="#">Play it »</a>
initial	Sets this property to its default value. <a href="#">Read about <i>initial</i></a>	
inherit	Inherits this property from its parent element. <a href="#">Read about <i>inherit</i></a>	

## Example

Play the animation forever:

```
div {  
  animation-iteration-count: infinite;  
}
```

[Try it Yourself »](#)

## Related Pages

CSS tutorial: [CSS Animations](#)

HTML DOM reference: [animationIterationCount property](#)

[Reference](#)

**50% OFF**  
All Courses and Certificates

**Shop now!**

*From 7th of July 2023 - 1st of August 2023*

Does not include  
Bootcamps and Subscriptions







# Join our Mini CSS Bootcamp



★★★★★

*"W3Schools Bootcamp is the best investment that I have ever made"*

*Student at W3Schools*

Read more



Menu ▼

Bootcamps

Spaces

Sign Up

Log in



HTML

CSS

JAVASCRIPT

[Report Error](#)

## Top Tutorials

- [HTML Tutorial](#)
- [CSS Tutorial](#)
- [JavaScript Tutorial](#)
- [How To Tutorial](#)
- [SQL Tutorial](#)
- [Python Tutorial](#)
- [W3.CSS Tutorial](#)
- [Bootstrap Tutorial](#)
- [PHP Tutorial](#)
- [Java Tutorial](#)
- [C++ Tutorial](#)
- [jQuery Tutorial](#)

## Top References

- [HTML Reference](#)
- [CSS Reference](#)
- [JavaScript Reference](#)
- [SQL Reference](#)
- [Python Reference](#)
- [W3.CSS Reference](#)
- [Bootstrap Reference](#)
- [PHP Reference](#)
- [HTML Colors](#)
- [Java Reference](#)
- [Angular Reference](#)
- [jQuery Reference](#)

## Top Examples

- [HTML Examples](#)
- [CSS Examples](#)
- [JavaScript Examples](#)
- [How To Examples](#)
- [SQL Examples](#)
- [Python Examples](#)
- [W3.CSS Examples](#)
- [Bootstrap Examples](#)
- [PHP Examples](#)
- [Java Examples](#)
- [XML Examples](#)
- [jQuery Examples](#)

## Get Certified

- [HTML Certificate](#)
- [CSS Certificate](#)

- jQuery Certificate
- Java Certificate
- C++ Certificate
- C# Certificate
- XML Certificate

FORUM | ABOUT

W3Schools is optimized for learning and training. Examples might be simplified to improve reading and learning. Tutorials, references, and examples are constantly reviewed to avoid errors, but we cannot warrant full correctness of all content. While using W3Schools, you agree to have read and accepted our terms of use, cookie and privacy policy.

Copyright 1999-2023 by Refsnes Data. All Rights Reserved.  
W3Schools is Powered by W3.CSS.

