

CSS font-size Property

[Reference](#)

Example

Set the font size for different elements:

```
div.a {  
  font-size: 15px;  
}  
  
div.b {  
  font-size: large;  
}  
  
div.c {  
  font-size: 150%;  
}
```

[Try it Yourself »](#)

Definition and Usage

The `font-size` property sets the size of a font.

[Show demo >](#)

Default value:	medium
----------------	--------

Version: CSS1

JavaScript syntax: `object.style.fontSize="14px"`

[Try it](#)

Browser Support

The numbers in the table specify the first browser version that fully supports the property.

Property					
font-size	1.0	5.5	1.0	1.0	7.0

CSS Syntax

```
font-size:medium|xx-small|x-small|small|large|x-large|xx-large|smaller|larger|length|initial|inherit;
```

Property Values

Value	Description	Demo
medium	Sets the font-size to a medium size. This is default	Demo >
xx-small	Sets the font-size to an xx-small size	Demo >
x-small	Sets the font-size to an extra small size	Demo >
small	Sets the font-size to a small size	Demo >
large	Sets the font-size to a large size	Demo >
x-large	Sets the font-size to an extra large size	Demo >
xx-large	Sets the font-size to an xx-large size	Demo >
smaller	Sets the font-size to a smaller size than the parent element	Demo >

%	Sets the font-size to a percent of the parent element's font size	Demo >
initial	Sets this property to its default value. Read about <i>initial</i>	
inherit	Inherits this property from its parent element. Read about <i>inherit</i>	

Related Pages

CSS tutorial: [CSS Fonts](#)

CSS reference: [font property](#)

HTML DOM reference: [fontSize property](#)

[Reference](#)

Save \$1118
Invest in
your professional
development!

Get **Lifelong Access**
To All Current & Future Courses

Get Full Access



COLOR PICKER





Kickstart your Front- end Career!



Get certified today!

Does not include Bootcamps & Subscriptions



[Spaces](#)

[Upgrade](#)

[Newsletter](#)

[Get Certified](#)

[Report Error](#)

Top Tutorials

[HTML Tutorial](#)

[CSS Tutorial](#)

[JavaScript Tutorial](#)

[How To Tutorial](#)

[Java Tutorial](#)
[C++ Tutorial](#)
[jQuery Tutorial](#)

Top References

[HTML Reference](#)
[CSS Reference](#)
[JavaScript Reference](#)
[SQL Reference](#)
[Python Reference](#)
[W3.CSS Reference](#)
[Bootstrap Reference](#)
[PHP Reference](#)
[HTML Colors](#)
[Java Reference](#)
[Angular Reference](#)
[jQuery Reference](#)

Top Examples

[HTML Examples](#)
[CSS Examples](#)
[JavaScript Examples](#)
[How To Examples](#)
[SQL Examples](#)
[Python Examples](#)
[W3.CSS Examples](#)
[Bootstrap Examples](#)
[PHP Examples](#)
[Java Examples](#)
[XML Examples](#)
[jQuery Examples](#)

Get Certified

[HTML Certificate](#)
[CSS Certificate](#)
[JavaScript Certificate](#)
[Front End Certificate](#)
[SQL Certificate](#)
[Python Certificate](#)
[PHP Certificate](#)
[jQuery Certificate](#)
[Java Certificate](#)
[C++ Certificate](#)
[C# Certificate](#)
[XML Certificate](#)

[FORUM](#) | [ABOUT](#)

W3Schools is optimized for learning and training. Examples might be simplified to improve reading and learning. Tutorials, references, and examples are constantly reviewed to avoid errors, but we cannot warrant full correctness of all content. While using W3Schools, you agree to have read and accepted our [terms of use](#), [cookie and privacy policy](#).



Menu ▼

🌟 Bootcamps

📦 Spaces

Sign Up

Log in

☰ HTML CSS JAVASCRIPT SQL

