

The graphical user interface of OpenTURNS, a UQ software in simulation

Michaël Baudin ¹ Anne Dutfoy ¹ Anthony Geay ¹ Anne-Laure Popelin ¹ Aurélie Ladier ² Julien Schueller ² Thierry Yalamas ²

¹EDF R&D. 6, quai Watier, 78401, Chatou Cedex - France, michael.baudin@edf.fr

²Phimeca Engineering. 18/20 boulevard de Reuilly, 75012 Paris - France, yalamas@phimeca.com

15 June 2017, UNCECOMP 2017, Rhodes, Greece



Contents

Introduction

Demo

Background

What's next ?

Extra slides


Demo backup

OpenTURNS

- ▶ Uncertainty quantification, uncertainty propagation, sensitivity analysis and metamodeling
- ▶ Partners : EDF, Phiméca, Airbus, IMACS
- ▶ www.openturns.org
- ▶ Licence LGPL
- ▶ Linux, Windows

Programming:

- ▶ Python module
- ▶ C++ Library



SALOME

- ▶ Integration platform for pre and post processing, and 2D/3D numerical simulation
- ▶ Features : geometry, mesh, distributed computing
- ▶ Visualization, data assimilation, uncertainty treatment
- ▶ Partners : EDF, CEA, Open Cascade
- ▶ Licence : LGPL
- ▶ Linux, Windows
- ▶ www.salome-platform.org



The graphical user interface of OpenTURNS

- ▶ Main goal : provide a graphical interface of OpenTURNS in SALOME
- ▶ Features
 - ▶ Uncertainty quantification (distribution fitting), central tendency, sensitivity analysis, probability estimate, meta-modeling
 - ▶ Generic (not dedicated to a specific application)
 - ▶ GUI language : English, French
- ▶ Partners : EDF, Phiméca
- ▶ Licence : LGPL
- ▶ Schedule :
 - ▶ Since summer 2016, one EDF release per year
 - ▶ On the internet : 2018

GUI : the demo

Demo time.

GUI : outline

- ▶ From scratch : 3 inputs, 2 outputs, sum, central dispersion study with default parameters
- ▶ Open `axialStressedBeam-python.xml` : central dispersion with sample size 1000, Threshold $P(G < 0)$ with $CV=0.05$
- ▶ Import `crue-4vars-analytique.py` : S.A. with sample size 1000, sort by size

UQ, the easy way

Main goal : make UQ easy to use

- ▶ classical user-friendly algorithms with a state-of-the-art implementation,
- ▶ default parameters of the algorithms whenever possible,
- ▶ an easy access to the HPC resources,
- ▶ an automated connection to the computer code.

Produce standard results :

- ▶ numerical results e.g. tables,
- ▶ classical graphics.

Overview (1/2)

Inputs from the user :

- ▶ Physical model : symbolic, Python code or SALOME component
- ▶ Probabilistic model : joint probability distribution function of the input.

Then :

- ▶ Central dispersion: estimates the central dispersion of the output Y (e.g. mean).
- ▶ Threshold probability: estimates the probability that the output exceeds a given threshold S .
- ▶ Sensitivity analysis: estimates the importance of the inputs to the variability of the output.

Overview (2/2)

Probabilistic modeling :

- ▶ Distribution fitting from a sample
- ▶ Dependence modeling (Gaussian copula)

Meta-modeling :

- ▶ Polynomial chaos (full or sparse)
- ▶ Kriging

Fields

Field example :

- ▶ Input : 4 independent random variables
- ▶ Output : height of the river Garonne on a 100 km segment
- ▶ Computer code : TELEM2D
- ▶ Quantity of interest : pointwise average over 70 000 random simulations

Roadmap :

- ▶ Now : massive Python/OpenTURNS scripting
- ▶ 2017-2018 : in the gui



The end

Thanks !

Questions ?

Interactive uncertainty visualization with Paraview



Methodology



Software architecture

Two entry points:

- ▶ interactive,
- ▶ Python.

Advantages of the Python programming of the GUI:

- ▶ unit tests,
- ▶ going beyond the GUI



Symbolic physical model

The screenshot shows the OTGui application window. The title bar reads "OTGui". Below it is a menu bar with "File" and "View". A toolbar contains icons for opening, saving, and printing. The left sidebar shows a tree view with the following structure:

- Crue Analytique
 - physicalModel_0
 - Deterministic study
 - Probabilistic study
 - Designs of experiment

The main area is divided into two sections: "Inputs" and "Outputs".

Inputs

| | Name | Description | Value |
|---|------|---------------------------------|-------|
| 1 | Q | Débit (m ³ /s) | 0 |
| 2 | Ks | Strickler (m ^{1/3} /s) | 30 |
| 3 | Zv | Côte aval (m) | 50 |
| 4 | Zm | Côte amont (m) | 55 |
| 5 | Hd | Hauteur de la digue (m) | 8 |
| 6 | Zb | Côte de la berge (m) | 55,5 |
| 7 | L | Longueur de la rivière (m) | 5000 |
| 8 | B | Largeur de la rivière (m) | 300 |

Below the inputs table are two buttons: "+ Add" and "- Remove".

Outputs

| | Name | Description | Formula | Value |
|---|------|--------------|--|-------|
| 1 | H | Surverse (m) | $(Q / (Ks * B * \sqrt{(Zm - Zv) / L}))^{(3.0 / 5.0)} + Zv - Zb - Hd$ | -13,5 |

Below the outputs table are three buttons: "+ Add", "- Remove", and "Evaluate".

Probabilistic model



Limit state study : definition of the threshold

Definition of the failure event :

| Output | Operator | Threshold |
|--------|----------|-----------|
| H ▼ | < ▼ | -10 |

Limit state study : algorithm parameters




Limit state study : summary

| Summary | Histogram | Convergence graph | |
|---------------------------|-----------|----------------------------|-------------|
| Output H | | | |
| Number of simulations: 26 | | | |
| Estimate | Value | Confidence interval at 95% | |
| | | Lower bound | Upper bound |
| Failure probability | 0.807692 | 0.656203 | 0.959182 |
| Coefficient of variation | 0.0956949 | | |

Limit state study : histogram



Central tendency : algorithm parameters



Central tendency : summary results

Moments estimate


| Estimate | Value | Confidence interval at 95% | |
|--------------------|----------|----------------------------|-------------|
| | | Lower bound | Upper bound |
| Mean | -11.0178 | -11.0417 | -10.9938 |
| Standard deviation | 1.22309 | 1.20637 | 1.24028 |
| Skewness | 0.20005 | | |
| Kurtosis | 3.01907 | | |
| First quartile | -11.8721 | | |
| Third quartile | -10.2129 | | |

Probability **Quantile**

Central tendency : summary results

| Result table | | | |
|------------------------------|----------|----------|----------|
| Summary | | | |
| PDF/CDF | | | |
| Box plots | | | |
| Scatter plots | | | |
| Output H ▼ | | | |
| Number of simulations: 10000 | | | |
| Minimum and Maximum | | | |
| | Variable | Minimum | Maximum |
| Output | H | -15.0155 | -5.88758 |
| | Q | 7.97827 | 6187.43 |
| | Ks | 27.132 | 25.5926 |
| | Zv | 49.1681 | 50.9071 |
| | Zm | 54.5469 | 55.3994 |
| | Hd | 8.76082 | 8.49391 |
| | Zb | 55.5436 | 55.4935 |
| | L | 4999.26 | 4997.37 |
| | B | 303.187 | 300.871 |

Central tendency : scatter plots



Sensitivity analysis : Sobol' indices

