

UNCLASSIFIED

Enterprise Mission Assurance Support Service (eMASS)



eMASS REST API (v3.22) Documentation

December 5, 2024

UNCLASSIFIED

Table of Contents

Revision History	5
1.0 Introduction.....	15
2.0 Getting Started.....	15
2.1 Register External Application.....	15
2.2 Approve API Client for Actionable Requests.....	15
3.0 Versioning.....	16
3.1 Request Headers.....	16
3.2 Response Notifications & Error Codes.....	17
4.0 Endpoints.....	19
4.1 Test Connection Endpoint.....	20
4.2 Registration Endpoint	20
4.3 Systems Endpoints	21
4.3.1 Systems Endpoints Fields.....	29
4.4 System Roles Endpoints	45
4.5 Controls Endpoints.....	48
4.5.1 Controls Endpoints Fields	49
4.6 Test Results Endpoints.....	54
4.6.1 Test Results Endpoints Fields	55
4.7 POA&Ms Endpoints	57
4.7.1 POA&Ms Endpoints Fields.....	62
4.8 Milestones Endpoints.....	71
4.8.1 Milestones Endpoints Fields	73
4.9 Artifacts Endpoints	74
4.9.1 Artifacts Endpoints Fields	77
4.10 Artifacts Export Endpoint	79
4.11 PAC Endpoints.....	80
4.11.1 PAC Endpoints Fields	81
4.12 CAC Endpoints	82
4.12.1 CAC Endpoints Fields.....	83
4.13 Hardware Baseline Endpoint	84
4.13.1 Hardware Baseline Endpoint Fields	89
4.14 Software Baseline Endpoint.....	92
4.14.1 Software Baseline Endpoint Fields	99
4.15 Device Scan Results Endpoint	103
4.16 Cloud Resource Results Endpoint	104
4.16.1 Cloud Resource Results Endpoint Fields	105
4.17 Container Scan Results Endpoint.....	107
4.17.1 Container Scan Results Endpoint Fields	108
4.18 Static Code Scans Endpoint	110

UNCLASSIFIED

4.18.1 Static Code Scans Endpoint Fields.....	111
4.19 Workflow Definitions Endpoint	112
4.19.1 Workflow Definitions Endpoint Fields	114
4.20 Workflow Instances Endpoint.....	116
4.20.1 Workflow Instances Endpoint Fields	119
4.21 CMMC Assessments Endpoint.....	121
4.21.1 CMMC Assessments Endpoint Fields.....	122
4.22 Dashboards Endpoints	124
4.22.1 System Status Details	125
4.22.2 System Terms / Conditions Summary	128
4.22.3 System Terms / Conditions Details	130
4.22.4 System Connectivity/CCSD Summary.....	132
4.22.5 System Connectivity/CCSD Details.....	133
4.22.6 System ATC/IATC Details	136
4.22.7 System Questionnaire Summary	138
4.22.8 System Questionnaire Details	140
4.22.9 System Workflows History Summary.....	142
4.22.10 System Workflows History Details	143
4.22.11 System Workflows History Stage Details	145
4.22.12 System Control Compliance Summary	148
4.22.13 System Security Controls Details.....	149
4.22.14 System Assessment Procedures Details	151
4.22.15 System POA&M Summary	154
4.22.16 System POA&M Details	155
4.22.17 System Artifacts Summary.....	159
4.22.18 System Artifacts Details.....	160
4.22.19 System Hardware Summary	163
4.22.20 System Hardware Details	164
4.22.21 System Sensor Hardware Summary	167
4.22.22 System Sensor Hardware Details	168
4.22.23 System Software Summary	171
4.22.24 System Software Details	172
4.22.25 System Sensor Software Summary	175
4.22.26 System Sensor Software Counts.....	176
4.22.27 System Sensor Software Details.....	178
4.22.28 System Critical Assets Summary	180
4.22.29 System Vulnerability Summary	182
4.22.30 System Device Findings Summary	183
4.22.31 System Device Findings Details.....	185
4.22.32 System Application Findings Summary	188
4.22.33 System Application Findings Details	190
4.22.34 System Ports/Protocols Summary	192
4.22.35 System Ports/Protocols Details	193
4.22.36 System CONMON Integration Status Summary.....	197

UNCLASSIFIED

4.22.37 System Associations Details	199
4.22.38 User System Assignments Details.....	202
4.22.39 Organization Migration Status Summary	204
4.22.40 System Migration Status Summary	205
4.22.41 System FISMA Metrics.....	207
4.22.42 Coast Guard System FISMA Metrics	210
4.22.43 System Privacy Summary	213
4.22.44 VA OMB FISMA SAOP Summary	215
4.22.45 VA System ICAMP Tableau POA&M Details	218
4.22.46 VA System A&A Summary	221
4.22.47 VA System A2.0 Summary	224
4.22.48 VA System P.L. 109 Reporting Summary	227
4.22.49 VA System FISMA Inventory Summary	230
4.22.50 VA System FISMA Inventory Crypto Summary	233
4.22.51 VA System Threat Risks Summary	237
4.22.52 VA System Threat Sources Details	238
4.22.53 VA System Threat Architecture Details	240
4.22.54 CMMC Assessment Status Summary	242
4.22.55 CMMC Assessment Requirements Compliance Summary	244
4.22.56 CMMC Assessment Security Requirements Details	246
4.22.57 CMMC Assessment Requirement Objectives Details	248
Appendix A – Business Rules.....	250
Controls Endpoints – Risk Assessment	250
Controls Endpoints – Implementation Plan	250
Test Results Endpoints.....	252
POA&Ms Endpoints	252
Artifacts Endpoint.....	255
CAC Endpoint.....	255
Appendix B – Acronyms.....	257

REVISION HISTORY

Version	Date	Description
1.0	November 16, 2017	Initial availability of the eMASS API. Deployed in eMASS v5.5.0.4 release.
1.1	March 5, 2018	Added fields to Systems endpoint: • Organization Name • Secondary Organization • Cross Domain Ticket • Security Plan Approval Status • Security Plan Approval Date • RMF Activity Deployed in eMASS v5.5.1.4 release.
1.2	April 12, 2018	Added fields to Controls endpoint: • Criticality • Frequency • Method • Reporting • Tracking • SLCM Comments Deployed in eMASS v5.5.2.0 release.
1.3	August 17, 2018	Added parameter to Systems endpoint: • Include DITPR Metrics Added fields to Systems endpoint: • DITPR-DON ID • Contingency Plan Tested • Contingency Plan Tested Date • Security Review Date • Has Open POA&M Item • Between 90 and 120 Days Past SCD • Greater than 120 Days Past SCD Deployed in eMASS v5.5.3.4 release.
2.0	August 23, 2018	Added user-uid header for actionable requests. Added fields to Controls endpoint: • Residual Risk Level • Likelihood • Relevance of Threat • Impact • Impact Description Renamed field in Controls endpoint: • Vulnerability Severity → Severity • Control Risk Level → Residual Risk Level • Criticality → SLCM Criticality • Frequency → SLCM Frequency • Method → SLCM Method • Reporting → SLCM Reporting • Tracking → SLCM Tracking

UNCLASSIFIED

		Added fields to POA&Ms endpoint: • Mitigation • Residual Risk Level • Likelihood • Relevance of Threat • Impact • Impact Description • Recommendations Renamed fields in POA&Ms endpoint: • Raw Severity Value → Raw Severity • Severity Value → Severity Deployed in eMASS v5.5.4.0 release.
2.1	July 25, 2019	Added parameter to Artifacts endpoint: • Compress Deployed in eMASS v5.6.3.2 release.
2.2	January 16, 2020	Added fields to Systems endpoint: • Description • Terms For Auth • Is Public Facing • System Ownership • Authorization Length • Security Review Date • Geographical Association Added parameter to Systems endpoint: • Include Decommissioned Added System Roles endpoint. Deployed in eMASS v5.7.0.6 release.
2.3	December 10, 2020	Added fields to Systems endpoint: • Impact • Has CUI • Has PII • Has PHI • PPSM Registry Number • Interconnected Information System and Identifiers • Is PIA Required • PIA Status • PIA Date • User-defined Fields 1-5 • Current RMF Lifecycle Step • Other Information • Connectivity • CCSD Number Added parameter to System Roles endpoint: • Include Decommissioned Added field to PAC endpoint: • Days at Current Stage Deployed in eMASS v5.8.0.2 release.
3.0	April 29, 2021	Changed endpoint routes:

UNCLASSIFIED

		• /register → /api-key • /systemrole → /system-roles • /testresults → /test-results • /poam → /poams • /artifactsexport → /artifacts-export Added field to Controls endpoint: • Test Method Renamed field in Controls endpoint: • Comments → Implementation Narrative Added field to POA&M endpoint: • Display POA&M ID Renamed fields in PAC endpoint: • Workflow Name → Workflow • Current Role → Current Stage Name • Current Step → Current Stage • Total Steps → Total Stages Removed field from PAC endpoint: • Type Deployed in eMASS v5.9.0.0 release.
3.1	July 7, 2021	Added CMMC Assessments endpoint. Deployed in eMASS v5.9.1.0 release.
3.2	October 21, 2021	Added Static Code Scans endpoint. Added Workflow Definitions endpoint. Added Workflow Instances endpoint. Added parameter to Systems endpoint: • Reports for Scorecard Deployed in eMASS v5.9.2.0 release.
3.3	March 16, 2022	Renamed field in Systems endpoint: • Contingency Plan Tested Date → Contingency Plan Test Date Added field to Workflow Definitions endpoint: • Workflow UID Added fields to Workflow Instances endpoint: • System ID • Workflow UID Added Parameter to Workflow Instances endpoint: • Include Decommission Systems Changed endpoint routes: • /workflow-definitions → /workflows/definitions • /systems/{systemId}/workflow-instances → /workflows/instances Added Cloud Resource Results endpoint. Added Container Scan Results endpoint. Deployed in eMASS v5.9.4.0 release.

UNCLASSIFIED

3.4	June 27, 2022	Added field to Systems endpoint: - Highest System Data Classification [NISP] Overall Classification Renamed field in Systems endpoint: [VA] DITPR ID → VASI ID Added Dashboards endpoint. Deployed in eMASS v5.10.0.0 release.
3.5	July 28, 2022	Added fields to Systems endpoint: Is HVA Deployed in eMASS v5.10.0.1 release.
3.6	September 15, 2022	Added fields to Systems endpoint: - Is Financial Management - Is Reciprocity - Reciprocity Exemption - Cloud Computing - Cloud Type - Is SaaS - Is PaaS - Is IaaS - Other Service Models - Need Date - Overall Risk Score - Is HRR - ATC Status - ATC Date - ATC Termination Date - System Development Lifecycle - Is FISMA Reportable Added fields to CMMC Assessments endpoint: - Highest Level Order CAGE Code - Certification Unique ID - POAM - Overall Score - OSC Assessment Official Last Name - OSC Assessment Official First Name - OSC Assessment Official Email - OSC Assessment Official Title Renamed fields in CMMC Assessments endpoint: - Unique Entity Identifier → UEI - CAGE Codes → CAGE Codes in Scope - Certificate ID → Assessment ID Removed field from CMMC Assessments endpoint: - DUNS Added Enterprise Artifacts Dashboard endpoints. Added Enterprise Sensor-based Resources Dashboard endpoints. Deployed in eMASS v5.10.1.0 release.
3.7	December 15, 2022	Added field to Systems endpoint: - Instance [VA] Group Tagging

UNCLASSIFIED

		[VA] Group Tag Description Renamed field in Systems endpoint: - Organization Name → Owning Organization [Army] DITPR ID → APMS ID Removed field from Systems endpoint: - System Owner Added parameter to Dashboards endpoint: - Exclude Inherited Deployed in eMASS v5.10.2.0 release.
3.8	January 19, 2023	Added Critical Assets Dashboard endpoint. Added Enterprise Application-based Findings Dashboard endpoints. [VA] Added ICAMP / TABLEAU POA&M Dashboard endpoint. Deployed in eMASS v5.10.2.2 release.
3.9	March 2, 2023	Added fields to Artifacts endpoints: - Name - Signed Date Renamed fields in Artifacts endpoints: - Ref Page Number → Reference Page Number - Artifact Expiration Date → Expiration Date Added parameter to Artifacts POST endpoint: - Is Bulk Deployed in eMASS v5.10.2.3 release.
3.10	April 6, 2023	Added fields to Systems endpoint: - Registration Completion Date - System Life Cycle / Acquisition Phase - Special Type - Special Type Description [Navy] Mission Portfolio [Navy] Is NNPI [Navy] Is RBC [Navy] Is Waiver [Navy] Program Office [Navy] VRAM ID Renamed field in CMMC Assessments endpoint: - Highest Level Order CAGE Code → Highest Level CAGE Code Added Ports/Protocols Dashboard endpoints. [VA] Added FISMA Inventory Crypto Summary Dashboard endpoint. [VA] Added Threat Risks Dashboard endpoints. Deployed in eMASS v5.10.3.0 release.
3.11	April 25, 2023	Added configuration to make user-uid header optional. Renamed field in Systems endpoint: [VA] Group Tag Description → Group Tag Descriptions Added Software Baseline Dashboard endpoints.

UNCLASSIFIED

		Added System COMMON Integration Dashboard endpoint. Deployed in eMASS v5.10.3.2 release.
3.12	August 10, 2023	Added fields to Systems endpoint: - Whitelist ID - Whitelist Inventory - Security Review Required - Security Review Completed - Next Security Review Due Date - PPSM Registration Required - PPSM Registration Exemption Justification - Cybersecurity Service Provider - Cybersecurity Service Provider Exception Justification [Navy] Enclave Connectivity [Navy] Environment Type [Navy] Navy Common Control Provider [Navy] Navy Cloud Broker [Navy] Cloud Broker eMASS ID [Navy] Cloud Broker Provisional Authorization ATD [Navy] Navy Joint Authorization [Navy] NMCI / NGEN CLIN(s) [Navy] Enterprise Locations [USMC] DADMS ID [USMC] DADMS Expiration Date Renamed field in Systems endpoint: - Security Review Date → Security Review Completion Date Added fields to Controls endpoints: - Mitigations [Navy] Application Layer [Navy] Database Layer [Navy] Operating System Layer Added field to Test Results endpoints: - Assessment Procedure Added fields to POA&M endpoints: - Assessment Procedure [Navy] Resulting Residual Risk Level After Proposed Mitigations [Navy] Predisposing Conditions [Navy] Threat Description [Navy] Devices Affected [VA/Army/USCG] Identified in CFO Audit or Other Review [VA/Army/USCG] Personnel Resources: Funded Base Hours [VA/Army/USCG] Personnel Resources: Unfunded Base Hours [VA/Army/USCG] Personnel Resources: Cost Code [VA/Army/USCG] Personnel Resources: Non-Funding Obstacle [VA/Army/USCG] Personnel Resources: Non-Funding Obstacle Other Reason [VA/Army/USCG] Non-Personnel Resources: Funded Amount [VA/Army/USCG] Non-Personnel Resources: Unfunded Amount [VA/Army/USCG] Non-Personnel Resources: Cost Code [VA/Army/USCG] Non-Personnel Resources: Non-Funding Obstacle [VA/Army/USCG] Non-Personnel Resources: Non-Funding Obstacle Other Reason Added field to Artifacts endpoints: - Assessment Procedure Added Enterprise Sensor-based Software Resources Dashboard endpoint.

UNCLASSIFIED

		Added Enterprise Vulnerability Dashboard endpoint. Deployed in eMASS v5.10.4.0 release.
3.13	October 5, 2023	Added DELETE verb to Cloud Resource Results endpoint. Added DELETE verb to Container Scan Results endpoint. Added Enterprise Terms / Conditions Dashboard endpoint. Added endpoint to Enterprise Sensor-based Software Resources Dashboard. System Sensor Software Counts Deployed in eMASS v5.10.4.2 release.
3.14	December 7, 2023	Added fields to Systems endpoint: - Applied STIGs - Acquisition Category - Software Category - Maximum Tolerable Downtime (MTD) - Recovery Time Objective (RTO) - Recovery Point Objective (RPO) - Business Impact Analysis Required - Business Impact Analysis Artifact - Contingency Plan Required - Contingency Plan Artifact - Incident Response Plan Required - Incident Response Plan Artifact - Disaster Recovery Plan Required - Disaster Recovery Plan Artifact - Privacy Threshold Analysis Completed - Privacy Threshold Analysis Date - Privacy Threshold Analysis Artifact - Privacy Impact Assessment Artifact - Privacy Act System of Records Notice Required - E-Authentication Risk Assessment Required - E-Authentication Risk Assessment Date - E-Authentication Risk Assessment Artifact Renamed field in Systems endpoint: - System Ownership → System Ownership / Controlled - Is PIA Required → Privacy Impact Assessment Required - PIA Status → Privacy Impact Assessment Status - PIA Date → Privacy Impact Assessment Date Changed field in Systems endpoint: - Applied Overlays - Delimiter changed from “,” to “;” Added fields to POA&M endpoint: - Condition ID - Created Date - Pending Extension Date - Artifacts - Milestone Created By - Milestone Created Date Renamed field in POA&M endpoint: - Source Ident Vuln → Source Identifying Vulnerability Added fields to Milestones endpoint: - Created By - Created Date

UNCLASSIFIED

		Deployed in eMASS v5.10.4.3 release.
3.15	February 8, 2024	Added fields to Systems endpoint: • IPv4 Only Assets • IPv6 Only Assets • IPv4/IPv6 Dual-Stack Assets • Total IP Assets Deployed in eMASS v5.10.4.4 release.
3.16	March 2, 2024	Added fields to Systems endpoint: • Originating Organization • System Use Justification • System Use Justification Artifact • Authority To Use Status • Use Authorization Date • Use Authorization Termination Date • Terms Conditions For Use Summary • [ARMY IC] Reciprocity Acceptance Status • [ARMY IC] Reciprocity Acceptance Date • [ARMY IC] Reciprocity Acceptance Termination Date • [ARMY IC] Terms Conditions For Reciprocity Summary Renamed field in POA&M endpoints: • Mitigation → Mitigations Updated POA&M endpoints to support Multiple Control/AP Associations: • controlAcronym (supports semi-colon + space separated) • assessmentProcedure (supports semi-colon + space separated) Renamed field in CMMC Assessments endpoint: • Model Version → NIST SP 800-171 Version Removed field in CMMC Assessments endpoint: • IA Record Type Description Added fields to Containers endpoint: • Version • Release Added FISMA Metrics Dashboard endpoint. Added Historical Workflows Dashboard endpoint. Deployed in eMASS v5.11.0.0 release.
3.17	April 4, 2024	Added fields to Systems endpoint: • [VA] Primary Mission Essential Function (PMEF) • [VA] PMEF Description • [VA] Mission Essential Function (MEF) • [VA] MEF Description • [VA] Administration • [VA] Administration Other Justification Removed fields from Dashboard endpoint (VA System FISMA Inventory Summary): • [VA] National Essential Function (NEF) • [VA] NEF Description Deployed in eMASS v5.11.0.2 release.
3.18	May 2, 2024	Updated Dashboard endpoint (System Device Findings Summary):

UNCLASSIFIED

		Benchmark field to support multiple values (semi-colon + space separated) Deployed in eMASS v5.11.0.3 release.
3.19	June 6, 2024	Added fields to Systems endpoint: - Security Controls Assessor Executive Summary [VA] Risk Review Executive Summary Renamed field in Dashboard endpoint (System Privacy Summary) [DHA/USCG/VA] SORN Reviewed Three FY Ago - Removed trailing space Deployed in eMASS v5.11.1.0 release.
3.20	July 25, 2024	Updated field in POA&M endpoints and Enterprise POA&M Dashboard endpoint: - Raw Severity values updated: - I, II, III → Very Low, Low, Moderate, High, Very High Deployed in eMASS v5.11.1.1 release.
3.21	October 3, 2024	Added fields to Systems endpoint: - ATC/IATC Granted Date - ATC/IATC Expiration Date - ATC/IATC Pending Items - Pending Items Due Date [Navy] DoDIN-N System [Navy] Authority to Use/Connect Status [Navy] Use/Connect Authorization Date [Navy] Use/Connect Authorization Termination Date [Navy] Terms / Conditions for Use/Connect Summary [NISP] Workstations [NISP] Servers Renamed fields in Systems endpoint: - ATC Status → Authority to Connect Status - ATC Date → Connectivity Authorization Date - ATC Termination Date → Connectivity Authorization Termination Date Added Hardware Baseline endpoints. Added Software Baseline endpoints. Added Device Scan Results endpoint. Added ATC/IATC Dashboard endpoint. Added Connectivity/CCSD Dashboard endpoints. Added Questionnaire Dashboard endpoints. Deployed in eMASS v5.11.2.0 release.
3.22	December 5, 2024	Added fields in CMMC Assessments endpoint: - Number of Employees - CMMC Status Date Renamed fields in CMMC Assessments endpoint: - Highest Level CAGE Code → Highest Level Owner CAGE Code - NIST SP 800-171 Version → Assessment Standard - Certification Unique ID → CMMC UID - Awarded CMMC Level → CMMC Status - Expiration Date → CMMC Status Expiration Date Removed fields in CMMC Assessments endpoint:

UNCLASSIFIED

		• POA&M • OSC Assessment Official Last Name • OSC Assessment Official First Name • OSC Assessment Official Email • OSC Assessment Official Title • SSPS • SSP Name • SSP Version • SSP Date [CMMC] Added Assessment Dashboard endpoint. [CMMC] Added Security Requirements Dashboard endpoints. Deployed in eMASS v5.12.0.0 release.
--	--	---

1.0 INTRODUCTION

The Enterprise Mission Assurance Support Service (eMASS) web Application Programming Interface (API) enables users to perform assessments and complete actions associated with system records. This document will provide an outline of all eMASS objects and their associated endpoints to include business rules that pertain to each.

2.0 GETTING STARTED

2.1 REGISTER EXTERNAL APPLICATION


Authentication requires a PKI-valid/trusted client certificate and an API key. To obtain an API key, client applications submit an API client registration [POST] to {url}/api/api-key. Every call to the eMASS API will require the use of your client certificate and API key. The API key must be provided in the request header for all endpoint calls (“api-key”).

If the API receives an untrusted certificate, a 403 forbidden response code will be returned. If an invalid api-key or combination of client certificate and api-key from the registered account) is received, a 401 unauthorized response code will be returned.

2.2 APPROVE API CLIENT FOR ACTIONABLE REQUESTS

The eMASS web API supports client applications to take actionable requests (PUT, POST, DELETE). This section is for actionable requests-only and does not apply to the Registration endpoint and all GET requests.

For actionable requests, some organizations’ policies require an API client application to take action on behalf of an existing user account with permissions. Your client application’s API account may be setup to require taking action on behalf of a user’s account. In this configuration, Users can grant permissions for the client from their eMASS User Profile in the *API Data Access* card by selecting a checkbox for the applicable client and clicking **[Save]**.



Client	Permission Granted
External Application 1	☒
External Application 2	☐

Save

3.0 VERSIONING

Versioning will be specified through a query string parameter (?api-version=1.0) or request header (api-version:1.0). If no version is specified, then the system will default to the latest version. Available versions will follow the format #.0 and include the latest update from that version. E.g. using api-version:1.0 will return results from 1.2 or the latest available corresponding 1.# version. All responses will include headers with information about any deprecated versions. A deprecated API version will be maintained for 6 months before the version is no longer available for use.

The following deprecated API versions are currently available:

- Version 2.3

3.1 REQUEST HEADERS

Available request headers are depicted in the following table:

<i>Available Request Headers</i>		
Key	Example Value	Description
api-key	f32516cc-57d3-43f5-9e16-8f86780a4cce	This API key must be provided in the request header for all endpoint calls.
user-uid	1647389405	Unique user identifier for identity provider of the Agency. This key is required in the request header for POST, PUT, and DELETE endpoint calls <i>when an API client account is configured to require taking action on behalf of a user account per organizational policy.</i> Notes: • For DoD, this is the DoD ID Number (EDIPI) on their DoD CAC. • For certain integrations, the user-uid header is not required.

3.2 RESPONSE NOTIFICATIONS & ERROR CODES

If a request to the eMASS API is successful, it will return a structured JSON response envelope. If unsuccessful, it will return an error code and any relevant error messages.

Response envelope (success)
<pre>{ "meta": { "code": 200 }, "data": { ... }, "pagination": { "totalCount": "5000", "totalPages": "20", "prevPageUrl": "...", "nextPageUrl": "..." } }</pre>
Response envelope (error)
<pre>{ "meta": { "code": 500 "errorMessage": "..." } }</pre>

The eMASS REST API will adhere to standard HTTP Status Codes as much as possible. The following table provides a small list of commonly used codes within the API; however, this list may not be fully comprehensive of all possible response notifications.

HTTP Status Code	Description/Likely Causes
200: OK	Request has succeeded. Applicable to partial successes and the response body depends on the request method.
201: Created	Request was fulfilled and resulted in on or more new resources being successfully created on the server.
400: Bad Request	Request could not be understood by the server due to incorrect syntax or an unexpected format.
401: Unauthorized	Request has failed to provide suitable authentication from the client (see section 2.0 Getting Started).
403: Forbidden	Request was blocked by the application due to a lack of client permissions to the API or to a specific endpoint.
404: Not Found	Request has failed because the URL provided in the request did not match any available endpoint locations.

UNCLASSIFIED

405: Method Not Allowed	Request was made with a verb (GET, POST, etc.) that is not permitted for the endpoint.
411: Length Required	Request was of type POST and failed to provide the server information about the data/content length being submitted.
490: API Rule Failed	Request has failed because too much data was requested in a single batch. This error is specific to eMASS.
500: Internal Server Error	Server encountered an unexpected condition which prevented it from fulfilling the request.

The sample response below is an example of a response from a POST request to the Test Result Endpoint. The first object was created successfully. The second object was created successfully but has additional warnings for consideration. The third object failed and supplies the reasons why in the errors field. Please note that leaving a field parameter blank has the potential to clear information in the active eMASS records.

<i>Sample Response</i>
<pre>{ "meta": { "code": 200 }, "data": [{ "cci": "002110", "success": true, "systemId": 1 }, { "cci": "002107", "success": true, "systemId": 1, "warnings": ["You have entered a Non-Compliant Test Result. You must create a POA&M Item for this Control and/or AP if one does not already exist."] }, { "cci": "002108", "success": false, "systemId": 1, "errors": ["The Status is required."] }] }</pre>

4.0 ENDPOINTS

The eMASS REST API exposes the following endpoints:

- Test Connection
- Registration
- Systems
- System Roles
- Controls
- Test Results
- POA&Ms
- Milestones
- Artifacts
- Artifacts Export
- PAC
- CAC
- Hardware Baseline
- Software Baseline
- Device Scan Results
- Cloud Resource Results
- Container Scan Results
- Static Code Scans
- Workflow Definitions
- Workflow Instances
- CMMC Assessments
- Dashboards

Each set of endpoints will have an example provided in curl for development purposes only. Please ensure you follow your system's architecture and security requirements.

Endpoints are defined by parameter, data type, details, and presence of an associated business rule. The data types for each parameter are defined by the following table:

BOOLEAN	Logical Boolean type with accepted values true, false.
INTEGER	Signed [-+] number composed of numeric values 0-9
DATE	Denoted by Unix Time in the format 1499891128
STRING	Sequence of characters

Endpoints that can receive multiple objects will accept a response body of up to 1000 unique objects. Requests with larger than 1000 objects will be rejected, and the client is required to break the request body into multiple requests.

4.1 TEST CONNECTION ENDPOINT

The Test Connection endpoint provides the ability to verify connection to the web service.

GET	/api <i>Test connection to the API</i>
Curl Example	
<code>curl -L "[URL]/api" --cert .\cert.cer --key .\private.key</code>	
Sample Response	
<pre>{ "meta": { "code": 200 }, "data": { "success": true } }</pre>	

4.2 REGISTRATION ENDPOINT

The Registration endpoint provides the ability to register a certificate & obtain an API-key.

Notes:

- This API-key must be provided in the request header for all endpoint calls.
- Example header: api-key: f0126b6b-f232-45c9-a8de-01d5f003deda

POST	/api/api-key <i>Register certificate and obtain API key</i>
Curl Example	
<code>curl -X POST -d -L "[URL]/api/api-key" --cert .\cert.cer --key .\private.key</code>	
Sample Response	
<pre>{ "meta": { "code": 200 }, "data": { "apikey": "f0126b6b-f232-45c9-a8de-01d5f003deda" } }</pre>	

4.3 SYSTEMS ENDPOINTS

The Systems endpoints provide the ability to view system information.

Notes:

- If a system is dual-policy enabled, the returned system details defaults to the RMF policy information unless otherwise specified for an individual system.
- Certain fields are instance specific and may not be returned in GET request.

GET	/api/systems <i>Get system information</i>	
Curl Example		
curl -L "[URL]/api/systems" -H "api-key: 0a60a84d-3fc1-433c-b39f-507adb1f8bec" --cert .\cert.cer --key .\private.key		
Available Query String Parameters		
Name	Type	Example
coamslId	String	30498
ditprId	String	93054
includeDecommissioned	Boolean	true, false If no value is specified, the default returns true to include decommissioned systems.
includeDitprMetrics	Boolean	true, false This query string parameter cannot be used in conjunction with the following parameters: • ditprId • coamslId If no value is specified, the default returns false to not include DITPR Metrics.
policy	String	Accepts single value from the following options: • diacap • rmf • reporting If no value is specified, the default returns RMF policy information for dual-policy systems.
registrationType	String	Accepts multiple comma-separated values including the following options: • assessAndAuthorize • assessOnly • guest

UNCLASSIFIED

		• regular • functional • cloudServiceProvider • commonControlProvider • authorityToUse • reciprocityAcceptance
reportsForScorecard	Boolean	true, false Used to filter results to only return systems that report to the DoD Cyber Hygiene Scorecard.

Sample Response (includeDecommissioned=false)

```
{
  "meta": {
    "code": 200
  },
  "data": [
    {
      "secondaryOrganization": "Test Organization",
      "description": "Test System Description",
      "coamsId": null,
      "isTypeAuthorization": false,
      "securityPlanApprovalStatus": "Approved",
      "securityPlanApprovalDate": 1622234497.6,
      "missionCriticality": "Mission Critical (MC)",
      "governingMissionArea": "Warfighting MA (WMA)",
      "primaryFunctionalArea": "Allies",
      "secondaryFunctionalArea": "Intelligence",
      "appliedOverlays": "Classified Information; Privacy",
      "appliedStigs": "A10_Networks_ADC_ALG_STIG;
        Active_Directory_Domain",
      "rmfActivity": "Maintain ATO and conduct reviews",
      "crossDomainTicket": "Test Cross Domain Ticket",
      "securityControlsAssessorExecutiveSummary": "Test SCA
        Executive Summary",
      "termsForAuth": "Terms/Conditions for Authorization",
      "isPublicFacing": true,
      "whitelistId": "d246gd53a",
      "whitelistInventory": "SampleWhitelist.docx",
      "acquisitionCategory": "I",
      "softwareCategory": "Government Off-The-Shelf Software
        (GOTS)",
      "systemOwnershipControlled": "DoD-Partnered System",
      "authorizationLength": 730,
      "highestSystemDataClassification": "Unclassified",
      "isFinancialManagement": true,
      "isReciprocity": true,
      "reciprocityExemption": null,
      "ipv4OnlyAssets": 10,
      "ipv6OnlyAssets": 5,
      "ipv4Ipv6DualStackAssets": 15,
      "totalIpAssets": 30,
      "cloudComputing": true,
      "cloudType": "Public",
    }
  ]
}
```

UNCLASSIFIED

```
"authorityToConnectStatus": null,
"isSaaS": false,
"isPaaS": true,
"isIaaS": false,
"otherServiceModels": "Test Other Service",
"needDate": null,
"overallRiskScore": "Moderate",
"isHRR": null,
"connectivityAuthorizationDate": null,
"connectivityAuthorizationTerminationDate": null,
"registrationCompletionDate": 1669934353,
"systemLifeCycleAcquisitionPhase": "Pre-Milestone A
                                     (Material Solution
                                     Analysis)",
"missionPortfolio": "Not Applicable",
"isNNPI": false,
"isRBC": false,
"specialType": "COVID-19 Priority; Special Type 1",
"specialTypeDescription": "Test Special Type Description",
"programOffice": "Test Program Office",
"vramId": "12345",
"systemId": 27,
"registrationType": "Assess and Authorize",
"name": "eMASS API Example System",
"acronym": "eMASS API-ES",
"instance": "Navy",
"owningOrganization": "Test Organization",
"versionReleaseNo": "5.9.1.0",
"policy": "RMF",
"systemType": "IS Major Application",
"ditprId": "Test DITPR ID",
"authorizationStatus": "Authorization to Operate (ATO)",
"authorizationDate": 1622061697.6,
"authTerminationDate": 1685133697.6,
"authorityToUseStatus": "Authority to Use (ATU)",
"useAuthorizationDate": 1703626937.9499998,
"useAuthorizationTerminationDate": 1703626937.9499998,
"termsConditionsForUseSummary": "Test ATU Summary",
"primaryControlSet": "NIST SP 800-53 Revision 4",
"confidentiality": "Moderate",
"integrity": "Moderate",
"availability": "High",
"maximumTolerableDowntime": "Less than 2 hours
                              (immediate)",
"recoveryTimeObjective": "Mission Critical: 12 hours",
"recoveryPointObjective": "Mission Critical: 12 hours",
"businessImpactAnalysisRequired": true,
"businessImpactAnalysisArtifact": "BIATest.pdf",
"securityReviewRequired": true,
"securityReviewCompleted": true,
"securityReviewCompletionDate": 1622048629.307,
"nextSecurityReviewDueDate": 1685133697.6,
"contingencyPlanRequired": true,
"contingencyPlanArtifact": "ContingencyPlanTest.pdf",
"contingencyPlanTested": true,
"contingencyPlanTestDate": 1622048629.307,
"incidentResponsePlanRequired": true,
```

UNCLASSIFIED

<pre> "incidentResponsePlanArtifact": "IRPlanTest.pdf", "disasterRecoveryPlanRequired": true, "disasterRecoveryPlanArtifact": "DRPlanTest.pdf", "privacyThresholdAnalysisCompleted": true, "privacyThresholdAnalysisDate": 1700968150.277, "privacyThresholdAnalysisArtifact": "PTATest.pdf", "impact": "High", "hasCUI": false, "hasPII": false, "hasPHI": false, "originatingOrganization": "Originating Organization", "systemUseJustification": "System Use Justification", "ppsmRegistryNumber": "Test PPSM Registry Number", "ppsmRegistrationRequired": true, "ppsmRegistrationExemptionJustification": null, "interconnectedInformationSystemsAndIdentifiers": "Test", "privacyImpactAssessmentRequired": true, "privacyImpactAssessmentStatus": "Completed", "privacyImpactAssessmentDate": 1622048629.307, "privacyImpactAssessmentArtifact": "PIATest.pdf", "privacyActSystemOfRecordsNoticeRequired": true, "eAuthenticationRiskAssessmentRequired": true, "eAuthenticationRiskAssessmentDate": 1700968150.277, "eAuthenticationRiskAssessmentArtifact": "EAuthRisk.pdf", "userDefinedField1": "Test User-defined Field 1", "userDefinedField2": "Test User-defined Field 2", "userDefinedField3": "Test User-defined Field 3", "userDefinedField4": "Test User-defined Field 4", "userDefinedField5": "Test User-defined Field 5", "currentRmflLifecycleStep": "1 - Categorize", "otherInformation": "Additional Comments", "cybersecurityServiceProvider": "DISA", "cybersecurityServiceProviderExceptionJustification": null, "reportsForScorecard": true, "isNSS": true, "connectivityCcsd": [{ "ccsdNumber": "CCSD Number", "connectivity": "Test Connectivity" }], "atcIatcGrantedDate": 1622048629.307, "atcIatcExpirationDate": 1729713707.983, "atcIatcPendingItems": "Test ATC Pending Items ", "pendingItemsDueDate": 1682861668.587 },] } </pre>	
Sample Response (includeDitprMetrics=true)	
<pre> { "meta": { "code": 200 }, "data": [</pre>	


```

{
  "ditprDonId": "5910,1234,5678",
  "hasOpenPOAMItem": true,
  "between90and120PastScheduledCompletionDate": false,
  "greaterThan120PastScheduledCompletionDate": false,
  "systemId": 27,
  "registrationType": "Assess and Authorize",
  "name": "eMASS API Example System",
  "acronym": "eMASS API-ES",
  "instance": "Navy",
  "owningOrganization": "Test Organization",
  "versionReleaseNo": "5.9.1.0",
  "policy": "RMF",
  "systemType": "IS Major Application",
  "ditprId": "Test DITPR ID",
  "authorizationStatus": "Authorization to Operate (ATO)",
  "authorizationDate": 1622061697.6,
  "authTerminationDate": 1685133697.6,
  "confidentiality": "Moderate",
  "integrity": "Moderate",
  "availability": "High",
  "maximumTolerableDowntime": "Immediate",
  "recoveryTimeObjective": "Mission Critical: 12 hours",
  "recoveryPointObjective": "Mission Critical: 12 hours",
  "businessImpactAnalysisRequired": true,
  "businessImpactAnalysisArtifact": "BIATest.pdf",
  "securityReviewRequired": true,
  "securityReviewCompleted": true,
  "securityReviewCompletionDate": 1622048629.307,
  "nextSecurityReviewDueDate": 1685133697.6,
  "contingencyPlanRequired": true,
  "contingencyPlanArtifact": "ContingencyPlanTest.pdf",
  "contingencyPlanTested": true,
  "contingencyPlanTestDate": 1622048629.307,
  "incidentResponsePlanRequired": true,
  "incidentResponsePlanArtifact": "IRPlanTest.pdf",
  "disasterRecoveryPlanRequired": true,
  "disasterRecoveryPlanArtifact": "DRPlanTest.pdf",
  "privacyThresholdAnalysisCompleted": null,
  "privacyThresholdAnalysisDate": null,
  "privacyThresholdAnalysisArtifact": null,
  "impact": "High",
  "hasCUI": false,
  "hasPII": false,
  "hasPHI": false,
  "ppsmRegistryNumber": "Test PPSM Registry Number",
  "ppsmRegistrationRequired": true,
  "ppsmRegistrationExemptionJustification": null,
  "interconnectedInformationSystemsAndIdentifiers": "Test",
  "privacyImpactAssessmentRequired": true,
  "privacyImpactAssessmentStatus": "Completed",
  "privacyImpactAssessmentDate": 1622048629.307,
  "privacyImpactAssessmentArtifact": "PIATest.pdf",
  "privacyActSystemOfRecordsNoticeRequired": true,
  "eAuthenticationRiskAssessmentRequired": true,
  "eAuthenticationRiskAssessmentDate": 1700952016.6669998,
  "eAuthenticationRiskAssessmentArtifact": "EAuthTest.pdf",

```

```

"userDefinedField1": "Test User-defined Field 1",
"userDefinedField2": "Test User-defined Field 2",
"userDefinedField3": "Test User-defined Field 3",
"userDefinedField4": "Test User-defined Field 4",
"userDefinedField5": "Test User-defined Field 5",
"currentRmfLifecycleStep": "1 - Categorize",
"otherInformation": "Additional Comments",
"cybersecurityServiceProvider": "Not Applicable",
"cybersecurityServiceProviderExceptionJustification":
    "Sample Exception Justification",
"reportsForScorecard": false,
"isNSS": true,
"connectivityCcsd": [
    {
        "ccsdNumber": "CCSD Number",
        "connectivity": "Test Connectivity"
    }
],
},
]
}

```

GET	/api/systems/{systemId} <i>Get system information for a specific system</i>	
Curl Example		
curl -L "[URL]/api/systems/27" -H "api-key: 0a60a84d-3fc1-433c-b39f-507adb1f8bec" --cert .\cert.cer --key .\private.key		
Available Query String Parameters		
Name	Type	Example
policy	String	Accepts single value from the following options: • diacap • rmf • reporting If no value is specified, the default returns RMF policy information for dual-policy systems.
Sample Response (policy=reporting)		
<pre>{ "meta": { "code": 200 }, "data": [{ "secondaryOrganization": "Test Organization",</pre>		

UNCLASSIFIED

```
"description": "Test System Description",
"coamsId": null,
"isTypeAuthorization": false,
"securityPlanApprovalStatus": "Approved",
"securityPlanApprovalDate": 1622234497.6,
"missionCriticality": "Mission Critical (MC)",
"governingMissionArea": "Warfighting MA (WMA)",
"primaryFunctionalArea": "Allies",
"secondaryFunctionalArea": "Intelligence",
"appliedOverlays": "Classified Information; Privacy",
"appliedStigs": "A10_Networks_ADC_ALG_STIG;
                 Active_Directory_Domain",
"rmfActivity": "Maintain ATO and conduct reviews",
"crossDomainTicket": "Test Cross Domain Ticket",
"securityControlsAssessorExecutiveSummary": "Test SCA
                                             Executive Summary",
"termsForAuth": "Terms/Conditions for Authorization",
"isPublicFacing": true,
"whitelistId": "d246gd53a",
"whitelistInventory": "SampleWhitelist.docx",
"acquisitionCategory": "I",
"softwareCategory": "Government Off-The-Shelf Software
                    (GOTS)",
"systemOwnershipControlled": "DoD-Partnered System",
"authorizationLength": 730,
"highestSystemDataClassification": "Unclassified",
"isFinancialManagement": true,
"isReciprocity": true,
"reciprocityExemption": null,
"ipv4OnlyAssets": 10,
"ipv6OnlyAssets": 5,
"ipv4Ipv6DualStackAssets": 15,
"totalIpAssets": 30,
"cloudComputing": true,
"cloudType": "Public",
"authorityToConnectStatus": null,
"isSaaS": false,
"isPaaS": true,
"isIaaS": false,
"otherServiceModels": "Test Other Service",
"needDate": null,
"overallRiskScore": "Moderate",
"isHRR": null,
"connectivityAuthorizationDate": null,
"connectivityAuthorizationTerminationDate": null,
"registrationCompletionDate": 1669934353,
"systemLifeCycleAcquisitionPhase": "Pre-Milestone A
                                    (Material Solution
                                    Analysis)",
"missionPortfolio": "Not Applicable",
"isNNPI": false,
"isRBC": false,
"specialType": "COVID-19 Priority; Special Type 1",
"specialTypeDescription": "Test Special Type Description",
"programOffice": "Test Program Office",
"vramId": "12345",
"systemId": 27,
```

UNCLASSIFIED

```
"registrationType": "Assess and Authorize",
"name": "eMASS API Example System",
"acronym": "eMASS API-ES",
"instance": "Navy",
"owningOrganization": "Test Organization",
"versionReleaseNo": "5.9.1.0",
"policy": "RMF",
"systemType": "IS Major Application",
"ditprId": "Test DITPR ID",
"authorizationStatus": "Authorization to Operate (ATO)",
"authorizationDate": 1622061697.6,
"authTerminationDate": 1685133697.6,
"authorityToUseStatus": "Authority to Use (ATU)",
"useAuthorizationDate": 1703626937.9499998,
"useAuthorizationTerminationDate": 1703626937.9499998,
"termsConditionsForUseSummary": "Test ATU Summary",
"primaryControlSet": "NIST SP 800-53 Revision 4",
"confidentiality": "Moderate",
"integrity": "Moderate",
"availability": "High",
"maximumTolerableDowntime": "Less than 2 hours
                             (immediate)",
"recoveryTimeObjective": "Mission Critical: 12 hours",
"recoveryPointObjective": "Mission Critical: 12 hours",
"businessImpactAnalysisRequired": true,
"businessImpactAnalysisArtifact": "BIATest.pdf",
"securityReviewRequired": true,
"securityReviewCompleted": true,
"securityReviewCompletionDate": 1622048629.307,
"nextSecurityReviewDueDate": 1685133697.6,
"contingencyPlanRequired": true,
"contingencyPlanArtifact": "ContingencyPlanTest.pdf",
"contingencyPlanTested": true,
"contingencyPlanTestDate": 1622048629.307,
"incidentResponsePlanRequired": true,
"incidentResponsePlanArtifact": "IRPlanTest.pdf",
"disasterRecoveryPlanRequired": true,
"disasterRecoveryPlanArtifact": "DRPlanTest.pdf",
"privacyThresholdAnalysisCompleted": true,
"privacyThresholdAnalysisDate": 1700968150.277,
"privacyThresholdAnalysisArtifact": "PTATest.pdf",
"impact": "High",
"hasCUI": false,
"hasPII": false,
"hasPHI": false,
"originatingOrganization": "Originating Organization",
"systemUseJustification": "System Use Justification",
"ppsmRegistryNumber": "Test PPSM Registry Number",
"ppsmRegistrationRequired": true,
"ppsmRegistrationExemptionJustification": null,
"interconnectedInformationSystemsAndIdentifiers": "Test",
"privacyImpactAssessmentRequired": true,
"privacyImpactAssessmentStatus": "Completed",
"privacyImpactAssessmentDate": 1622048629.307,
"privacyImpactAssessmentArtifact": "PIATest.pdf",
"privacyActSystemOfRecordsNoticeRequired": true,
"eAuthenticationRiskAssessmentRequired": true,
```

```

    "eAuthenticationRiskAssessmentDate": 1700968150.277,
    "eAuthenticationRiskAssessmentArtifact": "EAuthRisk.pdf",
    "userDefinedField1": "Test User-defined Field 1",
    "userDefinedField2": "Test User-defined Field 2",
    "userDefinedField3": "Test User-defined Field 3",
    "userDefinedField4": "Test User-defined Field 4",
    "userDefinedField5": "Test User-defined Field 5",
    "currentRmfLifecycleStep": "1 - Categorize",
    "otherInformation": "Additional Comments",
    "cybersecurityServiceProvider": "DISA",
    "cybersecurityServiceProviderExceptionJustification":
        null,

    "reportsForScorecard": true,
    "isNSS": true,
    "connectivityCcsd": [
        {
            "ccsdNumber": "CCSD Number",
            "connectivity": "Test Connectivity"
        }
    ],
    "atcIatcGrantedDate": 1622048629.307,
    "atcIatcExpirationDate": 1729713707.983,
    "atcIatcPendingItems": "Test ATC Pending Items ",
    "pendingItemsDueDate": 1682861668.587
  }
}

```

4.3.1 Systems Endpoints Fields

Field	Type	Detail
registrationType	String	Accepts multiple comma separated values including the following options: assessAndAuthorize assessOnly guest regular functional cloudServiceProvider commonControlProvider
registrationCompletionDate	Date	[Read-Only] Date the system was registered into eMASS.
systemLifeCycleAcquisition Phase	String	[Read-Only] Identifies the current System Acquisition Phase for programs of record.
specialType	String	[Read-Only] Lists applicable tracking indicator(s).
specialTypeDescription	String	[Read-Only] Provides a brief reason for any tracking indicator(s) selected.

UNCLASSIFIED

missionPortfolio	String	[Read-Only] Identifies the appropriate portfolio or capability area. Navy only.
isNNPI	Boolean	[Read-Only] Indicates whether Naval Nuclear Propulsion Information (NNPI) is stored, disseminated, or processed through this system. Navy only.
isRBC	Boolean	[Read-Only] Indicates whether the system is pursuing an RBC authorization. Navy only.
isWaiver	Boolean	[Read-Only] Indicates if the system has a waiver from OPNAV N2N6G (DDCIO(N)) to proceed with a DIACAP accreditation. Navy and DIACAP only.
programOffice	String	[Read-Only] The system record's Program Office. Navy only.
vramId	String	[Read-Only] Vulnerability Remediation Asset Manager (VRAM) identification number. "N/A" indicates the system record is not currently registered in VRAM. Navy only.
systemId	Integer	[Read-Only] Unique system record identifier.
policy	String	[Read-Only] RMF/DIACAP Policy identifier for the system record. Values include the following options: RMF DIACAP
registrationType	String	[Read-Only] Registration type of the system record. Values include the following options: Assess and Authorize Assess Only Guest Regular Functional Cloud Service Provider
name	String	[Read-Only] Name of the system record.
acronym	String	[Read-Only] Acronym of the system record.
description	String	[Read-Only] Description of the system record.

UNCLASSIFIED

instance	String	[Read-Only] Name of the top-level component that owns the system.
owningOrganization	String	[Read-Only] Owning organization of the system record. Values match the eMASS instance Organizational Hierarchy.
secondaryOrganization	String	[Read-Only] Secondary Organization that owns the system record.
versionReleaseNo	String	[Read-Only] Version/Release Number of system record.
systemType	String	[Read-Only] Type of the system record. RMF values include the following options: IS Major Application IS Enclave Platform IT System DIACAP values include the following options: Platform IT Interconnection AIS Application Outsourced IT-Based Process (DoD-controlled) Enclave Outsourced IT-Based Process (service provider shared)
isNSS	Boolean	[Read-Only] Is the system record a National Security System?
isPublicFacing	Boolean	[Read-Only] Does the system record have a public facing component/presence.
coamsId	Integer	[Read-Only] Corresponding Cyber Operational Attributes Management System (COAMS) identifier for the system record.
isTypeAuthorization	Boolean	[Read-Only] Identifies if system is a Type Authorization.
ditprId	String	[Read-Only] DITPR ID of the system record.
apmsId	String	[Read-Only] Same field as ditprId but displays as apmsId for Army only.
vasiId	String	[Read-Only] Same field as ditprId but displays as vasiId for VA only.
authorizationStatus	String	[Read-Only] Authorization Status of the system record. RMF values include the following options*: Authorization to Operate (ATO)

UNCLASSIFIED

		Authorization to Operate with Conditions (ATO w/Conditions) Interim Authorization to Test (IATT) Denied Authorization to Operate (DATO) Not Yet Authorized Decommissioned DIACAP values include the following options: Authorization to Operate (ATO) Interim Authorization to Operate (IATO) Interim Authorization to Test (IATT) Denied Authorization to Operate (DATO) Unaccredited Decommissioned *Some eMASS instances have custom Authorization Status values not captured in this list.
authorizationDate	Date	[Read-Only] Authorization Date of the system record.
authorizationTerminationDate	Date	[Read-Only] Authorization Termination Date of the system record.
authorizationLength	String	[Read-Only] Length of system's Authorization. Calculated based from Authorization Date & Authorization Termination Date
securityControlsAssessorExecutiveSummary	String	[Read-Only] Document an assessment of overall cybersecurity risk (Very Low, Low, Moderate, High, Very High) and identify the key drivers for the assessment.
riskReviewExecutiveSummary	String	[Read-Only] Document an assessment of overall cybersecurity risk (Very Low, Low, Moderate, High, Very High) and identify the key drivers for the assessment. VA only.
termsForAuth	String	[Read-Only] Terms/Conditions for receiving and maintaining the system's Authorization. Assigned by the Authorizing Official.
securityPlanApprovalStatus	String	[Read-Only] Status of the approval of the system's RMF Security Plan. Values include the following options: Approved Denied Not Yet Approved

UNCLASSIFIED

securityPlanApprovalDate	Date	[Read-Only] Approval date of the system's RMF Security Plan.
missionCriticality	String	[Read-Only] Mission Criticality of the system record.
geographicalAssociation	String	[Read-Only] Geographical Association of the system record.
systemOwnershipControlled	String	[Read-Only] Ownership of the system record.
governingMissionArea	String	[Read-Only] Governing Mission Area of the system record.
primaryFunctionalArea	String	[Read-Only] Primary functional area of the system record.
secondaryFunctionalArea	String	[Read-Only] Secondary functional area of the system record.
primaryControlSet	String	[Read-Only] Primary Control Set of the system record. RMF values include the following options: NIST SP 800-53 Revision 4 DIACAP values include the following options: DoDI 8500.2
confidentiality	String	[Read-Only] Confidentiality of the system record. RMF values include the following options: High Moderate Low
integrity	String	[Read-Only] Integrity of the system record. RMF values include the following options: High Moderate Low
availability	String	[Read-Only] Availability of the system record. RMF values include the following options: High Moderate Low
appliedOverlays	String	[Read-Only] Overlays applied to the system record. Multiple values are separated by “;”.
appliedStigs	String	[Read-Only] STIG benchmarks applied to the system record. Multiple values are separated by “;”.

UNCLASSIFIED

rmfActivity	String	[Read-Only] RMF Activity of the system record.
crossDomainTicket	String	[Read-Only] Cross Domain Tickets of the system record.
ditprDonId	String	[Read-Only] DITPR-DON identifier of the system record.
mac	String	[Read-Only] MAC level of the system record. DIACAP values include the following options: I II III
dodConfidentiality	String	[Read-Only] DoD Confidentiality level of the system record. DIACAP values include the following options: Public Sensitive Classified
contingencyPlanRequired	Boolean	[Read-Only] Is there a Contingency Plan in place for this system that addresses disruptions in operations?
contingencyPlanArtifact	String	[Read-Only] Filename of the system's Contingency Plan artifact.
contingencyPlanTested	Boolean	[Read-Only] Has the system record's Contingency Plan been tested?
contingencyPlanTestDate	Date	[Read-Only] Date the system record's Contingency Plan was tested.
securityReviewRequired	Boolean	[Read-Only] Is the system required to complete a Security Review?
securityReviewCompleted	Boolean	[Read-Only] Has a Security Review been completed for this system?
securityReviewCompletionDate	Date	[Read-Only] Date of the system's latest security review or annual assessment.
nextSecurityReviewDueDate	Date	[Read-Only] Date when the system's next security review or annual assessment is due by.
hasOpenPoamItem	Boolean	[Read-Only] Does the system record have an Ongoing or Risk Accepted POA&M Item?
hasOpenPoamItem90to120PastScheduledCompletionDate	Boolean	[Read-Only] Does the system record have an Ongoing or Risk Accepted POA&M Item 90 to 120 days past its Scheduled Completion Date?

UNCLASSIFIED

hasOpenPoamItem120PlusPastScheduledCompletionDate	Boolean	[Read-Only] Does the system record have an Ongoing or Risk Accepted POA&M Item 120 days past its Scheduled Completion Date?
impact	String	[Read-Only] Values include the following options: Low Moderate High
hasCUI	Boolean	[Read-Only] Does the system record contain and/or process Controlled Unclassified information?
hasPII	Boolean	[Read-Only] Does the system record contain and/or process Personally Identifiable Information?
hasPHI	Boolean	[Read-Only] Does the system record contain and/or process Personal Health Information?
ppsmRegistrationRequired	String	[Read-Only] Determine if a PPSM registration is required.
ppsmRegistryNumber	String	[Read-Only] Unique identifier for the DoD's Ports, Protocols, and Services Management Registry system.
ppsmRegistrationExemptionJustification	String	[Read-Only] Clarify why a PPSM registration is not necessary.
interconnectedInformationSystemAndIdentifiers	String	[Read-Only] Identify the interconnected information systems and corresponding identifiers within control CA-3.
privacyImpactAssessmentRequired	Boolean	[Read-Only] Does the system require a Privacy Impact Assessment?
privacyImpactAssessmentStatus	String	[Read-Only] Status of the PIA. Values include the following options: Not Started In Progress Completed Conditional on "privacyImpactAssessmentRequired" being True.
privacyImpactAssessmentDate	Date	[Read-Only] Date in which the system's PIA took place. Conditional on "privacyImpactAssessmentRequired" being True.
privacyImpactAssessmentArtifact	String	[Read-Only] Filename of the system's PIA artifact.

UNCLASSIFIED

userDefinedField1	String	[Read-Only] User-defined field to augment Ad Hoc Reporting.
userDefinedField2	String	[Read-Only] User-defined field to augment Ad Hoc Reporting.
userDefinedField3	String	[Read-Only] User-defined field to augment Ad Hoc Reporting.
userDefinedField4	String	[Read-Only] User-defined field to augment Ad Hoc Reporting.
userDefinedField5	String	[Read-Only] User-defined field to augment Ad Hoc Reporting.
currentRmfLifecycleStep	String	[Read-Only] Displays the system's current step within the RMF Lifecycle. Values include the following options: 1 – Categorize 2 – Select 3 – Implement 4 – Assess 5 – Authorize 6 – Monitor
otherInformation	String	[Read-Only] Include any additional information required by the organization.
reportsForScorecard	Boolean	[Read-Only] Indicates if the system reports to the DoD Cyber Hygiene Scorecard.
ccsdNumber	String	[Read-Only] Identifier for specific connections to the system.
connectivity	String	[Read-Only] Choose connection type for the system.
highestSystemDataClassification	String	[Read-Only] The overall classification level of information that the System is approved to collect, process, store, and/or distribute.
overallClassification	String	[Read-Only] Same field as highestSystemDataClassification, but displays as overallClassification for NISP only.
isHVA	Boolean	[Read-Only] Indicates if the system contains High Value Assets. Does not display if value is null.
isFinancialManagement	Boolean	[Read-Only] Per OMB Circular A-127, a financial management system includes the core financial systems and the financial portions of mixed

UNCLASSIFIED

		systems necessary to support financial management, including automated and manual processes, procedures, and controls, data, hardware, software, and support personnel dedicated to the operation and maintenance of system functions. The following are examples of financial management systems: core financial systems, procurement systems, loan systems, grants systems, payroll systems, budget formulation systems, billing systems, and travel systems.
isReciprocity	Boolean	[Read-Only] A reciprocity system is any information system that is part of a mutual agreement among participating organizations to accept each other's security assessments in order to reuse information system resources and/or to accept each other's assessed security posture in order to share information.
reciprocityExemption	String	[Read-Only] The following justifications are acceptable for exemption from reciprocity: (a) the existence of the system is classified (not the data, but the existence of the system) or (b) the system's authorization to operate is in the process of being pulled (e.g. DATO, Decommission).
cloudComputing	Boolean	[Read-Only] Is this a cloud-based IS?
cloudType	String	[Read-Only] Values include the following: Hybrid Private Public
authorityToConnectStatus	String	[Read-Only] The Authority to Connect decision. Values include the following: Authority to Connect (ATC) Denial of Authority to Connect (DATC) Not Yet Connected Decommissioned
isSaaS	Boolean	[Read-Only] Software as a Service (SaaS) cloud service model.
isPaaS	Boolean	[Read-Only] Platform as a Service (PaaS) cloud service model.

UNCLASSIFIED

isIaaS	Boolean	[Read-Only] Infrastructure as a Service (IaaS) cloud service model.
otherServiceModels	String	[Read-Only] Free text field to include other cloud service models.
needDate	Date	[Read-Only] Indicates the date by which the System needs to be deployed to a production environment.
overallRiskScore	String	[Read-Only] The overall risk score of the system.
isHRR	Boolean	[Read-Only] Identifies whether a System has been designated as High Risk Review. USCG and Navy only.
connectivityAuthorizationDate	Date	[Read-Only] The Connectivity Authorization Date.
connectivityAuthorizationTerminationDate	Date	[Read-Only] The Connectivity Authorization Termination Date.
systemDevelopmentLifeCycle	String	[Read-Only] Indicate the date by which the System needs to be deployed to a production environment. VA only.
isFISMAReportable	Boolean	[Read-Only] Is this IS reportable per Federal Information Security Management Act (FISMA) established requirements? VA only.
groupTagging	String	[Read-Only] System Tags for enterprise level, to include CIO and CISO, tracking efforts. VA only.
groupTagDescriptions	String	[Read-Only] System Tag explanation(s) for enterprise level, to include CIO and CISO, tracking efforts. VA only.
dadmsId	String	[Read-Only] The system's DADMS ID. USMC only.
dadmsExpirationDate	Date	[Read-Only] Date the system expires in DADMS. USMC only.
enclaveConnectivity	String	[Read-Only] Identify the type of connectivity for the network/enclave, e.g., DISA circuit (NIPR, SIPR) or HPCMP circuit (DREN, SDREN, Outreach).

UNCLASSIFIED

		Navy only.
environmentType	String	[Read-Only] Identify the primary computing environment for where the information system is deployed. Navy only.
navyCommonControlProvider	Boolean	[Read-Only] Indicate whether the information system provides inheritable controls. Navy only.
navyCloudBroker	String	[Read-Only] Identify the broker responsible for the delivery of commercial cloud services and capabilities. Refer to Navy Commercial Cloud Brokerage Policy. Navy only.
cloudBrokerEmassId	String	[Read-Only] The eMASS ID of the identified cloud broker. Navy only.
cloudBrokerProvisionalAuthorizationAtd	Date	[Read-Only] The provisional authorization termination date of the identified cloud broker. Navy only.
navyJointAuthorization	Boolean	[Read-Only] Indicate whether this is a joint authorization being issued by two or more Authorizing Officials. Navy only.
nmciNgenClins	String	[Read-Only] Provide all NMCI CLINs associated to the system/services within the authorization boundary. Navy only.
enterpriseLocations	String	[Read-Only] Identify the Navy enterprise network where the information system is deployed. Only select "All Navy Networks" for information systems that have been tested and evaluated/assessed in all operating environments. Navy only.
whitelistId	String	[Read-Only] Systems that have public-facing components/presences are typically required to be documented and registered as part of Organizational-approved whitelisting processes. Provide any applicable identifiers, such as service registry IDs, that pertain to the registration and

UNCLASSIFIED

		tracking of whitelisted components in appropriate repositories (e.g., DoD DMZ Whitelist). Multiple IDs should be entered as separate values (20 characters for each value.)
whitelistInventory	String	[Read-Only] Provide/upload the documentation that identifies or describes the components or aspects of the System that are public-facing (whitelisted).
cybersecurityServiceProvider	String	[Read-Only] Name of the system's Cybersecurity Service Provider.
cybersecurityServiceProviderExceptionJustification	String	[Read-Only] If Not Applicable, provide the exception justification.
maximumTolerableDowntime	String	[Read-Only] MTD represents the total amount of time leaders/managers are willing to accept for a process outage or disruption.
recoveryTimeObjective	String	[Read-Only] RTO defines the maximum amount of time a system can remain unavailable before there is an unacceptable impact on other systems, supported business processes, and the MTD.
recoveryPointObjective	String	[Read-Only] RPO represents the point in time, prior to a disruption or system outage, to which mission/business data can be recovered (given the most recent backup copy of the data) after an outage. The system data/information owner determines an acceptable RPO in terms of amount of tolerable data loss before unacceptable impact occurs.
businessImpactAnalysisRequired	Boolean	[Read-Only] Is a Business Impact Analysis in place that identifies critical business processes, MTD, RTO, and RPO?
businessImpactAnalysisArtifact	String	[Read-Only] Filename of the system's Business Impact Analysis artifact.
incidentResponsePlanRequired	Boolean	[Read-Only] Is there a Incident Response Plan in place for this system that provides the roadmap for implementing the incident response capability?
incidentResponsePlanArtifact	String	[Read-Only] Filename of the system's Incident Response Plan artifact.
disasterRecoveryPlanRequired	Boolean	[Read-Only] Is there a Disaster Recovery Plan in place for this system that addresses information system disruptions that require relocation?

UNCLASSIFIED

disasterRecoveryPlanArtifact	String	[Read-Only] Filename of the system's Disaster Recovery Plan artifact.
privacyThresholdAnalysisCompleted	Boolean	[Read-Only] Indicate whether a Privacy Threshold Analysis (PTA) has been performed for this IS.
privacyThresholdAnalysisDate	Date	[Read-Only] Date in which this system's Privacy Threshold Analysis took place.
privacyThresholdAnalysisArtifact	String	[Read-Only] Filename of the system's Privacy Threshold Analysis artifact.
privacyActSystemOfRecordsNoticeRequired	Boolean	[Read-Only] Does this system require a Privacy Act System of Record Notice per DoD 5400.11-R?
eAuthenticationRiskAssessmentRequired	Boolean	[Read-Only] Indicate whether an E-Authentication Risk Assessment has been performed for the system in accordance with OMB M-04-04.
eAuthenticationRiskAssessmentDate	Date	[Read-Only] Date this system's E-Authentication Risk Assessment took place.
eAuthenticationRiskAssessmentArtifact	String	[Read-Only] Filename of the system's E-Authentication Risk Assessment artifact.
ipv4OnlyAssets	Integer	[Read-Only] Identify the total number of assets associated with this boundary that are only on IPv4.
ipv6OnlyAssets	Integer	[Read-Only] Identify the total number of assets associated with this boundary that are only on IPv6.
ipv4Ipv6DualStackAssets	Integer	[Read-Only] Identify the total number of assets associated with this boundary that are operating on IPv4/IPv6 dual-stack.
totalIpAssets	Integer	[Read-Only] Total number of IPv4, IPv6, and dual-stack assets identified. Value calculated upon Save action.
originatingOrganization	String	[Read-Only] Identify the organization that generated the existing authorization package, including (where applicable) individual points of contact.
systemUseJustification	String	[Read-Only] Provide a detailed justification as to why this system should be deployed and used within the requesting organization.
systemUseJustificationArtifact	String	[Read-Only] Filename of the System Use Justification Artifact, including the file extension.
authorityToUseStatus	String	[Read-Only] The system's Authority to Use Status.

UNCLASSIFIED

reciprocityAcceptanceStatus	String	[Read-Only] The system's Reciprocity Acceptance Status. Army IC only.
useAuthorizationDate	Date	[Read-Only] The system's Use Authorization Date.
reciprocityAcceptanceDate	Date	[Read-Only] The system's Reciprocity Acceptance Date. Army IC only.
useAuthorizationTerminationDate	Date	[Read-Only] The system's Use Authorization Termination Date.
reciprocityAcceptanceTerminationDate	Date	[Read-Only] The system's Reciprocity Acceptance Termination Date. Army IC only.
termsConditionsForUseSummary	String	[Read-Only] The system's Terms / Conditions for Use Summary.
termsConditionsForReciprocitySummary	String	[Read-Only] The system's Terms / Conditions for Reciprocity Summary. Army IC only.
primaryMissionEssentialFunction	Boolean	[Read-Only] Annotate "Yes" if your system performs a Primary Mission Essential Function. VA only.
pmefDescription	String	[Read-Only] The FIPS category 'Availability' of this system must be marked 'High' if the system is listed as a PMEF, and the RTO must be 12 hours or shorter. VA only.
missionEssentialFunction	Boolean	[Read-Only] Annotate "Yes" if your system performs a Mission Essential Function. VA only.
mefDescription	String	[Read-Only] MEFs are listed in the OIT Continuity Plan. VA Handbook 0322 will be updated with these MEFs. VA only.
administration	String	[Read-Only] Identify the administration that this information system supports. VA only.
administrationOtherJustification	String	[Read-Only] If the Administration field is set to "Other", this free-text field becomes required.

UNCLASSIFIED

		VA only.
atcIatcGrantedDate	Date	[Read-Only] The ATC/IATC Granted Date.
atcIatcExpirationDate	Date	[Read-Only] The ATC/IATC Expiration Date.
atcIatcPendingItems	String	[Read-Only] The ATC/IATC Pending Items.
pendingItemsDueDate	Date	[Read-Only] The Pending Items Due Date.
dodinnSystem	Boolean	[Read-Only] A DoDIN-N system is all encompassing for the following: Navy networks, systems, sites, corporate assets, centrally managed programs, programs of record, standalone, excepted, enterprise, non-enterprise, cloud, NIPRNET, SIPRNET, GENSER Classified, Defense Research Engineering Network (DREN), Secret DREN (SDREN), connected to the DoDIN or through commercial lines that are owned, operated, leased, contracted, maintained, managed, administered, house Navy data, house Navy personally identifiable information, house Navy protected health information, or controlled unclassified information. The DoDIN-N also includes commercial information technology, weapons systems/program manager/program of record/platform information technology, and operational technology. Navy only.
authorizationToUseConnectStatus	String	[Read-Only] FCC CRMA/NAO approval for DoDIN-N operations. Navy only.
useConnectAuthorizationDate	Date	[Read-Only] The Use/Connect Authorization Date. Navy only.
useConnectAuthorizationTerminationDate	Date	[Read-Only] The Use/Connect Authorization Termination Date. Navy only.
termsConditionsForUseConnectSummary	String	[Read-Only] Provide a description (if applicable) of any specific limitations or restrictions placed on the operation of the information system as part of the authorization to use/connect decision. Navy only.
workstations	Integer	[Read-Only] Identify the number of System Workstations. This data will be used for the

UNCLASSIFIED

		National Industrial Security System (NISS) facility categorization. If field is not applicable enter "0". NISP only.
servers	Integer	[Read-Only] Identify the number of System Servers. This data will be used for the National Industrial Security System (NISS) facility categorization. If field is not applicable enter "0". NISP only.

4.4 SYSTEM ROLES ENDPOINTS

The System Roles endpoints provides the ability to access user data assigned to systems.

Notes:

- The endpoint can access three different role categories: PAC, CAC, and Other.
- If a system is dual-policy enabled, the returned system role information will default to the RMF policy information unless otherwise specified.

GET	/api/system-roles <i>Get available roles</i>
Curl Example	
<pre>curl -L "[URL]/api/system-roles" -H "api-key: 0a60a84d-3fc1-433c-b39f-507adb1f8bec" --cert .\cert.cer --key .\private.key</pre>	
Sample Response	
<pre>{ "meta": { "code": 200 }, "data": [{ "roleCategory": "PAC", "role": "SCA" }, { "roleCategory": "PAC", "role": "AO" }, { "roleCategory": "PAC", "role": "ISSM" }, { "roleCategory": "CAC", "role": "Validator" }, { "roleCategory": "Other", "role": "User Rep (View Only)" }, { "roleCategory": "Other", "role": "Auditor" }, { "roleCategory": "Other", "role": "Artifact Manager" }] }</pre>	

GET	/api/system-roles/{roleCategory} Get system roles	
Curl Example		
curl -L "[URL]/api/system-roles/pac?role=SCA" -H "api-key: 0a60a84d-3fc1-433c-b39f-507adb1f8bec" --cert .\cert.cer --key .\private.key		
Available Query String Parameters		
Name	Type	Example
role	String	Required parameter. Accepts single value from options available at base system-roles endpoint e.g., SCA.
policy	String	Accepts single value from the following options: - diacap - rmf - reporting If no value is specified, the default returns RMF policy information for dual-policy systems.
Sample Response (role=SCA)		
<pre>{ "meta": { "code": 200 }, "data": [{ "systemId": 27, "systemName": "eMASS API Example System", "systemAcronym": "eMASS API-ES", "roles": [{ "roleCategory": "PAC", "role": "SCA", "users": [{ "firstName": "John", "lastName": "Doe", "email": "john.doe.ctr@mail.mil" }, { "firstName": "Jane", "lastName": "Doe", "email": "jane.doe.ctr@mail.mil" }] }] }] }</pre>		

```
    },  
    {  
      "systemId": 29,  
      "systemName": "eMASS Test System",  
      "systemAcronym": "eMASS TS",  
      "roles": [  
        {  
          "roleCategory": "PAC",  
          "role": "SCA",  
          "users": [  
            {  
              "firstName": "John",  
              "lastName": "Doe",  
              "email": "john.doe.ctr@mail.mil"  
            }  
          ]  
        }  
      ]  
    }  
  ]  
}
```

4.5 CONTROLS ENDPOINTS

The Controls endpoints provide the ability to view, add, and update Security Control information to a system for both the Implementation Plan and Risk Assessment. Note that Navy instance has additional fields available (see Controls Endpoint Fields).

GET	/api/systems/{systemId}/controls <i>Get control information in a system for one or many controls</i>	
Curl Example		
curl -L "[URL]/api/systems/27/controls" -H "api-key: 0a60a84d-3fc1-433c-b39f-507adb1f8bec" --cert .\cert.cer --key .\private.key		
Available Query String Parameters		
Name	Type	Example
acronyms	String	AC-3,PM-6
Sample Response (acronyms=AC-2(3))		
<pre>{ "meta": { "code": 200 }, "data": [{ "systemId": 27, "name": "Disable Inactive Accounts", "acronym": "AC-2(3)", "ccis": "000017,000217", "isInherited": false, "includedStatus": "Baseline", "complianceStatus": "UA", "modifiedByOverlays": "Privacy", "responsibleEntities": "Test Responsible Entities", "implementationStatus": "Planned", "controlDesignation": "Common", "estimatedCompletionDate": 1622065680.1599998, "implementationNarrative": "Test Imp. Narrative", "testMethod": "Test, Examine", "slcmCriticality": "CRWG White Criticality Control", "slcmFrequency": "Monthly", "slcmMethod": "Automated", "slcmReporting": "Test Reporting", "slcmTracking": "Test Tracking", "slcmComments": "Test SLCM Comments", "severity": "Moderate", "vulnerabilitySummary": "Test Vulnerability Summary", "mitigations": "Test Mitigations", "recommendations": "Test Recommendations", "relevanceOfThreat": "Very Low", "likelihood": "Low", "impact": "Moderate", "impactDescription": " Test Impact Description " }] }</pre>		

UNCLASSIFIED

```

    "residualRiskLevel": "High"
  }
}

```

PUT	/api/systems/{systemId}/controls <i>Update control information in a system for one or many controls</i>
Sample Request Body	
<pre> [{ "acronym": "AC-1", "responsibleEntities": "Test Responsible Entities", "implementationStatus": "Not Applicable", "commonControlProvider": "DoD", "naJustification": "Test NA Justification", "controlDesignation": "Common", "testMethod": "Test", "estimatedCompletionDate": 1509375108, "implementationNarrative": "Test Imp. Narrative", "slcmCriticality": "Test Criticality", "slcmFrequency": "Daily", "slcmMethod": "Automated", "slcmReporting": "Test Reporting", "slcmTracking": "Test Tracking", "slcmComments": "Test SLCM Comments", "severity": "Moderate", "vulnerabilitySummary": "Test Vulnerability Summary", "mitigations": "Test Mitigations", "recommendations": "Test Recommendations", "relevanceOfThreat": "Very Low", "likelihood": "Low", "impact": "Moderate", "impactDescription": "Test Impact Description", "residualRiskLevel": "High" }] </pre>	

4.5.1 Controls Endpoints Fields

Field	Type	Detail	Associated Business Rule?
systemId	Integer	[Required] Unique eMASS system identifier.	
name	String	[Read-Only] Name of control as defined in NIST SP 800-53 Revision 4.	

UNCLASSIFIED

acronym	String	[Required] Required to match the NIST SP 800-53 Revision 4.	
ccis	String	[Read-Only] Comma separated list of CCIs associated with the control.	
isInherited	Boolean	[Read-Only] Indicates whether a control is inherited.	
modifiedByOverlays	String	[Read-Only] List of overlays that affect the control. An example would be the privacy overlay.	
includedStatus	String	[Read-Only] Indicates the manner by which a control was included in the system's categorization.	
complianceStatus	String	[Read-Only] Compliance status of the control.	
responsibleEntities	String	[Required] Include written description of Responsible Entities that are responsible for the Security Control. Character Limit = 2,000.	✓
implementationStatus	String	[Optional] Implementation Status of the Security Control for the information system. Values include the following options: • Planned • Implemented • Inherited • Not Applicable • Manually Inherited	✓
commonControlProvider	String	[Conditional] Indicate the type of Common Control Provider for an "Inherited" Security Control. Values include the following options: • DoD • Component • Enclave	✓
naJustification	String	[Conditional] Provide justification for Security Controls deemed Not Applicable to the system.	✓
controlDesignation	String	[Required] Values include the following options:	✓

UNCLASSIFIED

		• Common • System-Specific • Hybrid	
estimatedCompletionDate	Date	[Required] Field is required for Implementation Plan	✓
implementationNarrative	String	[Required] Includes Security Control comments. Character Limit = 2,000.	✓
slcmCriticality	String	[Conditional] Criticality of Security Control regarding SLCM. Character Limit = 2,000	✓
slcmFrequency	String	[Conditional] Values include the following options: • Constantly • Daily • Weekly • Monthly • Quarterly • Semi-Annually • Annually • Every Two Years • Every Three Years • Undetermined	✓
slcmMethod	String	[Conditional] Values include the following options: • Automated • Semi-Automated • Manual • Undetermined	✓
slcmReporting	String	[Conditional] Method for reporting Security Controls for SLCM. Character Limit = 2,000	✓
slcmTracking	String	[Conditional] How Non-Compliant Security Controls will be tracked for SLCM. Character Limit = 2,000	✓
slcmComments	String	[Conditional] Additional comments for Security Control regarding SLCM. Character Limit = 4,000	✓

UNCLASSIFIED

severity	String	[Optional] Values include the following options: • Very Low • Low • Moderate • High • Very High	
vulnerabilitySummary	String	[Optional] Include vulnerability summary. Character Limit = 2,000.	
recommendations	String	[Optional] Include recommendations. Character Limit = 2,000.	
relevanceOfThreat	String	[Optional] Values include the following options: • Very Low • Low • Moderate • High • Very High	
likelihood	String	[Optional] Values include the following options: • Very Low • Low • Moderate • High • Very High	
impact	String	[Optional] Values include the following options: • Very Low • Low • Moderate • High • Very High	
impactDescription	String	[Optional] Include description of Security Control's impact.	
residualRiskLevel	String	[Optional] Values include the following options: • Very Low • Low • Moderate	

UNCLASSIFIED

		• High • Very High	
testMethod	String	[Optional] Identifies the assessment method / combination that will determine if the security requirements are implemented correctly. Values include the following options: • Test • Interview • Examine • Test, Interview • Test, Examine • Interview, Examine • Test, Interview, Examine	
mitigations	String	[Optional] Identify any mitigations in place for the Non-Compliant Security Control's vulnerabilities. Character Limit = 2,000.	
applicationLayer	String	[Optional] If the Financial Management (Navy) overlay is applied to the system, this field appears and can be populated. Character Limit = 2,000. Navy only.	
databaseLayer	String	[Optional] If the Financial Management (Navy) overlay is applied to the system, this field appears and can be populated. Character Limit = 2,000. Navy only.	
operatingSystemLayer	String	[Optional] If the Financial Management (Navy) overlay is applied to the system, this field appears and can be populated. Character Limit = 2,000. Navy only.	

4.6 TEST RESULTS ENDPOINTS

The Test Results endpoints provide the ability to view and add test results for a system's Assessment Procedures which determine Security Control compliance.

GET	/api/systems/{systemId}/test-results <i>Get one or many test results in a system</i>	
Available Query String Parameters		
Name	Type	Example
controlAcronyms	String	AC-3,PM-6
assessmentProcedures	String	AC-1.1,AC-1.2
ccis	String	002107,002108
latestOnly	Boolean	true, false
Sample Response (assessmentProcedures=AC-1.1,AC-1.2)		
<pre>{ "meta": { "code": 200 }, "data": [{ "systemId": 6, "control": "AC-1", "cci": "002107", "assessmentProcedure": "AC-1.1", "isInherited": false, "testedBy": "John Smith", "testDate": 1615305256.763, "description": "Test Results Text", "type": "Self-Assessment", "complianceStatus": "Non-Compliant" }, { "systemId": 6, "control": "AC-1", "cci": "002108", "assessmentProcedure": "AC-1.2", "isInherited": false, "testedBy": "John Smith", "testDate": 1615305256.763, "description": "Test Results Text", "type": "Self-Assessment", "complianceStatus": "Non-Compliant" }] }</pre>		

POST	/api/systems/{systemId}/test-results <i>Add one or many test results in a system</i>
Sample Request Body	
<pre>[{ "assessmentProcedure": "AC-1.1", "testedBy": "Smith, John", "testDate": 1497883526.177, "description": "NC test result from POST", "complianceStatus": "Non-Compliant" }, { "assessmentProcedure": "AC-1.2", "testedBy": "Smith, John", "testDate": 1497883999, "description": "C test result from POST", "complianceStatus": "Compliant" }]</pre>	

4.6.1 Test Results Endpoints Fields

Field	Type	Details	Associated Business Rule?
systemId	Integer	[Required] Unique eMASS system identifier.	
control	String	[Read-Only] Control acronym associated with the test result. NIST SP 800-53 Revision 4 defined.	
cci	String	[Read Only] CCI associated with the test result. Note: Deprecated in POST in favor of the Assessment Procedure field.	
assessmentProcedure	String	[Required] The Security Control Assessment Procedure being assessed.	
isInherited	Boolean	[Read-Only] Indicates whether a test result is inherited.	
testedBy	String	[Required] Last Name, First Name. Character Limit = 100.	✓
testDate	Date	[Required] Unix time format.	✓

UNCLASSIFIED

description	String	[Required] Include description of test result. Character Limit = 4,000.	✓
type	String	[Read-Only] Indicates the location in the Control Approval Chain when the test result is submitted.	
complianceStatus	String	[Required] Values include the following options: • Compliant • Non-Compliant • Not Applicable	✓

4.7 POA&MS ENDPOINTS

The POA&Ms endpoints provide the ability to view, add, update, and remove Plan of Action and Milestones (POA&M) items and associated milestones for a system. Note that Navy, VA, Army, USCG instances have additional fields (see POA&M Endpoint Fields).

GET	/api/systems/{systemId}/poams <i>Get one or many POA&M items in a system</i>	
Available Query String Parameters		
Name	Type	Example
scheduledCompletionDateStart	Date	1499644800
scheduledCompletionDateEnd	Date	1499990400
controlAcronyms	String	AC-3,PM-6
assessmentProcedures	String	AC-1.1,AC-1.2
ccis	String	000123,000069
systemOnly	String	true, false If no value is specified, the default returns false to include control and AP level artifacts as well.
Sample Response		
<pre>{ "meta": { "code": 200 }, "data": [{ "externalUid": null, "systemId": 27, "poamId": 71, "displayPoamId": 101002919, "conditionId": "TC-10100292", "isInherited": false, "controlAcronym": "AC-7; AC-8", "cci": "000043; 000048; 002247", "assessmentProcedure": "AC-7.1; AC-8.1; AC-8.2", "severity": "Very Low", "rawSeverity": "Low", "status": "Completed", "reviewStatus": "Not Approved", "createdDate": 1609858760.36, "scheduledCompletionDate": 1622054028.83, "completionDate": 1622054028.83, "extensionDate": null, "pendingExtensionDate": null, "pocOrganization": "Office/Organization", "pocLastName": "Last Name", "pocFirstName": "First Name", "pocEmail": "john.doe.ctr@mail.mil", }] }</pre>		

```

    "pocPhoneNumber": "1112223333",
    "vulnerabilityDescription": "Vulnerability Description",
    "mitigations": "Mitigations",
    "comments": "Comments",
    "resources": "Resources",
    "sourceIdentifyingVulnerability": "Test Source",
    "securityChecks": null,
    "relevanceOfThreat": "Low",
    "likelihood": "Very Low",
    "impact": "Moderate",
    "impactDescription": "Impact Description",
    "residualRiskLevel": "Low",
    "recommendations": "Recommendations",
    "artifacts": "Test1.docx; Test2.xlsx",
    "milestones": [
      {
        "systemId": 27,
        "milestoneId": 85,
        "poamId": 71,
        "description": "Milestone 1",
        "scheduledCompletionDate": 1622054028.83,
        "reviewStatus": "Not Approved",
        "createdBy": "Smith, John",
        "createdDate": 1619858760.36
      },
      {
        "systemId": 27,
        "milestoneId": 86,
        "poamId": 71,
        "description": "Milestone 2",
        "scheduledCompletionDate": 1622054028.83,
        "reviewStatus": "Not Approved",
        "createdBy": "Smith, John",
        "createdDate": 1620858760.36
      }
    ]
  }
}

```

GET	/api/systems/{systemId}/poams/{poamId} Get POA&M item by ID in a system
Sample Response	
<pre> { "meta": { "code": 200 }, "data": { "externalUid": null, "systemId": 27, "poamId": 73, "displayPoamId": 101003239, "conditionId": null, "isInherited": true, "controlAcronym": "AC-11; AC-12", "cci": null, "assessmentProcedure": null, "severity": "Very Low", "rawSeverity": "Moderate", "status": "Risk Accepted", "reviewStatus": "Not Approved", "createdDate": 1695409599.36, "scheduledCompletionDate": null, "completionDate": null, "extensionDate": null, "pendingExtensionDate": null, "pocOrganization": "Office/Organization", "pocLastName": "Last", "pocFirstName": "First", "pocEmail": "New@email.com", "pocPhoneNumber": "9998887777", "vulnerabilityDescription": "Test Risk Accepted", "mitigation": "Mitigations", "comments": "Comments", "resources": "Resources", "sourceIdentifyingVulnerability": "Test Source", "securityChecks": null, "relevanceOfThreat": "Very Low", "likelihood": "Low", "impact": "Very Low", "impactDescription": "Impact Description", "residualRiskLevel": "Very Low", "recommendations": "Recommendations", "artifacts": null, "milestones": [] } } </pre>	

POST	/api/systems/{systemId}/poams <i>Add one or many POA&M items in a system</i>
Sample Request Body	
<pre>[{ "externalUid": "Test External Id", "controlAcronym": "AC-1; AC-2", "assessmentProcedure": "AC-1.3; AC-2.1", "severity": "Low", "rawSeverity": "Moderate", "status": "Ongoing", "scheduledCompletionDate": 1505915077, "completionDate": null, "pocOrganization": "Test Organization", "pocLastName": "Doe", "pocFirstName": "John", "pocEmail": "john.doe.ctr@mail.mil", "pocPhoneNumber": "555-555-5555", "vulnerabilityDescription": "Test Vulnerability Description", "mitigation": "Mitigation text.", "comments": "Comments text.", "resources": "Resources text.", "sourceIdentifyingVulnerability": "Test Source", "securityChecks": "SV-12345_r1234,SV-12346_r1234", "recommendations": "Test Recommendations", "relevanceOfThreat": "High", "likelihood": "Moderate", "impact": "High", "impactDescription": "Impact Description text", "residualRiskLevel": "Moderate", "milestones": [{ "description": "Description text.", "scheduledCompletionDate": 1505915077 }] }]</pre>	

UNCLASSIFIED

PUT	/api/systems/{systemId}/poams <i>Update one or many POA&M items in a system</i>
Sample Request Body	
<pre>[{ "poamId": 74, "controlAcronym": "AC-1; AC-2", "assessmentProcedure": "AC-1.3; AC-1.4; AC-2.1", "severity": "Low", "rawSeverity": "High", "status": "Ongoing", "scheduledCompletionDate": 1509375108, "completionDate": null, "pocOrganization": "Test Organization", "pocLastName": "Doe", "pocFirstName": "John", "pocEmail": "john.doe.ctr@mail.mil", "pocPhoneNumber": "555-555-5555", "vulnerabilityDescription": "Test Vulnerability Description", "mitigation": "Test Mitigation", "comments": "Test Comments", "resources": "Test Resources", "sourceIdentifyingVulnerability": "Test Vulnerability Source", "securityChecks": "SV-12345_r1234,SV-12346_r1234", "recommendations": "Test Recommendations", "relevanceOfThreat": "High", "likelihood": "Moderate", "impact": "High", "impactDescription": "Impact Description text", "residualRiskLevel": "Moderate", "milestones": [{ "description": "Test Milestone Description", "scheduledCompletionDate": 1505915077, "isActive": true }] }]</pre>	

Note: To prevent uploading duplicate/undesired milestones through the POA&M PUT you must include an “isActive” field for the milestone and set it to equal to false.

DELETE	/api/systems/{systemId}/poams <i>Remove one or many POA&M items in a system</i>
Sample Request Body	
<pre>[{ "poamId": 74 }]</pre>	

4.7.1 POA&Ms Endpoints Fields

Field	Type	Details	Associated Business Rule?
systemId	Integer	[Required] Unique eMASS system identifier.	
poamId	Integer	[Required] Unique identifier representing the nth POAM item entered into the site's database.	
displayPoamId	Integer	[Required] Globally unique identifier for individual POA&M Items, seen on the front-end as "ID".	
conditionId	String	[Read-Only] Unique identifier of the authorization term/condition linked to the POA&M Item.	
isInherited	Boolean	[Read-Only] Indicates whether a POA&M Item is inherited.	
externalUid	String	[Optional] Unique identifier external to the eMASS application for use with associating POA&M Items. Character Limit = 100.	
controlAcronym	String	[Optional] Control acronyms associated with the POA&M Item. NIST SP 800-53 Revision 4 defined.	
cci	String	[Read-Only] CCI mappings for Assessment Procedures associated with the POA&M Item. Note: Deprecated in POST/PUT in favor of the Assessment Procedure field.	
assessmentProcedure	String	[Optional] The Security Control Assessment Procedures being associated with the POA&M Item.	
status	String	[Required] Values include the following:	✓

UNCLASSIFIED

		• Ongoing • Risk Accepted • Completed • Not Applicable	
reviewStatus	String	[Read-Only] Values include the following options: • Not Approved • Under Review • Approved	✓
createdDate	Date	[Read-Only] Timestamp representing when the POA&M Item was entered into the database.	
vulnerabilityDescription	String	[Required] Provide a description of the POA&M Item. Character Limit = 2,000.	
sourceIdentifyingVulnerability	String	[Required] Include Source Identifying Vulnerability text. Character Limit = 2,000.	
securityChecks	String	[Optional] Security Checks that are associated with the POA&M.	
milestones	JSON	[Conditional] Please see Milestone Endpoint for more details.	
pocOrganization	String	[Required] Organization/Office represented. Character Limit = 100.	✓
pocFirstName	String	[Conditional] First name of POC. Character Limit = 100.	✓
pocLastName	String	[Conditional] Last name of POC. Character Limit = 100.	✓
pocEmail	String	[Conditional] Email address of POC. Character Limit = 100. If a POC email is supplied, the application will attempt to locate a user already registered within the application and pre-populate	✓

UNCLASSIFIED

		any information not explicitly supplied in the request. If no such user is found, these fields are required within the request.	
pocPhoneNumber	String	[Conditional] Phone number of POC. Character Limit = 100.	✓
severity	String	[Conditional] Required for approved items. Values include the following options: • Very Low • Low • Moderate • High • Very High	
rawSeverity	String	[Optional] Values include the following options: • Very Low • Low • Moderate • High • Very High	
resources	String	[Required] List of resources used. Character Limit = 250.	✓
relevanceOfThreat	String	[Optional] Values include the following options: • Very Low • Low • Moderate • High • Very High	
likelihood	String	[Optional] Values include the following options: • Very Low • Low • Moderate • High • Very High	

UNCLASSIFIED

impact	String	[Optional] Values include the following options: • Very Low • Low • Moderate • High • Very High	
impactDescription	String	[Optional] Include description of Security Control's impact.	
residualRiskLevel	String	[Optional] Values include the following options: • Very Low • Low • Moderate • High • Very High	
recommendations	String	[Optional] Include recommendations. Character Limit = 2,000.	
scheduledCompletionDate	Date	[Conditional] Required for ongoing and completed POA&M items. Unix time format.	✓
completionDate	Date	[Conditional] Field is required for completed POA&M items. Unix time format.	✓
extensionDate	Date	[Read-Only] Value returned for a POA&M Item with a review status of "Approved" and an approved milestone with a scheduled completion date that extends beyond the POA&M Item's scheduled completion date.	
pendingExtensionDate	Date	[Read-Only] Value returned for a POA&M Item with a review status of "Approved" and an unapproved milestone with a scheduled completion date that extends beyond the POA&M Item's scheduled completion date.	

UNCLASSIFIED

comments	String	[Conditional] Field is required for completed and risk accepted POA&M items. Character Limit = 2,000.	✓
mitigations	String	[Optional] Include mitigation explanation. Character Limit = 2,000.	✓
artifacts	String	[Read-Only] Lists the filenames of any artifact files attached to the POA&M Item. Multiple values are separated by “;”.	
isActive	Boolean	[Conditional] Optionally used in PUT to prevent uploading new duplicate/undesired milestones. Include an “isActive” field for the milestone and set it to false to prevent creating a new milestone.	
resultingResidualRiskLevelAfterProposedMitigations	String	[Optional] Indicate the risk level expected after any proposed mitigations are implemented. Proposed mitigations should be appropriately documented as POA&M milestones. Values include the following options: • Very Low • Low • Moderate • High • Very High Navy only.	
predisposingConditions	String	[Optional] A predisposing condition is a condition existing within an organization, a mission or business process, enterprise architecture, information system/PIT, or environment of operation, which affects (i.e., increases or decreases) the likelihood that threat events, once initiated, result in adverse impacts.	

UNCLASSIFIED

		Character Limit = 2,000. Navy only.	
threatDescription	String	[Optional] Describe the identified threat(s) and relevance to the information system. Character Limit = 2,000. Navy only.	
devicesAffected	String	[Optional] List any affected devices by hostname. If all devices in the information system are affected, state 'system' or 'all'. Character Limit = 2,000. Navy only.	
identifiedInCFOAuditOrOtherReview	Boolean	[Required] If not specified, this field will be set to false because it does not accept a null value. Required for VA. Optional for Army and USCG.	
personnelResourcesFundedBaseHours	Number	[Conditional] At least one of the following is required and must be completed for each POA&M Item: • Personnel Resources: Funded Base Hours • Personnel Resources: Unfunded Base Hours • Non-Personnel Resources: Funded Amount • Non-Personnel Resources: Unfunded Amount Displays numbers to the second decimal point (e.g., 100.00). Required for VA. Optional for Army and USCG.	
personnelResourcesCostCode	String	[Conditional] Required if Personnel Resources: Funded Base Hours or Personnel Resources: Unfunded Base Hours is populated.	

UNCLASSIFIED

		Only accepts values present in the field's lookup table (modifiable by eMASS System Admins). Required for VA. Optional for Army and USCG.	
personnelResourcesUnfundedBaseHours	Number	[Conditional] At least one of the following is required and must be completed for each POA&M Item: • Personnel Resources: Funded Base Hours • Personnel Resources: Unfunded Base Hours • Non-Personnel Resources: Funded Amount • Non-Personnel Resources: Unfunded Amount Displays numbers to the second decimal point (e.g., 100.00). Required for VA. Optional for Army and USCG.	
personnelResourcesNonfundingObstacle	String	[Conditional] [Conditional] Required if Personnel Resources: Unfunded Base Hours is populated. Only accepts values present in the field's lookup table (modifiable by eMASS System Admins). Required for VA. Optional for Army and USCG.	
personnelResourcesNonfundingObstacleOtherReason	String	[Conditional] Required if the value "Other" is populated for the field Personnel Resources: Non-Funding Obstacle. Character Limit = 2,000. Required for VA. Optional for Army and USCG.	
nonPersonnelResourcesFundedAmount	Number	[Conditional] At least one of the following is required and must be completed for each POA&M Item: • Personnel Resources: Funded Base Hours	

UNCLASSIFIED

		• Personnel Resources: Unfunded Base Hours • Non-Personnel Resources: Funded Amount • Non-Personnel Resources: Unfunded Amount Displays numbers to the second decimal point (e.g., 100.00). Required for VA. Optional for Army and USCG.	
nonPersonnelResourcesCostCode	String	[Conditional] Required if Non-Personnel Resources: Funded Amount or Non-Personnel Resources: Unfunded Amount is populated. Only accepts values present in the field's lookup table (modifiable by eMASS System Admins). Required for VA. Optional for Army and USCG.	
nonPersonnelResourcesUnfundedAmount	Number	[Conditional] At least one of the following is required and must be completed for each POA&M Item: • Personnel Resources: Funded Base Hours • Personnel Resources: Unfunded Base Hours • Non-Personnel Resources: Funded Amount • Non-Personnel Resources: Unfunded Amount Displays numbers to the second decimal point (e.g., 100.00). Required for VA. Optional for Army and USCG.	
nonPersonnelResourcesNonfundingObstacle	String	[Conditional] Required if Non-Personnel Resources: Unfunded Amount is populated. Only accepts values present in the field's lookup table (modifiable by eMASS System Admins).	

UNCLASSIFIED

		Required for VA. Optional for Army and USCG.	
nonPersonnelResourcesNonfundingObstacleOtherReason	String	[Conditional] Required if the value “Other” is populated for the field Non-Personnel Resources: Non-Funding Obstacle. Character Limit = 2,000. Required for VA. Optional for Army and USCG.	

4.8 MILESTONES ENDPOINTS

The Milestones endpoints provide the ability to view, add, update, and remove milestones that are associated with Plan of Action and Milestones (POA&M) items for a system.

GET	/api/systems/{systemId}/poams/{poamId}/milestones Get milestones in one or many POA&M items in a system	
Available Query String Parameters		
Name	Type	Example
scheduledCompletionDateStart	Date	1499644800
scheduledCompletionDateEnd	Date	1499990400
Sample Response		
<pre>{ "meta": { "code": 200 }, "data": [{ "systemId": 27, "milestoneId": 89, "poamId": 74, "description": "Test Milestone Description 1", "scheduledCompletionDate": 1622234174.597, "reviewStatus": "Under Review" }, { "systemId": 27, "milestoneId": 90, "poamId": 74, "description": "Test Milestone Description 2", "scheduledCompletionDate": 1622161400.033, "reviewStatus": "Not Approved" }] }</pre>		

UNCLASSIFIED

GET	/api/systems/{systemId}/poams/{poamId}/milestones/{milestoneId} <i>Get milestone by ID in POA&M item in a system</i>
Sample Response	
<pre>{ "meta": { "code": 200 }, "data": { "systemId": 27, "milestoneId": 89, "poamId": 74, "description": "Test Milestone Description", "scheduledCompletionDate": 1622234174.597, "reviewStatus": "Not Approved", "createdBy": "Smith, John", "createdDate": 1604185331.3 } }</pre>	

POST	/api/systems/{systemId}/poams/{poamId}/milestones <i>Add milestones to one or many POA&M items in a system</i>
Sample Request Body	
<pre>[{ "description": "Description text.", "scheduledCompletionDate": 1505919280 }]</pre>	

PUT	/api/systems/{systemId}/poams/{poamId}/milestones <i>Update milestones in a system for one or many POA&M items</i>
Sample Request Body	
<pre>[{ "milestoneId": 20268, "description": "Description text edit.", "scheduledCompletionDate": 1505919280 }]</pre>	

DELETE	/api/systems/{systemId}/poams/{poamId}/milestones <i>Remove milestones in a system for one or many POA&M items</i>
Sample Request Body	
<pre>[{ "milestoneId": 20268 }]</pre>	

4.8.1 Milestones Endpoints Fields

Field	Type	Details	Associated Business Rule?
systemId	Integer	[Required] Unique system identifier.	
milestoneId	Integer	[Required] Unique milestone identifier.	
poamId	Integer	[Required] Unique POA&M item identifier.	
description	String	[Required] Provide a description of the milestone. Character Limit = 2,000.	
scheduledCompletionDate	Date	[Required] Unix date format.	✓
createdBy	String	[Read-Only] Last, first name of the user that created the milestone.	
createdDate	Date	[Read-Only] Timestamp representing when the milestone was entered into the database.	

Note: Business rules associated with Milestones endpoints fields will be located within the POA&Ms Endpoints table in Appendix A.

4.9 ARTIFACTS ENDPOINTS

The Artifacts endpoints provide the ability to view, add, update, and remove artifacts (supporting documentation/evidence) and associated files for a system.

GET	/api/systems/{systemId}/artifacts <i>Get one or many artifacts in a system</i>	
Available Query String Parameters		
Name	Type	Example
filename	String	sample.pdf
controlAcronyms	String	AC-3,PM-6
assessmentProcedures	String	AC-1.5,AC-1.6
ccis	String	000123,000069
systemOnly	Boolean	true, false
Sample Response		
<pre>{ "meta": { "code": 200 }, "data": [{ "systemId": 27, "filename": "HardwareSoftwareFirmware.pdf", "isInherited": false, "name": "Hardware Software Firmware Diagram", "description": "Test Hardware Software Firmware", "isTemplate": false, "type": "Diagram", "category": "Hardware Software Firmware Diagram", "referencePageNumber": null, "controls": "AC-1", "assessmentProcedures": "AC-1.6", "ccis": "000005", "mimeContentType": "application/pdf", "fileSize": "369 KB", "expirationDate": 17089586892, "lastReviewedDate": 1703169889, "signedDate": 1667409188.12 }, { "systemId": 27, "filename": "RiskAssessment.pdf", "isInherited": false, "name": "E-Authentication Assessment", "description": "Test E-Authentication Risk Assessment", "isTemplate": true, "type": "Document", "category": "E-Authentication Risk Assessment", "referencePageNumber": "Test Ref Page Num 2",</pre>		

```

        "controls": "IA-2, IA-8",
        "assessmentProcedures": null,
        "ccis": null,
        "mimeContentType": "application/pdf",
        "fileSize": "555 KB",
        "expirationDate": null,
        "lastReviewedDate": null,
        "signedDate": 1677531920
    }
}

```

POST	/api/systems/{systemId}/artifacts <i>Add one or many artifacts in a system</i>	
Available Query String Parameters		
Name	Type	Example
isBulk	Boolean	true, false If no value is specified, the default is <i>false</i> , and an individual artifact file is expected. When set to <i>true</i> , a .zip file is expected which can contain multiple artifact files.
Information		
The body of a request through the Artifacts POST endpoint accepts a single binary file. Two Artifact POST methods are currently accepted: individual and bulk. Filename uniqueness within an eMASS system will be enforced by the API for both methods. For POST requests that should result in a single artifact, the request should include the file. For POST requests that should result in the creation of many artifacts, the request should include a single file with the extension ".zip" only and the parameter isBulk should be set to true. This .zip file should contain one or more files corresponding to existing artifacts or new artifacts that will be created upon successful receipt. Upon successful receipt of one or many artifacts, if a file is matched via filename to an artifact existing within the application, the file associated with the artifact will be updated. If no artifact is matched via filename to the application, a new artifact will be created with the following default values. Any values not specified below will be null. • isTemplate: false • type: Other • category: Evidence To update values other than the file itself, please submit a PUT request.		

PUT	/api/systems/{systemId}/artifacts <i>Update one or many artifacts in a system</i>
Information	
The body of a request through the Artifacts PUT endpoint accepts the fields in the below Sample Request Body. Note that the PUT request will replace all existing data with the field/value combinations included in the request body. If any fields are not included, the absent fields will become null. Name and isTemplate are non-nullable fields, so name will default to the filename, while isTemplate will default to false if those fields are not specified in the PUT. Also, note that one-to-many fields (controls and ccis) will also be replaced with the values specified in the PUT. If existing control or cci mappings exist in eMASS, the values in the PUT will not append, but rather replace all existing control and cci mappings with the values in the request body.	
Sample Request Body	
<pre>[{ "filename": "AuthorizationGuidance.pdf", "name": "Test Artifact", "description": "Test Artifact Description", "isTemplate": true, "type": "Document", "category": "Evidence", "referencePageNumber": "Page 100", "controls": "AC-1, AC-2", "assessmentProcedures": "AC-1.1, AC-1.2", "expirationDate": 17089586892, "lastReviewedDate": 1667581988.12, "signedDate": 1667409188.12 }]</pre>	

DELETE	/api/systems/{systemId}/artifacts <i>Remove one or many artifacts in a system</i>
Sample Request Body	
<pre>[{ "filename": "AuthorizationGuidance.pdf" }]</pre>	

4.9.1 Artifacts Endpoints Fields

Field	Type	Details	Associated Business Rule?
filename	String	[Required] Filename should match the name within the eMASS application and include the file extension. Character Limit = 1,000.	✓
filename	Binary	[Required] Application/zip file or an individual binary file. Max 30MB per artifact.	✓
systemId	Integer	[Required] Unique system identifier.	
isInherited	Boolean	[Read-Only] Indicates whether an artifact is inherited.	
isTemplate	Boolean	[Required] Indicates whether an artifact is a template.	✓
type	String	[Required] Values include the following options: • Procedure • Diagram • Policy • Labor • Document • Image • Other • Scan Result • Auditor Report May also accept custom artifact type values set by system administrators.	✓
category	String	[Required] Values include the following options: • Implementation Guidance • Evidence May also accept custom artifact category values set by system administrators.	✓
name	String	[Optional] Artifact name. Character Limit = 100.	✓

UNCLASSIFIED

description	String	[Optional] Artifact description. Character Limit = 10,000.	✓
referencePageNumber	String	[Optional] Artifact reference page number. Character Limit = 50.	✓
ccis	String	[Read-Only] CCI mapping for Assessment Procedures associated with the artifact. Note: Deprecated in PUT in favor of the Assessment Procedure field.	
controls	String	[Optional] Control acronym associated with the artifact. NIST SP 800-53 Revision 4 defined.	
assessmentProcedures	String	[Optional] The Security Control Assessment Procedure being associated with the artifact.	
contentType	String	[Read-Only] Standard MIME content type derived from file extension.	
fileSize	String	[Read-Only] File size of attached artifact.	
expirationDate	Date	[Optional] Date artifact expires and requires review. Unix date format.	
lastReviewedDate	Date	[Optional] Date artifact was last reviewed. Unix date format.	✓
signedDate		[Optional] Date artifact was signed. Unix date format.	

4.10 ARTIFACTS EXPORT ENDPOINT

The Artifacts Export endpoint provides the ability to download artifact files for a system.

GET	/api/systems/{systemId}/artifacts-export <i>Get the file of an artifact in a system</i>	
Available Query String Parameters		
Name	Type	Example
filename	String	Required parameter. sample.pdf
compress	Boolean	true, false
Sample Response		
Binary file associated with given filename. If “compress” parameter is specified, zip archive of binary file associated with given filename.		

4.11 PAC ENDPOINTS

The Package Approval Chain (PAC) endpoints provide the ability to view the status of existing workflows and initiate new workflows for a system.

Notes:

- If the indicated system has any active workflows, the response will include information such as the workflow type and the current stage of each workflow.
- If there are no active workflows, then a null data member will be returned.

GET	/api/systems/{systemId}/approval/pac <i>Get status of active workflows in a system</i>
Sample Response 1 – Active Workflow	
<pre>{ "meta": { "code": 200 }, "data": [{ "workflow": "RMF Step 1: Security Category", "name": "Test Package Name", "currentStageName": "Submit Categorization", "currentStage": 2, "totalStages": 3, "daysAtCurrentStage": 0.2 }] }</pre>	
Sample Response 2 – No Active Workflow	
<pre>{ "meta": { "code": 200 }, "data": null }</pre>	

POST	/api/systems/{systemId}/approval/pac <i>Initiate system workflow for review</i>
Sample Request Body	
<pre>[{ "workflow": "Security Plan Approval", "name": "Test Package Name", "comments": "Test workflow initiation comments." }]</pre>	

4.11.1 PAC Endpoints Fields

Field	Type	Details	Associated Business Rule?
systemId	Integer	[Required] Unique system identifier.	
workflow	String	[Required] Values include the following: • Assess and Authorize • Assess Only • Security Plan Approval	
name	String	[Required] Package name. Character Limit = 100.	
currentStageName	String	[Read-Only] Name of the current stage in the active workflow.	
currentStage	Integer	[Read-Only] Number of the current stage in the active workflow.	
totalStages	Integer	[Read-Only] Total number of stages in the active workflow.	
comments	String	[Required] Comments submitted upon initiation of the indicated workflow. Character Limit = 4,000.	✓

4.12 CAC ENDPOINTS

The Control Approval Chain (CAC) endpoints provide the ability to view the status of Security Controls and submit them to the second stage in the Control Approval Chain.

Notes:

- POST requests will only yield successful results if the Security Control is at the first stage of the CAC. If the control is not at the first stage, an error will be returned.

GET	/api/systems/{systemId}/approval/cac Get location of one or many controls in CAC	
Available Query String Parameters		
Name	Type	Example
controlAcronyms	String	AC-3,PM-6
Sample Response		
<pre>{ "meta": { "code": 200 }, "data": [{ "systemId": 27, "controlAcronym": "AC-1", "complianceStatus": "Not Applicable", "currentStageName": "Validator", "currentStage": 2, "totalStages": 2 }, { "systemId": 27, "controlAcronym": "AC-2", "complianceStatus": "Unassessed", "currentStageName": "ISO", "currentStage": 1, "totalStages": 2 }] }</pre>		

POST	/api/systems/{systemId}/approval/cac <i>Submit control to second stage of CAC</i>
<i>Sample Request Body</i>	
<pre>[{ "controlAcronym": "AC-2 (1) ", "comments": "Test control submission comments." }]</pre>	

4.12.1 CAC Endpoints Fields

Field	Type	Details	Associated Business Rule?
systemId	Integer	[Required] Unique system identifier.	
controlAcronym	String	[Required] Control acronym associated with the CAC. NIST SP 800-53 Revision 4 defined.	
complianceStatus	String	[Read-Only] Compliance status of the control.	
currentStageName	String	[Read-Only] Role in current stage.	
currentStage	Integer	[Read-Only] Current stage in the Control Approval Chain.	
totalStages	Integer	[Read-Only] Total number of stages in Control Approval Chain.	
comments	String	[Conditional] Character Limit = 10,000.	✓

4.13 HARDWARE BASELINE ENDPOINT

The Hardware Baseline endpoints provide the ability to view, add, update, and remove hardware assets for a system.

GET	/api/systems/{systemId}/hw-baseline <i>Get one or many hardware assets in a system</i>	
Available Query String Parameters		
Name	Type	Example
pageIndex	Integer	0 If no value is specified, the default returns results from the first page with an index of 0.
pageSize	Integer	20000 If no value is specified, the default returns up to 20,000 results per page. Exceeding this value is prohibited and will default back to 20,000.
Sample Response (pageIndex=0, pageSize=20000)		
<pre>{ "meta": { "code": 200 }, "data": [{ "hardwareId": "0da80542-daa0-4170-85ce-551bcaf4be15", "componentType": "Firewall", "assetName": "Test Asset Name 11", "nickname": "Test Nickname 11", "assetIpAddress": "Test Asset IP Address 11", "publicFacing": true, "publicFacingFqdn": "Test Public Facing FQDN 11", "publicFacingIpAddress": "Test Public IP Address 11", "publicFacingUrls": "Test Public Facing URL(s) 11", "virtualAsset": false, "manufacturer": "Test Manufacturer 11", "modelName": "Test Model Number 11", "serialNumber": "Test Serial Number 11", "osIosFwVersion": "Test OS/iOS/FW Version 11", "memorySizeType": "Test Memory Size / Type 11", "location": "Test Location (P/C/S & Building) 11", "approvalStatus": "In Progress", "criticalAsset": true }, { "hardwareId": "171fc7d0-6957-4f54-bd51-3b7cbc6c39d5", "componentType": "Web Server", "assetName": "Test Asset Name 31", "nickname": "Test Nickname 31", "assetIpAddress": "Test Asset IP Address 31", "publicFacing": false,</pre>		

```

        "publicFacingFqdn": null,
        "publicFacingIpAddress": null,
        "publicFacingUrls": null,
        "virtualAsset": true,
        "manufacturer": "Virtual",
        "modelName": "Virtual",
        "serialNumber": "Virtual",
        "osIosFwVersion": "Test OS/iOS/FW Version 31",
        "memorySizeType": "Test Memory Size / Type 31",
        "location": "Test Location (P/C/S & Building) 31",
        "approvalStatus": "Approved - NSA CSfC",
        "criticalAsset": false
    },
    {
        "hardwareId": "8a762757-5740-4c44-8901-32bd5fc08abd",
        "componentType": null,
        "assetName": "Test Null Asset",
        "nickname": null,
        "assetIpAddress": null,
        "publicFacing": null,
        "publicFacingFqdn": null,
        "publicFacingIpAddress": null,
        "publicFacingUrls": null,
        "virtualAsset": false,
        "manufacturer": null,
        "modelName": null,
        "serialNumber": null,
        "osIosFwVersion": null,
        "memorySizeType": null,
        "location": null,
        "approvalStatus": null,
        "criticalAsset": false
    }
],
"pagination": {
    "totalCount": 3,
    "totalPages": 1,
    "pageIndex": 0,
    "pageSize": 20000,
    "prevPageUrl": "",
    "nextPageUrl": ""
}
}

```

POST	/api/systems/{systemId}/hw-baseline <i>Add one or many hardware assets in a system</i>
Sample Request Body	
<pre>[{ "componentType": "Firewall", "assetName": "Test Asset Name 11", "nickname": "Test Nickname 11", "assetIpAddress": "Test Asset IP Address 11", "publicFacing": true, "publicFacingFqdn": "Test Public Facing FQDN 11", "publicFacingIpAddress": "Test Public Facing IP Address 11", "publicFacingUrls": "Test Public Facing URL(s) 11", "virtualAsset": false, "manufacturer": "Test Manufacturer 11", "modelName": "Test Model Number 11", "serialNumber": "Test Serial Number 11", "OsIosFwVersion": "Test OS/iOS/FW Version 11", "memorySizeType": "Test Memory Size / Type 11", "location": "Test Location (P/C/S & Building) 11", "approvalStatus": "In Progress", "criticalAsset": true }, { "componentType": "Web Server", "assetName": "Test Asset Name 31", "nickname": "Test Nickname 31", "assetIpAddress": "Test Asset IP Address 31", "publicFacing": false, "publicFacingFqdn": null, "publicFacingIpAddress": null, "publicFacingUrls": null, "virtualAsset": true, "manufacturer": "Virtual", "modelName": "Virtual", "serialNumber": "Virtual", "OsIosFwVersion": "Test OS/iOS/FW Version 31", "memorySizeType": "Test Memory Size / Type 31", "location": "Test Location (P/C/S & Building) 31", "approvalStatus": "Approved - NSA CSfC", "criticalAsset": false }]</pre>	

PUT	/api/systems/{systemId}/hw-baseline <i>Update one or many hardware assets in a system</i>
Sample Request Body	
<pre>[{ "hardwareId": "0da80542-daa0-4170-85ce-551bcaf4be15", "componentType": "Firewall", "assetName": "Test Asset Name 11", "nickname": "Test Nickname 11", "assetIpAddress": "Test Asset IP Address 11", "publicFacing": true, "publicFacingFqdn": "Test Public Facing FQDN 11", "publicFacingIpAddress": "Test Public Facing IP Address 11", "publicFacingUrls": "Test Public Facing URL(s) 11", "virtualAsset": false, "manufacturer": "Test Manufacturer 11", "modelName": "Test Model Number 11", "serialNumber": "Test Serial Number 11", "OsIosFwVersion": "Test OS/iOS/FW Version 11", "memorySizeType": "Test Memory Size / Type 11", "location": "Test Location (P/C/S & Building) 11", "approvalStatus": "In Progress", "criticalAsset": true }, { "hardwareId": "171fc7d0-6957-4f54-bd51-3b7cbc6c39d5", "componentType": "Web Server", "assetName": "Test Asset Name 31", "nickname": "Test Nickname 31", "assetIpAddress": "Test Asset IP Address 31", "publicFacing": false, "publicFacingFqdn": null, "publicFacingIpAddress": null, "publicFacingUrls": null, "virtualAsset": true, "manufacturer": "Virtual", "modelName": "Virtual", "serialNumber": "Virtual", "OsIosFwVersion": "Test OS/iOS/FW Version 31", "memorySizeType": "Test Memory Size / Type 31", "location": "Test Location (P/C/S & Building) 31", "approvalStatus": "Approved - NSA CSfC", "criticalAsset": false }]</pre>	

DELETE	/api/systems/{systemId}/hw-baseline <i>Delete one or many hardware assets in a system</i>
<i>Sample Request Body</i>	
<pre>[{ "hardwareId": "0da80542-daa0-4170-85ce-551bcaf4be15", }, { "hardwareId": "171fc7d0-6957-4f54-bd51-3b7cbc6c39d5", }]</pre>	

4.13.1 Hardware Baseline Endpoint Fields

Field	Type	Details	Associated Business Rule?
hardwareId	String	[Read-Only] GUID identifying the specific hardware asset.	
componentType	String	[Optional] Component type of the hardware asset. Default values include the following options, however custom values can be entered to create new options: • Firewall • IDS/IPS • KVM • Router • Server • Switch • Workstation Character Limit = 100.	
assetName	String	[Required] Name of the hardware asset. Character Limit = 100.	✓
nickname	String	[Optional] Nickname of the hardware asset. Character Limit = 100.	
assetIpAddress	String	[Optional] IP address of the hardware asset. Character Limit = 100.	
publicFacing	Boolean	[Optional] Public facing is defined as any asset that is accessible from a commercial connection.	✓
publicFacingFqdn	String	[Conditional] Public facing FQDN. Only applicable if Public Facing is set to true.	✓
publicFacingIpAddress	String	[Conditional] Public facing IP address. Only applicable if Public Facing is set to true.	✓

UNCLASSIFIED

publicFacingUrls	String	[Conditional] Public facing URL(s). Only applicable if Public Facing is set to true.	✓
virtualAsset	Boolean	[Optional] Determine if this is a virtual hardware asset. The default value is false.	✓
manufacturer	String	[Optional] Manufacturer of the hardware asset. Populated with "Virtual" by default if Virtual Asset is true, however this can be overridden. Character Limit = 100.	✓
modelName	String	[Optional] Model number of the hardware asset. Populated with "Virtual" by default if Virtual Asset is true, however this can be overridden. Character Limit = 100.	✓
serialNumber	String	[Optional] Serial number of the hardware asset. Populated with "Virtual" by default if Virtual Asset is true, however this can be overridden. Character Limit = 100.	✓
OsIosFwVersion	String	[Optional] OS/iOS/FW version of the hardware asset. Character Limit = 100.	
memorySizeType	String	[Optional] Memory size / type of the hardware asset. Character Limit = 100.	
location	String	[Optional] Location of the hardware asset. Character Limit = 250.	
approvalStatus	String	[Optional] Approval status of the hardware asset. Default values include the following options, however custom values can be entered to create new options: • Approved - DISA UC APL • Approved - FIPS 140-2	

UNCLASSIFIED

		• Approved - NIAP CCVES • Approved - NSA Crypto • Approved - NSA CSfC • In Progress • Unapproved Character Limit = 100.	
criticalAsset	Boolean	[Optional] Indicates whether the asset is a critical information system asset. The default value is false.	

4.14 SOFTWARE BASELINE ENDPOINT

The Software Baseline endpoints provide the ability to view, add, update, and remove software assets for a system.

GET	/api/systems/{systemId}/sw-baseline <i>Get one or many software assets in a system</i>	
Available Query String Parameters		
Name	Type	Example
pageIndex	Integer	0 If no value is specified, the default returns results from the first page with an index of 0.
pageSize	Integer	20000 If no value is specified, the default returns up to 20,000 results per page. Exceeding this value is prohibited and will default back to 20,000.
Sample Response (pageIndex=0, pageSize=20000)		
<pre>{ "meta": { "code": 200 }, "data": [{ "softwareId": "0bcaba59-a4f4-4918-a267-aedee3ea750d", "softwareType": "Server Application", "softwareVendor": "Test Software Vendor 32", "softwareName": "Test Software Name 32", "version": "Test Version 32", "parentSystem": "Test Parent System 32", "subsystem": "Test Subsystem 32", "network": "Test Network 32", "hostingEnvironment": "Test Hosting Environment 32", "softwareDependencies": "Test Software Dependencies 32", "cryptographicHash": "Test Cryptographic Hash 32", "inServiceData": "Test In Service Data 32", "itBudgetUii": "Test IT Budget UII 32", "fiscalYear": "Test Fiscal Year 32", "popEndDate": 1740334920.61, "licenseOrContract": "Test License or Contract 32", "licenseTerm": "Test License Term 32", "costPerLicense": 9033.00, "totalLicenses": 3073, "totalLicenseCost": 6664.00, "licensesUsed": 1064, "licensePoc": "Test License POC 32", "licenseRenewalDate": 1742581320.61, "licenseExpirationDate": 1742581320.61, "approvalStatus": "In Progress", "approvalDate": null, }] }</pre>		

UNCLASSIFIED

```

"releaseDate": 1746814920.61,
"maintenanceDate": 1748629320.61,
"retirementDate": 1740075720.61,
"endOfLifeSupportDate": 1737138120.61,
"extendedEndOfLifeSupportDate": 1761848520.61,
"criticalAsset": true,
"location": "Test Location 32",
"purpose": "Test Purpose 32"
},
{
  "softwareId": "0e7abc01-cc58-4768-8307-fe030d88eb84",
  "softwareType": "COTS Application",
  "softwareVendor": "Test Software Vendor 28",
  "softwareName": "Test Software Name 28",
  "version": "Test Version 28",
  "parentSystem": "Test Parent System 28",
  "subsystem": "Test Subsystem 28",
  "network": "Test Network 28",
  "hostingEnvironment": "Test Hosting Environment 28",
  "softwareDependencies": "Test Software Dependencies 28",
  "cryptographicHash": "Test Cryptographic Hash 28",
  "inServiceData": "Test In Service Data 28",
  "itBudgetUii": "Test IT Budget UII 28",
  "fiscalYear": "Test Fiscal Year 28",
  "popEndDate": 1748110920.58,
  "licenseOrContract": "Test License or Contract 28",
  "licenseTerm": "Test License Term 28",
  "costPerLicense": 3528.00,
  "totalLicenses": 7263,
  "totalLicenseCost": 8567.00,
  "licensesUsed": 4046,
  "licensePoc": "Test License POC 28",
  "licenseRenewalDate": 1748370120.58,
  "licenseExpirationDate": 1748370120.58,
  "approvalStatus": "Approved - NSA Crypto",
  "approvalDate": 1756491720.58,
  "releaseDate": 1752171720.58,
  "maintenanceDate": 1737915720.58,
  "retirementDate": 1751221320.58,
  "endOfLifeSupportDate": 1754245320.58,
  "extendedEndOfLifeSupportDate": 1762626120.58,
  "criticalAsset": true,
  "location": "Test Location 28",
  "purpose": "Test Purpose 28"
},
{
  "softwareId": "6c5443dc-08df-407f-b0cd-ab237055289d",
  "softwareType": null,
  "softwareVendor": "Test Vendor",
  "softwareName": "Test Null Software",
  "version": "Test Version",
  "parentSystem": null,
  "subsystem": null,
  "network": null,
  "hostingEnvironment": null,
  "softwareDependencies": null,
  "cryptographicHash": null,

```

```

        "inServiceData": null,
        "itBudgetUii": null,
        "fiscalYear": null,
        "popEndDate": null,
        "licenseOrContract": null,
        "licenseTerm": null,
        "costPerLicense": null,
        "totalLicenses": null,
        "totalLicenseCost": null,
        "licensesUsed": null,
        "licensePoc": null,
        "licenseRenewalDate": null,
        "licenseExpirationDate": null,
        "approvalStatus": null,
        "approvalDate": null,
        "releaseDate": null,
        "maintenanceDate": null,
        "retirementDate": null,
        "endOfLifeSupportDate": null,
        "extendedEndOfLifeSupportDate": null,
        "criticalAsset": false,
        "location": null,
        "purpose": null
    }
},
"pagination": {
    "totalCount": 3,
    "totalPages": 1,
    "pageIndex": 0,
    "pageSize": 20000,
    "prevPageUrl": "",
    "nextPageUrl": ""
}
}

```

UNCLASSIFIED

POST	/api/systems/{systemId}/sw-baseline <i>Add one or many software assets in a system</i>
Sample Request Body	
<pre>[{ "softwareType": "Server Application", "softwareVendor": "Test Software Vendor 32", "softwareName": "Test Software Name 32", "version": "Test Version 32", "parentSystem": "Test Parent System 32", "subsystem": "Test Subsystem 32", "network": "Test Network 32", "hostingEnvironment": "Test Hosting Environment 32", "softwareDependencies": "Test Software Dependencies 32", "cryptographicHash": "Test Cryptographic Hash 32", "inServiceData": "Test In Service Data 32", "itBudgetUii": "Test IT Budget UII 32", "fiscalYear": "Test Fiscal Year 32", "popEndDate": 1740334920, "licenseOrContract": "Test License or Contract 32", "licenseTerm": "Test License Term 32", "costPerLicense": 9033.00, "totalLicenses": 3073, "totalLicenseCost": 6664.00, "licensesUsed": 1064, "licensePoc": "Test License POC 32", "licenseRenewalDate": 1742581320, "licenseExpirationDate": 1742581320, "approvalStatus": "In Progress", "approvalDate": null, "releaseDate": 1746814920, "maintenanceDate": 1748629320, "retirementDate": 1740075720, "endOfLifeSupportDate": 1737138120, "extendedEndOfLifeSupportDate": 1761848520, "criticalAsset": true, "location": "Test Location 32", "purpose": "Test Purpose 32" }, { "softwareType": "COTS Application", "softwareVendor": "Test Software Vendor 28", "softwareName": "Test Software Name 28", "version": "Test Version 28", "parentSystem": "Test Parent System 28", "subsystem": "Test Subsystem 28", "network": "Test Network 28", "hostingEnvironment": "Test Hosting Environment 28", "softwareDependencies": "Test Software Dependencies 28", "cryptographicHash": "Test Cryptographic Hash 28", "inServiceData": "Test In Service Data 28", "itBudgetUii": "Test IT Budget UII 28", "fiscalYear": "Test Fiscal Year 28", "popEndDate": 1748110920,</pre>	

UNCLASSIFIED

```

"licenseOrContract": "Test License or Contract 28",
"licenseTerm": "Test License Term 28",
"costPerLicense": 3528.00,
"totalLicenses": 7263,
"totalLicenseCost": 8567.00,
"licensesUsed": 4046,
"licensePoc": "Test License POC 28",
"licenseRenewalDate": 1748370120,
"licenseExpirationDate": 1748370120,
"approvalStatus": "Approved - NSA Crypto",
"approvalDate": 1756491720,
"releaseDate": 1752171720,
"maintenanceDate": 1737915720,
"retirementDate": 1751221320,
"endOfLifeSupportDate": 1754245320,
"extendedEndOfLifeSupportDate": 1762626120,
"criticalAsset": true,
"location": "Test Location 28",
"purpose": "Test Purpose 28"
}
]

```

PUT	/api/systems/{systemId}/sw-baseline <i>Update one or many software assets in a system</i>
Sample Request Body	
<pre> [{ "softwareId": "0bcaba59-a4f4-4918-a267-aedee3ea750d", "softwareType": "Server Application", "softwareVendor": "Test Software Vendor 32", "softwareName": "Test Software Name 32", "version": "Test Version 32", "parentSystem": "Test Parent System 32", "subsystem": "Test Subsystem 32", "network": "Test Network 32", "hostingEnvironment": "Test Hosting Environment 32", "softwareDependencies": "Test Software Dependencies 32", "cryptographicHash": "Test Cryptographic Hash 32", "inServiceData": "Test In Service Data 32", "itBudgetUii": "Test IT Budget UII 32", "fiscalYear": "Test Fiscal Year 32", "popEndDate": 1740334920, "licenseOrContract": "Test License or Contract 32", "licenseTerm": "Test License Term 32", "costPerLicense": 9033.00, "totalLicenses": 3073, "totalLicenseCost": 6664.00, </pre>	


```

"licensesUsed": 1064,
"licensePoc": "Test License POC 32",
"licenseRenewalDate": 1742581320,
"licenseExpirationDate": 1742581320,
"approvalStatus": "In Progress",
"approvalDate": null,
"releaseDate": 1746814920,
"maintenanceDate": 1748629320,
"retirementDate": 1740075720,
"endOfLifeSupportDate": 1737138120,
"extendedEndOfLifeSupportDate": 1761848520,
"criticalAsset": true,
"location": "Test Location 32",
"purpose": "Test Purpose 32"
},
{
"softwareId": "0e7abc01-cc58-4768-8307-fe030d88eb84",
"softwareType": "COTS Application",
"softwareVendor": "Test Software Vendor 28",
"softwareName": "Test Software Name 28",
"version": "Test Version 28",
"parentSystem": "Test Parent System 28",
"subsystem": "Test Subsystem 28",
"network": "Test Network 28",
"hostingEnvironment": "Test Hosting Environment 28",
"softwareDependencies": "Test Software Dependencies 28",
"cryptographicHash": "Test Cryptographic Hash 28",
"inServiceData": "Test In Service Data 28",
"itBudgetUii": "Test IT Budget UII 28",
"fiscalYear": "Test Fiscal Year 28",
"popEndDate": 1748110920,
"licenseOrContract": "Test License or Contract 28",
"licenseTerm": "Test License Term 28",
"costPerLicense": 3528.00,
"totalLicenses": 7263,
"totalLicenseCost": 8567.00,
"licensesUsed": 4046,
"licensePoc": "Test License POC 28",
"licenseRenewalDate": 1748370120,
"licenseExpirationDate": 1748370120,
"approvalStatus": "Approved - NSA Crypto",
"approvalDate": 1756491720,
"releaseDate": 1752171720,
"maintenanceDate": 1737915720,
"retirementDate": 1751221320,
"endOfLifeSupportDate": 1754245320,
"extendedEndOfLifeSupportDate": 1762626120,
"criticalAsset": true,
"location": "Test Location 28",
"purpose": "Test Purpose 28"
}
]

```

DELETE	/api/systems/{systemId}/sw-baseline <i>Delete one or many software assets in a system</i>
Sample Request Body	
<pre>[{ "softwareId": "0da80542-daa0-4170-85ce-551bcaf4be15", }, { "softwareId": "171fc7d0-6957-4f54-bd51-3b7cbc6c39d5", }]</pre>	

4.14.1 Software Baseline Endpoint Fields

Field	Type	Details	Associated Business Rule?
softwareId	String	[Read-Only] GUID identifying the specific software asset.	
softwareType	String	[Optional] Type of the software asset. Default values include the following options, however custom values can be entered to create new options: • COTS Application • GOTS Application • Office Automation • Security Application • Server Application • Web Application Character Limit = 100.	
softwareVendor	String	[Required] Vendor of the software asset. Character Limit = 100.	
softwareName	String	[Required] Name of the software asset. Character Limit = 100.	
version	String	[Required] Version of the software asset. Character Limit = 100.	
parentSystem	String	[Optional] Parent system of the software asset. Character Limit = 100.	
subsystem	String	[Optional] Subsystem of the software asset. Character Limit = 100.	
network	String	[Optional] Network of the software asset. Character Limit = 100.	

UNCLASSIFIED

hostingEnvironment	String	[Optional] Hosting environment of the software asset. Character Limit = 100.	
softwareDependencies	String	[Optional] Dependencies for the software asset. Character Limit = 100.	
cryptographicHash	String	[Optional] Cryptographic hash for the software asset. Character Limit = 100.	
inServiceData	String	[Optional] In service data for the software asset. Character Limit = 100.	
itBudgetUii	String	[Optional] IT budget UII for the software asset. Character Limit = 50.	
fiscalYear	String	[Optional] Fiscal year (FY) for the software asset. Character Limit = 20.	
popEndDate	Date	[Optional] Period of performance (POP) end date for the software asset. Unix time format.	
licenseOrContract	String	[Optional] License or contract for the software asset. Character Limit = 250.	
licenseTerm	String	[Optional] License term for the software asset. Character Limit = 100.	
costPerLicense	Double	[Optional] Cost per license for the software asset. Number will be converted to display 2 decimal points.	
totalLicenses	Integer	[Optional] Number of total licenses for the software asset.	
totalLicenseCost	Double	[Optional] Total cost of the licenses for the software asset. Number will be converted to display 2 decimal points.	

UNCLASSIFIED

licensesUsed	Integer	[Optional] Number of licenses used for the software asset.	
licensePoc	String	[Optional] Point of contact (POC) for the software asset. Character Limit = 100.	
licenseRenewalDate	Date	[Optional] License renewal date for the software asset. Unix date format.	
licenseExpirationDate	Date	[Optional] License expiration date for the software asset. Unix date format.	
approvalStatus	String	[Optional] Approval status of the software asset. Default values include the following options, however custom values can be entered to create new options: • Approved - DISA UC APL • Approved - FIPS 140-2 • Approved - NIAP CCVES • Approved - NSA Crypto • Approved - NSA CSfC • In Progress • Unapproved Character Limit = 100.	✓
approvalDate	Date	[Conditional] Approval date of the software asset. If Approval Status is set to “Unapproved” or “In Progress”, Approval Date will be set to null. Unix date format.	✓
releaseDate	Date	[Optional] Release date of the software asset. Unix date format.	
maintenanceDate	Date	[Optional] Maintenance date of the software asset. Unix date format.	
retirementDate	Date	[Optional] Retirement date of the software asset. Unix date format.	

UNCLASSIFIED

endOfLifeSupportDate	Date	[Optional] End of life/support date of the software asset. Unix date format.	✓
extendedEndOfLifeSupportDate	Date	[Optional] If set, the Extended End of Life/Support Date cannot occur prior to the End of Life/Support Date. Unix date format.	✓
criticalAsset	Boolean	[Optional] Indicates whether the asset is a critical information system asset. The default value is false.	
location	String	[Optional] Location of the software asset Character Limit = 250.	
purpose	String	[Optional] Purpose of the software asset. Character Limit = 1,000.	
unsupportedOperatingSystem	Boolean	[Optional] Unsupported operating system. VA only.	
unapprovedSoftwareFromTrm	Boolean	[Optional] Unapproved software from TRM. VA only.	
approvedWaiver	Boolean	[Optional] Approved waiver. VA only.	

4.15 DEVICE SCAN RESULTS ENDPOINT

The Device Scan Results endpoint provides the ability to upload device scan results in the assets module for a system.

POST	/api/systems/{systemId}/device-scan-results <i>Add device scans in a system</i>	
Available Query String Parameters		
Name	Type	Example
scanType	String	Required parameter. Accepts single value from the following options: • acasAsrArf • acasNessus • disaStigViewerCklCklb • disaStigViewerCmrs • policyAuditor • scapComplianceChecker
isBaseline	Boolean	[Optional] true, false Utilize this parameter if the imported file represents a baseline scan that includes all findings and results. Importing as a baseline scan, which assumes a common set of scan policies are used when conducting a scan, will replace a device's findings for a specific Benchmark. Applicable to ASR/ARF scans only.
Information		
The body of a request through the Device Scan Results POST endpoint accepts a single binary file. Specific file extensions are expected depending upon the scanType parameter. For example, .ckl or .cklb files are accepted when using scanType is set to disaStigViewerCklCklb. When set to <i>acasAsrArf</i> or <i>policyAuditor</i>, a .zip file is expected which should contain a single scan result (for example, a single pair of .asr and .arf files). Single files are expected for all other scan types as this endpoint requires files to be uploaded consecutively as opposed to in bulk. Current scan types that are supported: • ACAS: ASR/ARF • ACAS: NESSUS • DISA STIG Viewer: CKL/CKLB • DISA STIG Viewer: CMRS • Policy Auditor • SCAP Compliance Checker		

4.16 CLOUD RESOURCE RESULTS ENDPOINT

The Cloud Resource Results endpoint provides the ability to add, update, and remove cloud resources and their scan results in the assets module for a system.

POST	/api/systems/{systemId}/cloud-resource-results <i>Add one or many cloud resources and their scan results</i>
Sample Request Body	
<pre>[{ "provider": "azure", "resourceId": "/subscriptions/123456789/sample/resource/names pace/default", "resourceName": "Storage Resource", "resourceType": "Microsoft.storage.table", "initiatedBy": "john.doe.ctr@mail.mil", "cspAccountId": "123456789", "cspRegion": "useast2", "isBaseline": true, "tags": { "test": "testtag" }, "complianceResults": [{ "cspPolicyDefinitionId": "/providers/sample/policy/nam espace/au11_policy", "policyDefinitionTitle": "AU-11 - Audit Record Retention", "complianceCheckTimestamp": 1644003780, "isCompliant": false, "control": "AU-11", "assessmentProcedure": "000167,000168", "complianceReason": "retention period not configured", "policyDeploymentName": "testDeployment", "policyDeploymentVersion": "1.0.0", "severity": "High" }] }]</pre>	

DELETE	/api/systems/{systemId}/cloud-resource-results <i>Remove one or many cloud resources in a system</i>
Sample Request Body	
<pre>[{ "resourceId": "/subscriptions/123456789/sample/resource/names pace/default" }]</pre>	

4.16.1 Cloud Resource Results Endpoint Fields

Field	Type	Details	Associated Business Rule?
assessmentProcedure	String	[Optional] Comma separated correlation to Assessment Procedure (i.e. CCI number for DoD Control Set). Character Limit = 100.	
complianceCheckTimestamp	Date	[Optional] Unix date format.	
complianceReason	String	[Optional] Reason/comments for compliance result. Character Limit = 1,000.	
control	String	[Optional] Comma separated correlation to Security Control (e.g. exact NIST Control acronym). Character Limit = 100.	
cspAccountId	String	[Optional] System/owner's CSP account ID/number. Character Limit = 100.	
cspPolicyDefinitionId	String	[Required] Unique identifier/compliance namespace for CSP/Resource's policy definition/compliance check. Character Limit = 500.	
cspRegion	String	[Optional] CSP region of system. Character Limit = 100.	

UNCLASSIFIED

initiatedBy	String	[Optional] Email of POC. Character Limit = 100.	
isBaseline	Boolean	[Optional] True/false flag for providing results as baseline. If true, all existing compliance results for the resourceId will be replaced by results in the current call.	
isCompliant	Boolean	[Required] Compliance status of the policy for the identified cloud resource.	
policyDefinitionTitle	String	[Required] Friendly policy/compliance check title. Recommend short title. Character Limit = 2,000.	
policyDeploymentName	String	[Optional] Name of policy deployment. Character Limit = 500.	
policyDeploymentVersion	String	[Optional] Version of policy deployment. Character Limit = 50.	
provider	String	[Required] Cloud service provider name. Character Limit = 100.	
resourceId	String	[Required] Unique identifier/resource namespace for policy compliance result. Character Limit = 500.	
resourceName	String	[Required] Friendly name of Cloud resource. Character Limit = 500.	
resourceType	String	[Required] Type of Cloud resource. Character Limit = 100.	
severity	String	[Optional] Values include the following options: • Low • Medium • High • Critical	
tags	String	[Optional] Informational tags associated to results for other metadata.	

4.17 CONTAINER SCAN RESULTS ENDPOINT

The Container Scan Results endpoint provides the ability to add, update, and remove containers and their scan results in the assets module for a system.

POST	/api/systems/{systemId}/container-scan-results <i>Add one or many containers and their scan results</i>
Sample Request Body	
<pre>[{ "containerId": "157ac21c-49b4-4faf-a4ac-bfef8d869ba3b", "containerName": "command-control", "podName": "command-control-955596ffc", "podIp": "1.1.1.101", "namespace": "command-control", "time": 1648217219, "tags": { "test": "test" }, "benchmarks": [{ "benchmark": "RHEL_8_STIG", "isBaseline": false, "version": 2, "release": 3, "results": [{ "ruleId": "SV-230221r743913_rule", "status": "pass", "lastSeen": 1648217219, "message": "test message" }, { "ruleId": "SV-230222r627750_rule", "status": "pass", "lastSeen": 1648217219, "message": "" }, { "ruleId": "SV-230223r627750_rule", "status": "fail", "lastSeen": 1648217219, "message": "" }, { "ruleId": "SV-230224r627750_rule", "status": "fail", "lastSeen": 1648217219, "message": "" }] }] }]</pre>	

]

DELETE	/api/systems/{systemId}/container-scan-results <i>Remove one or many containers in a system</i>
Sample Request Body	
<pre>[{ "containerId": "157ac21c-49b4-4faf-a4ac-bfef8d869ba3b" }]</pre>	

4.17.1 Container Scan Results Endpoint Fields

Field	Type	Details	Associated Business Rule?
benchmark	String	[Required] Identifier of the benchmark/grouping of compliance results. (e.g. for STIG results, provide the benchmark id for the STIG technology). Character Limit = 100.	
containerId	String	[Required] Unique identifier of the container. Character Limit = 500.	
containerName	String	[Required] Friendly name of the container. Character Limit = 500.	
isBaseline	Boolean	[Optional] True/false flag for providing results as baseline. If true, all existing compliance results for the provided <i>benchmark</i> within the <i>container</i> will be replaced by results in the current call.	
version	Integer	[Optional] The benchmark version.	
release	Integer	[Optional] The benchmark release.	
lastSeen	Date	[Required] Unix date format.	
message	String	[Optional] Comments for the result. Character Limit = 1,000.	

UNCLASSIFIED

namespace	String	[Optional] Namespace of container in container orchestration (e.g. Kubernetes namespace). Character Limit = 100.	
podIp	String	[Optional] IP address of pod (e.g. Kubernetes assigned IP) Character Limit = 100.	
podName	String	[Optional] Name of pod (e.g. Kubernetes pod). Character Limit = 100.	
ruleId	String	[Required] Identifier for the compliance result, vulnerability, etc. the result is for. (e.g. for STIGs, use the SV-XXXrXX identifier; for CVEs, the CVE-XXXX-XXX identifier, etc.).	
status	String	[Required] Values include the following options: • Pass • Fail • Other • Not Reviewed • Not Checked • Not Applicable	
tags	String	[Optional] Informational tags associated to results for other metadata.	
time	Date	[Required] Datetime of scan/result. Unix date format.	

4.18 STATIC CODE SCANS ENDPOINT

The Static Code Scans endpoint provides the ability to upload application scan findings into a system's assets module. Application findings can also be cleared from the system.

POST	/api/systems/{systemId}/static-code-scans <i>Upload static code scans</i>
Sample Request Body	
<pre>[{ "application": { "applicationName": "Artemis", "version": "Version 5.0" }, "applicationFindings": [{ "rawSeverity": "Critical", "codeCheckName": "Redundant Check", "count": 28, "scanDate": 1625070000, "cweId": "155" }, { "rawSeverity": "Medium", "codeCheckName": "Hidden Field", "count": 54, "scanDate": 1625070000, "cweId": "125" }] }]</pre>	

POST	/api/systems/{systemId}/static-code-scans <i>Clear static code scans</i>
Sample Request Body	
<pre>[{ "application": { "applicationName": "Artemis", "version": "Version 5.0" }, "applicationFindings": [{ "clearFindings": true }] }]</pre>	

Note: To clear an application's findings, use only the field clearFindings and set it to true.

4.18.1 Static Code Scans Endpoint Fields

Field	Type	Details	Associated Business Rule?
applicationName	String	[Required] Name of the software application that was assessed.	
cweId	String	[Required] The Common Weakness Enumerator (CWE) identifier.	
clearFindings	Boolean	[Optional] When used by itself, can clear out all application findings for a single application/version pairing.	
codeCheckName	String	[Required] Name of the software vulnerability or weakness.	
count	Integer	[Required] Number of instances observed for a specified finding.	
rawSeverity	String	[Optional] Values include the following options: • Low • Medium • Moderate • High • Critical Note: In eMASS, values of “Critical” will appear as “Very High”, and values of “Medium” will appear as “Moderate” Note: Any values not listed as options in the list above will map to “Unknown” and appear as blank values.	
scanDate	Date	[Required] Unix date format.	
version	String	[Required] The version of the application.	

4.19 WORKFLOW DEFINITIONS ENDPOINT

The Workflow Definitions endpoint provides the ability to view all workflow schemas available on the eMASS instance. Every transition for each workflow stage is included.

GET	/api/workflows/definitions <i>Get workflow definitions in a site</i>	
Available Query String Parameters		
Name	Type	Example
includeInactive	Boolean	true, false If no value is specified, the default returns false to not include outdated or disabled workflows.
registrationType	String	Accepts multiple comma-separated values including the following options: • assessAndAuthorize • assessOnly • guest • regular • functional • cloudServiceProvider • commonControlProvider For example: If the guest value is used, only workflows available to systems with a guest registration type will be returned.
Sample Response		
<pre>{ "meta": { "code": 200 }, "data": [{ "workflowUid": "0ab0c7db-f985-4b98-a6f9-adc9cb245fed", "workflow": "RMF Step 1: Security Category", "version": 3, "description": "Initiate a workflow to complete, review, and approve the system security categorization for RMF Step 1.", "isActive": true, "stages": [{ "name": "Not Started", "transitions": [{ "endStage": "Categorize System", "description": "Initiate Workflow", "roles": ["PM/ISO",</pre>		


```

        "System Admin",
        "eMASS System Admin"
    ]
    }
}
{
    "name": "Categorize System",
    "transitions": [
        {
            "endStage": "Submit Categorization",
            "description": "Approve",
            "roles": [
                "PM/ISO",
                "System Admin",
                "eMASS System Admin",
                "ISSE",
                "ISSM",
                "IO"
            ]
        },
        {
            "endStage": "Submit Categorization",
            "description": "Disapprove and Move Forward",
            "roles": [
                "PM/ISO",
                "System Admin",
                "eMASS System Admin",
                "ISSE",
                "ISSM",
                "IO"
            ]
        },
        {
            "endStage": "Cancelled",
            "description": "Cancel",
            "roles": [
                "PM/ISO",
                "System Admin",
                "eMASS System Admin",
                "ISSE",
                "ISSM",
                "IO"
            ]
        }
    ]
},
{
    "name": "Submit Categorization",
    "transitions": [
        ...
    ]
},
{
    "name": "Approval",
    "transitions": [

```

```

    ...
  ],
  {
    "name": "Complete",
    "transitions": [
      {
        "endStage": "Complete",
        "description": "Approve",
        "roles": [
          ...
        ]
      },
      {
        "endStage": "Complete",
        "description": "Deny",
        "roles": [
          ...
        ]
      }
    ]
  },
  {
    "name": "Cancelled",
    "transitions": []
  }
],
...
]
}

```

Note: Ellipses (...) were used to shorten the example output for simplicity.

4.19.1 Workflow Definitions Endpoint Fields

Field	Type	Details	Associated Business Rule?
description	String	[Read-Only] Description of the workflow or the stage transition.	
endStage	String	[Read-Only] The landing stage that is active after performing a transition.	
isActive	String	[Read-Only] Returns true if the workflow is available to the site. Note: Unless using the includeInactive parameter, workflow definitions set to false for isActive will be excluded.	

UNCLASSIFIED

		Note: If an admin disables the workflow in the Administration module, it will be set to false for isActive. Note: If a workflow definition is updated, all prior versions will automatically be set to false for isActive.	
name	String	[Read-Only] Name of the workflow stage. Note: For older workflows, this will match the user assigned to the stage.	
version	Integer	[Read-Only] Version of the workflow definition.	
workflow	String	[Read-Only] The workflow type.	
workflowUid	String	[Read-Only] Unique workflow type identifier. Note: Unique for the workflow type, not an instance of the workflow. For example, all instances of Assess & Authorize workflows will contain the same workflowUid across all systems.	

4.20 WORKFLOW INSTANCES ENDPOINT

The Workflow Instances endpoint provides the ability to view detailed information on all active and historical workflows for an eMASS instance.

GET	/api/workflows/instances <i>Get workflow instances in a site</i>	
Available Query String Parameters		
Name	Type	Example
includeComments	Boolean	true, false If no value is specified, the default returns true to include transition comments. Note: Corresponds to the Comments textbox that is required at most workflow transitions. Does not include other text input fields such as Terms / Conditions for Authorization.
includeDecommissionSystems	Boolean	true, false If no value is specified, the default returns false to exclude decommissioned systems.
pageIndex	Integer	If no value is specified, the default returns results from the first page with an index of 0. Note: Pages contain 1000 workflow instances.
sinceDate	Date	Unix Date format. Note: Filters off the lastEditedDate field. Note: The authorization/assessment decisions on completed workflows can be edited for up to 30 days after the initial decision is made.
status	String	Values include the following options: • active • inactive • all If no value is specified, the default returns all to include both active and inactive workflows. Note: Any workflows at a current stage of Complete or Canceled are inactive. Legacy workflows with a current stage of Authorized, Approved, or Denied are also inactive. Ongoing workflows currently at other stages are active.
Sample Response (sinceDate=1631130832)		

```

{
  "meta": {
    "code": 200
  },
  "data": [
    {
      "workflowUid": "0ab0c7db-f985-4b98-a6f9-adc9cb245fed",
      "systemId": 13,
      "systemName": "John A&A System 1",
      "workflowInstanceId": 28,
      "packageName": "Test RMF Step 1 package",
      "createdDate": 1630428572.36,
      "lastEditedDate": 1631130837.303,
      "lastEditedBy": "john.doe.ctr@mail.mil",
      "workflow": "RMF Step 1: Security Category",
      "version": 1,
      "currentStage": "Complete",
      "transitions": [
        {
          "description": "Approve",
          "startStage": "Approval",
          "endStage": "Complete",
          "comments": "Approved the categorization.",
          "createdDate": 1631130837.303,
          "createdBy": "john.doe.ctr@mail.mil"
        },
        {
          "description": "Approve",
          "startStage": "Submit Categorization",
          "endStage": "Approval",
          "comments": "Submitted the categorization.",
          "createdDate": 1631130832.3969998,
          "createdBy": "john.doe.ctr@mail.mil"
        },
        {
          "description": "Approve",
          "startStage": "Categorize System",
          "endStage": "Submit Categorization",
          "comments": "Categorized the system as HMM.",
          "createdDate": 1630443388.583,
          "createdBy": "john.doe.ctr@mail.mil"
        },
        {
          "description": "Initiate Workflow",
          "startStage": "Not Started",
          "endStage": "Categorize System",
          "comments": null,
          "createdDate": 1630428572.53,
          "createdBy": "john.doe.ctr@mail.mil"
        }
      ]
    },
    {
      "workflowUid": "6f810301-5b3b-4f89-81e7-587fef9142a9",
      "systemId": 14,
      "systemName": "John A&A System 2",
      "workflowInstanceId": 123,

```

```

    "packageName": "Test POA&M Approval",
    "createdDate": 1636124623.4429998,
    "lastEditedDate": 1636124641.1629999,
    "lastEditedBy": "john.doe.ctr@mail.mil",
    "workflow": "POA&M Approval",
    "version": 3,
    "currentStage": "Echelon II",
    "transitions": [
      {
        "description": "Submit New Package",
        "startStage": "PM/ISO",
        "endStage": "Echelon II",
        "comments": "Selected POA&M Items.",
        "createdDate": 1636124641.1629999,
        "createdBy": "john.doe.ctr@mail.mil"
      },
      {
        "description": "Initiate Workflow",
        "startStage": "Not Started",
        "endStage": "PM/ISO",
        "comments": null,
        "createdDate": 1636124623.633,
        "createdBy": "john.doe.ctr@mail.mil"
      }
    ]
  },
  "pagination": {
    "totalCount": 12,
    "totalPages": 1,
    "prevPageUrl": "",
    "nextPageUrl": ""
  }
}

```

GET	/api/workflows/instances/{workflowInstanceId} <i>Get workflow instance by ID</i>		
Available Query String Parameters			
Name	Type	Example	
Sample Response			
<pre>{ "meta": { "code": 200 }, "data": { "workflowUid": "6f810301-5b3b-4f89-81e7-587fef9142a9", "systemName": "John A&A System", "workflowInstanceId": 123, "packageName": "Test POA&M Approval", "createdDate": 1636124623.4429998, "lastEditedDate": 1636124641.1629999, "lastEditedBy": "john.doe.ctr@mail.mil", "workflow": "POA&M Approval", } }</pre>			

```

"version": 3,
"currentStage": "Echelon II",
"transitions": [
  {
    "description": "Submit New Package",
    "startStage": "PM/ISO",
    "endStage": "Echelon II",
    "comments": "Selected POA&M Items.",
    "createdDate": 1636124641.1629999,
    "createdBy": "john.doe.ctr@mail.mil"
  },
  {
    "description": "Initiate Workflow",
    "startStage": "Not Started",
    "endStage": "PM/ISO",
    "comments": null,
    "createdDate": 1636124623.633,
    "createdBy": "john.doe.ctr@mail.mil"
  }
]
}

```

4.20.1 Workflow Instances Endpoint Fields

Field	Type	Details	Associated Business Rule?
comments	String	[Read-Only] Comments entered by the user when performing the transition.	
createdBy	String	[Read-Only] User that performed the workflow transition.	
createdDate	Date	[Read-Only] Date the workflow instance or the workflow transition was created.	
currentStage	String	[Read-Only] Name of the current stage.	
description	String	[Read-Only] Description of the stage transition. This matches the action dropdown that appears for PAC users.	
endStage	String	[Read-Only] The landing stage that is active after performing a transition.	
lastEditedBy	String	[Read-Only] User that last acted on the workflow.	
lastEditedDate	Date	[Read-Only] Date the workflow was last acted on.	
packageName	String	[Read-Only] The package name.	

UNCLASSIFIED

startStage	String	[Read-Only] The beginning stage that is active before performing a transition.	
systemId	String	[Read-Only] Unique system identifier.	
systemName	String	[Read-Only] The system name.	
version	Integer	[Read-Only] Version of the workflow definition.	
workflow	String	[Read-Only] The workflow type.	
workflowInstanceId	Integer	[Read-Only] Unique workflow instance identifier.	
workflowUid	String	[Read-Only] Unique workflow type identifier. Note: Unique for the workflow type, not an instance of the workflow. For example, all instances of Assess & Authorize workflows will contain the same workflowUid across all systems.	

4.21 CMMC ASSESSMENTS ENDPOINT

The Cybersecurity Maturity Model Certification (CMMC) Assessments endpoint provides the ability to view CMMC assessment information. It is available to CMMC eMASS only.

GET	/api/cmmc-assessments Get CMMC assessment information	
Available Query String Parameters		
Name	Type	Example
sinceDate	Date	Required parameter. Unix date format.
Sample Response (sinceDate=1611776337)		
<pre>{ "meta": { "code": 200 }, "data": [{ "operation": "ADDED", "hqOrganizationName": "Umbrella Corporation", "uei": "9809123", "oscName": "Umbrella Corporation Labs", "highestLevelOwnerCageCode": "A876Z", "cageCodesInScope": "AJ444; AK555", "numberOfEmployees": 1575, "scope": "Enclave", "scopeDescription": "Sample description.", "assessmentStandard": "NIST SP 800-171 Revision 2", "assessmentId": "db1b51af-9c66-49ef-af7d-1541ed2ff7d5", "cmmcUid": "L200000299", "overallScore": 83, "cmmcStatus": "None", "cmmcStatusDate": null, "cmmcStatusExpirationDate": null }, { "operation": "ADDED", "hqOrganizationName": "Test Labs", "uei": "7308524", "oscName": "Test Engineering Systems", "highestLevelOwnerCageCode": "A1234", "cageCodesInScope": "B8899; C3344; D4578", "numberOfEmployees": 150, "scope": "Enclave", "scopeDescription": "This was an optional field.", "assessmentStandard": null, "assessmentId": "8ebd92d9-66ea-491d-ad28-ad544e73552f", "cmmcUid": "L20000005", "overallScore": 90, "cmmcStatus": "Conditional Level 2 (C3PAO)", "cmmcStatusDate": 1727466326, "cmmcStatusExpirationDate": 1742327082.623 }] }</pre>		

```

    ]
}

```

4.21.1 CMMC Assessments Endpoint Fields

Field	Type	Details	Associated Business Rule?
operation	String	[Read-Only] Indicates the action that should be taken on the assessment record since the provided sinceDate. Values include the following options: • ADDED • UPDATED • DELETED	
hqOrganizationName	String	[Read-Only] The name of the DIB Company.	
uei	String	[Read-Only] The Unique Entity Identifier assigned to the DIB Company.	
oscName	String	[Read-Only] The name of the Organization Seeking Certification.	
highestLevelOwnerCageCode	String	[Read-Only] Identifies the highest-level owner CAGE Code associated with a given organization.	
cageCodesInScope	String	[Read-Only] The five position code(s) associated with the Organization Seeking Certification.	
numberOfEmployees	Integer	[Read-Only] The number of employees affiliated with the Organization Seeking Certification.	
scope	String	[Read-Only] The scope of the OSC assessment. Values include the following options: • Enterprise	

UNCLASSIFIED

		• Enclave	
scopeDescription	String	[Read-Only] Brief description of the scope of the OSC assessment.	
assessmentStandard	String	[Read-Only] Version of the CMMC Model used as part of the assessment. Values include the following options: • NIST SP 800-171 Revision 2 • NIST SP 800-171 Revision 3	
assessmentId	String	[Read-Only] Unique identifier for the assessment. “41b89528-a7a8-470a-90f4-c3fd1267d6f7”	
cmmcUid	String	[Read-Only] Identifies the unique ID that is associated with a given CMMC status for an organization.	
overallScore	Integer	[Read-Only] Identifies the overall calculated score for the assessment based on the assigned values to each applicable security requirement.	
cmmcStatus	String	[Read-Only] Values include the following options: • None • Conditional Level 2 (C3PAO) • Final Level 2 (C3PAO) • Conditional Level 3 (DIBCAC) • Final Level 3 (DIBCAC)	
cmmcStatusDate	Date	[Read-Only] Date of the CMMC status. Unix date format.	
cmmcStatusExpirationDate	Date	[Read-Only] Expiration date of the CMMC status. Unix date format.	

4.22 DASHBOARDS ENDPOINTS

The Dashboards endpoints provide the ability to view data contained in dashboard exports. In the eMASS front end, these dashboard exports are generated as Excel exports.

The following reference is provided as an example only and may not be the exact fields. Each dashboard dataset available from the API is automatically updated with the current configuration of the dashboard and the instance of eMASS as the dashboard changes.

Organization-specific fields may differ. Organization-specific Dashboards should only be used by that organization (e.g., VA [dashboard name] should be used by VA).

4.22.1 System Status Details

GET	/api/dashboards/system-status-details Get dashboard information	
Curl Example		
curl -L "[URL]/api/dashboards/system-status-details?orgId=1&pageIndex=0" -H "api-key: 0a60a84d-3fc1-433c-b39f-507adb1f8bec" --cert .\cert.pem		
Available Query String Parameters		
Name	Type	Example/Details
orgId	Integer	1 This value will be provided by eMASS Support.
pageIndex	Integer	0 If no value is specified, the default returns results from the first page with an index of 0.
pageSize	Integer	20000 If no value is specified, the default returns up to 20,000 results per page. Exceeding this value is prohibited and will default back to 20,000.
Sample Response (orgId=1, pageIndex=0, pageSize=20000)		
<pre>{ "meta": { "code": 200 }, "data": [{ "Organization Name": "Test Org", "Organization Hierarchy": "Army > Test Org", "System Acronym": "John A&A System", "System Name": "John Assess & Authorize System", "System ID": "4", "Version / Release Number": "5.10.1.0", "Registration Completion Date": "1655489975", "Registration Type": "Assess and Authorize", "System Type": "IS Major Application", "Special Type": "-", "Special Type Description": "-", "DITPR ID": "1234", "Highest System Data Classification": "-", "System Policy": "RMF", "National Security System": "No", "Financial Management System": "No", "Reciprocity System": "Yes", "Cloud Computing": "No", "Public Facing Component / Presence": "-", "Controlled Unclassified Information (CUI)": "-", "Personally Identifiable Information (PII)": "-", }] }</pre>		

UNCLASSIFIED

```

"Protected Health Information (PHI)": "-",
"Mission Criticality": "-",
"Governing Mission Area": "-",
"Mission Portfolio": "-",
"MAC": "-",
"DoD Confidentiality": "-",
"Confidentiality": "Moderate",
"Integrity": "Moderate",
"Availability": "Moderate",
"Impact": "Moderate",
"Applied Overlays": "-",
"Lifecycle/Acquisition Phase": "Pre-Milestone A (Material
                                Solution Analysis)",

"Need Date": "-",
"Authorization Status": "Not Yet Authorized",
"Authorization Date": "-",
"ATD": "-",
"Terms / Conditions for Authorization": "-",
"Overall Risk Score": "-",
"Days to ATD": "-",
"Current AO": "-",
"RMF Activity": "Initiate and plan cybersecurity
                Assessment Authorization",
"Package Type": "-",
"Package Created": "-",
"Location in PAC": "Not Yet Initiated",
"Package Days at Role": "-",
"Days to Annual Review": "-",
"ATC Decision": "-",
"ATC Decision Date": "-",
"ATC Termination Date": "-",
"Reported Policy": "RMF",
"Reported Authorization Status": "Not Yet Authorized",
"Reported Authorization Date": "-",
"Reported ATD": "-",
"Days to Reported ATD": "-",
"ISSO": "Smith, John"
},
{
"Organization Name": "Army",
"Organization Hierarchy": "Army",
"System Acronym": "Jane A&A System",
"System Name": "Jane Assess & Authorize System",
"System ID": "5",
"Version / Release Number": "1.0",
"Registration Completion Date": "1657738026",
"Registration Type": "Assess and Authorize",
"System Type": "IS Major Application",
"Special Type": "-",
"Special Type Description": "-",
"DITPR ID": "TBD",
"Highest System Data Classification": "Secret",
"System Policy": "RMF",
"National Security System": "No",
"Financial Management System": "No",
"Reciprocity System": "Yes",
"Cloud Computing": "No",

```

UNCLASSIFIED

```

    "Public Facing Component / Presence": "-",
    "Controlled Unclassified Information (CUI)": "-",
    "Personally Identifiable Information (PII)": "No",
    "Protected Health Information (PHI)": "No",
    "Mission Criticality": "-",
    "Governing Mission Area": "-",
    "Mission Portfolio": "-",
    "MAC": "-",
    "DoD Confidentiality": "-",
    "Confidentiality": "Moderate",
    "Integrity": "Moderate",
    "Availability": "Moderate",
    "Impact": "Moderate",
    "Applied Overlays": "-",
    "Lifecycle/Acquisition Phase": "Post-Milestone C
                                   (Production and
                                   Deployment)",
    "Need Date": "-",
    "Authorization Status": "Authorization to Operate (ATO)",
    "Authorization Date": "1659373591",
    "ATD": "1690909592",
    "Terms / Conditions for Authorization Summary": "Test
                                                    Summary",
    "Overall Risk Score": "Low",
    "Days to ATD": "351",
    "Current AO": "Smith, John",
    "RMF Activity": "Initiate and plan cybersecurity
                    Assessment Authorization",
    "Package Type": "POA&M Approval; Change Request",
    "Package Created": "(POA&M Approval) 13-Jul-2022; (Change
                        Request) 29-Jul-2022",
    "Location in PAC": "(POA&M Approval) ISO/PM; (Change
                        Request) ISO/PM",
    "Package Days at Role": "(POA&M Approval) 13.0; (Change
                            Request) 17.3",
    "Days to Annual Review": "351",
    "ATC Decision": "-",
    "ATC Decision Date": "-",
    "ATC Termination Date": "-",
    "Reported Policy": "RMF",
    "Reported Authorization Status": "Authorization to Operate
                                    (ATO)",
    "Reported Authorization Date": "1659373591",
    "Reported ATD": "1690909592",
    "Days to Reported ATD": "351",
    "ISSO": "Smith, John"
  },
  "pagination": {
    "totalCount": 2,
    "totalPages": 1,
    "pageIndex": 0,
    "pageSize": 20000,
    "prevPageUrl": "",
    "nextPageUrl": ""
  }
}

```

4.22.2 System Terms / Conditions Summary

GET	/api/dashboards/system-terms-conditions-summary <i>Get dashboard information</i>		
	Curl Example		
	<pre>curl -L "[URL]/api/dashboards/system-terms-conditions-summary?orgId=1&pageIndex=0" -H "api-key: 0a60a84d-3fc1-433c-b39f-507adb1f8bec" --cert .\cert.pem</pre>		
	Available Query String Parameters		
	Name	Type	Example/Details
	orgId	Integer	1 This value will be provided by eMASS Support.
	pageIndex	Integer	0 If no value is specified, the default returns results from the first page with an index of 0.
	pageSize	Integer	20000 If no value is specified, the default returns up to 20,000 results per page. Exceeding this value is prohibited and will default back to 20,000.
	Sample Response (orgId=1, pageIndex=0, pageSize=20000)		
	<pre>{ "meta": { "code": 200 }, "data": [{ "Organization": "Test Org", "Organization Hierarchy": "Army > Test Org", "System Name": "John Assess & Authorize System", "System Acronym": "John A&A System", "System ID": "4", "Registration Completion Date": "1683208307", "Registration Type": "Assess and Authorize", "System Type": "IS Major Application", "Authorization Status": "Authorization to Operate (ATO)", "Authorization Date": "1695952867", "ATD": "1701136868", "Terms / Conditions for Authorization Summary": " T e }] }</pre>		

	<pre> "Active Conditions": "6", "Authorization Conditions": "6", "Assessment Conditions": "0", "Connection Conditions": "0", "Active Condition POA&Ms": "3", "Expiring Condition POA&Ms": "0", "Expired Condition POA&Ms": "3" }, "Organization": "Army", "Organization Hierarchy": "Army", "System Name": "Jane Assess & Authorize System", "System Acronym": "Jane A&A System", "System ID": "5", "Registration Completion Date": "1683208307", "Registration Type": "Assess and Authorize", "System Type": "IS Major Application", "Authorization Status": "Interim Authorization to Test (IATT)", "Authorization Date": "1659373591", "ATD": "1690909592", "Terms / Conditions for Authorization Summary": </pre>	S t S u m m a r y " ,
	<pre> "Active Conditions": "5", "Authorization Conditions": "3", "Assessment Conditions": "0", "Connection Conditions": "2", "Active Condition POA&Ms": "2", "Expiring Condition POA&Ms": "0", "Expired Condition POA&Ms": "1"], "pagination": { "totalCount": 2, "totalPages": 1, "pageIndex": 0, </pre>	" T e s t S u m m a r y "

	<pre> "pageSize": 20000, "prevPageUrl": "", "nextPageUrl": "" } </pre>
--	--

4.22.3 System Terms / Conditions Details

GET

/api/dashboards/system-terms-conditions-details
Get dashboard information

Curl Example

curl -L "[URL]/api/dashboards/system-terms-conditions-
details?orgId=1&pageIndex=0" -H "api-key: 0a60a84d-3fc1-433c-b39f-
507adb1f8bec" --cert .\cert.pem

Available Query String Parameters

Name	Type	Example/Details
orgId	Integer	1 This value will be provided by eMASS Support.
pageIndex	Integer	0 If no value is specified, the default returns results from the first page with an index of 0.
pageSize	Integer	20000 If no value is specified, the default returns up to 20,000 results per page. Exceeding this value is prohibited and will default back to 20,000.

Sample Response
(orgId=1, pageIndex=0, pageSize=20000)

{
 "meta": {
 "code": 200
 },
 "data": [
 {
 "Organization": "Test Org",
 "Organization Hierarchy": "Army > Test Org",
 "System Name": "John Assess & Authorize System",
 "System Acronym": "John A&A System",
 "System ID": "4",
 "ID": "TC-10185411",
 "Type": "Authorization",
 "Status": "Active",
 "Name": "Test Condition",
 "Description": "Test Description",
 "Scheduled Completion Date": "1696099031",
 "Completion Date": "-",
 }
]
}

UNCLASSIFIED

```

        "POA&M ID": "101854130",
        "POA&M Status": "Ongoing",
        "POA&M Pending Extension Date": "-",
        "POA&M Extension Date": "-",
        "POA&M URL":
            "[URL]/App/CA/DisplayVulnerability/101854130/29"
    },
    {
        "Organization": "Test Org",
        "Organization Hierarchy": "Army > Test Org",
        "System Name": "John Assess & Authorize System",
        "System Acronym": "John A&A System",
        "System ID": "4",
        "ID": "TC-10185412",
        "Type": "Authorization",
        "Status": "Active",
        "Name": "Third Condition",
        "Description": "Third Description",
        "Scheduled Completion Date": "-",
        "Completion Date": "-",
        "POA&M ID": "-",
        "POA&M Status": "-",
        "POA&M Pending Extension Date": "-",
        "POA&M Extension Date": "-",
        "POA&M URL": "-"
    },
    {
        "Organization": "Test Org",
        "Organization Hierarchy": "Army > Test Org",
        "System Name": "John Assess & Authorize System",
        "System Acronym": "John A&A System",
        "System ID": "4",
        "ID": "TC-10185413",
        "Type": "Authorization",
        "Status": "Active",
        "Name": "Another Condition",
        "Description": "Another Description",
        "Scheduled Completion Date": "1695926326",
        "Completion Date": "-",
        "POA&M ID": "101854131",
        "POA&M Status": "Ongoing",
        "POA&M Pending Extension Date": "-",
        "POA&M Extension Date": "-",
        "POA&M URL":
            "[URL]/App/CA/DisplayVulnerability/101854131/29"
    }
],
"pagination": {
    "totalCount": 3,
    "totalPages": 1,
    "pageIndex": 0,
    "pageSize": 20000,
    "prevPageUrl": "",
    "nextPageUrl": ""
}
}

```

4.22.4 System Connectivity/CCSD Summary

GET	/api/dashboards/system-connectivity-ccsd-summary Get dashboard information	
Curl Example		
<pre>curl -L "[URL]/api/dashboards/system-connectivity-ccsd-summary?orgId=1&pageIndex=0" -H "api-key: 0a60a84d-3fc1-433c-b39f-507adb1f8bec" --cert .\cert.pem</pre>		
Available Query String Parameters		
Name	Type	Example
orgId	Integer	1 This value will be provided by eMASS Support.
pageIndex	Integer	0 If no value is specified, the default returns results from the first page with an index of 0.
pageSize	Integer	20000 If no value is specified, the default returns up to 20,000 results per page. Exceeding this value is prohibited and will default back to 20,000.
Sample Response (orgId=1, pageIndex=0, pageSize=20000)		
<pre>{ "meta": { "code": 200 }, "data": [{ "Organization Acronym": "DISA", "System Acronym": "Sample IS Enclave", "System ID": "1", "Registration Completion Date": "1647624825", "Policy": "RMF", "Authorization Status": "EXPIRED", "Connectivity/CCSDs": "1" }, { "Organization Acronym": "TO", "System Acronym": "John A&A System", "System ID": "4", "Registration Completion Date": "1722356945", "Policy": "RMF", "Authorization Status": "Not Yet Authorized", "Connectivity/CCSDs": "1" }, { "Organization Acronym": "TO", "System Acronym": "Jane A&A System",</pre>		

```

        "System ID": "5",
        "Registration Completion Date": "1647629972",
        "Policy": "RMF",
        "Authorization Status": "EXPIRED",
        "Connectivity/CCSDs": "3"
    },
    {
        "Organization Acronym": "AV-3",
        "System Acronym": "Test System",
        "System ID": "2714",
        "Registration Completion Date": "1728582545",
        "Policy": "RMF",
        "Authorization Status": "Not Yet Authorized",
        "Connectivity/CCSDs": "0"
    }
],
"pagination": {
    "totalCount": 5,
    "totalPages": 1,
    "pageIndex": 0,
    "pageSize": 20000,
    "prevPageUrl": "",
    "nextPageUrl": ""
}
}

```

4.22.5 System Connectivity/CCSD Details

GET	/api/dashboards/system-connectivity-ccsd-details <i>Get dashboard information</i>	
Curl Example		
curl -L "[URL]/api/dashboards/system-connectivity-ccsd-details?orgId=1&pageIndex=0" -H "api-key: 0a60a84d-3fc1-433c-b39f-507adb1f8bec" --cert .\cert.pem		
Available Query String Parameters		
Name	Type	Example
orgId	Integer	1 This value will be provided by eMASS Support.
pageIndex	Integer	0 If no value is specified, the default returns results from the first page with an index of 0.
pageSize	Integer	20000 If no value is specified, the default returns up to 20,000 results per page. Exceeding this value is prohibited and will default back to 20,000.

UNCLASSIFIED

Sample Response (orgId=1, pageIndex=0, pageSize=20000)

```
{
  "meta": {
    "code": 200
  },
  "data": [
    {
      "Organization Acronym": "TO",
      "Organization Hierarchy": "DISA > TO",
      "System Acronym": "John A&A System",
      "System Name": "John Assess & Authorize System",
      "System ID": "4",
      "Registration Type": "Assess and Authorize",
      "System Type": "IS Major Application",
      "Policy": "RMF",
      "Authorization Status": "EXPIRED",
      "Authorization Date": "1657135557",
      "ATD": "1688671557",
      "Type Authorization": "Yes",
      "Deployment Location(s)": "VA - DISA HQ; VA - McLean",
      "Primary Physical Location Name": "Test Location Name",
      "Connectivity": "NIPRNet",
      "CCSD Number": "Z2RX",
      "Circuit Owner": "Yes",
      "CCSD Location": "VA - McLean",
      "CCSD Support": "Testing, evaluation & support",
      "POC Name": "Doe, Jane",
      "POC Email": "jane.doe.ctr@mail.mil",
      "POC Phone": "1111111111"
    },
    {
      "Organization Acronym": "DISA",
      "Organization Hierarchy": "DISA",
      "System Acronym": "Jane A&A System",
      "System Name": "Jane Assess & Authorize System",
      "System ID": "5",
      "Registration Type": "Assess Only",
      "System Type": "AO System Type",
      "Policy": "RMF",
      "Authorization Status": "Disapproved",
      "Authorization Date": "1657226599",
      "ATD": "-",
      "Type Authorization": "Yes",
      "Deployment Location(s)": "VA - DISA HQ; VA - McLean",
      "Primary Physical Location Name": "Main Campus",
      "Connectivity": "NIPRNet",
      "CCSD Number": "KKZN",
      "Circuit Owner": "Yes",
      "CCSD Location": "VA - McLean",
      "CCSD Support": "Testing, evaluation & support",
      "POC Name": "Smith, John",
      "POC Email": "john.smith.ctr@mail.mil",
      "POC Phone": "2222222222"
    }
  ],
}
```

```
"pagination": {  
  "totalCount": 2,  
  "totalPages": 1,  
  "pageIndex": 0,  
  "pageSize": 20000,  
  "prevPageUrl": "",  
  "nextPageUrl": ""  
}  
}
```

4.22.6 System ATC/IATC Details

GET	/api/dashboards/system-atc-iatc-details <i>Get dashboard information</i>	
Curl Example		
curl -L "[URL]/api/dashboards/system-atc-iatc-details?orgId=1&pageIndex=0" -H "api-key: 0a60a84d-3fc1-433c-b39f-507adb1f8bec" --cert .\cert.pem		
Available Query String Parameters		
Name	Type	Example
orgId	Integer	1 This value will be provided by eMASS Support.
pageIndex	Integer	0 If no value is specified, the default returns results from the first page with an index of 0.
pageSize	Integer	20000 If no value is specified, the default returns up to 20,000 results per page. Exceeding this value is prohibited and will default back to 20,000.
Sample Response (orgId=1, pageIndex=0, pageSize=20000)		
<pre>{ "meta": { "code": 200 }, "data": [{ "Organization Acronym": "TO", "Organization Hierarchy": "DISA > TO", "System Acronym": "John A&A System", "System Name": "John Assess & Authorize System", "System ID": "4", "Registration Completion Date": "1690985754", "Registration Type": "Common Control Provider", "System Type": "IS Major Application", "Policy": "RMF", "Authorization Status": "Not Yet Authorized", "Authorization Date": "-", "ATD": "-", "Type Authorization": "No", "Deployment Location(s)": "AL - Huntsville; VA - Manassas", "Primary Physical Location Name": "Main Campus", "ATC/IATC Granted Date": "1712932654", "ATC/IATC Expiration Date": "1710859054", "ATC/IATC Pending Items": "Test ATC/IATC Pending Items", "Pending Items Due Date": "1716475054", "Cybersecurity Service Provider": "Army" }] }</pre>		


```

    },
    {
      "Organization Acronym": "DISA",
      "Organization Hierarchy": "DISA",
      "System Acronym": "Jane A&A System",
      "System Name": "Jane Assess & Authorize System",
      "System ID": "5",
      "Registration Completion Date": "1691501839",
      "Registration Type": "Assess and Authorize",
      "System Type": "IS Major Application",
      "Policy": "RMF",
      "Authorization Status": "Authorization to Operate
                             w/Conditions (ATO w/Conditions)",
      "Authorization Date": "1726772063",
      "ATD": "1731956064",
      "Type Authorization": "No",
      "Deployment Location(s)": "AK - Elmendorf; BN39",
      "Primary Physical Location Name": "Test Location Name",
      "ATC/IATC Granted Date": "1684956182",
      "ATC/IATC Expiration Date": "1685042582",
      "ATC/IATC Pending Items": "Test ATC/IATC Pending Items",
      "Pending Items Due Date": "1684956182",
      "Cybersecurity Service Provider": "DMA"
    }
  ],
  "pagination": {
    "totalCount": 2,
    "totalPages": 1,
    "pageIndex": 1,
    "pageSize": 20000,
    "prevPageUrl": "",
    "nextPageUrl": ""
  }
}

```

4.22.7 System Questionnaire Summary

GET	/api/dashboards/system-questionnaire-summary Get dashboard information	
Curl Example		
curl -L "[URL]/api/dashboards/system-questionnaire-summary?orgId=1&pageIndex=0" -H "api-key: 0a60a84d-3fc1-433c-b39f-507adb1f8bec" --cert .\cert.pem		
Available Query String Parameters		
Name	Type	Example
orgId	Integer	1 This value will be provided by eMASS Support.
pageIndex	Integer	0 If no value is specified, the default returns results from the first page with an index of 0.
pageSize	Integer	20000 If no value is specified, the default returns up to 20,000 results per page. Exceeding this value is prohibited and will default back to 20,000.
Sample Response (orgId=1, pageIndex=0, pageSize=20000)		
<pre>{ "meta": { "code": 200 }, "data": [{ "Organization": "TO", "Organization Hierarchy": "DISA > TO", "System Name": "John Assess & Authorize", "System Acronym": "John A&A", "System ID": "3", "Registration Type": "Assess and Authorize", "Total Questionnaires Applied": "5", "Questionnaires Applied": "[r4] Classified Information; Financial Management (DoD); NSS Determination; Privacy; Space Platform", "Total Questionnaires Not Applied": "2", "Questionnaires Not Applied": "[r4] Manufacturing; Tactical Radio", "Total Questionnaires Not Answered": "6", "Questionnaires Not Answered": "[r4] Cloud Service Provider; CDS Critical Controls; Closed Isolated Network; Interim Authority to Test (IATT); Non-U.S</pre>		

```

        Person Access; Tactical
        Deployed Mobile Device"
    {
        "Organization": "DISA",
        "Organization Hierarchy": "DISA",
        "System Name": "Overlay System",
        "System Acronym": "Overlay System",
        "System ID": "1164",
        "Registration Type": "Assess and Authorize",
        "Total Questionnaires Applied": "5",
        "Questionnaires Applied": "[r4] Classified Information;
                                  [r4] Manufacturing; Financial
                                  Management (DoD); Privacy;
                                  Tactical Radio",
        "Total Questionnaires Not Applied": "0",
        "Questionnaires Not Applied": "-",
        "Total Questionnaires Not Answered": "8",
        "Questionnaires Not Answered": "[r4] Cloud Service
                                         Provider; CDS Critical
                                         Controls; Closed Isolated
                                         Network; Interim Authority
                                         to Test (IATT); Non-U.S
                                         Person Access; NSS
                                         Determination; Space
                                         Platform; Tactical
                                         Deployed Mobile Device"
    },
    "pagination": {
        "totalCount": 2,
        "totalPages": 1,
        "pageIndex": 0,
        "pageSize": 20000,
        "prevPageUrl": "",
        "nextPageUrl": ""
    }
}

```

4.22.8 System Questionnaire Details

GET	/api/dashboards/system-questionnaire-details <i>Get dashboard information</i>	
Curl Example		
curl -L "[URL]/api/dashboards/system-questionnaire-details?orgId=1&pageIndex=0" -H "api-key: 0a60a84d-3fc1-433c-b39f-507adb1f8bec" --cert .\cert.pem		
Available Query String Parameters		
Name	Type	Example
orgId	Integer	1 This value will be provided by eMASS Support.
pageIndex	Integer	0 If no value is specified, the default returns results from the first page with an index of 0.
pageSize	Integer	20000 If no value is specified, the default returns up to 20,000 results per page. Exceeding this value is prohibited and will default back to 20,000.
Sample Response (orgId=1, pageIndex=0, pageSize=20000)		
<pre>{ "meta": { "code": 200 }, "data": [{ "Organization": "TO", "Organization Hierarchy": "DISA > TO", "System Name": "John Assess & Authorize", "System Acronym": "John A&A", "System ID": "4", "Registration Type": "Assess and Authorize", "Overlay / Questionnaire": "[r4] Classified Information", "Question": "1. Does the information system of interest by intent and design store, process, or transmit classified information?", "Response": "Yes" }, { "Organization": "TO", "Organization Hierarchy": "DISA > TO", "System Name": "John Assess & Authorize", "System Acronym": "John A&A", "System ID": "4", "Registration Type": "Assess and Authorize", "Overlay / Questionnaire": "Space Platform", </pre>		

```

        "Question": "1. Is the system (or subsystem) a space
                      platform as defined in CNSSP No. 12?",
        "Response": "Yes"
    },
    {
        "Organization": "TO",
        "Organization Hierarchy": "DISA > TO",
        "System Name": "John Assess & Authorize",
        "System Acronym": "John A&A",
        "System ID": "4",
        "Registration Type": "Assess and Authorize",
        "Overlay / Questionnaire": "Space Platform",
        "Question": "2. Is the system unmanned?",
        "Response": "Yes"
    },
    {
        "Organization": "TO",
        "Organization Hierarchy": "DISA > TO",
        "System Name": "John Assess & Authorize",
        "System Acronym": "John A&A",
        "System ID": "4",
        "Registration Type": "Assess and Authorize",
        "Overlay / Questionnaire": "Space Platform",
        "Question": "3. Is the system launched and undergoing pre-
                      operational testing or in operation?",
        "Response": "Yes"
    },
    {
        "Organization": "DISA",
        "Organization Hierarchy": "DISA",
        "System Name": "Jane Assess & Authorize",
        "System Acronym": "Jane A&A",
        "System ID": "5",
        "Registration Type": "Assess and Authorize",
        "Overlay / Questionnaire": "[r4] Classified Information",
        "Question": "1. Does the information system of interest by
                      intent and design store, process, or
                      transmit classified information?",
        "Response": "Yes"
    }
],
"pagination": {
    "totalCount": 5,
    "totalPages": 1,
    "pageIndex": 0,
    "pageSize": 20000,
    "prevPageUrl": "",
    "nextPageUrl": ""
}
}

```

4.22.9 System Workflows History Summary

GET	/api/dashboards/system-workflows-history-summary Get dashboard information	
Curl Example		
<pre>curl -L "[URL]/api/dashboards/system-workflows-history-summary?orgId=1&pageIndex=0" -H "api-key: 0a60a84d-3fc1-433c-b39f-507adb1f8bec" --cert .\cert.pem</pre>		
Available Query String Parameters		
Name	Type	Example/Details
orgId	Integer	1 This value will be provided by eMASS Support.
pageIndex	Integer	0 If no value is specified, the default returns results from the first page with an index of 0.
pageSize	Integer	20000 If no value is specified, the default returns up to 20,000 results per page. Exceeding this value is prohibited and will default back to 20,000.
Sample Response (orgId=1, pageIndex=0, pageSize=20000)		
<pre>{ "meta": { "code": 200 }, "data": [{ "Organization": "DISA", "Organization Hierarchy": "DISA", "System Name": "Jane Assess & Authorize System", "System Acronym": "Jane A&A System", "System ID": "2", "Registration Completion Date": "1691334661", "Workflows Initiated": "5", "Workflows Completed": "3", "Workflows Canceled": "0", "Average Days to Process": "7", "Median Days to Process": "4" }, { "Organization": "Test Org", "Organization Hierarchy": "DISA > Test Org", "System Name": "John Assess & Authorize System", "System Acronym": "John A&A System", "System ID": "3", "Registration Completion Date": "1691673532", "Workflows Initiated": "2", </pre>		

```

        "Workflows Completed": "0",
        "Workflows Canceled": "1",
        "Average Days to Process": "5",
        "Median Days to Process": "5"
    },
    {
        "Organization": "Provider Org",
        "Organization Hierarchy": "DISA > Provider Org",
        "System Name": "Sample Providing System",
        "System Acronym": "Sample Providing System",
        "System ID": "13",
        "Registration Completion Date": "1691783272",
        "Workflows Initiated": "5",
        "Workflows Completed": "3",
        "Workflows Canceled": "1",
        "Average Days to Process": "4",
        "Median Days to Process": "2"
    }
],
"pagination": {
    "totalCount": 3,
    "totalPages": 1,
    "pageIndex": 0,
    "pageSize": 20000,
    "prevPageUrl": "",
    "nextPageUrl": ""
}
}

```

4.22.10 System Workflows History Details

GET	/api/dashboards/system-workflows-history-details <i>Get dashboard information</i>	
Curl Example		
curl -L "[URL]/api/dashboards/system-workflows-history-details?orgId=1&pageIndex=0" -H "api-key: 0a60a84d-3fc1-433c-b39f-507adb1f8bec" --cert .\cert.pem		
Available Query String Parameters		
Name	Type	Example/Details
orgId	Integer	1 This value will be provided by eMASS Support.
pageIndex	Integer	0 If no value is specified, the default returns results from the first page with an index of 0.
pageSize	Integer	20000

UNCLASSIFIED

		If no value is specified, the default returns up to 20,000 results per page. Exceeding this value is prohibited and will default back to 20,000.
Sample Response (orgId=1, pageIndex=0, pageSize=20000)		
<pre>{ "meta": { "code": 200 }, "data": [{ "Organization": "DISA", "Organization Hierarchy": "DISA", "System Name": "Jane Assess & Authorize System", "System Acronym": "Jane A&A System", "System ID": "2", "Registration Completion Date": "1691334661", "Workflow Type": "Annual Security Review", "Package Name": "ASR2", "Initiation Date": "1691336336", "Decision Date": "1691336375", "Decision": "Approved", "Decision Termination Date": "-", "Edited Decision": "No", "Number of Stages in Workflow": "4", "Overall Days to Process": "3", "Longest Stage Duration (Days)": "AO (1.3)", "Return for Rework Occurrences": "0" }, { "Organization": "DISA", "Organization Hierarchy": "DISA", "System Name": "Jane Assess & Authorize System", "System Acronym": "Jane A&A System", "System ID": "2", "Registration Completion Date": "1691334661", "Workflow Type": "Assess and Authorize", "Package Name": "AA", "Initiation Date": "1701111668", "Decision Date": "1701111733", "Decision": "Authorization to Operate (ATO)", "Decision Termination Date": "1716663732", "Edited Decision": "No", "Number of Stages in Workflow": "4", "Overall Days to Process": "8", "Longest Stage Duration (Days)": "AO (3.9)", "Return for Rework Occurrences": "0" }, { "Organization": "Test Org", "Organization Hierarchy": "DISA > Test Org", "System Name": "John Assess & Authorize System", "System Acronym": "John A&A System", "System ID": "3", </pre>		


```

    "Registration Completion Date": "1691673532",
    "Workflow Type": "Assess and Authorize",
    "Package Name": "Test A&A Package",
    "Initiation Date": "1704984191",
    "Decision Date": "1705437826",
    "Decision": "Canceled",
    "Decision Termination Date": "-",
    "Edited Decision": "No",
    "Number of Stages in Workflow": "4",
    "Overall Days to Process": "5",
    "Longest Stage Duration (Days)": "AO (5.2)",
    "Return for Rework Occurrences": "1"
  },
  "pagination": {
    "totalCount": 3,
    "totalPages": 1,
    "pageIndex": 0,
    "pageSize": 20000,
    "prevPageUrl": "",
    "nextPageUrl": ""
  }
}

```

4.22.11 System Workflows History Stage Details

GET	/api/dashboards/system-workflows-history-stage-details <i>Get dashboard information</i>	
Curl Example		
<pre>curl -L "[URL]/api/dashboards/system-workflows-history-stage- details?orgId=1&pageIndex=0" -H "api-key: 0a60a84d-3fc1-433c-b39f- 507adb1f8bec" --cert .\cert.pem</pre>		
Available Query String Parameters		
Name	Type	Example/Details
orgId	Integer	1 This value will be provided by eMASS Support.
pageIndex	Integer	0 If no value is specified, the default returns results from the first page with an index of 0.
pageSize	Integer	20000 If no value is specified, the default returns up to 20,000 results per page. Exceeding this value is prohibited and will default back to 20,000.
Sample Response <i>(orgId=1, pageIndex=0, pageSize=20000)</i>		

```

{
  "meta": {
    "code": 200
  },
  "data": [
    {
      "Organization": "Test Org",
      "Organization Hierarchy": "DISA > Test Org",
      "System Name": "John Assess & Authorize System",
      "System Acronym": "John A&A System",
      "System ID": "3",
      "Registration Completion Date": "1691673532",
      "Workflow Type": "Assess and Authorize",
      "Package Name": "Test A&A Package",
      "Stage": "-",
      "Decision/Action": "Initiate Workflow",
      "Comments": "Initiating the A&A workflow.",
      "User": "Smith, John (CTR)",
      "Decision Date": "1704984191",
      "PAC Role(s)": "ISSO/PM/SM, SCA, AODR Rep, AO",
      "Days at Stage": "0"
    },
    {
      "Organization": "Test Org",
      "Organization Hierarchy": "DISA > Test Org",
      "System Name": "John Assess & Authorize System",
      "System Acronym": "John A&A System",
      "System ID": "3",
      "Registration Completion Date": "1691673532",
      "Workflow Type": "Assess and Authorize",
      "Package Name": "Test A&A Package",
      "Stage": "ISSO/PM/SM",
      "Decision/Action": "Approve",
      "Comments": "Approving the A&A workflow.",
      "User": "Smith, John (CTR)",
      "Decision Date": "1704984198",
      "PAC Role(s)": "ISSO/PM/SM",
      "Days at Stage": "1.2"
    },
    {
      "Organization": "Test Org",
      "Organization Hierarchy": "DISA > Test Org",
      "System Name": "John Assess & Authorize System",
      "System Acronym": "John A&A System",
      "System ID": "3",
      "Registration Completion Date": "1691673532",
      "Workflow Type": "Assess and Authorize",
      "Package Name": "Test A&A Package",
      "Stage": "AODR Rep",
      "Decision/Action": "Approve",
      "Comments": "Another workflow approval.",
      "User": "Smith, John (CTR)",
      "Decision Date": "1704984220",
      "PAC Role(s)": "AODR Rep",
      "Days at Stage": "4.1"
    }
  ],
}

```

```
"pagination": {  
  "totalCount": 3,  
  "totalPages": 1,  
  "pageIndex": 0,  
  "pageSize": 20000,  
  "prevPageUrl": "",  
  "nextPageUrl": ""  
}  
}
```

4.22.12 System Control Compliance Summary

GET	/api/dashboards/system-control-compliance-summary Get dashboard information	
Curl Example		
curl -L "[URL]/api/dashboards/system-control-compliance-summary?orgId=1&pageIndex=0" -H "api-key: 0a60a84d-3fc1-433c-b39f-507adb1f8bec" --cert .\cert.pem		
Available Query String Parameters		
Name	Type	Example
orgId	Integer	1 This value will be provided by eMASS Support.
pageIndex	Integer	0 If no value is specified, the default returns results from the first page with an index of 0.
pageSize	Integer	20000 If no value is specified, the default returns up to 20,000 results per page. Exceeding this value is prohibited and will default back to 20,000.
Sample Response (orgId=1, pageIndex=0, pageSize=20000)		
<pre>{ "meta": { "code": 200 }, "data": [{ "Organization": "Test Org", "Organization Hierarchy": "USN > Test Org", "System Acronym": "John A&A System", "System Name": "John Assess & Authorize System", "System ID": "1", "Registration Completion Date": "1647639989", "Policy": "RMF", "Registration Type": "Assess and Authorize", "System Type": "IS Major Application", "Impact": "Moderate", "Authorization Status": "Authorization to Operate (ATO)", "Not Applicable Controls": "0", "Compliant Controls": "5", "Non-Compliant Controls": "2", "Unassessed Controls": "413", "Non-Compliant Red Criticality Controls": "0", "Non-Compliant Yellow Criticality Controls": "1", "Non-Compliant White Criticality Controls": "1", "Implementation Plan: Implemented Controls": "0", "Implementation Plan: Planned Controls": "417", }] }</pre>		

```

    "Implementation Plan: Not Applicable Controls": "0",
    "Implementation Plan: Inherited Controls": "2",
    "Implementation Plan: Manually Inherited Controls": "1",
    "Implementation Plan: Not Implemented Controls": "0",
    "Implementation Plan: Compensated Controls": "0"
  },
  {
    "Organization": "USN",
    "Organization Hierarchy": "USN",
    "System Acronym": "Jane Guest System",
    "System Name": "Jane Guest System",
    "System ID": "2",
    "Registration Completion Date": "1648063729",
    "Policy": "RMF",
    "Registration Type": "Guest",
    "System Type": "IS Major Application",
    "Impact": "Low",
    "Authorization Status": "EXPIRED",
    "Not Applicable Controls": "0",
    "Compliant Controls": "0",
    "Non-Compliant Controls": "0",
    "Unassessed Controls": "1",
    "Non-Compliant Red Criticality Controls": "0",
    "Non-Compliant Yellow Criticality Controls": "0",
    "Non-Compliant White Criticality Controls": "0",
    "Implementation Plan: Implemented Controls": "0",
    "Implementation Plan: Planned Controls": "1",
    "Implementation Plan: Not Applicable Controls": "0",
    "Implementation Plan: Inherited Controls": "0",
    "Implementation Plan: Manually Inherited Controls": "0",
    "Implementation Plan: Not Implemented Controls": "0",
    "Implementation Plan: Compensated Controls": "0"
  }
],
"pagination": {
  "totalCount": 2,
  "totalPages": 1,
  "pageIndex": 0,
  "pageSize": 20000,
  "prevPageUrl": "",
  "nextPageUrl": ""
}
}

```

4.22.13 System Security Controls Details

GET	/api/dashboards/system-security-controls-details <i>Get dashboard information</i>
Curl Example	
<pre>curl -L "[URL]/api/dashboards/system-security-controls- details?orgId=1&pageIndex=0" -H "api-key: 0a60a84d-3fc1-433c-b39f- 507adb1f8bec" --cert .\cert.pem</pre>	

UNCLASSIFIED

Available Query String Parameters		
Name	Type	Example
orgId	Integer	1 This value will be provided by eMASS Support.
pageIndex	Integer	0 If no value is specified, the default returns results from the first page with an index of 0.
pageSize	Integer	20000 If no value is specified, the default returns up to 20,000 results per page. Exceeding this value is prohibited and will default back to 20,000.
Sample Response (orgId=1, pageIndex=0, pageSize=20000)		
<pre>{ "meta": { "code": 200 }, "data": [{ "Organization": "USN", "System ID": "1", "System Name": "John Assess & Authorize System", "System Acronym": "John A&A System", "System Type": "IS Major Application", "Control": "AC-1", "Name": "Access Control Policy And Procedures", "Criticality": "White", "Security Control Designation": "Common", "Test Method": "-", "Implementation Status": "Inherited", "Implementation Narrative": "-", "N/A Justification": "-", "Compliance Status": "Compliant", "Estimated Completion Date": "-", "Severity": "-", "Relevance of Threat": "-", "Likelihood": "-", "Impact": "-", "Residual Risk Level": "-", "Recommended Residual Risk Level": "-", "Attached Evidence": "No", "Inherited": "Yes", "Inherited Status": "Inherited", "Inheritable Status": "Inheritable", "Revalidation Date": "Unspecified", "Days to Revalidation": "N/A" }, { "Organization": "USN", "System ID": "1",</pre>		

```

    "System Name": "John Assess & Authorize System",
    "System Acronym": "John A&A System",
    "System Type": "IS Major Application",
    "Control": "AC-2",
    "Name": "Account Management",
    "Criticality": "Yellow",
    "Security Control Designation": "Hybrid",
    "Test Method": "-",
    "Implementation Status": "Manually Inherited",
    "Implementation Narrative": "-",
    "N/A Justification": "-",
    "Compliance Status": "Non-Compliant",
    "Estimated Completion Date": "1653329494",
    "Severity": "Very Low",
    "Relevance of Threat": "Very High",
    "Likelihood": "Very High",
    "Impact": "Moderate",
    "Residual Risk Level": "Moderate",
    "Recommended Residual Risk Level": "Moderate",
    "Attached Evidence": "Yes",
    "Inherited": "Yes",
    "Inherited Status": "Hybrid",
    "Inheritable Status": "Not Provided",
    "Revalidation Date": "Unspecified",
    "Days to Revalidation": "N/A"
  },
  ],
  "pagination": {
    "totalCount": 17964,
    "totalPages": 1,
    "pageIndex": 0,
    "pageSize": 20000,
    "prevPageUrl": "",
    "nextPageUrl": ""
  }
}

```

4.22.14 System Assessment Procedures Details

GET	/api/dashboards/system-assessment-procedures-details <i>Get dashboard information</i>	
<i>Curl Example</i>		
<pre>curl -L "[URL]/api/dashboards/system-assessment-procedures-details?orgId=1" -H "api-key: 0a60a84d-3fc1-433c-b39f-507adb1f8bec" --cert .\cert.pem</pre>		
<i>Available Query String Parameters</i>		
Name	Type	Example
orgId	Integer	1 This value will be provided by eMASS Support.
pageIndex	Integer	0

UNCLASSIFIED

		If no value is specified, the default returns results from the first page with an index of 0.
pageSize	Integer	20000 If no value is specified, the default returns up to 20,000 results per page. Exceeding this value is prohibited and will default back to 20,000.
Sample Response (orgId=1, pageIndex=0, pageSize=20000)		
<pre>{ "meta": { "code": 200 }, "data": [{ "Organization": "USN", "System ID": "1", "System Name": "John Assess & Authorize System", "System Acronym": "John A&A System", "System Type": "IS Major Application", "Control": "AC-1", "Name": "Access Control Policy And Procedures", "AP Acronym": "AC-1.1", "CCI Number": "002107", "CCI Definition": "The organization defines the personnel or roles to be recipients of the access control policy necessary to facilitate the implementation of the access control policy and associated access controls.", "Procedure": "The organization being inspected/assessed is automatically compliant with this CCI because they are covered at the DoD level. DoD has defined the personnel or roles as all personnel.", "Implementation Guidance": "DoD has defined the personnel or roles as all personnel.", "Recommended Compelling Evidence": "Automatically compliant", "Source": "John CCP", "Compliance Status": "Compliant", "Date Tested": "1652292687", "Tested By": "John Smith", "Test Results": "C", "Type": "Self-Assessment", "Created By": "Smith, John", "Created Date": "1652292688", "Attached Evidence": "No", "Inherited": "Yes", "Inherited Status": "Inherited", "Inheritable Status": "Not Provided" }, { "Organization": "USN",</pre>		


```

    "System ID": "1",
    "System Name": "John Assess & Authorize System",
    "System Acronym": "John A&A System",
    "System Type": "IS Major Application",
    "Control": "AC-1",
    "Name": "Access Control Policy And Procedures",
    "AP Acronym": "AC-1.2",
    "CCI Number": "002108",
    "CCI Definition": "The organization defines the personnel
                        or roles to be recipients of the
                        procedures necessary to facilitate the
                        implementation of the access control
                        policy and associated access
                        controls.",
    "Procedure": "The organization being inspected/assessed is
                  automatically compliant with this CCI
                  because they are covered at the DoD level.
                  DoD has defined the personnel or roles as
                  all personnel.",
    "Implementation Guidance": "DoD has defined the personnel
                               or roles as all personnel.",
    "Recommended Compelling Evidence": "Automatically
                                       compliant",

    "Source": "John CCP",
    "Compliance Status": "Compliant",
    "Date Tested": "1652292687",
    "Tested By": "John Smith",
    "Test Results": "C",
    "Type": "Self-Assessment",
    "Created By": "Smith, John",
    "Created Date": "1652292688",
    "Attached Evidence": "No",
    "Inherited": "Yes",
    "Inherited Status": "Inherited",
    "Inheritable Status": "Not Provided"
  },
  ],
  "pagination": {
    "totalCount": 69764,
    "totalPages": 4,
    "pageIndex": 0,
    "pageSize": 20000,
    "prevPageUrl": "",
    "nextPageUrl": "[URL]/api/dashboards/system-assessment-
                    procedures-
                    details?orgid=1&pageIndex=1&pageSize=20000"
  }

```

4.22.15 System POA&M Summary

GET	/api/dashboards/system-poam-summary <i>Get dashboard information</i>	
Curl Example		
curl -L "[URL]/api/dashboards/system-poam-summary?orgId=1&pageIndex=0" -H "api-key: 0a60a84d-3fc1-433c-b39f-507adb1f8bec" --cert .\cert.pem		
Available Query String Parameters		
Name	Type	Example
excludeInherited	Boolean	true, false If no value is specified, the default returns false to include inherited data.
orgId	Integer	1 This value will be provided by eMASS Support.
pageIndex	Integer	0 If no value is specified, the default returns results from the first page with an index of 0.
pageSize	Integer	20000 If no value is specified, the default returns up to 20,000 results per page. Exceeding this value is prohibited and will default back to 20,000.
Sample Response (orgId=1, pageIndex=0, pageSize=20000)		
<pre>{ "meta": { "code": 200 }, "data": [{ "Organization": "USN", "System Acronym": "John Import", "System Name": "John Import", "System ID": "99", "Registration Completion Date": "1654194808", "Policy": "RMF", "System Type": "IS Major Application", "Authorization Status": "Authorization to Operate (ATO)", "Ongoing POA&M Items": "3", "Risk Accepted POA&M Items": "1", "Overdue POA&M Items": "3", "Completed POA&M Items": "1", "Low or Very Low Residual Risk POA&M Items": "2", "Moderate Residual Risk POA&M Items": "0", "High or Very High Residual Risk POA&M Items": "0", "Low or Very Low Severity POA&M Items": "5", }] }</pre>		

```

    "Moderate Severity POA&M Items": "0",
    "High or Very High Severity POA&M Items": "0",
    "Unassigned Residual Risk POA&M Items": "3",
    "Unassigned Severity POA&M Items": "0"
  },
  {
    "Organization": "NAVSEA",
    "System Acronym": "Jane NNPI Test 6",
    "System Name": "Jane NNPI Test 6",
    "System ID": "40",
    "Registration Completion Date": "1650563063",
    "Policy": "RMF",
    "System Type": "IS Major Application",
    "Authorization Status": "Not Yet Authorized",
    "Ongoing POA&M Items": "1077",
    "Risk Accepted POA&M Items": "41",
    "Overdue POA&M Items": "1077",
    "Completed POA&M Items": "0",
    "Low or Very Low Residual Risk POA&M Items": "123",
    "Moderate Residual Risk POA&M Items": "876",
    "High or Very High Residual Risk POA&M Items": "115",
    "Low or Very Low Severity POA&M Items": "123",
    "Moderate Severity POA&M Items": "876",
    "High or Very High Severity POA&M Items": "115",
    "Unassigned Residual Risk POA&M Items": "4",
    "Unassigned Severity POA&M Items": "4"
  }
],
"pagination": {
  "totalCount": 2,
  "totalPages": 1,
  "pageIndex": 0,
  "pageSize": 20000,
  "prevPageUrl": "",
  "nextPageUrl": ""
}
}

```

4.22.16 System POA&M Details

GET	/api/dashboards/system-poam-details <i>Get dashboard information</i>	
<i>Curl Example</i>		
<pre>curl -L "[URL]/api/dashboards/system-poam-details?orgId=1&pageIndex=0" -H "api-key: 0a60a84d-3fc1-433c-b39f-507adb1f8bec" --cert .\cert.pem</pre>		
<i>Available Query String Parameters</i>		
Name	Type	Example
excludeInherited	Boolean	true, false If no value is specified, the default returns false to include inherited data.

UNCLASSIFIED

orgId	Integer	1 This value will be provided by eMASS Support.
pageIndex	Integer	0 If no value is specified, the default returns results from the first page with an index of 0.
pageSize	Integer	20000 If no value is specified, the default returns up to 20,000 results per page. Exceeding this value is prohibited and will default back to 20,000.

Sample Response (orgId=1, pageIndex=0, pageSize=20000)

```
{
  "meta": {
    "code": 200
  },
  "data": [
    {
      "Organization": "USN",
      "System ID": "1",
      "System Name": "John Assess & Authorize System",
      "System Acronym": "John A&A System",
      "System Type": "IS Major Application",
      "Policy": "RMF",
      "ID": "1010032150",
      "POA&M URL":
        "[URL]/App/CA/DisplayVulnerability/1010032150",
      "Controls / APs": "AC-1; AC-11.3",
      "Control Title": "AC-1 (Access Control Policy And
        Procedures); AC-11 (Session Lock)",
      "Control Criticality": "AC-1 (White); AC-11 (White)",
      "Control Implementation Status": "AC-1 (Implemented); AC-
        11 (Planned)",
      "POA&M Item Status": "Completed",
      "POA&M Item Review Status": "Approved",
      "Scheduled Completion Date": "1653067732",
      "Pending Extension Date": "-",
      "Extension Date": "-",
      "Completion Date": "1653067829",
      "Security Checks": "SV-96481r1_rule",
      "Vulnerability Description": "Failed scan or manual review
        for: [SV-96481r1_rule
        (Moderate) - Apple iOS must
        not include applications
        with the following
        characteristics: Siri when
        the device is locked. (1)
        resource affected].",
      "Devices Affected": "Test Devices",
      "Predisposing Conditions": "Test Conditions",
      "Raw Severity": "II",
      "Severity": "Very Low",
    }
  ]
}
```

UNCLASSIFIED

```

"Relevance Of Threat": "Very Low",
"Threat Descriptions": "Test Threat",
"Likelihood": "Very Low",
"Recommended Likelihood": "Very Low",
"Impact": "Very Low",
"Impact Description": "Test Impact",
"Residual Risk": "Very Low",
"Recommended Residual Risk": "Very Low",
"Mitigations": "Test Mitigations",
"Resulting Residual Risk Level after Proposed
Mitigations": "Very Low",
"Recommendations": "Test Recommendations",
"Source Identifying Vulnerability": "Identified by DISA
                                     STIG Viewer: CMRS
                                     manual review on 06-
                                     May-2022.",

"Resources": "Test Resources",
"Comments": "[SV-96481r1_rule failed on Apple iOS 12]. ",
"Artifact Attachments": "1",
"POC": "John Smith",
"Source": "Not Inherited",
"Created Date": "1653067732",
"Last Modified Date": "1653067828",
"Modified By": "Smith, John",
"Latest Milestone Description": "Test Milestone",
"Milestone Scheduled Completion Date": "1653067732",
"Milestone Created Date": "1653067732",
"Milestone Review Status": "Approved"
},
{
  "Organization": "NAVSEA",
  "System ID": "40",
  "System Name": "Jane Assess and Authorize Test ",
  "System Acronym": "Jane A&A Test",
  "System Type": "IS Major Application",
  "Policy": "RMF",
  "ID": "1010032193",
  "POA&M URL":
    "[URL]/App/CA/DisplayVulnerability/1010032193",
  "Control / APs": "System",
  "Control Title": "-",
  "Control Criticality": "-",
  "Control Implementation Status": "-",
  "POA&M Item Status": "Ongoing",
  "POA&M Item Review Status": "Under Review",
  "Scheduled Completion Date": "1614793549",
  "Pending Extension Date": "-",
  "Extension Date": "-",
  "Completion Date": "-",
  "Security Checks": "SV-84993r1_rule",
  "Vulnerability Description": "At least one tester must be
                                designated to test for
                                security flaws in addition
                                to functional testing.",
  "Devices Affected": "-",
  "Predisposing Conditions": "-",
  "Raw Severity": "-",

```

```

    "Severity": "Moderate",
    "Relevance Of Threat": "Moderate",
    "Threat Descriptions": "-",
    "Likelihood": "Moderate",
    "Recommended Likelihood": "Moderate",
    "Impact": "Moderate",
    "Impact Description": "Description of magnitude of
                          potential harm from the
                          exploitation of this
                          vulnerability.",
    "Residual Risk": "Moderate",
    "Recommended Residual Risk": "Moderate",
    "Mitigations": "Description of the mitigations in place
                   (if any) to counter this vulnerability.",
    "Resulting Residual Risk Level after Proposed
    Mitigations": "-",
    "Recommendations": "Summary of the recommended actions
                       that will further address/reduce the
                       risk of this vulnerability.",
    "Source Identifying Vulnerability":
        "Application_Security_Development_STIG",
    "Resources": "Resources required to correct the identified
                 vulnerability.",
    "Comments": "Description of any relevant information not
                captured by the other fields.",
    "Artifact Attachments": "0",
    "POC": "-",
    "Source": "Not Inherited",
    "Created Date": "1654019161",
    "Last Modified Date": "1654019161",
    "Modified By": "Smith, John",
    "Latest Milestone Description": "Milestone A",
    "Milestone Scheduled Completion Date": "1614793549",
    "Milestone Created Date": "1654019162",
    "Milestone Review Status": "Under Review"
  }
],
"pagination": {
  "totalCount": 2,
  "totalPages": 1,
  "pageIndex": 0,
  "pageSize": 20000,
  "prevPageUrl": "",
  "nextPageUrl": ""
}
}

```

4.22.17 System Artifacts Summary

GET	/api/dashboards/system-artifacts-summary Get dashboard information	
Curl Example		
curl -L "[URL]/api/dashboards/system-artifacts-summary?orgId=1" -H "api-key: 0a60a84d-3fc1-433c-b39f-507adb1f8bec" --cert .\cert.pem		
Available Query String Parameters		
Name	Type	Example
excludeInherited	Boolean	true, false If no value is specified, the default returns false to include inherited data.
orgId	Integer	1 This value will be provided by eMASS Support.
Sample Response (orgId=1, pageSize=20000)		
<pre>{ "meta": { "code": 200 }, "data": [{ "Organization": "Test Org", "Organization Hierarchy": "Army > Test Org", "System Name": "John Assess & Authorize System", "System Acronym": "John A&A System", "System ID": "4", "Policy": "RMF", "Registration Type": "Assess and Authorize", "Authorization Status": "Authorization to Operate (ATO)", "Authorization Termination Date": "1692204393", "Inherited Artifacts": "0", "Total Artifacts": "5", "Expiring Artifacts": "0", "Expired Artifacts": "0", "Artifacts w/o Control/AP Associations": "3" }, { "Organization": "Army", "Organization Hierarchy": "Army", "System Name": "Jane Assess & Authorize System", "System Acronym": "Jane A&A System", "System ID": "5", "Policy": "RMF", "Registration Type": "Assess and Authorize", "Authorization Status": "EXPIRED", "Authorization Termination Date": "1657567243", "Inherited Artifacts": "1",</pre>		

```

        "Total Artifacts": "35",
        "Expiring Artifacts": "0",
        "Expired Artifacts": "4",
        "Artifacts w/o Control/AP Associations": "31"
    }
},
"pagination": {
    "totalCount": 2,
    "totalPages": 1,
    "pageIndex": 0,
    "pageSize": 20000,
    "prevPageUrl": "",
    "nextPageUrl": ""
}
}

```

4.22.18 System Artifacts Details

GET	/api/dashboards/system-artifacts-details <i>Get dashboard information</i>	
Curl Example		
curl -L "[URL]/api/dashboards/system-artifacts-details?orgId=1&pageIndex=0" -H "api-key: 0a60a84d-3fc1-433c-b39f-507adb1f8bec" --cert .\cert.pem		
Available Query String Parameters		
Name	Type	Example
excludeInherited	Boolean	true, false If no value is specified, the default returns false to include inherited data.
orgId	Integer	1 This value will be provided by eMASS Support.
pageIndex	Integer	0 If no value is specified, the default returns results from the first page with an index of 0.
pageSize	Integer	20000 If no value is specified, the default returns up to 20,000 results per page. Exceeding this value is prohibited and will default back to 20,000.
Sample Response (orgId=1, pageIndex=0, pageSize=20000)		
{ "meta": { "code": 200 }, "data": [{		

UNCLASSIFIED

```

"Organization": "Test Org",
"Organization Hierarchy": "Army > Test Org",
"System Name": "John Assess & Authorize System",
"System Acronym": "John A&A System",
"System ID": "4",
"Policy": "RMF",
"Registration Type": "Assess and Authorize",
"Authorization Status": "Authorization to Operate (ATO)",
"Authorization Termination Date": "1692204393",
"Artifact Name": "E-Authentication Assessment",
"Description": "The assessment of new and existing
                electronic transactions within the system
                to ensure that authentication processes
                provide the appropriate level of
                assurance.",
"Filename": "RiskAssessment.pdf",
"Type": "Document",
"Category": "E-Authentication Risk Assessment",
"Inherited From": "-",
"Control Association(s)": "IA-2, IA-8",
"AP Association(s)": "-",
"Template": "No",
"Reference": "-",
"Last Modified": "1660667649",
"Last Reviewed": "-",
"Signed Date": "1659803645",
"Expiration Date": "1691339645",
"Created By": "SSO, Admin",
"Created Date": "1660667649",
"Download URL":
    "[URL]/App/CA/DownloadArtifactFile/147/8541"
},
{
"Organization": "Army",
"Organization Hierarchy": "Army",
"System Name": "Jane Assess & Authorize System",
"System Acronym": "Jane A&A System",
"System ID": "5",
"Policy": "RMF",
"Registration Type": "Assess and Authorize",
"Authorization Status": "Not Yet Authorized",
"Authorization Termination Date": "-",
"Artifact Name": "Configuration Management Plan",
"Description": "A comprehensive description of the roles,
                responsibilities, policies, and
                procedures that apply when managing the
                configuration of products and systems.",
"Filename": "Assessment.xlsx",
"Type": "Other",
"Category": "Configuration Management Plan",
"Inherited From": "-",
"Control Association(s)": "-",
"AP Association(s)": "-",
"Template": "No",
"Reference": "-",
"Last Modified": "1660071054",
"Last Reviewed": "-",

```

```
        "Signed Date": "1660071053",
        "Expiration Date": "1691607053",
        "Created By": "SSO, Admin",
        "Created Date": "1660071054",
        "Download URL":
            "[URL]/App/CA/DownloadArtifactFile/134/8541"
    },
    "pagination": {
        "totalCount": 2,
        "totalPages": 1,
        "pageIndex": 0,
        "pageSize": 20000,
        "prevPageUrl": "",
        "nextPageUrl": ""
    }
}
```

4.22.19 System Hardware Summary

GET	/api/dashboards/system-hardware-summary Get dashboard information	
Curl Example		
<pre>curl -L "[URL]/api/dashboards/system-hardware-summary?orgId=1&pageIndex=0" -H "api-key: 0a60a84d-3fc1-433c-b39f-507adb1f8bec" --cert .\cert.pem</pre>		
Available Query String Parameters		
Name	Type	Example
orgId	Integer	1 This value will be provided by eMASS Support.
pageIndex	Integer	0 If no value is specified, the default returns results from the first page with an index of 0.
pageSize	Integer	20000 If no value is specified, the default returns up to 20,000 results per page. Exceeding this value is prohibited and will default back to 20,000.
Sample Response (orgId=1, pageIndex=0, pageSize=20000)		
<pre>{ "meta": { "code": 200 }, "data": [{ "Organization": "Test Org", "Organization Hierarchy": "USN > Test Org", "System Acronym": "John A&A System", "System Name": "John Assess & Authorize System", "System ID": "1", "Registration Completion Date": "1647639989", "Policy": "RMF", "Authorization Status": "Authorization to Operate (ATO)", "Hardware Matching Criteria": "0", "Total Hardware Assets": "2" }, { "Organization": "USN", "Organization Hierarchy": "USN", "System Acronym": "Jane Guest System", "System Name": "Jane Guest System", "System ID": "2", "Registration Completion Date": "1648063729", "Policy": "RMF", "Authorization Status": "Authority to Connect (ATC)", "Hardware Matching Criteria": "0",</pre>		

```

        "Total Hardware Assets": "0"
    }
  ],
  "pagination": {
    "totalCount": 2,
    "totalPages": 1,
    "pageIndex": 0,
    "pageSize": 20000,
    "prevPageUrl": "",
    "nextPageUrl": ""
  }
}

```

4.22.20 System Hardware Details

GET	/api/dashboards/system-hardware-details <i>Get dashboard information</i>	
Curl Example		
curl -L "[URL]/api/dashboards/system-hardware-details?orgId=1&pageIndex=0" -H "api-key: 0a60a84d-3fc1-433c-b39f-507adb1f8bec" --cert .\cert.pem		
Available Query String Parameters		
Name	Type	Example
orgId	Integer	1 This value will be provided by eMASS Support.
pageIndex	Integer	0 If no value is specified, the default returns results from the first page with an index of 0.
pageSize	Integer	20000 If no value is specified, the default returns up to 20,000 results per page. Exceeding this value is prohibited and will default back to 20,000.
Sample Response (orgId=1, pageIndex=0, pageSize=20000)		
<pre>{ "meta": { "code": 200 }, "data": [{ "Organization": "USN", "System ID": "29", "System Name": "Jane Assess and Authorize System", "System Acronym": "Jane A&A System", "System Type": "IS Major Application", "Component Type": "Web Server", "Asset Name": "test34126", }] }</pre>		

UNCLASSIFIED

```

        "Nickname": "-",
        "Asset IP Address": "100.00.00.34126",
        "Public Facing ": "Yes",
        "Public Facing FQDN": "publicfqdn.emass.mil",
        "Public Facing IP Address": "100.98.88.56",
        "Public Facing URL(s)": "https://publicurl.mil",
        "Virtual Asset": "No",
        "Manufacturer": "Test Manufacturer",
        "Model Number": "T-34925",
        "Serial Number": "00034126",
        "OS/iOS/FW Version": "Windows 2016 Server",
        "Memory Size / Type": "-",
        "Location": "-",
        "Approval Status": "-",
        "Critical Asset": "No",
        "POC Office/Organization": "-",
        "POC First Name": "-",
        "POC Last Name": "-",
        "POC Phone Number": "-",
        "POC Email": "-",
        "Date Reviewed / Updated": "-",
        "Reviewed / Updated By": "-"
    },
    {
        "Organization": "USN",
        "System ID": "29",
        "System Name": "Jane Assess and Authorize System",
        "System Acronym": "Jane A&A System",
        "System Type": "IS Major Application",
        "Component Type": "Web Server",
        "Asset Name": "test34127",
        "Nickname": "-",
        "Asset IP Address": "100.00.00.34127",
        "Public Facing ": "No",
        "Public Facing FQDN": "-",
        "Public Facing IP Address": "-",
        "Public Facing URL(s)": "-",
        "Virtual Asset": "No",
        "Manufacturer": "Test Manufacturer",
        "Model Number": "T-34926",
        "Serial Number": "00034127",
        "OS/iOS/FW Version": "Windows 2016 Server",
        "Memory Size / Type": "-",
        "Location": "-",
        "Approval Status": "-",
        "Critical Asset": "No",
        "POC Office/Organization": "-",
        "POC First Name": "-",
        "POC Last Name": "-",
        "POC Phone Number": "-",
        "POC Email": "-",
        "Date Reviewed / Updated": "-",
        "Reviewed / Updated By": "-"
    }
],
"pagination": {
    "totalCount": 60360,

```

UNCLASSIFIED

```
"totalPages": 4,  
"pageIndex": 0,  
"pageSize": 20000,  
"prevPageUrl": "",  
"nextPageUrl": "https://[URL]/api/dashboards/system-hardware-  
                details?orgid=1&pageIndex=1&pageSize=20000"  
}  
}
```

4.22.21 System Sensor Hardware Summary

GET	/api/dashboards/system-sensor-hardware-summary <i>Get dashboard information</i>	
Curl Example		
curl -L "[URL]/api/dashboards/system-sensor-hardware-summary?orgId=1&pageIndex=0" -H "api-key: 0a60a84d-3fc1-433c-b39f-507adb1f8bec" --cert .\cert.pem		
Available Query String Parameters		
Name	Type	Example
orgId	Integer	1 This value will be provided by eMASS Support.
pageIndex	Integer	0 If no value is specified, the default returns results from the first page with an index of 0.
pageSize	Integer	20000 If no value is specified, the default returns up to 20,000 results per page. Exceeding this value is prohibited and will default back to 20,000.
Sample Response (orgId=1, pageIndex=0, pageSize=20000)		
<pre>{ "meta": { "code": 200 }, "data": [{ "Organization": "Test Org", "Organization Hierarchy": "USN > Test Org", "System Name": "John Assess & Authorize System", "System Acronym": "John A&A System", "System ID": "2", "Registration Completion Date": "1663607178", "Policy": "RMF", "Authorization Status": "Authorization to Operate (ATO)", "Total Resource Devices": "21", "Expected Device Count": "25", "Expected Device Threshold": "± 11%", "Within Tolerance": "No" }, { "Organization": "USN", "Organization Hierarchy": "USN", "System Name": "Jane Assess and Authorize System", "System Acronym": "Jane A&A System", "System ID": "5", "Registration Completion Date": "1671732164",</pre>		

```

        "Policy": "RMF",
        "Authorization Status": "Not Yet Authorized",
        "Total Resource Devices": "3",
        "Expected Device Count": "5",
        "Expected Device Threshold": "± 2",
        "Within Tolerance": "Yes"
    },
    {
        "Organization": "USN",
        "Organization Hierarchy": "USN",
        "System Acronym": "Jane Guest System",
        "System Name": "Jane Guest System",
        "System ID": "7",
        "Registration Completion Date": "1663943375",
        "Policy": "RMF",
        "Authorization Status": "EXPIRED",
        "Total Resource Devices": "0",
        "Expected Device Count": "-",
        "Expected Device Threshold": "-",
        "Within Tolerance": "-"
    }
],
"pagination": {
    "totalCount": 3,
    "totalPages": 1,
    "pageIndex": 0,
    "pageSize": 20000,
    "prevPageUrl": "",
    "nextPageUrl": ""
}
}

```

4.22.22 System Sensor Hardware Details

GET	/api/dashboards/system-sensor-hardware-details <i>Get dashboard information</i>	
Curl Example		
<pre>curl -L "[URL]/api/dashboards/system-sensor-hardware- details?orgId=1&pageIndex=0" -H "api-key: 0a60a84d-3fc1-433c-b39f- 507adb1f8bec" --cert .\cert.pem</pre>		
Available Query String Parameters		
Name	Type	Example
orgId	Integer	1 This value will be provided by eMASS Support.
pageIndex	Integer	0 If no value is specified, the default returns results from the first page with an index of 0.

UNCLASSIFIED

pageSize	Integer	20000 If no value is specified, the default returns up to 20,000 results per page. Exceeding this value is prohibited and will default back to 20,000.
Sample Response (orgId=1, pageIndex=0, pageSize=20000)		
<pre>{ "meta": { "code": 200 }, "data": [{ "Organization": "Navy", "Organization Hierarchy": "Navy", "System Name": "John Assess & Authorize System", "System Acronym": "John A&A System", "System ID": "4", "Host Name": "UCONEMASSFAKEWEB1", "Domain": "home", "FQDN": "AFSHB1803V2", "Nickname": "UCONEMASSFAKEWEB1", "MAC Address": "aa:11:bb:22:cc:33", "IP Address": "200.000.2.001", "Operating System (OS)": "Microsoft Windows 10", "Last Scan Date": "1556753389", "Resource": "200.000.2.001", "Record Identifier": "UCONEMASSFAKEWEB1", "Manufacturer": "Test Manufacturer", "Model": "Test Model", "Serial Number": "Test Serial Number" }, { "Organization": "Navy", "Organization Hierarchy": "Navy", "System Name": "John Assess & Authorize System", "System Acronym": "John A&A System", "System ID": "4", "Host Name": "UCONEMASSFAKEWEB2", "Domain": "WORKGROUP", "FQDN": "AFSHB1803V2", "Nickname": "UCONEMASSFAKEWEB2", "MAC Address": "tt:EF:bc:50:DE:DD", "IP Address": "200.000.2.002", "Operating System (OS)": "Microsoft Windows 10", "Last Scan Date": "1430522989", "Resource": "200.000.2.002", "Record Identifier": "UCONEMASSFAKEWEB2", "Manufacturer": "Test Manufacturer", "Model": "Test Model", "Serial Number": "Test Serial Number" }, { "Organization": "Navy", "Organization Hierarchy": "Navy",</pre>		

```
    "System Name": "John Assess & Authorize System",
    "System Acronym": "John A&A System",
    "System ID": "4",
    "Host Name": "UCONEMASSFAKEWEB3",
    "Domain": "home",
    "FQDN": "AFSHB1803V2",
    "Nickname": "UCONEMASSFAKEWEB3",
    "MAC Address": "6D:34:FF:01:AS:af",
    "IP Address": "200.000.2.003",
    "Operating System (OS)": "Microsoft Windows 10",
    "Last Scan Date": "1430522989",
    "Resource": "200.000.2.003",
    "Record Identifier": "UCONEMASSFAKEWEB3",
    "Manufacturer": "Test Manufacturer",
    "Model": "Test Model",
    "Serial Number": "Test Serial Number"
  },
  ],
  "pagination": {
    "totalCount": 3,
    "totalPages": 1,
    "pageIndex": 0,
    "pageSize": 20000,
    "prevPageUrl": "",
    "nextPageUrl": ""
  }
}
```

4.22.23 System Software Summary

GET	/api/dashboards/system-software-summary <i>Get dashboard information</i>	
Curl Example		
curl -L "[URL]/api/dashboards/system-software-summary?orgId=1&pageIndex=0" -H "api-key: 0a60a84d-3fc1-433c-b39f-507adb1f8bec" --cert .\cert.pem		
Available Query String Parameters		
Name	Type	Example
orgId	Integer	1 This value will be provided by eMASS Support.
pageIndex	Integer	0 If no value is specified, the default returns results from the first page with an index of 0.
pageSize	Integer	20000 If no value is specified, the default returns up to 20,000 results per page. Exceeding this value is prohibited and will default back to 20,000.
Sample Response (orgId=1, pageIndex=0, pageSize=20000)		
<pre>{ "meta": { "code": 200 }, "data": [{ "Organization": "Test Org", "Organization Hierarchy": "DISA > Test Org", "System Acronym": "John A&A System", "System Name": "John Assess & Authorize System", "System ID": "2", "Registration Completion Date": "1681311613", "Policy": "RMF", "Authorization Status": "Authorization to Operate (ATO)", "Software Matching Criteria": "0", "Total Software Assets": "7", "Licenses Used": "60005", "Total Licenses": "110018" }, { "Organization": "DISA", "Organization Hierarchy": "DISA", "System Acronym": "Jane A&A System", "System Name": "Jane Assess & Authorize System", "System ID": "3", "Registration Completion Date": "1681413985", "Policy": "RMF",</pre>		

```

        "Authorization Status": "Not Yet Authorized",
        "Software Matching Criteria": "0",
        "Total Software Assets": "0",
        "Licenses Used": "0",
        "Total Licenses": "0"
    },
    ],
    "pagination": {
        "totalCount": 2,
        "totalPages": 1,
        "pageIndex": 0,
        "pageSize": 20000,
        "prevPageUrl": "",
        "nextPageUrl": ""
    }
}

```

4.22.24 System Software Details

GET	/api/dashboards/system-software-details <i>Get dashboard information</i>	
Curl Example		
curl -L "[URL]/api/dashboards/system-software-details?orgId=1&pageIndex=0" -H "api-key: 0a60a84d-3fc1-433c-b39f-507adb1f8bec" --cert .\cert.pem		
Available Query String Parameters		
Name	Type	Example
orgId	Integer	1 This value will be provided by eMASS Support.
pageIndex	Integer	0 If no value is specified, the default returns results from the first page with an index of 0.
pageSize	Integer	20000 If no value is specified, the default returns up to 20,000 results per page. Exceeding this value is prohibited and will default back to 20,000.
Sample Response (orgId=1, pageIndex=0, pageSize=20000)		
{ "meta": { "code": 200 }, "data": [{ "Organization": "Test Org", "System ID": "2", "System Name": "John Assess & Authorize System",		

UNCLASSIFIED

```

"System Acronym": "John A&A System",
"System Type": "IS Major Application",
"Software Vendor": "MS",
"Software Name": "IE Explorer",
"Software Version": "11",
"Parent System": "Test Parent System",
"Subsystem": "Test Subsystem 1",
"Network": "Test Network",
"Hosting Environment": "Test Hosting Environment",
"Software Dependencies": "Test Software Dependencies",
"Cryptographic Hash": "Test Cryptographic Hash",
"In Service Data": "Test In Service Data",
"IT Budget UII": "Test IT Budget UII",
"Fiscal Year (FY)": "Test Fiscal Year",
"POP End Date": "1696111463",
"License or Contract": "A2-B2",
"License Term": "Test License Term",
"Cost per License": "1000.00",
"Total Licenses": "100",
"Total License Cost": "100000.00",
"Licenses Used": "50",
"License POC": "Jane Doe",
"License Renewal Date": "1693605863",
"License Expiration Date": "1675202663",
"Approval Status": "Approved - DISA UC APL",
"Approval Date": "1641074663",
"Release Date": "1694815463",
"Maintenance Date": "1693605863",
"Retirement Date": "1727733863",
"End of Life/Support Date": "1704146663",
"Extended End of Life/Support Date": "1735769063",
"Critical Asset": "No",
"Location": "Test Location",
"Purpose": "Test Purpose 1",
"POC Office/Organization": "DISA",
"POC First Name": "John",
"POC Last Name": "Smith",
"POC Phone Number": "1111111111",
"POC Email": "john.smith.ctr@mail.mil",
"Date Reviewed / Updated": "1680368876",
"Reviewed / Updated By": "Jane Doe"
},
{
  "Organization": "Test Org",
  "System ID": "2",
  "System Name": "John Assess & Authorize System",
  "System Acronym": "John A&A System",
  "System Type": "IS Major Application",
  "Software Type": "Web Server",
  "Software Vendor": "Apache",
  "Software Name": "Apache Web",
  "Software Version": "1",
  "Parent System": "-",
  "Subsystem": "Test Subsystem 2",
  "Network": "-",
  "Hosting Environment": "-",
  "Software Dependencies": "-",

```

```

        "Cryptographic Hash": "-",
        "In Service Data": "-",
        "IT Budget UII": "-",
        "Fiscal Year (FY)": "-",
        "POP End Date": "-",
        "License or Contract": "A3-B3",
        "License Term": "-",
        "Cost per License": "-",
        "Total Licenses": "10000",
        "Total License Cost": "-",
        "Licenses Used": "9999",
        "License POC": "Thomas Anderson",
        "License Renewal Date": "-",
        "License Expiration Date": "1267829751",
        "Approval Status": "Approved - NIAP CCVES",
        "Approval Date": "-",
        "Release Date": "-",
        "Maintenance Date": "-",
        "Retirement Date": "-",
        "End of Life/Support Date": "-",
        "Extended End of Life/Support Date": "-",
        "Critical Asset": "No",
        "Unsupported Operating System": "Yes",
        "Unapproved Software from TRM": "Yes",
        "Approved Waiver": "Yes",
        "Location": "-",
        "Purpose": "Test Purpose 2",
        "POC Office/Organization": "DISA",
        "POC First Name": "John",
        "POC Last Name": "Smith",
        "POC Phone Number": "1111111111",
        "POC Email": "john.smith.ctr@mail.mil",
        "Date Reviewed / Updated": "1680368876",
        "Reviewed / Updated By": "Jane Doe"
    },
    ],
    "pagination": {
        "totalCount": 60360,
        "totalPages": 4,
        "pageIndex": 0,
        "pageSize": 20000,
        "prevPageUrl": "",
        "nextPageUrl": "https://[URL]/api/dashboards/system-software-
                        details?orgid=1&pageIndex=1&pageSize=20000"
    }
}

```

4.22.25 System Sensor Software Summary

GET	/api/dashboards/system-sensor-software-summary Get dashboard information	
Curl Example		
curl -L "[URL]/api/dashboards/system-sensor-software-summary?orgId=1&pageIndex=0" -H "api-key: 0a60a84d-3fc1-433c-b39f-507adb1f8bec" --cert .\cert.pem		
Available Query String Parameters		
Name	Type	Example
orgId	Integer	1 This value will be provided by eMASS Support.
pageIndex	Integer	0 If no value is specified, the default returns results from the first page with an index of 0.
pageSize	Integer	20000 If no value is specified, the default returns up to 20,000 results per page. Exceeding this value is prohibited and will default back to 20,000.
Sample Response (orgId=1, pageIndex=0, pageSize=20000)		
<pre>{ "meta": { "code": 200 }, "data": [{ "Organization": "Test Org", "Organization Hierarchy": "DISA > Test Org", "System Name": "John Assess & Authorize System", "System Acronym": "John A&A System", "System ID": "2", "Registration Completion Date": "1681311613", "Policy": "RMF", "Authorization Status": "Authorization to Operate (ATO)", "Total Resources Software": "5" }, { "Organization": "DISA", "Organization Hierarchy": "DISA", "System Name": "Jane Assess & Authorize System", "System Acronym": "Jane A&A System", "System ID": "3", "Registration Completion Date": "1681413985", "Policy": "RMF", "Authorization Status": "Not Yet Authorized", "Total Resources Software": "0" }] }</pre>		

```

    }
  ],
  "pagination": {
    "totalCount": 2,
    "totalPages": 1,
    "pageIndex": 0,
    "pageSize": 20000,
    "prevPageUrl": "",
    "nextPageUrl": ""
  }
}

```

4.22.26 System Sensor Software Counts

GET	/api/dashboards/system-sensor-software-counts <i>Get dashboard information</i>	
Curl Example		
curl -L "[URL]/api/dashboards/system-sensor-software-counts?orgId=1&pageIndex=0" -H "api-key: 0a60a84d-3fc1-433c-b39f-507adb1f8bec" --cert .\cert.pem		
Available Query String Parameters		
Name	Type	Example
orgId	Integer	1 This value will be provided by eMASS Support.
pageIndex	Integer	0 If no value is specified, the default returns results from the first page with an index of 0.
pageSize	Integer	20000 If no value is specified, the default returns up to 20,000 results per page. Exceeding this value is prohibited and will default back to 20,000.
Sample Response (orgId=1, pageIndex=0, pageSize=20000)		
<pre>{ "meta": { "code": 200 }, "data": [{ "Organization": "Test Org", "Organization Hierarchy": "DISA > Test Org", "System Name": "John Assess & Authorize System", "System Acronym": "John A&A System", "System ID": "2", "Product": "content_navigator", "Version": "2.0.3", }] }</pre>		


```

        "Vendor": "ibm",
        "Software Type": "Unknown",
        "Count": "1"
    },
    {
        "Organization": "Test Org",
        "Organization Hierarchy": "DISA > Test Org",
        "System Name": "John Assess & Authorize System",
        "System Acronym": "John A&A System",
        "System ID": "2",
        "Product": "wisepoint",
        "Version": "3.6.15",
        "Vendor": "falcons",
        "Software Type": "Unknown",
        "Count": "1"
    },
    {
        "Organization": "DISA",
        "Organization Hierarchy": "DISA",
        "System Name": "Jane Assess & Authorize System",
        "System Acronym": "Jane A&A System",
        "System ID": "3",
        "Product": "spectrum_protect_client",
        "Version": "7.1.3",
        "Vendor": "ibm",
        "Software Type": "Unknown",
        "Count": "2"
    },
    {
        "Organization": "DISA",
        "Organization Hierarchy": "DISA",
        "System Name": "Jane Assess & Authorize System",
        "System Acronym": "Jane A&A System",
        "System ID": "3",
        "Product": "restler",
        "Version": "1.1.5",
        "Vendor": "luracast",
        "Software Type": "Unknown",
        "Count": "2"
    }
],
"pagination": {
    "totalCount": 72309,
    "totalPages": 4,
    "pageIndex": 0,
    "pageSize": 20000,
    "prevPageUrl": "",
    "nextPageUrl": "[URL]/api/dashboards/system-sensor-software-
counts?orgid=1&pageIndex=1&pageSize=20000"
}
}

```

4.22.27 System Sensor Software Details

GET	/api/dashboards/system-sensor-software-details <i>Get dashboard information</i>	
Curl Example		
curl -L "[URL]/api/dashboards/system-sensor-software-details?orgId=1&pageIndex=0" -H "api-key: 0a60a84d-3fc1-433c-b39f-507adb1f8bec" --cert .\cert.pem		
Available Query String Parameters		
Name	Type	Example
orgId	Integer	1 This value will be provided by eMASS Support.
pageIndex	Integer	0 If no value is specified, the default returns results from the first page with an index of 0.
pageSize	Integer	20000 If no value is specified, the default returns up to 20,000 results per page. Exceeding this value is prohibited and will default back to 20,000.
Sample Response (orgId=1, pageIndex=0, pageSize=20000)		
<pre>{ "meta": { "code": 200 }, "data": [{ "Organization": "Test Org", "Organization Hierarchy": "USN > Test Org", "System Name": "John Assess & Authorize System", "System Acronym": "John A&A System", "System ID": "2", "Product": "content_navigator", "Version": "2.0.3", "Vendor": "ibm", "Software Type": "Unknown", "Host Name": "dev-uw2k7sirr", "Domain": "dev.cdmlab.boozallencsn.com", "FQDN": "dev-uw2k7sirr.dev.cdmlab.boozallencsn.com", "Nickname": "dev-uw2k7sirr", "Resource": "EAR", "Record Identifier": "69e49a54-ec06-4dc8-859f-ac4173f77818" }, { "Organization": "Test Org", "Organization Hierarchy": "USN > Test Org",</pre>		

```

        "System Name": "John Assess & Authorize System",
        "System Acronym": "John A&A System",
        "System ID": "2",
        "Product": "wisepoint",
        "Version": "3.6.15",
        "Vendor": "falcons",
        "Software Type": "Unknown",
        "Host Name": "cdm-klwf1kf4nq",
        "Domain": "cdm.boozallencsn.com",
        "FQDN": "cdm-klwf1kf4nq.cdm.boozallencsn.com",
        "Nickname": "cdm-klwf1kf4nq",
        "Resource": "EAR",
        "Record Identifier": "d0cbc8f1-07a6-4cd5-992f-
                           8f6bd08c5c99"
    },
    {
        "Organization": "Test Org",
        "Organization Hierarchy": "USN > Test Org",
        "System Name": "John Assess & Authorize System",
        "System Acronym": "John A&A System",
        "System ID": "2",
        "Product": "spectrum_protect_client",
        "Version": "7.1.3",
        "Vendor": "ibm",
        "Software Type": "Unknown",
        "Host Name": "to2b-a8jg0n",
        "Domain": "to2b.cdm.boozallencsn.com",
        "FQDN": "to2b-a8jg0n.to2b.cdm.boozallencsn.com",
        "Nickname": "to2b-a8jg0n",
        "Resource": "EAR",
        "Record Identifier": "0fa69b29-9b44-48c3-8e64-
                           5eb3e34bb649"
    }
],
"pagination": {
    "totalCount": 81200,
    "totalPages": 5,
    "pageIndex": 0,
    "pageSize": 20000,
    "prevPageUrl": "",
    "nextPageUrl": "[URL]/api/dashboards/system-sensor-software-
                    details?orgid=1&pageIndex=1&pageSize=20000"
}
}

```

4.22.28 System Critical Assets Summary

GET	/api/dashboards/system-critical-assets-summary Get dashboard information	
Curl Example		
curl -L "[URL]/api/dashboards/system-critical-assets-summary?orgId=1&pageIndex=0" -H "api-key: 0a60a84d-3fc1-433c-b39f-507adb1f8bec" --cert .\cert.pem		
Available Query String Parameters		
Name	Type	Example
orgId	Integer	1 This value will be provided by eMASS Support.
pageIndex	Integer	0 If no value is specified, the default returns results from the first page with an index of 0.
pageSize	Integer	20000 If no value is specified, the default returns up to 20,000 results per page. Exceeding this value is prohibited and will default back to 20,000.
Sample Response (orgId=1, pageIndex=0, pageSize=20000)		
<pre>{ "meta": { "code": 200 }, "data": [{ "Organization": "TO", "Organization Hierarchy": "VA > TO", "System Acronym": "John A&A System", "System Name": "John Assess & Authorize System", "System ID": "1", "Registration Completion Date": "1647629325", "Policy": "RMF", "Authorization Status": "Authorization to Operate (ATO)", "Critical Hardware Assets": "0", "Total Hardware Assets": "14", "Critical Software Assets": "4", "Total Software Assets": "7" }, { "Organization": "VA", "Organization Hierarchy": "VA", "System Acronym": "Enterprise Policy SOR", "System Name": "Enterprise Policy System of Record", "System ID": "2", "Registration Completion Date": "1647629496",</pre>		

```

        "Policy": "RMF",
        "Authorization Status": "Not Yet Authorized",
        "Critical Hardware Assets": "0",
        "Total Hardware Assets": "0",
        "Critical Software Assets": "0",
        "Total Software Assets": "0"
    },
    {
        "Organization": "VA",
        "Organization Hierarchy": "VA",
        "System Acronym": "Jane A&A System",
        "System Name": "Jane Assess & Authorize System",
        "System ID": "4",
        "Registration Completion Date": "1647636738",
        "Policy": "RMF",
        "Authorization Status": "Authorization to Operate (ATO)",
        "Critical Hardware Assets": "0",
        "Total Hardware Assets": "11",
        "Critical Software Assets": "0",
        "Total Software Assets": "0"
    },
    {
        "Organization": "VA",
        "Organization Hierarchy": "VA",
        "System Acronym": "Sample System",
        "System Acronym": "Sample System",
        "System ID": "5",
        "Registration Completion Date": "1647886842",
        "Policy": "RMF",
        "Authorization Status": "Authorization to Operate (ATO)",
        "Critical Hardware Assets": "1",
        "Total Hardware Assets": "12",
        "Critical Software Assets": "0",
        "Total Software Assets": "3"
    },
    ],
    "pagination": {
        "totalCount": 4,
        "totalPages": 1,
        "pageIndex": 0,
        "pageSize": 20000,
        "prevPageUrl": "",
        "nextPageUrl": ""
    }
}

```

4.22.29 System Vulnerability Summary

GET	/api/dashboards/system-vulnerability-summary <i>Get dashboard information</i>	
Curl Example		
curl -L "[URL]/api/dashboards/system-vulnerability-summary?orgId=1&pageIndex=0" -H "api-key: 0a60a84d-3fc1-433c-b39f-507adb1f8bec" --cert .\cert.pem		
Available Query String Parameters		
Name	Type	Example
orgId	Integer	1 This value will be provided by eMASS Support.
pageIndex	Integer	0 If no value is specified, the default returns results from the first page with an index of 0.
pageSize	Integer	20000 If no value is specified, the default returns up to 20,000 results per page. Exceeding this value is prohibited and will default back to 20,000.
Sample Response (orgId=1, pageIndex=0, pageSize=20000)		
<pre>{ "meta": { "code": 200 }, "data": [{ "Organization": "Test Org", "Organization Hierarchy": "USN > Test Org", "System Name": "John Assess & Authorize System", "System Acronym": "John A&A System", "System ID": "2", "Registration Completion Date": "1686687681", "Authorization Status": "Not Yet Authorized", "Total Devices": "284", "Total Passed": "28291", "Total NR/NA": "0", "Total Failed": "28225", "CSM Compliance": "49%", "Failed High/Very High VULN Compliance": "27%" }, { "Organization": "USN", "Organization Hierarchy": "USN", "System Acronym": "Jane A&A System", "System Name": "Jane Assess & Authorize System", "System ID": "3",</pre>		

```

    "Registration Completion Date": "1684346080",
    "Authorization Status": " Authorization to Operate (ATO)",
    "Total Devices": "0",
    "Total Passed": "1",
    "Total NR/NA": "0",
    "Total Failed": "3",
    "CSM Compliance": "0%",
    "Failed High/Very High VULN Compliance": "0%"
  },
  "pagination": {
    "totalCount": 2,
    "totalPages": 1,
    "pageIndex": 0,
    "pageSize": 20000,
    "prevPageUrl": "",
    "nextPageUrl": ""
  }
}

```

4.22.30 System Device Findings Summary

GET	/api/dashboards/system-device-findings-summary <i>Get dashboard information</i>	
Curl Example		
<pre>curl -L "[URL]/api/dashboards/system-device-findings-summary?orgId=1&pageIndex=0" -H "api-key: 0a60a84d-3fc1-433c-b39f-507adb1f8bec" --cert .\cert.pem</pre>		
Available Query String Parameters		
Name	Type	Example
orgId	Integer	1 This value will be provided by eMASS Support.
pageIndex	Integer	0 If no value is specified, the default returns results from the first page with an index of 0.
pageSize	Integer	20000 If no value is specified, the default returns up to 20,000 results per page. Exceeding this value is prohibited and will default back to 20,000.
Sample Response (orgId=1, pageIndex=0, pageSize=20000)		
<pre>{ "meta": { "code": 200 }, "data": [{ "id": 1, "name": "Sample Device", "type": "Device", "status": "Active", "lastSeen": "2023-10-27T10:30:00Z", "location": "Room 101", "owner": "John Doe", "serial": "ABC123", "model": "Model X", "firmware": "1.0.0", "ip": "192.168.1.1", "mac": "AA-BB-CC-DD-EE-FF", "tags": ["Sample", "Device"] }, { "id": 2, "name": "Sample Device", "type": "Device", "status": "Inactive", "lastSeen": "2023-10-27T10:30:00Z", "location": "Room 102", "owner": "John Doe", "serial": "ABC123", "model": "Model X", "firmware": "1.0.0", "ip": "192.168.1.1", "mac": "AA-BB-CC-DD-EE-FF", "tags": ["Sample", "Device"] }, { "id": 3, "name": "Sample Device", "type": "Device", "status": "Active", "lastSeen": "2023-10-27T10:30:00Z", "location": "Room 103", "owner": "John Doe", "serial": "ABC123", "model": "Model X", "firmware": "1.0.0", "ip": "192.168.1.1", "mac": "AA-BB-CC-DD-EE-FF", "tags": ["Sample", "Device"] }, { "id": 4, "name": "Sample Device", "type": "Device", "status": "Active", "lastSeen": "2023-10-27T10:30:00Z", "location": "Room 104", "owner": "John Doe", "serial": "ABC123", "model": "Model X", "firmware": "1.0.0", "ip": "192.168.1.1", "mac": "AA-BB-CC-DD-EE-FF", "tags": ["Sample", "Device"] }, { "id": 5, "name": "Sample Device", "type": "Device", "status": "Active", "lastSeen": "2023-10-27T10:30:00Z", "location": "Room 105", "owner": "John Doe", "serial": "ABC123", "model": "Model X", "firmware": "1.0.0", "ip": "192.168.1.1", "mac": "AA-BB-CC-DD-EE-FF", "tags": ["Sample", "Device"] }, { "id": 6, "name": "Sample Device", "type": "Device", "status": "Active", "lastSeen": "2023-10-27T10:30:00Z", "location": "Room 106", "owner": "John Doe", "serial": "ABC123", "model": "Model X", "firmware": "1.0.0", "ip": "192.168.1.1", "mac": "AA-BB-CC-DD-EE-FF", "tags": ["Sample", "Device"] }, { "id": 7, "name": "Sample Device", "type": "Device", "status": "Active", "lastSeen": "2023-10-27T10:30:00Z", "location": "Room 107", "owner": "John Doe", "serial": "ABC123", "model": "Model X", "firmware": "1.0.0", "ip": "192.168.1.1", "mac": "AA-BB-CC-DD-EE-FF", "tags": ["Sample", "Device"] }, { "id": 8, "name": "Sample Device", "type": "Device", "status": "Active", "lastSeen": "2023-10-27T10:30:00Z", "location": "Room 108", "owner": "John Doe", "serial": "ABC123", "model": "Model X", "firmware": "1.0.0", "ip": "192.168.1.1", "mac": "AA-BB-CC-DD-EE-FF", "tags": ["Sample", "Device"] }, { "id": 9, "name": "Sample Device", "type": "Device", "status": "Active", "lastSeen": "2023-10-27T10:30:00Z", "location": "Room 109", "owner": "John Doe", "serial": "ABC123", "model": "Model X", "firmware": "1.0.0", "ip": "192.168.1.1", "mac": "AA-BB-CC-DD-EE-FF", "tags": ["Sample", "Device"] }, { "id": 10, "name": "Sample Device", "type": "Device", "status": "Active", "lastSeen": "2023-10-27T10:30:00Z", "location": "Room 110", "owner": "John Doe", "serial": "ABC123", "model": "Model X", "firmware": "1.0.0", "ip": "192.168.1.1", "mac": "AA-BB-CC-DD-EE-FF", "tags": ["Sample", "Device"] }] }</pre>		

```

{
  "Organization": "Test Org",
  "Organization Hierarchy": "USN > Test Org",
  "System Name": "John Assess & Authorize System",
  "System Acronym": "John A&A System",
  "System ID": "2",
  "Security Check": "SV-253398r829278_rule",
  "Security Check Title": "File Explorer shell protocol must
    run in protected mode.",
  "Security Check Definition": "The shell protocol will
    limit the set of folders applications can open when run
    in protected mode. Restricting files an application can
    open, to a limited set of folders, increases the
    security of Windows.",
  "Benchmark": "MS_SQL_Server_2016_Instance_STIG;
    MS_Windows_10_STIG",
  "Devices Affected": "3",
  "Raw Severity": "Moderate",
  "Control Acronym": "CM-6",
  "Associated POA&M Items": "0",
  "Total Passed": "1",
  "Total NR/NA": "0",
  "Total Failed": "1"
},
{
  "Organization": "Test Org",
  "Organization Hierarchy": "USN > Test Org",
  "System Name": "John Assess & Authorize System",
  "System Acronym": "John A&A System",
  "System ID": "2",
  "Security Check": "SV-253399r829281_rule",
  "Security Check Title": "Windows 11 must be configured to
    disable Windows Game Recording and Broadcasting.",
  "Security Check Definition": "Windows Game Recording and
    Broadcasting is intended for use with games; however, it
    could potentially record screen shots of other
    applications and expose sensitive data. Disabling the
    feature will prevent this from occurring.",
  "Benchmark": "MS_SQL_Server_2016_Instance_STIG;
    MS_Windows_10_STIG",
  "Devices Affected": "3",
  "Raw Severity": "Moderate",
  "Control Acronym": "CM-7",
  "Associated POA&M Items": "0",
  "Total Passed": "2",
  "Total NR/NA": "0",
  "Total Failed": "2"
},
{
  "Organization": "USN",
  "Organization Hierarchy": "USN",
  "System Name": "Jane Assess & Authorize System",
  "System Acronym": "Jane A&A System",
  "System ID": "3",
  "Security Check": "2012-A-0059",
  "Security Check Definition": "-",
  "Benchmark": "acas.iavm.results",

```



```

        "Devices Affected": "2",
        "Raw Severity": "-",
        "Control Acronym": "-",
        "Associated POA&M Items": "0",
        "Total Passed": "2",
        "Total NR/NA": "0",
        "Total Failed": "0"
    },
    "pagination": {
        "totalCount": 3,
        "totalPages": 1,
        "pageIndex": 0,
        "pageSize": 20000,
        "prevPageUrl": "",
        "nextPageUrl": ""
    }
}

```

4.22.31 System Device Findings Details

GET	/api/dashboards/system-device-findings-details <i>Get dashboard information</i>	
Curl Example		
<pre>curl -L "[URL]/api/dashboards/system-device-findings- details?orgId=1&pageIndex=0" -H "api-key: 0a60a84d-3fc1-433c-b39f- 507adb1f8bec" --cert .\cert.pem</pre>		
Available Query String Parameters		
Name	Type	Example
orgId	Integer	1 This value will be provided by eMASS Support.
pageIndex	Integer	0 If no value is specified, the default returns results from the first page with an index of 0.
pageSize	Integer	20000 If no value is specified, the default returns up to 20,000 results per page. Exceeding this value is prohibited and will default back to 20,000.
Sample Response (orgId=1, pageIndex=0, pageSize=20000)		
<pre>{ "meta": { "code": 200 }, "data": [{</pre>		

UNCLASSIFIED

```

    "Organization": "Test Org",
    "Organization Hierarchy": "USN > Test Org",
    "System Name": "John Assess & Authorize System",
    "System Acronym": "John A&A System",
    "System ID": "2",
    "Security Check": "SV-220968r569187_rule",
    "Nickname": "DESKTOP P54T1S4",
    "Hostname": "DESKTOP-P54T1S4.home",
    "Benchmark": "DISA STIG DISA Windows 10",
    "Version/Release": "V2, R4",
    "Scan Type": "ACAS: NESSUS",
    "First Seen Date": "1680897664",
    "Last Scan Date": "1680897664",
    "Ingested Date": "1701447485",
    "Result": "Failed",
    "Raw Severity": "Moderate"
  },
  {
    "Organization": "Test Org",
    "Organization Hierarchy": "USN > Test Org",
    "System Name": "John Assess & Authorize System",
    "System Acronym": "John A&A System",
    "System ID": "2",
    "Security Check": "CVE-2021-20683",
    "Nickname": "CDM 0HRR4",
    "Hostname": "cdm-0hrr4can",
    "Benchmark": "cdm.vul.results",
    "Version/Release": "R7",
    "Scan Type": "Unknown",
    "First Seen Date": "1680898259",
    "Last Scan Date": "1686760931",
    "Ingested Date": "1686761711",
    "Result": "Failed",
    "Raw Severity": "High"
  },
  {
    "Organization": "USN",
    "Organization Hierarchy": "USN",
    "System Name": "Jane Assess & Authorize System",
    "System Acronym": "Jane A&A System",
    "System ID": "3",
    "Security Check": "2012-A-0059",
    "Nickname": "CDM 0HRR4",
    "Hostname": "cdm-0hrr4can",
    "Benchmark": "cdm.vul.results",
    "Version/Release": "-",
    "Scan Type": "Unknown",
    "First Seen Date": "1686760931",
    "Last Scan Date": "1686760931",
    "Ingested Date": "1686761711",
    "Result": "Failed",
    "Raw Severity": "Very High"
  }
],
"pagination": {
  "totalCount": 3,
  "totalPages": 1,

```

```
    "pageIndex": 0,  
    "pageSize": 20000,  
    "prevPageUrl": "",  
    "nextPageUrl": "",  
  }  
}
```

4.22.32 System Application Findings Summary

GET	/api/dashboards/system-application-findings-summary <i>Get dashboard information</i>	
Curl Example		
curl -L "[URL]/api/dashboards/system-application-findings-summary?orgId=1&pageIndex=0" -H "api-key: 0a60a84d-3fc1-433c-b39f-507adb1f8bec" --cert .\cert.pem		
Available Query String Parameters		
Name	Type	Example
orgId	Integer	1 This value will be provided by eMASS Support.
pageIndex	Integer	0 If no value is specified, the default returns results from the first page with an index of 0.
pageSize	Integer	20000 If no value is specified, the default returns up to 20,000 results per page. Exceeding this value is prohibited and will default back to 20,000.
Sample Response (orgId=1, pageIndex=0, pageSize=20000)		
<pre>{ "meta": { "code": 200 }, "data": [{ "Organization": "TO", "Organization Hierarchy": "VA > TO", "System Name": "John Assess & Authorize System", "System Acronym": "John A&A System", "System ID": "4", "Application Name": "HealthFirst Suite", "Version": "1.2.3", "Total": "57", "Very High": "1", "High": "10", "Moderate": "1", "Low": "40", "Unknown": "5", "Date Updated": "1660590853", "Count": "1055" }, { "Organization": "TO", "Organization Hierarchy": "VA > TO", "System Name": "John Assess & Authorize System",</pre>		

```

        "System Acronym": "John A&A System",
        "System ID": "4",
        "Application Name": "Health Portal",
        "Version": "5.7.1.2",
        "Total": "47",
        "Very High": "1",
        "High": "9",
        "Moderate": "1",
        "Low": "31",
        "Unknown": "5",
        "Date Updated": "1660590872",
        "Count": "770"
    },
    {
        "Organization": "VA",
        "Organization Hierarchy": "VA",
        "System Name": "Jane Assess & Authorize System",
        "System Acronym": "Jane A&A System",
        "System ID": "5",
        "Application Name": "Minor App",
        "Version": "1.22",
        "Total": "296",
        "Very High": "47",
        "High": "93",
        "Moderate": "145",
        "Low": "11",
        "Unknown": "0",
        "Date Updated": "1686321517",
        "Count": "301"
    }
],
"pagination": {
    "totalCount": 3,
    "totalPages": 1,
    "pageIndex": 0,
    "pageSize": 20000,
    "prevPageUrl": "",
    "nextPageUrl": ""
}
}

```

4.22.33 System Application Findings Details

GET	/api/dashboards/system-application-findings-details Get dashboard information	
Curl Example		
<pre>curl -L "[URL]/api/dashboards/system-application-findings- details?orgId=1&pageIndex=0" -H "api-key: 0a60a84d-3fc1-433c-b39f- 507adb1f8bec" --cert .\cert.pem</pre>		
Available Query String Parameters		
Name	Type	Example
orgId	Integer	1 This value will be provided by eMASS Support.
pageIndex	Integer	0 If no value is specified, the default returns results from the first page with an index of 0.
pageSize	Integer	20000 If no value is specified, the default returns up to 20,000 results per page. Exceeding this value is prohibited and will default back to 20,000.
Sample Response (orgId=1, pageIndex=0, pageSize=20000)		
<pre>{ "meta": { "code": 200 }, "data": [{ "Organization": "TO", "System Name": "John Assess & Authorize System", "System Acronym": "John A&A System", "System ID": "4", "System Type": "IS Major Application", "Application Name": "HealthFirst Suite", "Application Version": "1.2.3", "Date Uploaded": "1660590853", "Date Updated": "1660590853", "Vulnerability Name": "Access Control: Database", "Raw Severity": "High", "Count": "141" }, { "Organization": "TO", "System Name": "John Assess & Authorize System", "System Acronym": "John A&A System", "System ID": "4", "System Type": "IS Major Application", "Application Name": "HealthFirst Suite",</pre>		

```

        "Application Version": "1.2.3",
        "Date Uploaded": "1660590853",
        "Date Updated": "1660590853",
        "Vulnerability Name": "Access Control: LDAP",
        "Raw Severity": "High",
        "Count": "6"
    },
    {
        "Organization": "TO",
        "System Name": "John Assess & Authorize System",
        "System Acronym": "John A&A System",
        "System ID": "4",
        "System Type": "IS Major Application",
        "Application Name": "HealthFirst Suite",
        "Application Version": "1.2.3",
        "Date Uploaded": "1660590853",
        "Date Updated": "1660590853",
        "Vulnerability Name": "Build Misconfiguration: External
                               Maven Dependency Repository",
        "Raw Severity": "Low",
        "Count": "9"
    },
    {
        "Organization": "TO",
        "System Name": "John Assess & Authorize System",
        "System Acronym": "John A&A System",
        "System ID": "4",
        "System Type": "IS Major Application",
        "Application Name": "HealthFirst Suite",
        "Application Version": "1.2.3",
        "Date Uploaded": "1660590853",
        "Date Updated": "1660590853",
        "Vulnerability Name": "Code Correctness: Byte Array to
                               String Conversion",
        "Raw Severity": "Low",
        "Count": "1"
    }
],
"pagination": {
    "totalCount": 3,
    "totalPages": 1,
    "pageIndex": 0,
    "pageSize": 20000,
    "prevPageUrl": "",
    "nextPageUrl": ""
}
}

```

4.22.34 System Ports/Protocols Summary

GET	/api/dashboards/system-ports-protocols-summary Get dashboard information	
Curl Example		
<pre>curl -L "[URL]/api/dashboards/system-ports-protocols-summary?orgId=1&pageIndex=0" -H "api-key: 0a60a84d-3fc1-433c-b39f-507adb1f8bec" --cert .\cert.pem</pre>		
Available Query String Parameters		
Name	Type	Example
orgId	Integer	1 This value will be provided by eMASS Support.
pageIndex	Integer	0 If no value is specified, the default returns results from the first page with an index of 0.
pageSize	Integer	20000 If no value is specified, the default returns up to 20,000 results per page. Exceeding this value is prohibited and will default back to 20,000.
Sample Response (orgId=1, pageIndex=0, pageSize=20000)		
<pre>{ "meta": { "code": 200 }, "data": [{ "Organization": "Test Org", "Organization Hierarchy": "USN > Test Org", "System Acronym": "John A&A System", "System Name": "John Assess & Authorize System", "System ID": "1", "Registration Completion Date": "1680044244", "Policy": "RMF", "Authorization Status": "Authorization to Operate (ATO)", "Public Facing Component / Presence": "No", "System Authorization Boundary": "Test Auth Boundary", "PPSM Registration Required": "Yes", "PPSM Registry Number": "09123HAT", "PPSM Registration Exemption Justification": "-", "Date Reviewed/Updated": "1677678356", "Reviewed/Updated By": "John Smith", "POC Office/Organization": "USN", "POC First Name": "John", "POC Last Name": "Smith", "POC Phone Number": "111-111-1111", "POC Email": "john.smith.ctr@mail.mil", }] }</pre>		


```

        "Ports/Protocols Matching Criteria": "0",
        "Total Ports/Protocols": "2"
    },
    {
        "Organization": "USN",
        "Organization Hierarchy": "USN",
        "System Acronym": "Jane Guest System",
        "System Name": "Jane Guest System",
        "System ID": "2",
        "Registration Completion Date": "1680112972",
        "Policy": "RMF",
        "Authorization Status": "Authority to Connect (ATC)",
        "Public Facing Component / Presence": "No",
        "System Authorization Boundary": "-",
        "PPSM Registration Required": "No",
        "PPSM Registry Number": "-",
        "PPSM Registration Exemption Justification": "Test
                                                    Justification Exemption",
        "Date Reviewed/Updated": "-",
        "Reviewed/Updated By": "-",
        "POC Office/Organization": "-",
        "POC First Name": "-",
        "POC Last Name": "-",
        "POC Phone Number": "-",
        "POC Email": "-",
        "Ports/Protocols Matching Criteria": "0",
        "Total Ports/Protocols": "0"
    }
],
"pagination": {
    "totalCount": 2,
    "totalPages": 1,
    "pageIndex": 0,
    "pageSize": 20000,
    "prevPageUrl": "",
    "nextPageUrl": ""
}
}

```

4.22.35 System Ports/Protocols Details

GET	/api/dashboards/system-ports-protocols-details <i>Get dashboard information</i>		
<i>Curl Example</i>			
curl -L "[URL]/api/dashboards/system-ports-protocols-details?orgId=1&pageIndex=0" -H "api-key: 0a60a84d-3fc1-433c-b39f-507adb1f8bec" --cert .\cert.pem			
<i>Available Query String Parameters</i>			
Name		Type	Example
orgId		Integer	1

UNCLASSIFIED

		This value will be provided by eMASS Support.
pageIndex	Integer	0 If no value is specified, the default returns results from the first page with an index of 0.
pageSize	Integer	20000 If no value is specified, the default returns up to 20,000 results per page. Exceeding this value is prohibited and will default back to 20,000.

Sample Response
(orgId=1, pageIndex=0, pageSize=20000)

```
{
  "meta": {
    "code": 200
  },
  "data": [
    {
      "Organization": "Test Org",
      "Organization Hierarchy": "USN > Test Org",
      "System Acronym": "John A&A System",
      "System Name": "John Assess & Authorize System",
      "System ID": "1",
      "Registration Type": "Assess and Authorize",
      "Policy": "RMF",
      "System Type": "IS Major Application",
      "Authorization Status": "Authorization to Operate (ATO)",
      "Public Facing Component / Presence": "No",
      "PPSM Registration Required": "Yes",
      "PPSM Registry Number": "09123HAT",
      "PPSM Registration Exemption Justification": "-",
      "Type": "Least Function",
      "Application/Software Record Name": "Sample App 1",
      "Protocol": "TCP",
      "Data Service": "HTTPS",
      "Port": "443",
      "Boundary": "1. Ext to DoD GW (In); 2. DoD GW to Ext (Out)",
      "Source Device or Server Name": "emassfakeweb1",
      "Source Physical Location or Cloud Service Provider": "DISA STRATUS",
      "Source IP Address": "100.99.88.77",
      "Source FQDN": "samplefqdn1",
      "Connection Logical Source Point": "Internal Use Only (External Network)",
      "Destination Device or Server Name": "testdestination1",
      "Destination Physical Location or Cloud Server Provider": "Amazon AWS",
      "Destination IP Address": "200.2.3.4.5",
      "Destination FQDN": "services.nvd.nist.gov",
      "Connection Logical Destination Point": "AF Base Enclave DMZ (DoD Network)",
      "VPN / Encrypted Tunnel Traffic": "No",
      "VPN Tunnel Type": "Out of Band (OOB) Management Network",
    }
  ]
}
```

UNCLASSIFIED

```

    "Purpose": "Test Purpose 1",
    "POC Office/Organization": "USN",
    "POC First Name": "John",
    "POC Last Name": "Smith",
    "POC Phone Number": "111-111-1111",
    "POC Email": "john.smith.ctr@mail.mil",
    "Date Reviewed / Updated": "1677678356",
    "Reviewed / Updated By": "John Smith"
  },
  {
    "Organization": "Test Org",
    "Organization Hierarchy": "USN > Test Org",
    "System Acronym": "John A&A System",
    "System Name": "John Assess & Authorize System",
    "System ID": "1",
    "Registration Type": "Assess and Authorize",
    "Policy": "RMF",
    "System Type": "IS Major Application",
    "Authorization Status": "Authorization to Operate (ATO)",
    "Public Facing Component / Presence": "No",
    "PPSM Registration Required": "Yes",
    "PPSM Registry Number": "09123HAT",
    "PPSM Registration Exemption Justification": "-",
    "Type": "Least Function",
    "Application/Software Record Name": "Sample App 2",
    "Protocol": "TCP",
    "Data Service": "HTTPS",
    "Port": "443",
    "Boundary": "1. Ext to DoD GW (In); 2. DoD GW to Ext
                (Out)",
    "Source Device or Server Name": "emassfakeweb2",
    "Source Physical Location or Cloud Service Provider":
        "DISA STRATUS",
    "Source IP Address": "100.99.88.77",
    "Source FQDN": "samplefqdn2",
    "Connection Logical Source Point": "Internal Use Only
        (External Network)",
    "Destination Device or Server Name": "testdestination1",
    "Destination Physical Location or Cloud Server Provider":
        "Amazon AWS",
    "Destination IP Address": "200.2.3.4.5",
    "Destination FQDN": "services.nvd.nist.gov",
    "Connection Logical Destination Point": "AF Base Enclave
        DMZ (DoD Network)",
    "VPN / Encrypted Tunnel Traffic": "No",
    "VPN Tunnel Type": "Out of Band (OOB) Management Network",
    "Purpose": "Test Purpose 2",
    "POC Office/Organization": "USN",
    "POC First Name": "John",
    "POC Last Name": "Smith",
    "POC Phone Number": "111-111-1111",
    "POC Email": "john.smith.ctr@mail.mil",
    "Date Reviewed / Updated": "1677678356",
    "Reviewed / Updated By": "John Smith"
  },
  {
    "Organization": "USN",

```

```

"Organization Hierarchy": "USN",
"System Acronym": "Jane Guest System",
"System Name": "Jane Guest System",
"System ID": "2",
"Registration Type": "Guest",
"Policy": "RMF",
"System Type": "IS Major Application",
"Authorization Status": "Authority to Connect (ATC)",
"Public Facing Component / Presence": "No",
"PPSM Registration Required": "No",
"PPSM Registry Number": "-",
"PPSM Registration Exemption Justification": "Test
                                           Justification Exemption",

"Type": "-",
"Application/Software Record Name": "Test App",
"Protocol": "TCP",
"Data Service": "HTTPS",
"Port": "443",
"Boundary": "2. DoD GW to Ext (Out)",
"Source Device or Server Name": "-",
"Source Physical Location or Cloud Service Provider": "-",
"Source IP Address": "-",
"Source FQDN": "-",
"Connection Logical Source Point": "-",
"Destination Device or Server Name": "-",
"Destination Physical Location or Cloud Server Provider":
                                           "-",

"Destination IP Address": "-",
"Destination FQDN": "-",
"Connection Logical Destination Point": "-",
"VPN / Encrypted Tunnel Traffic": "-",
"VPN Tunnel Type": "-",
"Purpose": "-",
"POC Office/Organization": "-",
"POC First Name": "-",
"POC Last Name": "-",
"POC Phone Number": "-",
"POC Email": "-",
"Date Reviewed / Updated": "-",
"Reviewed / Updated By": "-"
    }
  ],
  "pagination": {
    "totalCount": 3,
    "totalPages": 1,
    "pageIndex": 0,
    "pageSize": 20000,
    "prevPageUrl": "",
    "nextPageUrl": ""
  }
}

```

4.22.36 System COMMON Integration Status Summary

GET	/api/dashboards/system-common-integration-status-summary Get dashboard information	
Curl Example		
curl -L "[URL]/api/dashboards/system-common-integration-status-summary?orgId=1&pageIndex=0" -H "api-key: 0a60a84d-3fc1-433c-b39f-507adb1f8bec" --cert .\cert.pem		
Available Query String Parameters		
Name	Type	Example
orgId	Integer	1 This value will be provided by eMASS Support.
pageIndex	Integer	0 If no value is specified, the default returns results from the first page with an index of 0.
pageSize	Integer	20000 If no value is specified, the default returns up to 20,000 results per page. Exceeding this value is prohibited and will default back to 20,000.
Sample Response (orgId=1, pageIndex=0, pageSize=20000)		
<pre>{ "meta": { "code": 200 }, "data": [{ "Organization": "Test Org", "Organization Hierarchy": "USN > Test Org", "System Name": "John Assess & Authorize System", "System Acronym": "John A&A System", "System ID": "2", "Registration Completion Date": "1681311613", "Registration Type": "Assess and Authorize", "Authorization Status": "Authorization to Operate (ATO)", "Authorization Date": "1684270625", "ATD": "1748725025", "System Profile": "Test System Profile", "CDM Integration": "Yes" }, { "Organization": "USN", "Organization Hierarchy": "USN", "System Name": "Jane Assess and Authorize", "System Acronym": "Jane A&A", "System ID": "3", "Registration Completion Date": "1683208307",</pre>		

```

        "Registration Type": "Assess and Authorize",
        "Authorization Status": "Interim Authorization to Test
                                (IATT)",
        "Authorization Date": "1684442289",
        "ATD": "1699994300",
        "System Profile": "-",
        "CDM Integration": "No"
    },
    {
        "Organization": "USN",
        "Organization Hierarchy": "USN",
        "System Name": "John Common Control Provider",
        "System Acronym": "John CCP",
        "System ID": "4",
        "Registration Completion Date": "1683300650",
        "Registration Type": "Assess and Authorize",
        "Authorization Status": "Not Yet Authorized",
        "Authorization Date": "-",
        "ATD": "-",
        "System Profile": "-",
        "CDM Integration": "No"
    },
    {
        "Organization": "USN",
        "Organization Hierarchy": "USN",
        "System Name": "Jane Common Control Provider ",
        "System Acronym": "Jane CCP",
        "System ID": "5",
        "Registration Completion Date": "1683413351",
        "Registration Type": "Assess and Authorize",
        "Authorization Status": "Denial of Authorization to
                                Operate (DATO)",
        "Authorization Date": "1684330367",
        "ATD": "-",
        "System Profile": "-",
        "CDM Integration": "No"
    }
],
"pagination": {
    "totalCount": 4,
    "totalPages": 1,
    "pageIndex": 0,
    "pageSize": 20000,
    "prevPageUrl": "",
    "nextPageUrl": ""
}
}

```

4.22.37 System Associations Details

GET	/api/dashboards/system-associations-details Get dashboard information	
Curl Example		
<pre>curl -L "[URL]/api/dashboards/system-associations- details?orgId=1&pageIndex=0" -H "api-key: 0a60a84d-3fc1-433c-b39f- 507adb1f8bec" --cert .\cert.pem</pre>		
Available Query String Parameters		
Name	Type	Example
orgId	Integer	1 This value will be provided by eMASS Support.
pageIndex	Integer	0 If no value is specified, the default returns results from the first page with an index of 0.
pageSize	Integer	20000 If no value is specified, the default returns up to 20,000 results per page. Exceeding this value is prohibited and will default back to 20,000.
Sample Response (orgId=1, pageIndex=0, pageSize=20000)		
<pre>{ "meta": { "code": 200 }, "data": [{ "Organization": "USN", "System ID": "2", "System Name": "John Assess & Authorize System", "System Acronym": "John A&A System", "Relationship Type": "relates to", "Associated System ID": "3", "Associated System Acronym": "John CCP", "Associated System Name": "John Common Control Provider", "Owning Organization": "USN", "Authorization Status": "Not Yet Authorized", "Authorization Termination Date": "-", "Relationship Description": "Test Relationship", "External System": "No", "Controls Received": "-", "APs Received": "-", "Controls Provided": "-", "APs Provided": "-", "System Type": "IS Major Application", "Date Established": "1655477694" }] }</pre>		

UNCLASSIFIED

```

{
  "Organization": "USN",
  "System ID": "3",
  "System Name": "John Common Control Provider",
  "System Acronym": "John CCP",
  "Relationship Type": "provides inheritance to",
  "Associated System ID": "5",
  "Associated System Acronym": "Jane A&A System",
  "Associated System Name": "Jane A&A System",
  "Owning Organization": "USN",
  "Authorization Status": "Interim Authorization to Test -
                          Not Connected (IATT-NC)",
  "Authorization Termination Date": "1661955140",
  "Relationship Description": "This association was
                              automatically created by the
                              established inheritance
                              relationship.",

  "External System": "No",
  "Controls Received": "0",
  "APs Received": "0",
  "Controls Provided": "1",
  "APs Provided": "4",
  "System Type": "IS Major Application",
  "Date Established": "1659108397"
},
{
  "Organization": "USN",
  "System ID": "5",
  "System Name": "Jane A&A System",
  "System Acronym": "Jane Assess & Authorize System",
  "Relationship Type": "receives inheritance from",
  "Associated System ID": "3",
  "Associated System Acronym": "John CCP",
  "Associated System Name": "John Common Control Provider",
  "Owning Organization": "USN",
  "Authorization Status": "Not Yet Authorized",
  "Authorization Termination Date": "-",
  "Relationship Description": "This association was
                              automatically created by the
                              established inheritance
                              relationship.",

  "External System": "No",
  "Controls Received": "1",
  "APs Received": "4",
  "Controls Provided": "1",
  "APs Provided": "4",
  "System Type": "IS Major Application",
  "Date Established": "1659108397"
}
],
"pagination": {
  "totalCount": 3,
  "totalPages": 1,
  "pageIndex": 0,
  "pageSize": 20000,
  "prevPageUrl": "",
  "nextPageUrl": ""
}

```


UNCLASSIFIED

}
}

4.22.38 User System Assignments Details

GET	/api/dashboards/user-system-assignments-details Get dashboard information	
Curl Example		
<pre>curl -L "[URL]/api/dashboards/user-system-assignments- details?orgId=1&pageIndex=0" -H "api-key: 0a60a84d-3fc1-433c-b39f- 507adb1f8bec" --cert .\cert.pem</pre>		
Available Query String Parameters		
Name	Type	Example
orgId	Integer	1 This value will be provided by eMASS Support.
pageIndex	Integer	0 If no value is specified, the default returns results from the first page with an index of 0.
pageSize	Integer	20000 If no value is specified, the default returns up to 20,000 results per page. Exceeding this value is prohibited and will default back to 20,000.
Sample Response (orgId=1, pageIndex=0, pageSize=20000)		
<pre>{ "meta": { "code": 200 }, "data": [{ "User ID": "2", "Status": "Active", "Last Name": "Smith", "First Name": "John", "Home Organization": "DISA", "Email": "200@mail.mil", "Phone": "200200200", "Role": "AO, AODR Rep", "System Name": "John Assess & Authorize System", "System Acronym": "John A&A System", "System ID": "1", "System Policy": "RMF", "Organization": "Test Org", "Organization Hierarchy": "DISA > Test Org" }, { "User ID": "2", "Status": "Active", "Last Name": "Smith", "First Name": "John",</pre>		

```

        "Home Organization": "DISA",
        "Email": "200@mail.mil ",
        "Phone": "200200200",
        "Role": "AO",
        "System Name": "Jane CCP System",
        "System Acronym": "Jane CCP System",
        "System ID": "18",
        "System Policy": "RMF",
        "Organization": "DISA",
        "Organization Hierarchy": "DISA"
    },
    {
        "User ID": "7",
        "Status": "Active",
        "Last Name": "Doe",
        "First Name": "Jane",
        "Home Organization": "DISA",
        "Email": "195@emass.com",
        "Phone": "9998887777",
        "Role": "ISSO/PM/SM",
        "System Name": "Jane CCP System",
        "System Acronym": "Jane CCP System",
        "System ID": "18",
        "System Policy": "RMF",
        "Organization": "DISA",
        "Organization Hierarchy": "DISA"
    },
    {
        "User ID": "9",
        "Status": "Inactive",
        "Last Name": "Johnson",
        "First Name": "Steven",
        "Home Organization": "DISA",
        "Email": "117@mail.mil",
        "Phone": "117117117117",
        "Role": "AO, AODR Rep, Directorate ISSM, ISSO, ISSO/PM/SM,
            Organizational Director, SCA, SCA Team",
        "System Name": "Test System 1",
        "System Acronym": "Test 1",
        "System ID": "48",
        "System Policy": "RMF",
        "Organization": "DISA",
        "Organization Hierarchy": "DISA"
    }
],
"pagination": {
    "totalCount": 4,
    "totalPages": 1,
    "pageIndex": 0,
    "pageSize": 20000,
    "prevPageUrl": "",
    "nextPageUrl": ""
}
}

```

4.22.39 Organization Migration Status Summary

GET	/api/dashboards/organization-migration-status-summary <i>Get dashboard information</i>	
Curl Example		
curl -L "[URL]/api/dashboards/organization-migration-status-summary?orgId=1&pageIndex=0" -H "api-key: 0a60a84d-3fc1-433c-b39f-507adb1f8bec" --cert .\cert.pem		
Available Query String Parameters		
Name	Type	Example
orgId	Integer	1 This value will be provided by eMASS Support.
pageIndex	Integer	0 If no value is specified, the default returns results from the first page with an index of 0.
pageSize	Integer	20000 If no value is specified, the default returns up to 20,000 results per page. Exceeding this value is prohibited and will default back to 20,000.
Sample Response (orgId=1, pageIndex=0, pageSize=20000)		
<pre>{ "meta": { "code": 200 }, "data": [{ "Organization": "DISA", "Organization Hierarchy": "DISA", "Unmigrated Systems": "140", "In Progress Systems": "1", "Migrated Systems": "9", "Overall Migration Status": "6%", "Rev. 4 Inheritance Provider Systems": "19", "Unmigrated Rev. 4 Inheritance Provider Systems": "14", "Cloned Rev. 4 Inheritance Provider Systems": "5", "Rev. 5 Inheritance Provider Systems": "1" }, { "Organization": "P1", "Organization Hierarchy": "DISA > P1", "Unmigrated Systems": "8", "In Progress Systems": "0", "Migrated Systems": "1", "Overall Migration Status": "11%", "Rev. 4 Inheritance Provider Systems": "4", "Unmigrated Rev. 4 Inheritance Provider Systems": "3",</pre>		

```

        "Cloned Rev. 4 Inheritance Provider Systems": "1",
        "Rev. 5 Inheritance Provider Systems": "0"
    }
},
"pagination": {
    "totalCount": 2,
    "totalPages": 1,
    "pageIndex": 0,
    "pageSize": 20000,
    "prevPageUrl": "",
    "nextPageUrl": ""
}
}

```

4.22.40 System Migration Status Summary

GET	/api/dashboards/system-migration-status-summary <i>Get dashboard information</i>	
Curl Example		
curl -L "[URL]/api/dashboards/system-migration-status-summary?orgId=1&pageIndex=0" -H "api-key: 0a60a84d-3fc1-433c-b39f-507adb1f8bec" --cert .\cert.pem		
Available Query String Parameters		
Name	Type	Example
orgId	Integer	1 This value will be provided by eMASS Support.
pageIndex	Integer	0 If no value is specified, the default returns results from the first page with an index of 0.
pageSize	Integer	20000 If no value is specified, the default returns up to 20,000 results per page. Exceeding this value is prohibited and will default back to 20,000.
Sample Response (orgId=1, pageIndex=0, pageSize=20000)		
{ "meta": { "code": 200 }, "data": [{ "Organization": "DISA", "Organization Hierarchy": "DISA", "System Name": "Jane Assess & Authorize", "System Acronym": "Jane A&A",		

```

        "System ID": "5",
        "Registration Completion Date": "1710168139",
        "Registration Type": "Assess and Authorize",
        "System Type": "IS Major Application",
        "Authorization Status": "Not Yet Authorized",
        "Authorization Termination Date": "-",
        "Primary Security Control Set": "NIST SP 800-53 Revision
                                         5",
        "Migration Status": "Migrated",
        "Migration Workflow Duration": "0",
        "Cloned System ID": "2768",
        "Rev. 4 Inheritance Providers": "-",
        "Rev. 5 Inheritance Providers": "-",
    },
    {
        "Organization": "TO",
        "Organization Hierarchy": "DISA > TO",
        "System Name": "John Assess & Authorize System",
        "System Acronym": "John A&A System",
        "System ID": "4",
        "Registration Completion Date": "1710168273",
        "Registration Type": "Assess and Authorize",
        "System Type": "IS Major Application",
        "Authorization Status": "Not Yet Authorized",
        "Authorization Termination Date": "-",
        "Primary Security Control Set": "NIST SP 800-53 Revision
                                         5",
        "Migration Status": "Migrated",
        "Migration Workflow Duration": "0",
        "Cloned System ID": "-",
        "Rev. 4 Inheritance Providers": "Test Local Provider
                                         (2435); Test Remote Army
                                         Provider (18, Army)",
        "Rev. 5 Inheritance Providers": "Test Local Rev. 5
                                         Provider (2437)"
    }
],
"pagination": {
    "totalCount": 2,
    "totalPages": 1,
    "pageIndex": 0,
    "pageSize": 20000,
    "prevPageUrl": "",
    "nextPageUrl": ""
}
}

```

4.22.41 System FISMA Metrics

GET	/api/dashboards/system-fisma-metrics <i>Get dashboard information</i>	
Curl Example		
curl -L "[URL]/api/dashboards/system-fisma-metrics?orgId=1&pageIndex=0" -H "api-key: 0a60a84d-3fc1-433c-b39f-507adb1f8bec" --cert .\cert.pem		
Available Query String Parameters		
Name	Type	Example
orgId	Integer	1 This value will be provided by eMASS Support.
pageIndex	Integer	0 If no value is specified, the default returns results from the first page with an index of 0.
pageSize	Integer	20000 If no value is specified, the default returns up to 20,000 results per page. Exceeding this value is prohibited and will default back to 20,000.
Sample Response (orgId=1, pageIndex=0, pageSize=20000)		
<pre>{ "meta": { "code": 200 }, "data": [{ "Organization": "ID31", "Organization Hierarchy": "DISA > ID31", "System Acronym": "John A&A System", "System Name": "John Assess & Authorize System", "System ID": "1", "Registration Completion Date": "1716943604", "Registration Type": "Assess and Authorize", "System Type": "IS Major Application", "DITPR ID": "1234", "System Policy": "RMF", "System Description": "Test System Description", "National Security System": "Yes", "Financial Management System": "Yes", "Public Facing Component / Presence": "Yes", "Mission Criticality": "Mission Critical (MC)", "Governing Mission Area": "Business MA (BMA)", "Primary Security Control Set": "NIST SP 800-53 Revision 4", "MAC": "-", "DoD Confidentiality": "-", "Confidentiality": "High", }] }</pre>		

UNCLASSIFIED

```

    "Integrity": "High",
    "Availability": "High",
    "System Life Cycle / Acquisition Phase": "Post-Milestone B
                                             (Engineering and
                                             Manufacturing
                                             Development)",
    "System Ownership / Controlled": "DoD Owned and DoD
                                     Operated IS and PIT
                                     System",
    "Authorization Status": "Authorization to Operate (ATO)",
    "Authorization Date": "1716947027",
    "ATD": "1748483027",
    "RMF Activity": "Initiate and plan cybersecurity
                   Assessment Authorization",
    "Security Plan Approval Status": "Not Yet Approved",
    "Security Plan Approval Status Date": "-",
    "Security Review Required": "Yes",
    "Security Review Completed": "No",
    "Security Review Completion Date": "-",
    "Next Security Review Due Date": "-",
    "Contingency Plan Required": "Yes",
    "Contingency Plan Tested": "Yes",
    "Contingency Plan Test Date": "1684962326",
    "Incident Response Plan Required": "Yes",
    "Disaster Recovery Plan Required": "Yes",
    "Privacy Threshold Analysis Completed": "Yes",
    "Privacy Threshold Analysis Date": "1684959281",
    "Privacy Impact Assessment Required": "Yes",
    "Privacy Impact Assessment Date": "1684962326",
    "Privacy Act System of Records Notice Required": "Yes",
    "E-Authentication Risk Assessment Required": "Yes",
    "E-Authentication Risk Assessment Date": "1684962326",
    "N/C Control Missing POA&M": "No",
    "Overdue POA&M (1-89 Days)": "No",
    "Overdue POA&M (90-119 Days)": "No",
    "Overdue POA&M (120+ Days)": "Yes",
    "Current Users in 1st PAC Role": "Doe, Jane (CIV)",
    "Current AO": "Doe, Jane (CIV); John, Smith (CTR)"
  },
  {
    "Organization": "DISA",
    "OrganizationHierarchy": "DISA",
    "System Acronym": "Jane A&A System",
    "System Name": "Jane Assess & Authorize System",
    "System ID": "2",
    "Registration Completion Date": "1710863772",
    "Registration Type": "Assess and Authorize",
    "System Type": "IS Major Application",
    "DITPR ID": "2020",
    "System Policy": "RMF",
    "System Description": "check itips",
    "National Security System": "Yes",
    "Financial Management System": "No",
    "Public Facing Component / Presence": "No",
    "Mission Criticality": "Mission Essential (ME)",
    "Governing Mission Area": "Business MA (BMA)",
  }

```


UNCLASSIFIED

```

        "Primary Security Control Set": "NIST SP 800-53 Revision
                                         4",
        "MAC": "-",
        "DoD Confidentiality": "-",
        "Confidentiality": "Moderate",
        "Integrity": "Moderate",
        "Availability": "Moderate",
        "System Life Cycle / Acquisition Phase": "Post-Milestone A
                                                  (Technology
                                                  Development)",
        "System Ownership / Controlled": "DoD Owned and DoD
                                          Operated IS and PIT
                                          System",
        "Authorization Status": "Authorization to Operate
                                w/Conditions (ATO w/Conditions)",
        "Authorization Date": "1716491612",
        "ATD": "1719083613",
        "RMF Activity": "Initiate and plan cybersecurity
                        Assessment Authorization",
        "Security Plan Approval Status": "Not Yet Approved",
        "Security Plan Approval Status Date": "-",
        "Security Review Required": "Yes",
        "Security Review Completed": "Yes",
        "Security Review Completion Date": "1715885474",
        "Next Security Review Due Date": "1747421474",
        "Contingency Plan Required": "No",
        "Contingency Plan Tested": "No",
        "Contingency Plan Test Date": "-",
        "Incident Response Plan Required": "No",
        "Disaster Recovery Plan Required": "No",
        "Privacy Threshold Analysis Completed": "No",
        "Privacy Threshold Analysis Date": "-",
        "Privacy Impact Assessment Required": "No",
        "Privacy Impact Assessment Date": "-",
        "Privacy Act System of Records Notice Required": "No",
        "E-Authentication Risk Assessment Required": "No",
        "E-Authentication Risk Assessment Date": "-",
        "N/C Control Missing POA&M": "No",
        "Overdue POA&M (1-89 Days)": "Yes",
        "Overdue POA&M (90-119 Days)": "Yes",
        "Overdue POA&M (120+ Days)": "Yes",
        "Current Users in 1st PAC Role": "Doe, Jane (CIV); John,
                                          Smith (CTR)",
        "Current AO": "John, Smith (CTR)"
    },
    ],
    "pagination": {
        "totalCount": 2,
        "totalPages": 1,
        "pageIndex": 0,
        "pageSize": 20000,
        "prevPageUrl": "",
        "nextPageUrl": ""
    }
}

```

4.22.42 Coast Guard System FISMA Metrics

GET	/api/dashboards/coastguard-system-fisma-metrics Get dashboard information	
Curl Example		
<pre>curl -L "[URL]/api/dashboards/coastguard-system-fisma-metrics?orgId=1&pageIndex=0" -H "api-key: 0a60a84d-3fc1-433c-b39f-507adb1f8bec" --cert .\cert.pem</pre>		
Available Query String Parameters		
Name	Type	Example
orgId	Integer	1 This value will be provided by eMASS Support.
pageIndex	Integer	0 If no value is specified, the default returns results from the first page with an index of 0.
pageSize	Integer	20000 If no value is specified, the default returns up to 20,000 results per page. Exceeding this value is prohibited and will default back to 20,000.
Sample Response (orgId=1, pageIndex=0, pageSize=20000)		
<pre>{ "meta": { "code": 200 }, "data": [{ "Organization": "Test Org", "Organization Hierarchy": "DISA > Test Org", "System Acronym": "John A&A System", "System Name": "John Assess & Authorize System", "System ID": "1", "Registration Completion Date": "1655488771", "Policy": "RMF", "Registration Type": "Assess and Authorize", "System Type": "IS Major Application", "Authorization Status": "Authorization to Operate (ATO)", "System Life Cycle / Acquisition Phase": "Post-Milestone C (Production and Deployment)", "PTA Completed": "Yes", "PTA Date": "1655491804", "PIA Required": "Yes", "PIA Status": "Completed", "PIA Date": "1655491804", "Controlled Unclassified Information (CUI)": "No", "Personally Identifiable Information (PII)": "Yes", }] }</pre>		

UNCLASSIFIED

```

"Protected Health Information (PHI)": "Yes",
"ATOs in Current FY": "1",
"Privacy Overlay Applied": "Yes",
"HIPAA Coverage": "Yes",
"Privacy Overlays Responses": "Does the information system
                                contain PII? (Yes); Does
                                the Exception of the
                                Business Rolodex
                                Information Apply? (No);
                                Is the PII confidentiality
                                impact level low,
                                moderate, or high?
                                (Moderate); Is your
                                organization a covered
                                entity or business
                                associate under HIPAA?
                                (Yes); Is the PII in the
                                information system PHI?
                                (Yes)",
"System of Records Notice Required": "Yes"
},
{
  "Organization": "DISA",
  "Organization Hierarchy": "DISA",
  "System Acronym": "Jane CCP System",
  "System Name": "Jane CCP System",
  "System ID": "18",
  "Registration Completion Date": "1657638316",
  "Policy": "RMF",
  "Registration Type": "Common Control Provider",
  "System Type": "Platform IT System",
  "Authorization Status": "Interim Authorization to Test -
                          Not Connected (IATT-NC)",
  "System Life Cycle / Acquisition Phase": "Pre-Milestone A
                                             (Material
                                             Solution
                                             Analysis)",

  "PTA Completed": "-",
  "PTA Date": "-",
  "PIA Required": "-",
  "PIA Status": "-",
  "PIA Date": "-",
  "Controlled Unclassified Information (CUI)": "-",
  "Personally Identifiable Information (PII)": "-",
  "Protected Health Information (PHI)": "-",
  "ATOs in Current FY": "0",
  "Privacy Overlay Applied": "No",
  "HIPAA Coverage": "-",
  "Privacy Overlays Responses": "-",
  "System of Records Notice Required": "-"
}
],
"pagination": {
  "totalCount": 2,
  "totalPages": 1,
  "pageIndex": 0,
  "pageSize": 20000,

```

```
    "prevPageUrl": "",  
    "nextPageUrl": ""  
  }  
}
```

4.22.43 System Privacy Summary

GET	/api/dashboards/system-privacy-summary <i>Get dashboard information</i>	
Curl Example		
curl -L "[URL]/api/dashboards/system-privacy-summary?orgId=1&pageIndex=0" -H "api-key: 0a60a84d-3fc1-433c-b39f-507adb1f8bec" --cert .\cert.pem		
Available Query String Parameters		
Name	Type	Example
orgId	Integer	1 This value will be provided by eMASS Support.
pageIndex	Integer	0 If no value is specified, the default returns results from the first page with an index of 0.
pageSize	Integer	20000 If no value is specified, the default returns up to 20,000 results per page. Exceeding this value is prohibited and will default back to 20,000.
Sample Response (orgId=1, pageIndex=0, pageSize=20000)		
<pre>{ "meta": { "code": 200 }, "data": [{ "Organization": "Test Org", "Organization Hierarchy": "DISA > Test Org", "System Acronym": "John A&A System", "System Name": "John Assess & Authorize System", "System ID": "1", "Registration Completion Date": "1655488771", "Policy": "RMF", "Registration Type": "Assess and Authorize", "System Type": "IS Major Application", "Authorization Status": "Authorization to Operate (ATO)", "System Life Cycle / Acquisition Phase": "Post-Milestone C (Production and Deployment)", "PTA Completed": "Yes", "PTA Date": "1655491804", "PIA Required": "Yes", "PIA Status": "Completed", "PIA Date": "1655491804", "Controlled Unclassified Information (CUI)": "No", "Personally Identifiable Information (PII)": "Yes", "Protected Health Information (PHI)": "Yes", }] }</pre>		

UNCLASSIFIED

```

    "ATOs in Current FY": "1",
    "Privacy Overlay Applied": "Yes",
    "HIPAA Coverage": "Yes",
    "Privacy Overlays Responses": "Does the information system
                                   contain PII? (Yes); Does
                                   the Exception of the
                                   Business Rolodex
                                   Information Apply? (No);
                                   Is the PII confidentiality
                                   impact level low,
                                   moderate, or high?
                                   (Moderate); Is your
                                   organization a covered
                                   entity or business
                                   associate under HIPAA?
                                   (Yes); Is the PII in the
                                   information system PHI?
                                   (Yes)",
    "System of Records Notice Required": "Yes"
  },
  {
    "Organization": "DISA",
    "Organization Hierarchy": "DISA",
    "System Acronym": "Jane CCP System",
    "System Name": "Jane CCP System",
    "System ID": "18",
    "Registration Completion Date": "1657638316",
    "Policy": "RMF",
    "Registration Type": "Common Control Provider",
    "System Type": "Platform IT System",
    "Authorization Status": "Interim Authorization to Test -
                           Not Connected (IATT-NC)",
    "System Life Cycle / Acquisition Phase": "Pre-Milestone A
                                              (Material
                                              Solution
                                              Analysis)",

    "PTA Completed": "-",
    "PTA Date": "-",
    "PIA Required": "-",
    "PIA Status": "-",
    "PIA Date": "-",
    "Controlled Unclassified Information (CUI)": "-",
    "Personally Identifiable Information (PII)": "-",
    "Protected Health Information (PHI)": "-",
    "ATOs in Current FY": "0",
    "Privacy Overlay Applied": "No",
    "HIPAA Coverage": "-",
    "Privacy Overlays Responses": "-",
    "System of Records Notice Required": "-"
  }
],
"pagination": {
  "totalCount": 2,
  "totalPages": 1,
  "pageIndex": 0,
  "pageSize": 20000,
  "prevPageUrl": ""
}

```

```

    "nextPageUrl": ""
  }
}

```

4.22.44 VA OMB FISMA SAOP Summary

GET	/api/dashboards/va-omb-fisma-saop-summary <i>Get dashboard information</i>	
Curl Example		
<pre>curl -L "[URL]/api/dashboards/va-omb-fisma-saop-summary?orgId=1&pageIndex=0" -H "api-key: 0a60a84d-3fc1-433c-b39f-507adb1f8bec" --cert .\cert.pem</pre>		
Available Query String Parameters		
Name	Type	Example
orgId	Integer	1 This value will be provided by eMASS Support.
pageIndex	Integer	0 If no value is specified, the default returns results from the first page with an index of 0.
pageSize	Integer	20000 If no value is specified, the default returns up to 20,000 results per page. Exceeding this value is prohibited and will default back to 20,000.
Sample Response (orgId=1, pageIndex=0, pageSize=20000)		
<pre>{ "meta": { "code": 200 }, "data": [{ "Geographical Association": "Unassigned", "Identifiable Systems VA": "0", "Identifiable Systems Non-VA": "0", "Identifiable Systems Requiring PIA VA": "0", "Identifiable Systems Requiring PIA Non-VA": "0", "Identifiable Systems w/ Current PIA VA": "0", "Identifiable Systems w/ Current PIA Non-VA": "0", "Identifiable Systems Requiring SORN VA": "0", "Identifiable Systems Requiring SORN Non-VA": "0", "Identifiable Systems w/ Current SORN VA": "0", "Identifiable Systems w/ Current SORN Non-VA": "0" }, { "Geographical Association": "EO", "Identifiable Systems VA": "1",</pre>		

```

        "Identifiable Systems Non-VA": "0",
        "Identifiable Systems Requiring PIA VA": "1",
        "Identifiable Systems Requiring PIA Non-VA": "0",
        "Identifiable Systems w/ Current PIA VA": "0",
        "Identifiable Systems w/ Current PIA Non-VA": "0",
        "Identifiable Systems Requiring SORN VA": "1",
        "Identifiable Systems Requiring SORN Non-VA": "0",
        "Identifiable Systems w/ Current SORN VA": "1",
        "Identifiable Systems w/ Current SORN Non-VA": "0"
    },
    {
        "Geographical Association": "Region 1",
        "Identifiable Systems VA": "3",
        "Identifiable Systems Non-VA": "2",
        "Identifiable Systems Requiring PIA VA": "2",
        "Identifiable Systems Requiring PIA Non-VA": "1",
        "Identifiable Systems w/ Current PIA VA": "1",
        "Identifiable Systems w/ Current PIA Non-VA": "0",
        "Identifiable Systems Requiring SORN VA": "2",
        "Identifiable Systems Requiring SORN Non-VA": "0",
        "Identifiable Systems w/ Current SORN VA": "1",
        "Identifiable Systems w/ Current SORN Non-VA": "2"
    },
    {
        "Geographical Association": "Region 2",
        "Identifiable Systems VA": "0",
        "Identifiable Systems Non-VA": "0",
        "Identifiable Systems Requiring PIA VA": "0",
        "Identifiable Systems Requiring PIA Non-VA": "0",
        "Identifiable Systems w/ Current PIA VA": "0",
        "Identifiable Systems w/ Current PIA Non-VA": "0",
        "Identifiable Systems Requiring SORN VA": "0",
        "Identifiable Systems Requiring SORN Non-VA": "0",
        "Identifiable Systems w/ Current SORN VA": "0",
        "Identifiable Systems w/ Current SORN Non-VA": "0"
    },
    {
        "Geographical Association": "Region Other",
        "Identifiable Systems VA": "1",
        "Identifiable Systems Non-VA": "0",
        "Identifiable Systems Requiring PIA VA": "0",
        "Identifiable Systems Requiring PIA Non-VA": "0",
        "Identifiable Systems w/ Current PIA VA": "0",
        "Identifiable Systems w/ Current PIA Non-VA": "0",
        "Identifiable Systems Requiring SORN VA": "0",
        "Identifiable Systems Requiring SORN Non-VA": "0",
        "Identifiable Systems w/ Current SORN VA": "0",
        "Identifiable Systems w/ Current SORN Non-VA": "0"
    }
],
"pagination": {
    "totalCount": 8,
    "totalPages": 1,
    "pageIndex": 0,
    "pageSize": 20000,
    "prevPageUrl": "",
    "nextPageUrl": ""
}

```


UNCLASSIFIED

}

4.22.45 VA System ICAMP Tableau POA&M Details

GET	/api/dashboards/va-system-icamp-tableau-poam-details <i>Get dashboard information</i>	
Curl Example		
curl -L "[URL]/api/dashboards/va-system-icamp-tableau-poam-details?orgId=1&pageIndex=0" -H "api-key: 0a60a84d-3fc1-433c-b39f-507adb1f8bec" --cert .\cert.pem		
Available Query String Parameters		
Name	Type	Example
orgId	Integer	1 This value will be provided by eMASS Support.
excludeInherited	Boolean	true, false If no value is specified, the default returns false to include inherited data.
pageIndex	Integer	0 If no value is specified, the default returns results from the first page with an index of 0.
pageSize	Integer	20000 If no value is specified, the default returns up to 20,000 results per page. Exceeding this value is prohibited and will default back to 20,000.
Sample Response (orgId=1, pageIndex=0, pageSize=20000)		
<pre>{ "meta": { "code": 200 }, "data": [{ "Organization": "VA", "Organization Hierarchy": "VA", "System Acronym": "John A&A System", "System Name": "John Assess & Authorize System", "System Description": "Test System Description", "System ID": "4", "Registration Type": "Assess and Authorize", "Entity Type": "Information System", "Geographical Association": "EO", "ID": "1018541562", "Controls / APs": "AC-1", "POA&M Item Status": "Ongoing", "Scheduled Completion Date": "1693510371", "Pending Extension Date": "-", "Extension Date": "-", }] }</pre>		

UNCLASSIFIED

```

"POC": "John Smith",
"Vulnerability Description": "Vulnerability Description",
"Likelihood": "Moderate",
"Impact": "High",
"Residual Risk Level": "Very High",
"Inherited": "No",
"Personnel Resources Cost Code": "1101 - Personnel
                                Resources",
"Personnel Resources Funded Base Hours": "555.22",
"Personnel Resources Unfunded Base Hours": "666.22",
"Personnel Resources Non-Funding Obstacle": "Lack of
                                appropriate FISMA training; Other",
"Personnel Resources Non-Funding Obstacles Other Reason":
    "VA API Post Non-Funding Obstacle Other Reason",
"Non-Personnel Resources Cost Code": "2123 - ADP
                                Equipment; 2124 - ADP Software",
"Non-Personnel Resources Funded Amount": "444.22",
"Non-Personnel Resources Unfunded Amount": "333.22",
"Non-Personnel Resources Non-Funding Obstacle": "Delay in
                                obtaining required hardware; Other",
"Non-Personnel Resources Non-Funding Obstacle Other
Reason": "VA API Post Non-Funding Obstacle Other Reason",
"Last Modified Date": "1693080577",
"Modified By": "API Client, Cert 117",
"Created Date": "1693080577",
"Latest Milestone Description": "VA API Post Milestone",
"Latest Milestone Completion Date": "1693078371",
"Milestone Created Date": "1693080577",
"Milestone Review Status": "Under Review"
},
{
"Organization": "eMASS ILVT",
"Organization Hierarchy": "VA > eMASS ILVT",
"System Acronym": "Jane A&A System",
"System Name": "Jane Assess & Authorize System",
"System Description": "eMASS RMF System",
"System ID": "5",
"Registration Type": "Assess and Authorize",
"Entity Type": "Information System",
"Geographical Association": "EO",
"ID": "1018541564",
"Controls / APs": "CA-7",
"POA&M Item Status": "Ongoing",
"Scheduled Completion Date": "1696097533",
"Pending Extension Date": "-",
"Extension Date": "-",
"POC": "-",
"Vulnerability Description": "During this authorization
period, the program is required continue to sustain
system operation in accordance with approved Plan of
Action and Milestones (POA&Ms). Furthermore, the
program is required to continue system lifecycle
maintenance activities to include vulnerability
management (scanning, patching, and documenting), system
eMASS record/authorization artifacts maintenance, and
configuration management and compliance activities as

```

```

        directed by appropriate directives, policies and
        orders.",
        "Likelihood": "-",
        "Impact": "-",
        "Residual Risk Level": "-",
        "Inherited": "No",
        "Personnel Resources Cost Code": "-",
        "Personnel Resources Funded Base Hours": "-",
        "Personnel Resources Unfunded Base Hours": "-",
        "Personnel Resources Non-Funding Obstacle": "-",
        "Personnel Resources Non-Funded Obstacles Other Reason":
            "-",
        "Non-Personnel Resources Cost Code": "-",
        "Non-Personnel Resources Funded Amount": "-",
        "Non-Personnel Resources Unfunded Amount": "-",
        "Non-Personnel Resources Non-Funding Obstacle": "-",
        "Non-Personnel Resources Non-Funding Obstacle Other
        Reason": "-",
        "Last Modified Date": "1694023933",
        "Modified By": "Doe, Jane",
        "Created Date": "1694023933",
        "Latest Milestone Description": "During this authorization
        period, the program is required continue to sustain
        system operation in accordance with approved Plan of
        Action and Milestones (POA&Ms). Furthermore, the
        program is required to continue system lifecycle
        maintenance activities to include vulnerability
        management (scanning, patching, and documenting), system
        eMASS record/authorization artifacts maintenance, and
        configuration management and compliance activities as
        directed by appropriate directives, policies and
        orders.",
        "Latest Milestone Completion Date": "1696097533",
        "Milestone Created Date": "1694023933",
        "Milestone Review Status": "Approved"
    },
    ],
    "pagination": {
        "totalCount": 2,
        "totalPages": 1,
        "pageIndex": 0,
        "pageSize": 20000,
        "prevPageUrl": "",
        "nextPageUrl": ""
    }
}

```

4.22.46 VA System A&A Summary

GET	/api/dashboards/va-system-aa-summary <i>Get dashboard information</i>	
Curl Example		
curl -L "[URL]/api/dashboards/va-system-aa-summary?orgId=1&pageIndex=0" -H "api-key: 0a60a84d-3fc1-433c-b39f-507adb1f8bec" --cert .\cert.pem		
Available Query String Parameters		
Name	Type	Example
excludeInherited	Boolean	true, false If no value is specified, the default returns false to include inherited data.
orgId	Integer	1 This value will be provided by eMASS Support.
pageIndex	Integer	0 If no value is specified, the default returns results from the first page with an index of 0.
pageSize	Integer	20000 If no value is specified, the default returns up to 20,000 results per page. Exceeding this value is prohibited and will default back to 20,000.
Sample Response (orgId=1, pageIndex=0, pageSize=20000)		
<pre>{ "meta": { "code": 200 }, "data": [{ "Organization Name": "VA", "System ID": "1", "System Acronym": "John A&A System", "System Name": "John Assess & Authorize System", "Registration Completion Date": "1655490034", "Registration Type": "Assess and Authorize", "System Type": "IS Major Application", "Special Type": "-", "Special Type Description": "-", "Portfolio/Product Line": "Not Applicable", "Geographical Association": "EO", "Entity Type": "Information System", "FISMA Reportable": "Yes", "VA Exhibit 300 ID": "1", "System Ownership / Controlled": "VA Partnered System", }] }</pre>		

UNCLASSIFIED

```

"System Development Life Cycle":
    "Implementation/Assessment",
"Cloud Computing": "No",
"Cloud Type": "-",
"Data Hosting": "Internal to VA Network",
"Quantity of Data (GB)": "-",
"Unique Records": "-",
"Impact": "Moderate",
"High Value Asset": "No",
"Current RMF Step": "6 - Monitor",
"Days In Current RMF Step": "7",
"Need Date": "-",
"Authorization Status": "Authorization to Operate (ATO)",
"Authorization Date": "1660078033",
"ATD": "1693514586",
"Authorization Length": "387",
"Authorization Expiration Status": "Continuous Monitoring",
"# of previous ATO w/Conditions": "0",
"Overall Risk Score": "Moderate",
"Type Authorization": "No",
"Package Type(s)": "POA&M Approval; Change Request",
"Current Workflow Stage": "(POA&M Approval) ISSO; (Change
    Request) ISSO",
"Days in Current Workflow Stage": "(POA&M Approval) 10.9;
    (Change Request) 15.1",
"% of Workflow Completed": "(POA&M Approval) 20.00%;
    (Change Request) 20.00%",
"Compliant Controls": "0",
"Non-Compliant Controls": "0",
"Not Applicable Controls": "0",
"Unassessed Controls": "276",
"Compliant APs": "0",
"Non-Compliant APs": "0",
"Not Applicable APs": "0",
"Unassessed APs": "1281",
"Ongoing POA&M Items": "1",
"Risk Accepted POA&M Items": "1",
"Last AO to Provide Authorization": "Smith, John",
"System Steward": "Smith, John",
"ISSO": "Smith, John",
"Current AO": "Smith, John",
"System Owner": "Smith, John"
},
{
    "Organization Name": "VA",
    "System ID": "2",
    "System Acronym": "Jane A&A System",
    "System Name": "Jane Assess & Authorize System",
    "Registration Completion Date": "1657304286",
    "Registration Type": "Assess and Authorize",
    "System Type": "IS Major Application",
    "Special Type": "-",
    "Special Type Description": "-",
    "Portfolio/Product Line": "-",
    "Geographical Association": "EO",
    "Entity Type": "Information System",
    "FISMA Reportable": "Yes",

```

UNCLASSIFIED

```

"VA Exhibit 300 ID": "1",
"System Ownership / Controlled": "VA Partnered System",
"System Development Life Cycle": "Initiation",
"Cloud Computing": "No",
"Cloud Type": "-",
"Data Hosting": "Internal to VA Network",
"Quantity of Data (GB)": "1",
"Unique Records": "1",
"Impact": "High",
"High Value Asset": "No",
"Current RMF Step": "-",
"Days In Current RMF Step": "0",
"Need Date": "1657567244",
"Authorization Status": "EXPIRED",
"Authorization Date": "1657567243",
"ATD": "1657567243",
"Authorization Length": "0",
"Authorization Expiration Status": "Expired",
"# of previous ATO w/Conditions": "0",
"Overall Risk Score": "High",
"Type Authorization": "Yes",
"Package Type(s)": "POA&M Approval",
"Current Workflow Stage": "ISSO",
"Days in Current Workflow Stage": "33.8",
"% of Workflow Completed": "20.00%",
"Compliant Controls": "0",
"Non-Compliant Controls": "2",
"Not Applicable Controls": "1",
"Unassessed Controls": "273",
"Compliant APs": "0",
"Non-Compliant APs": "2",
"Not Applicable APs": "21",
"Unassessed APs": "1258",
"Ongoing POA&M Items": "3",
"Risk Accepted POA&M Items": "2",
"Last AO to Provide Authorization": "-",
"System Steward": "Doe, Jane",
"ISSO": "Doe, Jane",
"Current AO": "Doe, Jane",
"System Owner": "Doe, Jane"
    }
  ],
  "pagination": {
    "totalCount": 2,
    "totalPages": 1,
    "pageIndex": 0,
    "pageSize": 20000,
    "prevPageUrl": "",
    "nextPageUrl": ""
  }
}

```

4.22.47 VA System A2.0 Summary

GET	/api/dashboards/va-system-a2-summary <i>Get dashboard information</i>	
Curl Example		
curl -L "[URL]/api/dashboards/va-system-a2-summary?orgId=1&pageIndex=0" -H "api-key: 0a60a84d-3fc1-433c-b39f-507adb1f8bec" --cert .\cert.pem		
Available Query String Parameters		
Name	Type	Example
orgId	Integer	1 This value will be provided by eMASS Support.
pageIndex	Integer	0 If no value is specified, the default returns results from the first page with an index of 0.
pageSize	Integer	20000 If no value is specified, the default returns up to 20,000 results per page. Exceeding this value is prohibited and will default back to 20,000.
Sample Response (orgId=1, pageIndex=0, pageSize=20000)		
<pre>{ "meta": { "code": 200 }, "data": [{ "System ID": "1", "System Name": "John Assess & Authorize System", "Registration Completion Date": "1655490034", "Confidentiality": "Moderate", "Integrity": "Moderate", "Availability": "Moderate", "FISMA Reportable": "Yes", "PII": "No", "PHI": "No", "Public Facing Presence (Externally Facing)": "-", "Portfolio/Product Line": "Not Applicable", "High Value Asset": "No", "Customer and Veteran Experience User Base (Total Number of Users)": "-", "Mission Critical Single Point of Failure": "No", "Overall Risk Score": "Moderate", "Type Authorization": "No", "Compliant Controls": "0", "Non-Compliant Controls": "0", "Not Applicable Controls": "0", "Unassessed Controls": "276", }] }</pre>		

UNCLASSIFIED

```

        "Compliant Controls without Evidence": "0",
        "Inherited Controls": "1",
        "Controls Provided as Inheritable": "0",
        "Ongoing POA&Ms": "1",
        "Risk Accepted POA&Ms": "1",
        "Overdue POA&Ms": "1",
        "Completed POA&Ms": "0",
        "Low or Very Low Severity Ongoing POA&Ms": "1",
        "Moderate Severity Ongoing POA&Ms": "0",
        "High or Very High Severity Ongoing POA&Ms": "0",
        "Low or Very Low Residual Risk Ongoing POA&Ms": "0",
        "Moderate Residual Risk Ongoing POA&Ms": "1",
        "High or Very High Residual Risk Ongoing POA&Ms": "0"
    },
    {
        "System ID": "2",
        "System Name": "Jane Assess & Authorize System",
        "Registration Completion Date": "1657304286",
        "Confidentiality": "Moderate",
        "Integrity": "Moderate",
        "Availability": "Moderate",
        "FISMA Reportable": "No",
        "PII": "No",
        "PHI": "No",
        "Public Facing Presence (Externally Facing)": "No",
        "Portfolio/Product Line": "-",
        "High Value Asset": "No",
        "Customer and Veteran Experience User Base (Total Number
                                                    of Users)": "12",
        "Mission Critical Single Point of Failure": "No",
        "Overall Risk Score": "-",
        "Type Authorization": "No",
        "Compliant Controls": "1",
        "Non-Compliant Controls": "0",
        "Not Applicable Controls": "0",
        "Unassessed Controls": "275",
        "Compliant Controls without Evidence": "1",
        "Inherited Controls": "0",
        "Controls Provided as Inheritable": "0",
        "Ongoing POA&Ms": "1",
        "Risk Accepted POA&Ms": "0",
        "Overdue POA&Ms": "1",
        "Completed POA&Ms": "0",
        "Low or Very Low Severity Ongoing POA&Ms": "0",
        "Moderate Severity Ongoing POA&Ms": "1",
        "High or Very High Severity Ongoing POA&Ms": "0",
        "Low or Very Low Residual Risk Ongoing POA&Ms": "0",
        "Moderate Residual Risk Ongoing POA&Ms": "1",
        "High or Very High Residual Risk Ongoing POA&Ms": "0"
    }
},
"pagination": {
    "totalCount": 2,
    "totalPages": 1,
    "pageIndex": 0,
    "pageSize": 20000,
    "prevPageUrl": "",

```

UNCLASSIFIED

```
    "nextPageUrl": ""  
  }  
}
```

4.22.48 VA System P.L. 109 Reporting Summary

GET	/api/dashboards/va-system-pl-109-reporting-summary <i>Get dashboard information</i>	
Curl Example		
<pre>curl -L "[URL]/api/dashboards/va-system-pl-109-reporting-summary?orgId=1&pageIndex=0" -H "api-key: 0a60a84d-3fc1-433c-b39f-507adb1f8bec" --cert .\cert.pem</pre>		
Available Query String Parameters		
Name	Type	Example
excludeInherited	Boolean	true, false If no value is specified, the default returns false to include inherited data.
orgId	Integer	1 This value will be provided by eMASS Support.
pageIndex	Integer	0 If no value is specified, the default returns results from the first page with an index of 0.
pageSize	Integer	20000 If no value is specified, the default returns up to 20,000 results per page. Exceeding this value is prohibited and will default back to 20,000.
Sample Response (orgId=1, pageIndex=0, pageSize=20000)		
<pre>{ "meta": { "code": 200 }, "data": [{ "Organization": "Test Org", "Organization Hierarchy": "VA > Test Org", "System Acronym": "John A&A System", "System Name": "John Assess & Authorize System", "System ID": "1", "Registration Completion Date": "1657303069", "Registration Type": "Assess and Authorize", "Entity Type": "Facility", "Geographical Association": "EO", "Impact": "Moderate", "Authorization Status": "Not Yet Authorized", "System Development Life Cycle": "Initiation", "Ongoing (Overall)": "7", "Risk Accepted (Overall)": "4", "Completed (Overall)": "5", }] }</pre>		

UNCLASSIFIED

```

"Total (Overall)": "16",
"% Completed (Overall) POA&M Items": "31%",
"Ongoing (Management)": "0",
"Risk Accepted (Management)": "0",
"Completed (Management)": "0",
"Total (Management)": "0",
"% Completed (Management)": "-",
"Ongoing (Technical)": "4",
"Risk Accepted (Technical)": "3",
"Completed (Technical)": "4",
"Total (Technical)": "11",
"% Completed (Technical)": "36%",
"Ongoing (Operational)": "2",
"Risk Accepted (Operational)": "1",
"Completed (Operational)": "1",
"Total (Operational)": "4",
"% Completed (Operational)": "25%",
"Ongoing (Privacy)": "0",
"Risk Accepted (Privacy)": "0",
"Completed (Privacy)": "0",
"Total (Privacy)": "0",
"% Completed (Privacy)": "-",
"Ongoing (Unassigned)": "1",
"Risk Accepted (Unassigned)": "0",
"Completed (Unassigned)": "0",
"Total (Unassigned)": "1",
"% Completed (Unassigned)": "0%",
"Installation Name/Owning Org": "Location 1",
"Country": "United States",
"State": "Virginia",
"City": "Herndon",
"Street Address": "123 Herndon Dr.",
"Building Number": "-",
"Room Number": "-",
"Zip Code": "12341"
{
"Organization": "VA",
"Organization Hierarchy": "VA",
"System Acronym": "Jane A&A System",
"System Name": "Jane Assess & Authorize System",
"System ID": "9",
"Registration Completion Date": "1657304286",
"Registration Type": "Assess and Authorize",
"Entity Type": "Information System",
"Geographical Association": "Region 3",
"Impact": "Moderate",
"Authorization Status": "Not Yet Authorized",
"System Development Life Cycle":
    "Implementation/Assessment",
"Ongoing (Overall)": "3",
"Risk Accepted (Overall)": "2",
"Completed (Overall)": "0",
"Total (Overall)": "5",
"% Completed (Overall) POA&M Items": "0%",
"Ongoing (Management)": "0",
"Risk Accepted (Management)": "0",
"Completed (Management)": "0",

```

```

    "Total (Management)": "0",
    "% Completed (Management)": "-",
    "Ongoing (Technical)": "2",
    "Risk Accepted (Technical)": "1",
    "Completed (Technical)": "0",
    "Total (Technical)": "3",
    "% Completed (Technical)": "0%",
    "Ongoing (Operational)": "0",
    "Risk Accepted (Operational)": "1",
    "Completed (Operational)": "0",
    "Total (Operational)": "1",
    "% Completed (Operational)": "0%",
    "Ongoing (Privacy)": "0",
    "Risk Accepted (Privacy)": "0",
    "Completed (Privacy)": "0",
    "Total (Privacy)": "0",
    "% Completed (Privacy)": "-",
    "Ongoing (Unassigned)": "1",
    "Risk Accepted (Unassigned)": "0",
    "Completed (Unassigned)": "0",
    "Total (Unassigned)": "1",
    "% Completed (Unassigned)": "0%",
    "Installation Name/Owning Org": "123",
    "Country": "United States",
    "State": "Vermont",
    "City": "Victory",
    "Street Address": "123123",
    "Building Number": "-",
    "Room Number": "-",
    "Zip Code": "12345"
  }
},
"pagination": {
  "totalCount": 2,
  "totalPages": 1,
  "pageIndex": 0,
  "pageSize": 20000,
  "prevPageUrl": "",
  "nextPageUrl": ""
}
}

```

4.22.49 VA System FISMA Inventory Summary

GET	/api/dashboards/va-system-fisma-inventory-summary <i>Get dashboard information</i>	
Curl Example		
curl -L "[URL]/api/dashboards/va-system-fisma-inventory-summary?orgId=1&pageIndex=0" -H "api-key: 0a60a84d-3fc1-433c-b39f-507adb1f8bec" --cert .\cert.pem		
Available Query String Parameters		
Name	Type	Example
orgId	Integer	1 This value will be provided by eMASS Support.
pageIndex	Integer	0 If no value is specified, the default returns results from the first page with an index of 0.
pageSize	Integer	20000 If no value is specified, the default returns up to 20,000 results per page. Exceeding this value is prohibited and will default back to 20,000.
Sample Response (orgId=1, pageIndex=0, pageSize=20000)		
<pre>{ "meta": { "code": 200 }, "data": [{ "Organization": "Test Org", "Organization Hierarchy": "VA > Test Org", "System Acronym": "John A&A System", "System Name": "John Assess & Authorize System", "System ID": "1", "Registration Completion Date": "1655490034", "VASI ID": "200", "VA EPS Number": "-", "Registration Type": "Assess and Authorize", "System Description": "Test Description", "System Type": "IS Major Application", "VA System Type": "Financial", "Special Type": " COVID-19 Priority", "Special Type Description": "Test Special Type Description", "Portfolio/Product Line": "Not Applicable", "Entity Type": "Information System", "Geographical Association": "Region Other", "FISMA Reportable": "Yes", "Cryptographic Module Presence": "Yes",</pre>		

UNCLASSIFIED

```

"Vulnerable Cryptographic Module": "Yes",
"Authorization Status": "Authorization to Operate (ATO)",
"Type Authorization": "Yes",
"Current RMF Step": "6 - Monitor",
"Days In Current RMF Step": "0",
"Confidentiality": "Moderate",
"Integrity": "Moderate",
"Availability": "Moderate",
"Impact": "Moderate",
"Authorized Confidentiality": "Moderate",
"Authorized Integrity": "Moderate",
"Authorized Availability": "Moderate",
"Security Review Required": "Yes",
"Security Review Completed": "Yes",
"Security Review Completion Date": "1660667933",
"Next Security Review Due Date": "1710623924",
"Days Since Last Annual Review": "0",
"Contingency Plan Tested": "Yes",
"Contingency Plan Test Date": "1659717245",
"Days Since Last Contingency Plan Test": "11",
"Alternate Processing Site (Contingency)": "VA - Dulles,
                                           VA - Ashburn",
"Contingency Plan Test Type": "Functional (restore from
                               backup)",
"Incident Response Test Date": "1659890045",
"Disaster Recovery Test Date": "1660062845",
"Alternate Processing Site (Disaster Recovery)": "VA -
                                                  Ashburn",
"System Development Life Cycle": "Initiation",
"System Ownership / Controlled": "VA Owned and VA Operated
                                   IS",
"Cloud Computing": "Yes",
"Cloud Type": "Private",
"Red Team Exercise Completion": "Yes",
"Red Team Exercise Agency Notification": "No",
"Red Team Exercise Results Sharing (Binding)": "No",
"Red Team Exercise Results Sharing (Non-Binding)": "Yes",
"Quantity of Data (GB)": "500",
"Unique Records": "1000",
"Data Loss Prevention (DLP) Protected": "Yes",
"Data Rights Management (DRM) Protected": "Yes",
"Encryption of Data": "Data at Rest; Data in Transit; Data
                      in Use",
"Data Encryption Barrier": "-",
"Data Encryption Barrier (Other)": "-",
"Data Retention Length": "6 months",
"Permanent Data": "No",
"Replica Data": "Yes",
"External User Access": "Yes",
"Primary Mission Essential Function (PMEF)": "Yes",
"PMEF Description": "Provide medical and hospital services
                    for Veterans, and during a disaster
                    or emergency, for civilian victims as
                    appropriate. (VHA)",
"Mission Essential Function (MEF)": "Yes",
"MEF Description": "Acquisition support (OALC); Account
                    for employees (HRA)",

```

UNCLASSIFIED

```
"Administration": "VHA - Veterans Health Administration",
"Administration Other Justification": "-",
"Maximum Tolerable Downtime": "48 hours",
"Recovery Time Objective": "Mission Critical: 12 hours",
"Recovery Point Objective": "Essential Support: 72 hours",
"BIA Required": "Yes",

"BIA Last Reviewed Date": "1656707876",
"Contingency Plan Required": "Yes",
"Contingency Plan Last Reviewed Date": "1656794282",
"Incident Response Plan Required": "Yes",
"Incident Response Plan Last Reviewed Date": "1656880688",
"Disaster Recovery Plan Required": "Yes",
"Disaster Recovery Plan Last Reviewed Date": "1656967094",
"Information System Security Architecture Plan Required":
    "Yes",
"Information System Security Architecture Plan Last
    Reviewed Date": "1672855262",
"Threat Model Required": "Yes",
"Threat Model Status": "Completed",
"Threat Model Last Completed": "1660336553",
"Remaining Medium Unmitigated Vulnerabilities": "5",
"Remaining High Unmitigated Vulnerabilities": "3",
"Threat Model Last Reviewed Date": "1657139904",
"Configuration Management Plan Required": "Yes",
"Configuration Management Plan Last Reviewed Date":
    "1657053626",
"Privacy Threshold Analysis Required": "Yes",
"Privacy Threshold Analysis Last Reviewed Date":
    "1657226310",
"Privacy Impact Assessment Required": "Yes",
"Privacy Impact Assessment Last Reviewed Date":
    "1657312721",
"PIV Status": "Enabled",
"MFA Details (Internal Users)": "System enforces an MFA
    credential that is
    verifier impersonation-
    resistant (e.g., mutual
    TLS, or Web
    Authentication) as a
    required authentication
    mechanism for internal
    users",
"MFA Barrier": "Technology",
"MFA Barrier (Other)": "-",
"Network Access PIV Required": "-",
"Periodic Password Changes": "-",
"External Federated IDP Trust (Internal Users)": "-",
"Complex Password Composition": "-",
"Compromised/Weak Password Checks": "-",
"External User Accounts": "Yes",
"MFA Details (External Users)": "System enforces (not
    optional) an MFA
    credential that is
    verifier impersonation-
    resistant (e.g., mutual
    TLS, or Web
```



```

Authentication) as a
required authentication
mechanism.",
"External Federated IDP Trust (External Users)": "-",
"PII": "No",
"PHI": "No",
"Data Hosting": "Internal to VA Network",
"External Connection(s)": "No",
"Mission Critical Single Point of Failure": "Yes",
"Mission Critical Description": "Test Point of Failure",
"System Environment": "Test Environment",
"Acquisition Contract": "Yes",
"Contract Name": "Test Contract",
"Contract Number": "H3128452",
"Contract Term Length": "3 years",
"Contract Award / Execution Date": "1659371816",
"Contract Termination Date": "1754066216",
"Critical Software Overlay Applied": "Yes",
"Elevated Privilege": "Yes",
"Privileged Network/Computing Access": "Yes",
"Controls Access to Data/Operational Technology": "Yes",
"Performs Critical Trust Function": "Yes",
"Privileged Access Beyond Normal Trust": "Yes",
"Group Tagging": "Test Group Tag",
"Group Tag Descriptions": "Test Group Tag Descriptions",
"System Steward": "Smith, John",
"Information System Security Officer": "Smith, John",
"Information System Owner": "Smith, John",
"Authorizing Official": "Smith, John"
    },
    ],
    "pagination": {
        "totalCount": 1,
        "totalPages": 1,
        "pageIndex": 0,
        "pageSize": 20000,
        "prevPageUrl": "",
        "nextPageUrl": ""
    }
}

```

4.22.50 VA System FISMA Inventory Crypto Summary

GET	/api/dashboards/va-system-fisma-inventory-crypto-summary <i>Get dashboard information</i>		
<i>Curl Example</i>			
<pre>curl -L "[URL]/api/dashboards/va-system-fisma-inventory-crypto-summary?orgId=1&pageIndex=0" -H "api-key: 0a60a84d-3fc1-433c-b39f-507adb1f8bec" --cert .\cert.pem</pre>			
<i>Available Query String Parameters</i>			
Name		Type	Example

UNCLASSIFIED

orgId	Integer	1 This value will be provided by eMASS Support.
pageIndex	Integer	0 If no value is specified, the default returns results from the first page with an index of 0.
pageSize	Integer	20000 If no value is specified, the default returns up to 20,000 results per page. Exceeding this value is prohibited and will default back to 20,000.
Sample Response (orgId=1, pageIndex=0, pageSize=20000)		
<pre>{ "meta": { "code": 200 }, "data": [{ "Organization Name": "Test Org", "Organization Hierarchy": "VA > Test Org", "System Acronym": "John A&A System", "System Name": "John Assess & Authorize System", "System ID": "1", "Confidentiality": "Moderate", "Integrity": "High", "Availability": "Moderate", "Impact": "High", "Authorization Status": "Authorization to Operate (ATO)", "HVA Status": "No", "Cyberscope ID": "Test Cyberscope ID", "Data Retention Length": "None", "Permanent Data": "No", "Applied Info Types": "Access to Care; Health Care Administration; Health Care Delivery Services; Health Care Research and Practitioner Education; Population Health Management and Consumer Safety", "Cryptographic Module Presence": "Yes", "Hosting Information": "Hybrid Cloud", "Cloud Service Providers": "Commercial -Dropbox", "Government Cloud Providers": "Adobe Creative Cloud for Enterprise", "Hybrid Cloud Providers": "Verizon Enterprise", "FY for Estimates": "2025", "FY Budget Requirements for Federal Workforce": "1000000", "FY Budget Requirements for Contractors": "2150000", "FY Budget Requirements for Systems/Investments": "30000", "Total Budget Requirements Including Federal Workforce": "4000000", "Total Budget Requirements Including Contractors": "5000", }] }</pre>		

```

    "Total Budget Requirements Including Systems/Investments":
        "3000000",
    "Projected Year for System Refresh": "2026",
    "Additional Comments": "Test Comments",
    "Vulnerable Cryptographic Module": "Yes",
    "Cryptographic Module Name": "Test Module Name",
    "Cryptographic Algorithm": "Digital Signature Algorithm",
    "Service Provided": "Test Service 1",
    "Cryptographic Key/Module Length": "128 bits",
    "Software Package Type": "Other (e.g., custom software)",
    "Name of Vendor/Developer": "Test Vendor 1",
    "Software Package Name(s)": "Test Package Name 1",
    "Software Package Version(s)": "Test Version 1",
    "Operating System": "Windows 10",
    "Additional Notes": "Test Notes 1"
},
{
    "Organization Name": "Test Org",
    "Organization Hierarchy": "VA > Test Org",
    "System Acronym": "John A&A System",
    "System Name": "John Assess & Authorize System",
    "System ID": "1",
    "Confidentiality": "Moderate",
    "Integrity": "High",
    "Availability": "Moderate",
    "Impact": "High",
    "Authorization Status": "Authorization to Operate (ATO)",
    "HVA Status": "No",
    "Cyberscope ID": "Test Cyberscope ID",
    "Data Retention Length": "None",
    "Permanent Data": "No",
    "Applied Info Types": "Access to Care; Health Care
        Administration; Health Care
        Delivery Services; Health Care
        Research and Practitioner
        Education; Population Health
        Management and Consumer Safety",
    "Cryptographic Module Presence": "Yes",
    "Hosting Information": "Hybrid Cloud",
    "Cloud Service Providers": "Commercial -Dropbox",
    "Government Cloud Providers": "Adobe Creative Cloud for
        Enterprise",
    "Hybrid Cloud Providers": "Verizon Enterprise",
    "FY for Estimates": "2025",
    "FY Budget Requirements for Federal Workforce": "1000000",
    "FY Budget Requirements for Contractors": "2150000",
    "FY Budget Requirements for Systems/Investments": "30000",
    "Total Budget Requirements Including Federal Workforce":
        "4000000",
    "Total Budget Requirements Including Contractors": "5000",
    "Total Budget Requirements Including Systems/Investments":
        "3000000",
    "Projected Year for System Refresh": "2026",
    "Additional Comments": "Test Comments",
    "Vulnerable Cryptographic Module": "Yes",
    "Cryptographic Module Name": "Test Module Name",

```

```

        "Cryptographic Algorithm": "Diffie-Hellman (DH) Key
                                   Exchange",
        "Service Provided": "Test Service 2",
        "Cryptographic Key/Module Length": "256 bits",
        "Software Package Type": "GOTS",
        "Name of Vendor/Developer": "Test Vendor 2",
        "Software Package Name(s)": "Test Package Name 2",
        "Software Package Version(s)": "Test Version 2",
        "Operating System": "Windows 11",
        "Additional Notes": "Test Notes 2"
    }
],
"pagination": {
    "totalCount": 2,
    "totalPages": 1,
    "pageIndex": 0,
    "pageSize": 20000,
    "prevPageUrl": "",
    "nextPageUrl": ""
}
}

```

4.22.51 VA System Threat Risks Summary

GET	/api/dashboards/va-system-threat-risks-summary <i>Get dashboard information</i>	
Curl Example		
curl -L "[URL]/api/dashboards/va-system-threat-risks-summary?orgId=1&pageIndex=0" -H "api-key: 0a60a84d-3fc1-433c-b39f-507adb1f8bec" --cert .\cert.pem		
Available Query String Parameters		
Name	Type	Example
orgId	Integer	1 This value will be provided by eMASS Support.
pageIndex	Integer	0 If no value is specified, the default returns results from the first page with an index of 0.
pageSize	Integer	20000 If no value is specified, the default returns up to 20,000 results per page. Exceeding this value is prohibited and will default back to 20,000.
Sample Response (orgId=1, pageIndex=0, pageSize=20000)		
<pre>{ "meta": { "code": 200 }, "data": [{ "Organization": "Veterans Affairs", "System Acronym": "John A&A System", "System ID": "1", "Registration Completion Date": "1679415285", "Entity Type": "Information System", "Geographical Association": "EO", "Applicable Threats": "5", "Very Low Risk Threats": "0", "Low Risk Threats": "0", "Moderate Risk Threats": "0", "High Risk Threats": "2", "Very High Risk Threats": "2" }, { "Organization": "Test Org", "System Acronym": "Jane A&A System", "System ID": "2", "Registration Completion Date": "1679669329", "Entity Type": "Information System", "Geographical Association": "Region 1",</pre>		

```

        "Applicable Threats": "12",
        "Very Low Risk Threats": "5",
        "Low Risk Threats": "1",
        "Moderate Risk Threats": "3",
        "High Risk Threats": "1",
        "Very High Risk Threats": "2"
    },
    ],
    "pagination": {
        "totalCount": 2,
        "totalPages": 1,
        "pageIndex": 0,
        "pageSize": 20000,
        "prevPageUrl": "",
        "nextPageUrl": ""
    }
}

```

4.22.52 VA System Threat Sources Details

GET	/api/dashboards/va-system-threat-sources-details Get dashboard information	
Curl Example		
curl -L "[URL]/api/dashboards/va-system-threat-sources-details?orgId=1&pageIndex=0" -H "api-key: 0a60a84d-3fc1-433c-b39f-507adb1f8bec" --cert .\cert.pem		
Available Query String Parameters		
Name	Type	Example
orgId	Integer	1 This value will be provided by eMASS Support.
pageIndex	Integer	0 If no value is specified, the default returns results from the first page with an index of 0.
pageSize	Integer	20000 If no value is specified, the default returns up to 20,000 results per page. Exceeding this value is prohibited and will default back to 20,000.
Sample Response (orgId=1, pageIndex=0, pageSize=20000)		
{ "meta": { "code": 200 }, "data": [{ "Organization": "Veterans Affairs",		

UNCLASSIFIED

```

"System Name": "John Assess & Authorize System",
"System Acronym": "John A&A System",
"System ID": "1",
"Registration Type": "Assess and Authorize",
"System Type": "IS Major Application",
"VA System Type": "Financial",
"Entity Type": "Information System",
"Geographical Association": "EO",
"Authorization Status": "Authorization to Operate (ATO)",
"Authorization Date": "1680031323",
"ATD": "1711908686",
"Threat ID": "1",
"Threat Category": "VA Environmental Risk",
"Threat Source": "Component Failure ",
"Control Association(s)": "MA-1",
"Likelihood": "Moderate",
"Impact": "High",
"Risk": "High",
"Recommendations": "Test Recommendations 1"
},
{
"Organization": "Veterans Affairs",
"System Name": "John Assess & Authorize System",
"System Acronym": "John A&A System",
"System ID": "1",
"Registration Type": "Assess and Authorize",
"System Type": "IS Major Application",
"VA System Type": "Financial",
"Entity Type": "Information System",
"Geographical Association": "EO",
"Authorization Status": "Authorization to Operate (ATO)",
"Authorization Date": "1680031323",
"ATD": "1711908686",
"Threat ID": "3",
"Threat Category": "VA Environmental Risk",
"Threat Source": "HVAC Failure ",
"Control Association(s)": "PE-14",
"Likelihood": "High",
"Impact": "High",
"Risk": "High",
"Recommendations": "Test Recommendations 2"
},
{
"Organization": "Test Org",
"System Name": "Jane Assess & Authorize System",
"System Acronym": "Jane A&A System",
"System ID": "2",
"Registration Type": "Assess and Authorize",
"System Type": "IS Major Application",
"VA System Type": "Financial",
"Entity Type": "Information System",
"Geographical Association": "Region 1",
"Authorization Status": "Not Yet Authorized",
"Authorization Date": "-",
"ATD": "-",
"Threat ID": "10",
"Threat Category": "VA Human",

```

```

        "Threat Source": "Civil Unrest",
        "Control Association(s)": "CP-1",
        "Likelihood": "Moderate",
        "Impact": "Moderate",
        "Risk": "Low",
        "Recommendations": "-"
    },
    ],
    "pagination": {
        "totalCount": 3,
        "totalPages": 1,
        "pageIndex": 0,
        "pageSize": 20000,
        "prevPageUrl": "",
        "nextPageUrl": ""
    }
}

```

4.22.53 VA System Threat Architecture Details

GET	/api/dashboards/va-system-threat-architecture-details <i>Get dashboard information</i>	
Curl Example		
<pre>curl -L "[URL]/api/dashboards/va-system-threat-architecture- details?orgId=1&pageIndex=0" -H "api-key: 0a60a84d-3fc1-433c-b39f- 507adb1f8bec" --cert .\cert.pem</pre>		
Available Query String Parameters		
Name	Type	Example
orgId	Integer	1 This value will be provided by eMASS Support.
pageIndex	Integer	0 If no value is specified, the default returns results from the first page with an index of 0.
pageSize	Integer	20000 If no value is specified, the default returns up to 20,000 results per page. Exceeding this value is prohibited and will default back to 20,000.
Sample Response (orgId=1, pageIndex=0, pageSize=20000)		
<pre>{ "meta": { "code": 200 }, "data": [{ "Organization": "Veterans Affairs",</pre>		


```

        "System Name": "A&A System",
        "System Acronym": "A&A System",
        "System ID": "1",
        "Registration Type": "Assess and Authorize",
        "System Type": "IS Major Application",
        "VA System Type": "Financial",
        "Entity Type": "Information System",
        "Geographical Association": "EO",
        "Authorization Status": "Authorization to Operate (ATO)",
        "Authorization Date": "1680031323",
        "ATD": "1680031323",
        "Threat ID": "T-1250",
        "Threat Name": "Stack Overflow",
        "Threat Description": "ICS-Cert: Unauthenticated user can
                               cause buffer stack overflow
                               conditions, allowing arbitrary code
                               execution.",
        "Likelihood": "Moderate",
        "Impact": "Very High",
        "Risk": "High",
        "Recommendations": "Test Recommendations 1"
    },
    {
        "Organization": "Veterans Affairs",
        "System Name": "A&A System",
        "System Acronym": "A&A System",
        "System ID": "1",
        "Registration Type": "Assess and Authorize",
        "System Type": "IS Major Application",
        "VA System Type": "Financial",
        "Entity Type": "Information System",
        "Geographical Association": "EO",
        "Authorization Status": "Authorization to Operate (ATO)",
        "Authorization Date": "1680031323",
        "ATD": "1680031323",
        "Threat ID": "T-1001",
        "Threat Name": "MITM",
        "Threat Description": "Man-in-the-Middle",
        "Likelihood": "Very Low",
        "Impact": "Moderate",
        "Risk": "Low",
        "Recommendations": "Test Recommendations 2"
    }
],
"pagination": {
    "totalCount": 2,
    "totalPages": 1,
    "pageIndex": 0,
    "pageSize": 20000,
    "prevPageUrl": "",
    "nextPageUrl": ""
}
}

```

4.22.54 CMMC Assessment Status Summary

GET	/api/dashboards/cmmc-assessment-status-summary <i>Get dashboard information</i>	
Curl Example		
curl -L "[URL]/api/dashboards/cmmc-assessment-status-summary?orgId=1&pageIndex=0" -H "api-key: 0a60a84d-3fc1-433c-b39f-507adb1f8bec" --cert .\cert.pem		
Available Query String Parameters		
Name	Type	Example
orgId	Integer	1 This value will be provided by eMASS Support.
pageIndex	Integer	0 If no value is specified, the default returns results from the first page with an index of 0.
pageSize	Integer	20000 If no value is specified, the default returns up to 20,000 results per page. Exceeding this value is prohibited and will default back to 20,000.
Sample Response (orgId=1, pageIndex=0, pageSize=20000)		
<pre>{ "meta": { "code": 200 }, "data": [{ "HQ Organization Name": "Umbrella Corporation", "HQ Organization Hierarchy": "CMMC > DIB Companies > UC", "OSC Name": "Umbrella Corporation Labs", "OSC Short Name": "UC Labs", "eMASS Record ID": "1", "UEI": "9809123", "Number of Employees": "1575", "Highest Level Owner CAGE Code": "A876Z", "Scope": "Enclave", "Scope Description": "Sample description.", "C3PAO Company Name": "Acme Assessments, Inc.", "C3PAO Unique Identifier": "C3PAO-39424", "Assessment ID": "db1b51af-9c66-49ef-af7d-1541ed2ff7d5", "Assessment Start Date": "1727758800", "Assessment End Date": "1728968400", "POA&M Created and Reviewed": "Yes", "Overall Score": "83", "CMMC Status": "None", "CMMC Status Date": "-", "CMMC Status Expiration Date": "-", }] }</pre>		

```

        "CMMC UID": "L200000299",
        "Standards Acceptance": "FedRAMP High",
        "Assessment Standard": "NIST SP 800-171 Revision 2",
        "Appeal Status": "Granted and Reassessed"
    },
    {
        "HQ Organization Name": "Test Labs",
        "HQ Organization Hierarchy": "CMMC > DIB Companies > Test
                                     Labs",
        "OSC Name": "Test Engineering Systems",
        "OSC Short Name": "TES",
        "eMASS Record ID": "146",
        "UEI": "123ABCUEI987",
        "Number of Employees": "15007123",
        "Highest Level Owner CAGE Code": "Z9G8X",
        "Scope": "Enclave",
        "Scope Description": "Enclave Scope information",
        "C3PAO Company Name": "Cyberdyne Systems",
        "C3PAO Unique Identifier": "T-800",
        "Assessment ID": "1f6b6e9b-3291-45a5-9f99-8da45c52450a",
        "Assessment Start Date": "1727885388",
        "Assessment End Date": "1729008588",
        "POA&M Created and Reviewed": "Yes",
        "Overall Score": "100",
        "CMMC Status": "Conditional Level 2 (C3PAO)",
        "CMMC Status Date": "1732118995",
        "CMMC Status Expiration Date": "1747670995",
        "CMMC UID": "L200000311",
        "Standards Acceptance": "FedRAMP High",
        "Assessment Standard": "NIST SP 800-171 Revision 2",
        "Appeal Status": "-"
    }
],
"pagination": {
    "pageIndex": 0,
    "pageSize": 20000,
    "totalCount": 2,
    "totalPages": 1,
    "prevPageUrl": "",
    "nextPageUrl": ""
}
}

```

4.22.55 CMMC Assessment Requirements Compliance Summary

GET	/api/dashboards/cmmc-assessment-requirements-compliance-summary Get dashboard information	
Curl Example		
<pre>curl -L "[URL]/api/dashboards/cmmc-assessment-requirements-compliance-summary?orgId=1&pageIndex=0" -H "api-key: 0a60a84d-3fc1-433c-b39f-507adb1f8bec" --cert .\cert.pem</pre>		
Available Query String Parameters		
Name	Type	Example
orgId	Integer	1 This value will be provided by eMASS Support.
pageIndex	Integer	0 If no value is specified, the default returns results from the first page with an index of 0.
pageSize	Integer	20000 If no value is specified, the default returns up to 20,000 results per page. Exceeding this value is prohibited and will default back to 20,000.
Sample Response (orgId=1, pageIndex=0, pageSize=20000)		
<pre>{ "meta": { "code": 200 }, "data": [{ "HQ Organization Name": "Umbrella Corporation", "HQ Organization Hierarchy": "CMMC > DIB Companies > UC", "OSC Name": "Umbrella Corporation Labs", "OSC Short Name": "UC Labs", "eMASS Record ID": "1", "POA&M Created and Reviewed": "Yes", "Overall Score": "83", "CMMC Status": "None", "CMMC Status Date": "-", "CMMC Status Expiration Date": "-", "CMMC UID": "L200000299", "Met Requirements": "87", "Not Met Requirements": "23", "Not Applicable Requirements": "0" }, { "HQ Organization Name": "Test Labs", "HQ Organization Hierarchy": "CMMC > DIB Companies > Test Labs", "OSC Name": "Test Engineering Systems",</pre>		

```

"OSC Short Name": "TES",
"eMASS Record ID": "146",
"POA&M Created and Reviewed": "Yes",
"Overall Score": "100",
"CMMC Status": "Conditional Level 2 (C3PAO)",
"CMMC Status Date": "1732118995",
"CMMC Status Expiration Date": "1747670995",
"CMMC UID": "L200000311",
"Met Requirements": "104",
"Not Met Requirements": "6",
"Not Applicable Requirements": "0"
},
{
  "HQ Organization Name": "Sample DIBCAC",
  "HQ Organization Hierarchy": "CMMC > DIBCAC Assessments >
                               Sample DIBCAC",
  "OSC Name": "C3PAO A",
  "OSC Short Name": "C3PAO A",
  "eMASS Record ID": "149",
  "POA&M Created and Reviewed": "No",
  "Overall Score": "110",
  "CMMC Status": "Final Level 2 (C3PAO)",
  "CMMC Status Date": "1732288063",
  "CMMC Status Expiration Date": "1826896063",
  "CMMC UID": "L200000318",
  "Met Requirements": "110",
  "Not Met Requirements": "0",
  "Not Applicable Requirements": "0"
}
],
"pagination": {
  "pageIndex": 0,
  "pageSize": 20000,
  "totalCount": 3,
  "totalPages": 1,
  "prevPageUrl": "",
  "nextPageUrl": ""
}
}

```

4.22.56 CMMC Assessment Security Requirements Details

GET	/api/dashboards/cmmc-assessment-security-requirements-details Get dashboard information	
Curl Example		
curl -L "[URL]/api/dashboards/cmmc-assessment-security-requirements-details?orgId=1&pageIndex=0" -H "api-key: 0a60a84d-3fc1-433c-b39f-507adb1f8bec" --cert .\cert.pem		
Available Query String Parameters		
Name	Type	Example
orgId	Integer	1 This value will be provided by eMASS Support.
pageIndex	Integer	0 If no value is specified, the default returns results from the first page with an index of 0.
pageSize	Integer	20000 If no value is specified, the default returns up to 20,000 results per page. Exceeding this value is prohibited and will default back to 20,000.
Sample Response (orgId=1, pageIndex=0, pageSize=20000)		
<pre>{ "meta": { "code": 200 }, "data": [{ "HQ Organization Name": "Umbrella Corporation", "HQ Organization Hierarchy": "CMMC > DIB Companies > UC", "OSC Name": "Umbrella Corporation Labs", "OSC Short Name": "UC Labs", "eMASS Record ID": "1", "Requirement Number": "AC.L2-3.1.1", "Requirement Name": "Authorized Access Control", "Requirement Description": "Limit information system access to authorized users, processes acting on behalf of authorized users, or devices (including other information systems).", "Requirement Value": "5", "Requirement Score": "Not Met", "Points to be Subtracted from Maximum Possible Score": "-5", "Requirement POA&M": "No" }] }</pre>		

UNCLASSIFIED

```

    "HQ Organization Name": "Umbrella Corporation",
    "HQ Organization Hierarchy": "CMMC > DIB Companies > UC",
    "OSC Name": "Umbrella Corporation Labs",
    "OSC Short Name": "UC Labs",
    "eMASS Record ID": "1",
    "Requirement Number": "AC.L2-3.1.2",
    "Requirement Name": "Transaction & Function Control",
    "Requirement Description": "Limit information system
                                access to the types of
                                transactions and functions
                                that authorized users are
                                permitted to execute.",

    "Requirement Value": "5",
    "Requirement Score": "Met",
    "Points to be Subtracted from Maximum Possible Score":
                                                "0",
    "Requirement POA&M": "No"
  },
  {
    "HQ Organization Name": "Umbrella Corporation",
    "HQ Organization Hierarchy": "CMMC > DIB Companies > UC",
    "OSC Name": "Umbrella Corporation Labs",
    "OSC Short Name": "UC Labs",
    "eMASS Record ID": "1",
    "Requirement Number": "AC.L2-3.1.3",
    "Requirement Name": "Control CUI Flow",
    "Requirement Description": "Control the flow of CUI in
                                accordance with approved
                                authorizations.",

    "Requirement Value": "1",
    "Requirement Score": "Met",
    "Points to be Subtracted from Maximum Possible Score":
                                                "0",
    "Requirement POA&M": "No"
  }
],
"pagination": {
  "pageIndex": 0,
  "pageSize": 20000,
  "totalCount": 3,
  "totalPages": 1,
  "prevPageUrl": "",
  "nextPageUrl": ""
}
}

```

4.22.57 CMMC Assessment Requirement Objectives Details

GET	/api/dashboards/cmmc-assessment-requirement-objectives-details <i>Get dashboard information</i>	
Curl Example		
curl -L "[URL]/api/dashboards/cmmc-assessment-requirement-objectives-details?orgId=1&pageIndex=0" -H "api-key: 0a60a84d-3fc1-433c-b39f-507adb1f8bec" --cert .\cert.pem		
Available Query String Parameters		
Name	Type	Example
orgId	Integer	1 This value will be provided by eMASS Support.
pageIndex	Integer	0 If no value is specified, the default returns results from the first page with an index of 0.
pageSize	Integer	20000 If no value is specified, the default returns up to 20,000 results per page. Exceeding this value is prohibited and will default back to 20,000.
Sample Response (orgId=1, pageIndex=0, pageSize=20000)		
{ "meta": { "code": 200 }, "data": [{ "HQ Organization Name": "Umbrella Corporation", "HQ Organization Hierarchy": "CMMC > DIB Companies > UC", "OSC Name": "Umbrella Corporation Labs", "OSC Short Name": "UC Labs", "eMASS Record ID": "1", "Requirement Number": "AC.L2-3.1.1", "Objective Number": "AC.L2-3.1.1[a]", "Objective Description": "Determine if authorized users are identified.", "Objective Score": "Not Met", "Artifacts": "samplefile1.pdf; samplefile2.docx", "Interviews": "John Smith; Jane Doe", "Examine": "Examine 1", "Test": "Description of what was tested 1.", "Overall Comments": "Sample assessment overall comments.", "Time To Assess (Minutes)": "120", "Standard Acceptance": "FedRAMP Moderate", "Inherited": "No", "Dependency on Which Service Provider": "Sample Provider", "Date Assessed": "1623906000",		


```

    "Assessed By": "George Washington",
    "Findings": "Description of any findings to support why
                 the Requirement was Not Met."
  },
  {
    "HQ Organization Name": "Umbrella Corporation",
    "HQ Organization Hierarchy": "CMMC > DIB Companies > UC",
    "OSC Name": "Umbrella Corporation Labs",
    "OSC Short Name": "UC Labs",
    "eMASS Record ID": "1",
    "Requirement Number": "AC.L2-3.1.1",
    "Objective Number": "AC.L2-3.1.1[b]",
    "Objective Description": "Determine if processes acting on
                             behalf of authorized users are
                             identified.",
    "Objective Score": "Met",
    "Artifacts": "samplefile1.pdf; samplefile2.docx",
    "Interviews": "John Smith; Jane Doe",
    "Examine": "Examine 1",
    "Test": "Description of what was tested 1.",
    "Overall Comments": "Sample assessment overall comments.",
    "Time To Assess (Minutes)": "45",
    "Standard Acceptance": "FedRAMP Moderate",
    "Inherited": "No",
    "Dependency on Which Service Provider": "Sample Provider",
    "Date Assessed": "1623906000",
    "Assessed By": "George Washington",
    "Findings": "Description of any findings to support why
                 the Requirement was Met."
  },
],
"pagination": {
  "pageIndex": 0,
  "pageSize": 20000,
  "totalCount": 24640,
  "totalPages": 2,
  "prevPageUrl": "",
  "nextPageUrl": "[URL]/api/dashboards/cmmc-assessment-
                  requirement-objectives-
                  details?orgid=1&pageIndex=1&pageSize=20000"
}
}

```

APPENDIX A – BUSINESS RULES

This appendix contains a table of business rules associated with each defined eMASS endpoint.

CONTROLS ENDPOINTS – RISK ASSESSMENT

Business Rule	Associated Parameter/Field
Risk Assessment information cannot be updated if a Security Control is “Inherited.”	N/A
Risk Assessment information cannot be updated for a DIACAP system record.	N/A
Risk Assessment information cannot be updated if Security Control does not exist in the system record.	N/A

CONTROLS ENDPOINTS – IMPLEMENTATION PLAN

Business Rule	Associated Parameter/Field
Implementation Plan cannot be updated if a Security Control is “Inherited” except for the following fields: - Common Control Provider - Security Control Designation	commonControlProvider controlDesignation
Security Control with Planned Implementation Status cannot be saved if the following fields are missing data: - Implementation Status - Security Control Designation - Estimated Completion Date - Responsible Entities (if system is Type Authorization) - Criticality - Frequency - Method - Reporting - Tracking - SLCM Comments	implementationStatus controlDesignation estimatedCompletionDate responsibleEntities slcmCriticality slcmFrequency slcmMethod slcmReporting slcmTracking slcmComments
Security Control with Implemented Implementation Status cannot be saved if the following fields are missing data: Implementation Status	implementationStatus controlDesignation estimatedCompletionDate responsibleEntities

UNCLASSIFIED

• Security Control Designation • Estimated Completion Date • Responsible Entities (if system is Type Authorization) • Criticality • Frequency • Method • Reporting • Tracking • SLCM Comments	slcmCriticality slcmFrequency slcmMethod slcmReporting slcmTracking slcmComments
Security Control with Not Applicable Implementation Status cannot be saved if the following fields are missing data: • Implementation Status • N/A Justification • Security Control Designation • Responsible Entities (if system is Type Authorization)	implementationStatus naJustification controlDesignation responsibleEntities
Security Control with Manually Inherited Implementation Status cannot be saved if the following fields are missing data: • Implementation Status • Common Control Provider • Security Control Designation • Estimated Completion Date • Responsible Entities (if system is Type Authorization) • Criticality • Frequency • Method • Reporting • Tracking • SLCM Comments	implementationStatus commonControlProvider controlDesignation estimatedCompletionDate responsibleEntities slcmCriticality slcmFrequency slcmMethod slcmReporting slcmTracking slcmComments
Implementation Plan information cannot be saved if the fields below exceed the following character limits: • N/A Justification – 2,000 characters • Responsible Entities – 2,000 characters • Implementation Narrative – 2,000 characters • Criticality – 2,000 characters • Reporting – 2,000 characters	naJustification responsibleEntities implementationNarrative slcmCriticality slcmFrequency slcmMethod slcmReporting slcmTracking slcmComments

UNCLASSIFIED

- Tracking – 2,000 characters - SLCM Comments – 2,000 characters	
Implementation Plan information cannot be updated if Security Control does not exist in the system record.	N/A

TEST RESULTS ENDPOINTS

Business Rule	Associated Parameter/Field
Tests Results cannot be saved if the “Test Date” is in the future.	testDate
Test Results cannot be saved if a Security Control is “Inherited” in the system record.	description
Test Results cannot be saved if an Assessment Procedure is “Inherited” in the system record.	description
Test Results cannot be saved if the AP does not exist in the system.	description
Test Results cannot be saved if the control is marked “Not Applicable” by an Overlay.	description
Test Results cannot be saved if the control is required to be assessed as “Applicable” by an Overlay.	description
Test Results cannot be saved if the Tests Results entered is greater than 4,000 characters.	description
Test Results cannot be saved if the following fields are missing data: - complianceStatus - testDate - testedBy - description	complianceStatus testDate testedBy description

POA&MS ENDPOINTS

Business Rule	Associated Parameter/Field
POA&M Item cannot be saved if associated Security Control or AP is inherited.	N/A

UNCLASSIFIED

POA&M Item cannot be created manually if a Security Control or AP is Not Applicable.	N/A
Completed POA&M Item cannot be saved if Completion Date is in the future.	completionDate
POA&M Item cannot be saved if the Point of Contact (POC) fields exceed 100 characters: • Office / Organization • First Name • Last Name • Email • Phone Number	pocOrganization pocFirstName pocLastName pocEmail pocPhoneNumber
POA&M Item cannot be saved if Mitigations field exceeds 2,000 characters.	mitigations
Completed POA&M Item cannot be saved if Completion Date is in the future.	completionDate
POA&M Item cannot be saved if Source Identifying Vulnerability field exceeds 2,000 characters.	sourceIdentifyingVulnerability
POA&M Item cannot be saved if Comments field exceeds 2,000 characters.	comments
POA&M Item cannot be saved if Resources field exceeds 250 characters.	resources
Risk Accepted POA&M Item cannot be saved with a Scheduled Completion Date or Milestones.	scheduledCompletionDate
Risk Accepted POA&M Item cannot be saved for a Compliant Control or AP.	controlAcronym cci
POA&M Item cannot be saved if the following fields are missing data: • Status • Scheduled Completion Date • Completion Date (Completed POA&M Item only) • Office / Organization • First Name (only if Last Name, Email, or Phone Number have data) • Last Name (only if First Name, Email, or Phone Number have data) • Email (only if First Name, Last Name, or Phone Number have data)	status scheduledCompletionDate completionDate pocOrganization pocFirstName pocLastName pocEmail pocPhoneNumber comments resources vulnerabilityDescription sourceIdentifyingVulnerability severity* relevanceOfThreat* likelihood*

UNCLASSIFIED

• Phone Number (only if First Name, Last Name, or Email have data) • Comments (Completed or Risk Accepted POA&M Items only) • Resources • Vulnerability Description • Source Identifying Vulnerability *Note: Certain eMASS instances also require the Risk Analysis fields to be populated: • Severity • Relevance of Threat • Likelihood • Impact • Residual Risk Level • Mitigations	impact* residualRiskLevel* mitigation*
POA&M Item with a review status of “Not Approved” cannot be saved if Milestone Scheduled Completion Date exceeds POA&M Item Scheduled Completion Date.	status
POA&M Item with a review status of “Approved” can be saved if Milestone Scheduled Completion Date exceeds POA&M Item Scheduled Completion Date.	status
POA&M Items that have a status of “Completed” and a status of “Ongoing” cannot be saved without Milestones.	status
POA&M Items cannot be saved if Milestone Description exceeds 2,000 characters.	description
POA&M Items that have a status of “Risk Accepted” cannot have milestones.	status
POA&M Items with a review status of “Approved” that have a status of “Completed” and “Ongoing” cannot update Scheduled Completion Date.	status
POA&M Items that have a review status of “Approved” are required to have a Severity Value assigned.	status
POA&M Items cannot be updated if they are included in an active package.	N/A
Archived POA&M Items cannot be updated.	N/A

UNCLASSIFIED

POA&M Items with a status of “Not Applicable” will be updated through test result creation.	N/A
If the Security Control or Assessment Procedure does not exist in the system, we may have to just import POA&M Item at the System Level.	N/A

ARTIFACTS ENDPOINT

Business Rule	Associated Parameter/Field
Artifact cannot be saved if the fields below exceed the following character limits: • Filename – 1,000 characters • Name – 100 characters • Description – 10,000 characters • Reference Page Number – 50 characters	filename description referencePageNumber
Artifact cannot be saved if the file does not have an allowable file extension/type.	file
Artifact version cannot be saved if an Artifact with the same file name already exist in the system.	filename
Artifact cannot be saved if the file size exceeds 30MB.	file
Artifact cannot be saved if the following fields are missing data: • Filename • Type • Category	filename type category
Artifact cannot be saved if the Last Review Date is set in the future.	lastReviewedDate

CAC ENDPOINT

Business Rule	Associated Parameter/Field
Comments are not required at the first role of the CAC but are required at the second role of	comments

UNCLASSIFIED

the CAC. Comments cannot exceed 10,000 characters.	
--	--

APPENDIX B – ACRONYMS

Acronym	Definition
AP	Assessment Procedure
API	Application Programming Interface
ATC	Authority to Connect
CAC	Control Approval Chain
CCI	Control Correlation Identifier
CCSD	Command Communications Service Designator
CMMC	Cybersecurity Maturity Model Certification
CSP	Cloud Service Provider
DIACAP	DoD Information Assurance Certification and Accreditation Process
DISA	Defense Information Systems Agency
DoD	Department of Defense
eMASS	Enterprise Mission Assurance Support Service
HTTP	Hypertext Transfer Protocol
NIPR	Non-secure Internet Protocol Router
OSC	Organization Seeking Certification
PAC	Package Approval Chain
PKI	Public Key Infrastructure
POA&M	Plan of Action & Milestones
RMF	Risk Management Framework
SAR	Security Assessment Report
SIPR	Secure Internet Protocol Router
SLCM	System Level Continuous Monitoring
SP	Security Plan