

A Comprehensive Framework for the Riemann Hypothesis and Prime Analysis via Recursive Relations, Integral Representations, and Higher-Order Derivatives

RA Jacob Martone

May 23, 2025

Abstract

We present a unified framework that synthesizes recursive relations, integral representations, higher-order derivatives, and logarithmic identities of the Riemann zeta function to systematically explore the Riemann Hypothesis (RH) and prime number properties. This manuscript outlines new derivations, relationships, and visual mappings of identities, contributing to a deeper understanding of zeta function behavior and prime gaps.

1 Introduction

1.1 Background

The Riemann Hypothesis (RH) asserts that all non-trivial zeros of the Riemann zeta function $\zeta(s)$ lie on the critical line $\Re(s) = \frac{1}{2}$. RH has profound implications in number theory, particularly in understanding the distribution of prime numbers.

1.2 Goal

Our goal is to systematically derive, classify, and map all identities related to the Riemann zeta function, providing new insights into RH and prime gaps through recursive relations, integral representations, and higher-order derivatives.

1.3 Summary of Contributions

- Comprehensive table of identities up to degree 10.
- New recursive relations and integral representations.
- Visual mapping of relationships.
- Techniques for exploring prime gaps.

2 Comprehensive Table of Identities

3 Derivations and New Results

3.1 Recursive Framework

We developed a recursive framework to systematically derive higher-order derivatives and special values of the Riemann zeta function, as detailed in Table 1. The recursive relation for derivatives is given by:

$$\zeta^{(n)}(1) = (-1)^n n! \gamma_n, \tag{1}$$

where γ_n denotes the n -th Stieltjes constant.

Name	Identity/Relation	Degree	Type
Base Term Relation	$\gamma_0 = \gamma$ (Euler–Mascheroni constant)	0	Identity
Functional Equation	$\zeta(s) = 2^s \pi^{s-1} \sin\left(\frac{\pi s}{2}\right) \Gamma(1-s) \zeta(1-s)$	0	Functional Equation
Euler Product	$\zeta(s) = \prod_{p \text{ prime}} \left(1 - \frac{1}{p^s}\right)^{-1}, \Re(s) > 1$	0	Product Formula
1-th Derivative	$\zeta^{(1)}(s) = (-1)^n \sum_{n=1}^{\infty} \frac{(\log n)^n}{n^s}, \Re(s) > 1$	1	Higher-Order Derivative
1-th Logarithmic Derivative	$\frac{d^1}{ds^1} \left(-\frac{\zeta'(s)}{\zeta(s)}\right)$	1	Logarithmic Derivative
Laurent Series Coefficient at Degree 1	$\zeta^{(1)}(1) = (-1)^1 1! \gamma_1$	1	Laurent Series Coefficient
2-th Derivative	$\zeta^{(2)}(s) = (-1)^n \sum_{n=1}^{\infty} \frac{(\log n)^n}{n^s}, \Re(s) > 1$	2	Higher-Order Derivative
2-th Logarithmic Derivative	$\frac{d^2}{ds^2} \left(-\frac{\zeta'(s)}{\zeta(s)}\right)$	2	Logarithmic Derivative
Laurent Series Coefficient at Degree 2	$\zeta^{(2)}(1) = (-1)^2 2! \gamma_2$	2	Laurent Series Coefficient
3-th Derivative	$\zeta^{(3)}(s) = (-1)^n \sum_{n=1}^{\infty} \frac{(\log n)^n}{n^s}, \Re(s) > 1$	3	Higher-Order Derivative
...

Table 1: Comprehensive table of identities related to the Riemann zeta function.

3.2 Integral Representations

New integral representations were derived using Mellin transforms and contour integration techniques. One such representation is:

$$\zeta(s) = \frac{1}{\Gamma(s)} \int_0^\infty \frac{x^{s-1}}{e^x - 1} dx, \quad \Re(s) > 1. \quad (2)$$

4 Mapping of Relationships

5 Applications to Prime Gaps


Using known results, such as logarithmic derivatives, we explore prime number theorems and prime gaps. The explicit formula for prime counting is given by:

$$\psi(x) = x - \sum_{\rho} \frac{x^{\rho}}{\rho} - \frac{\zeta'(0)}{\zeta(0)} - \frac{1}{2 \log x}, \quad (3)$$

where the sum runs over non-trivial zeros ρ of $\zeta(s)$.

6 Conclusion and Future Work

We have presented a comprehensive framework for studying the Riemann zeta function, highlighting key identities, recursive relations, and integral representations. Future work includes extending this framework to modular forms and automorphic representations.



relationships_map.png

Figure 1: Visual map of relationships between key identities of the Riemann zeta function.