

Jesse Dillow

Oregon Bee Atlas Collection and Identification Report

1 All Your Collections

Jesse Dillow caught 80 bees across 1 county from April 12, 2019 to May 29, 2019, representing 21 unique taxa, including 16 unique species.




Figure 1: Bees caught by Jesse Dillow, broken down by species, genus, and family.




Figure 2: Bee catch locations for Jesse Dillow (within Oregon), along with total catches per county.

2 Total Catches

Volunteers from the Oregon Bee Atlas project caught 22478 bees across 36 counties from January 24, 2023 to December 13, 2023, representing 90 unique species and 48 unique genera. The **Nimble Net Kudos** (most specimens collected) goes to Scott Sublette, Dan O'Loughlin, and Michael O'Loughlin, who caught a total of 2274, 1283, and 1255 specimens. The *positive* kind of **Darwin Award** (most species collected) goes to Scott Sublette, Ellen Silva, and Michael O'Loughlin, who caught a total of 77, 74, and 72 unique species. Well done!



Figure 3: Bees caught by all volunteers, broken down by species, genus, and family.




Figure 4: Number of bee specimens and unique bee species caught by all volunteers, with your effort shown in red. This graph should give you an idea of how many specimens you would need to catch to begin seeing rarer bee species.



Figure 5: Total specimens caught per county, along with catch location of each specimen (black dots). For genus- and species-specific information for each county, see Tables 3 and 4.



Figure 6: Total catches per (Level III) ecoregion, along with catch location of each specimen (black dots).

3 Flight Phenology

West of (and including) the Cascade Mountains, most bees (90%) were caught between April 13 and September 02, but the peak of season (50% of specimens) was from May 21 to July 26.



Figure 7: Phenology plot for all bee species caught in or West of the Cascade Mountains, sorted by median abundance times. Percentiles of overall emergence times (50th & 90th) are shown in grey shaded regions. Date ranges for each species (minimum, first, second, third quartiles, and maximum) are shown only for species with >10 specimens.

East of the Cascade Mountains, most bees (90%) were caught between April 28 and September 16, but the peak of season (50% of specimens) was from June 02 to August 07.




Figure 8: Phenology plot for all bee species caught east of the Cascade Mountains, sorted by median abundance times. Percentiles of overall emergence times (50th & 90th) are shown in grey shaded regions. Date ranges for each species (minimum, first, second, third quartiles, and maximum) are shown only for species with >10 specimens.

4 Plant genera

Volunteers collected specimens from a total of 636 unique flower genera, with most volunteers sampling from 19 flower genera (median value). The **Flower Power Kudos** (most sampled flower genera) goes to Michael O'Loughlin, Lori Humphreys, and Dan O'Loughlin, who collected bees from a total of 246, 210, and 188 genera of flowers. Well done!

The flower genera that had the most specimens caught on them were *Ericameria*, *Phacelia*, and *Penstemon*, which yielded a total of 6308, 4129, and 3411 specimens. The flower genera that were popular with the most species of bees were *Phacelia*, *Penstemon*, and *Ericameria*, hosting a total of 179, 167, and 140 unique bee species. See Tables 1 and 2 for more details.



Figure 9: Recorded number of flower genera per county.

Table 4: Number of bee specimens from each county, by species

Table 4: Number of bee specimens from each county, by species (*continued*)

Table 4: Number of bee specimens from each county, by species (continued)

	Baker	Benton	Clackamas	Columbia	Cross	Crook	Douglas	Grant	Harney	Hood River	Jackson	Jefferson	Josephine	Klamath	Lake	Lane	Linn	Malheur	Marion	Morrow	Multnomah	Polk	Sherman	Tillamook	Umatilla	Union	Wasco	Washington	Wallowa	Wallowa	Wasco	Washington	Yamhill	TOTAL			
<i>Melecta separata</i>	0	0	0	0	0	3	0	4	0	0	1	4	0	0	1	0	0	0	0	0	0	0	2	0	0	0	0	0	0	0	1	3	1	35			
<i>Melecta thoracica</i>	0	0	0	0	0	1	0	4	0	0	0	0	0	0	1	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	8				
<i>Melissodes agilis</i>	0	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	4	0	0	0	0	0	0	0	0	0	8				
<i>Melissodes bimacris</i>	0	0	0	0	0	1	0	6	0	2	0	0	0	0	0	0	0	0	0	0	0	0	5	0	0	0	0	0	0	0	0	1	0	38			
<i>Melissodes clarkiae</i>	0	5	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	6			
<i>Melissodes communis</i>	0	0	0	1	0	0	0	0	7	0	0	0	0	0	0	0	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	10			
<i>Melissodes dagosus</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	5			
<i>Melissodes lupinus</i>	1	115	8	0	1	0	3	3	2	0	0	2	3	0	2	0	3	13	8	45	2	6	2	152	2	0	8	0	0	0	0	1	2	72	5	42	503
<i>Melissodes lustrus</i>	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	
<i>Melissodes metenus</i>	2	7	1	0	0	0	25	3	0	0	0	5	1	0	2	0	0	3	2	13	2	0	0	10	0	0	0	0	0	0	0	8	0	3	87		
<i>Melissodes microstictus</i>	2	8	1	0	9	0	15	4	29	8	0	21	3	5	25	0	33	3	3	5	6	5	0	10	0	6	0	0	4	0	0	0	5	0	11	221	
<i>Melissodes pallidostigatus</i>	0	12	0	0	0	0	2	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	15		
<i>Melissodes rivalis</i>	1	0	0	0	0	0	0	1	0	10	0	4	1	2	1	0	0	0	1	1	7	4	0	1	1	1	0	0	0	0	0	0	1	1	39		
<i>Melissodes robustior</i>	0	8	0	0	3	0	0	0	17	0	1	0	2	0	0	0	3	0	9	0	0	0	19	2	14	0	0	0	1	0	0	0	21	0	1	101	
<i>Melissodes semilupinus</i>	0	0	0	0	0	0	0	0	0	10	0	0	0	0	0	0	0	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	16		
<i>Microlictoides ruficaudus</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	34	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	35		
<i>Neocarra vigilans</i>	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1		
<i>Nomia melanander</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	5		
<i>Osmia aglaia</i>	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1	0	14	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	16		
<i>Osmia albilateralis</i>	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1	1	3	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	9		
<i>Osmia atriventris</i>	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1		
<i>Osmia atrocyanea</i>	7	3	0	0	1	0	3	0	1	0	1	4	4	0	9	5	8	2	0	6	0	1	0	10	0	0	1	0	0	3	1	2	0	1	7	87	
<i>Osmia bakeri</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2		
<i>Osmia bella</i>	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	7		
<i>Osmia brevis</i>	33	0	1	0	0	0	2	0	5	0	0	18	5	0	9	8	9	4	3	0	0	0	2	1	0	0	0	0	0	0	0	1	0	113			
<i>Osmia bruneri</i>	5	0	0	0	0	0	2	1	10	0	1	17	22	0	11	3	7	0	17	0	0	0	4	0	3	0	4	3	0	5	0	119					
<i>Osmia buechala</i>	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	12		
<i>Osmia caeruleocephala</i>	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0	0	0	0	0	0	0	0	1			
<i>Osmia californica</i>	1	0	0	0	0	0	8	0	1	0	0	3	3	0	1	0	0	0	6	0	0	0	2	0	0	0	0	0	0	0	0	0	0	0	27		
<i>Osmia calla</i>	2	0	0	0	0	0	5	0	15	0	0	26	17	0	5	2	0	4	14	0	0	0	1	0	0	0	0	0	0	0	0	0	0	96			
<i>Osmia carra</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3		
<i>Osmia carfornensis</i>	0	0	0	0	0	0	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	9		
<i>Osmia cobaltina</i>	0	0	0	0	0	0	0	3	0	0	1	0	0	0	0	2	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	16		
<i>Osmia coloradensis</i>	1	0	0	0	1	0	5	0	1	0	0	4	0	0	4	1	9	1	5	1	0	1	0	3	0	1	0	0	0	0	0	0	0	0	45		
<i>Osmia cornifrons</i>	0	2	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3	0	7	2	0	0	0	0	0	0	0	0	0	26		
<i>Osmia cyanella</i>	15	3	0	0	0	0	9	1	4	2	0	3	0	0	8	5	10	1	0	5	0	1	0	1	0	0	0	0	2	0	2	1	4	3	82		
<i>Osmia densa</i>	7	1	1	0	0	0	12	1	7	4	0	8	2	2	16	7	90	3	8	3	0	4	0	3	0	0	0	0	5	7	8	1	0	2	202		
<i>Osmia dolorosa</i>	0	0	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	6		
<i>Osmia edtnae</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2		
<i>Osmia enixa</i>	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	5	0	0	0	0	0	0	0	0	0	0	0	0	6		
<i>Osmia exigua</i>	3	0	0	0	0	0	1	1	0	2	0	5	0	0	3	4	4	4	7	2	0	0	0	3	0	0	0	0	0	0	0	0	0	0	144		
<i>Osmia gabrieli</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2		
<i>Osmia gaudiosa</i>	0	0	0	0	0	0	1	0	1	0	0	1	1	0	0	1	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	9		
<i>Osmia gitarrum</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1		
<i>Osmia glauca</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	7	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	8		
<i>Osmia integrata</i>	0	0	0	0	0	0	1	0	7	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	9		
<i>Osmia inurbana</i>	0	0	0	0</td																																	

Table 4: Number of bee specimens from each county, by species (continued)

	Baker	Benton	Clackamas	Columbia	Crook	Curry	Douglas	Gilliam	Grant	Harney	Hood River	Jackson	Josephine	Klamath	Lane	Linn	Malheur	Marion	Morrow	Multnomah	Polk	Sherman	Tillamook	Umatilla	Union	Wallowa	Wasco	Washington	Wheeler	Yamhill	TOTAL						
<i>Osmia rostrata</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1							
<i>Osmia sananofae</i>	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1							
<i>Osmia similima</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2							
<i>Osmia sladeni</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1						
<i>Osmia tanneri</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1						
<i>Osmia tersula</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1						
<i>Osmia texana</i>	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1						
<i>Osmia tristella</i>	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	6						
<i>Osmia vandykei</i>	0	0	0	0	0	0	0	0	1	0	1	0	0	0	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	4						
<i>Osmia visenda</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1						
<i>Peponapis pruinosa</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3						
<i>Perdita albipennis</i>	0	0	0	0	0	0	0	1	0	0	0	0	0	0	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	4						
<i>Perdita nevadensis</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1						
<i>Protosmia rubifloris</i>	0	17	23	0	19	0	0	1	0	0	0	0	0	11	155	2	169	10	2	63	0	0	0	16	0	16	12	0	0	0	0	24	39	0	77	656	
<i>Pseudanthidium nanum</i>	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	5	0	0	16				
<i>Sphecodes arvensiformis</i>	0	1	0	1	5	0	0	0	1	0	0	1	1	0	1	0	0	1	3	0	1	1	0	1	0	1	0	1	1	2	25						
<i>Sphecodes davisi</i>	0	0	4	0	3	0	0	0	3	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	12						
<i>Sphecodes kincaidii</i>	0	0	1	0	0	4	0	0	0	0	0	0	1	0	1	0	1	0	0	0	1	1	0	0	0	0	0	0	0	1	2						
<i>Sphecodes olympicus</i>	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1						
<i>Sphecodes pecosensis</i>	0	0	0	0	0	0	0	0	0	7	0	0	0	0	5	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	15						
<i>Stelis ashmeadiellus</i>	0	0	0	0	0	0	0	1	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2						
<i>Stelis carinifex</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	2						
<i>Stelis laticincta</i>	0	4	0	0	0	0	0	0	1	0	0	0	0	1	0	1	0	0	0	7	0	4	0	0	0	0	0	0	0	0	2						
<i>Stelis monticola</i>	0	0	0	0	0	0	0	0	0	1	0	0	0	1	1	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	6						
<i>Stelis rubi</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1						
<i>Stelis submarginalis</i>	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	1	6						
<i>Trachusa timberlakei</i>	0	0	0	0	0	0	0	0	8	0	0	0	0	0	1	0	0	3	0	0	2	0	0	0	0	0	0	0	0	0	14						
<i>Triopeltalus argyreus</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0	0	0	0	0	0	0	0	0	0	2						
<i>Triopeltalus californicus</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1						
<i>Triopeltalus concavus</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	4	0	0	0	0	0	0	0	0	0	4						
<i>Triopeltalus helianthi</i>	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2						
<i>Triopeltalus heterurus</i>	0	0	0	0	0	0	0	5	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	11						
<i>Triopeltalus lunatus</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	1						
<i>Triopeltalus melanarius</i>	0	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3	0	0	0	4	0	0	0	0	0	0	0	0	20						
<i>Triopeltalus paenpectoralis</i>	0	0	0	0	0	0	0	0	1	0	0	0	0	3	0	0	0	0	3	0	0	0	1	0	0	0	0	0	0	0	9						
<i>Triopeltalus utahensis</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	10	0	0	0	0	0	0	0	0	0	10						
<i>Xylocopa californica</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	8	12	1	0	0	0	0	0	0	0	0	0	0	0	21						
<i>Xylocopa tabaniformis</i>	0	0	0	0	0	1	1	0	0	8	0	0	0	17	0	55	17	1	16	0	0	0	0	0	0	0	0	0	0	116							
<i>Xylocopa virginica</i>	0	7	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	7						
<i>Zacosmia maculata</i>	0	0	0	0	0	0	0	0	4	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	5						
TOTAL	1265	3073	1104	312	1105	115	1463	752	3362	614	109	1356	2923	1462	2979	867	3288	3371	2500	3314	1455	964	1458	2929	214	1320	916	408	415	984	701	909	1375	3459	1299	3669	57809

Table 5: Your determination accuracy in 2023.

Taxon
No specimens identified

6 Taxonomic Accuracy, 2023

In 2023, you did not have specimens to identify.

In 2023, volunteers from the Oregon Bee Atlas project identified 45.4 % (9918) of the 21864 bee specimens to the level of genus, with an average accuracy of 94.6%. Volunteers also identified 0% (0) of the specimens to species level, and had an average accuracy of NaN% (see Table 6). Nicely done!

Table 6: Determination accuracy for all volunteers in 2023.

	Taxon	Specimens ID-ed	Correct ID	% Correct
Family				
	<i>Andrenidae</i>	1171	1121	95.7
	<i>Apidae</i>	3080	3039	98.7
	<i>Colletidae</i>	422	396	93.8
	<i>Halictidae</i>	2297	2266	98.7
	<i>Megachilidae</i>	3020	2970	98.3
	<i>Melittidae</i>	4	1	25.0
	<i>TOTAL</i>	9994	9793	98.0
Genus				
	<i>Agapostemon</i>	86	86	100.0
	<i>Andrena</i>	682	662	97.1
	<i>Anthidiellum</i>	30	7	23.3
	<i>Anthidium</i>	125	124	99.2
	<i>Anthophora</i>	198	184	92.9
	<i>Apis</i>	85	85	100.0
	<i>Ashmeadiella</i>	58	47	81.0
	<i>Atoposmia</i>	46	44	95.7
	<i>Biastes</i>	3	3	100.0
	<i>Bombus</i>	1671	1670	99.9
	<i>Brachymelecta</i>	5	5	100.0
	<i>Calliopsis</i>	21	10	47.6
	<i>Ceratina</i>	273	268	98.2
	<i>Chelostoma</i>	27	24	88.9
	<i>Coelioxys</i>	43	42	97.7
	<i>Colletes</i>	265	245	92.5
	<i>Diadasia</i>	71	59	83.1
	<i>Dianthidium</i>	97	78	80.4
	<i>Dioxytis</i>	2	1	50.0
	<i>Dufourea</i>	53	52	98.1
	<i>Epeolus</i>	10	9	90.0
	<i>Eucera</i>	60	57	95.0
	<i>Habropoda</i>	49	47	95.9
	<i>Halictus</i>	902	862	95.6
	<i>Heriades</i>	40	29	72.5
	<i>Hesperapis</i>	4	1	25.0
	<i>Holcopasites</i>	1	1	100.0
	<i>Hoplitis</i>	231	195	84.4
	<i>Hylaeus</i>	157	151	96.2

Table 6: Determination accuracy for all volunteers in 2023. (*continued*)

Taxon	Specimens ID-ed	Correct ID	% Correct
<i>Lasioglossum</i>	1163	1101	94.7
<i>Megachile</i>	562	546	97.2
<i>Melecta</i>	21	20	95.2
<i>Melissodes</i>	370	322	87.0
<i>Micralictoides</i>	14	14	100.0
<i>Neolarra</i>	3	3	100.0
<i>Nomada</i>	207	201	97.1
<i>Osmia</i>	1670	1639	98.1
<i>Panurginus</i>	140	120	85.7
<i>Perdita</i>	319	249	78.1
<i>Protandrena</i>	8	7	87.5
<i>Protosmia</i>	48	33	68.8
<i>Pseudoanthidium</i>	4	1	25.0
<i>Sphecodes</i>	79	65	82.3
<i>Stelis</i>	31	21	67.7
<i>Trachusa</i>	6	5	83.3
<i>Triepeolus</i>	43	41	95.3
<i>Xylocopa</i>	10	9	90.0
TOTAL	9993	9445	94.5
Species			
<i>Anthidiellum robertsoni</i>	7	7	100.0
<i>Apis mellifera</i>	68	68	100.0
<i>Bombus appositus</i>	8	7	87.5
<i>Bombus caliginosus</i>	32	24	75.0
<i>Bombus centralis</i>	43	38	88.4
<i>Bombus fervidus</i>	43	43	100.0
<i>Bombus flavidus</i>	23	22	95.7
<i>Bombus flavifrons</i>	57	54	94.7
<i>Bombus frigidus</i>	3	0	0.0
<i>Bombus griseocollis</i>	46	46	100.0
<i>Bombus huntii</i>	50	46	92.0
<i>Bombus insularis</i>	9	7	77.8
<i>Bombus kirbiellus</i>	1	0	0.0
<i>Bombus melanopygus</i>	42	20	47.6
<i>Bombus mixtus</i>	139	121	87.1
<i>Bombus morrisoni</i>	4	4	100.0
<i>Bombus nevadensis</i>	13	12	92.3
<i>Bombus occidentalis</i>	5	3	60.0
<i>Bombus rufocinctus</i>	6	4	66.7
<i>Bombus sitkensis</i>	29	15	51.7
<i>Bombus sylvicola</i>	45	14	31.1
<i>Bombus vagans</i>	4	2	50.0
<i>Bombus vancouverensis</i>	259	257	99.2
<i>Bombus vandykei</i>	31	24	77.4
<i>Bombus vosnesenskii</i>	269	252	93.7
<i>Brachymelecta californica</i>	3	3	100.0
<i>Ceratina pacifica</i>	1	0	0.0
<i>Halictus confusus</i>	35	28	80.0
<i>Halictus farinosus</i>	28	24	85.7
<i>Halictus ligatus</i>	208	207	99.5
<i>Halictus rubicundus</i>	16	15	93.8

Table 6: Determination accuracy for all volunteers in 2023. (*continued*)

Taxon	Specimens ID-ed	Correct ID	% Correct
<i>Halictus tripartitus</i>	108	107	99.1
<i>Halictus virgatellus</i>	7	6	85.7
<i>Holcopasites pulchellus</i>	1	1	100.0
<i>Lasioglossum anhypops</i>	3	3	100.0
<i>Lasioglossum aspilurum</i>	1	1	100.0
<i>Lasioglossum boreale</i>	2	2	100.0
<i>Lasioglossum cooleyi</i>	23	0	0.0
<i>Lasioglossum cressonii</i>	1	1	100.0
<i>Lasioglossum diatretum</i>	1	1	100.0
<i>Lasioglossum diversopunctatum</i>	4	4	100.0
<i>Lasioglossum glabriventre</i>	1	1	100.0
<i>Lasioglossum helianthi</i>	1	0	0.0
<i>Lasioglossum incompletum</i>	74	72	97.3
<i>Lasioglossum inconditum</i>	2	2	100.0
<i>Lasioglossum kincaidii</i>	2	2	100.0
<i>Lasioglossum nevadense</i>	1	1	100.0
<i>Lasioglossum olympiae</i>	1	1	100.0
<i>Lasioglossum ovaliceps</i>	5	5	100.0
<i>Lasioglossum pavonotum</i>	10	10	100.0
<i>Lasioglossum pruinosum</i>	4	4	100.0
<i>Lasioglossum pulveris</i>	6	6	100.0
<i>Lasioglossum quebecense</i>	1	0	0.0
<i>Lasioglossum ruidosense</i>	3	3	100.0
<i>Lasioglossum sisymbrii</i>	19	19	100.0
<i>Lasioglossum titusi</i>	24	20	83.3
<i>Lasioglossum zephyrus</i>	1	1	100.0
<i>Lasioglossum zonulum</i>	4	4	100.0
<i>Megachile perihirta</i>	1	0	0.0
<i>Micralictoides ruficaudus</i>	14	14	100.0
<i>Osmia atrocyanea</i>	1	0	0.0
<i>Osmia brevis</i>	2	0	0.0
<i>Osmia coloradensis</i>	1	0	0.0
<i>Osmia cyanella</i>	3	0	0.0
<i>Osmia densa</i>	5	0	0.0
<i>Osmia sculleni</i>	3	0	0.0
<i>Protosmia rubifloris</i>	15	15	100.0
<i>Trachusa timberlakei</i>	5	5	100.0
TOTAL	1887	1678	88.9

7 Taxonomic Accuracy, All Years

Over your time in the Atlas you identified 20 of your 80 specimens to genus level and 0 to species level, with a genus-level identification accuracy of 100% (see Table 7). In total, volunteers from the Oregon Bee Atlas project identified 40.5 % (47150) of the 116490 bee specimens to the level of genus, with an average accuracy of 93.9%. Volunteers also identified 0.8% (875) of the specimens to species level, and had an average accuracy of 70.4% (see Table 8). Nicely done!

Table 7: Your determination accuracy.

Taxon	Specimens ID-ed	Correct ID	% Correct
Family			
<i>Apidae</i>	7	7	100.0
<i>Halictidae</i>	11	11	100.0
<i>Megachilidae</i>	2	2	100.0
<i>TOTAL</i>	20	20	100.0
Genus			
<i>Apis</i>	1	1	100.0
<i>Bombus</i>	6	6	100.0
<i>Halictus</i>	11	11	100.0
<i>Protosmia</i>	2	2	100.0
<i>TOTAL</i>	20	20	100.0
Species			
<i>Apis mellifera</i>	1	1	100.0
<i>Bombus fervidus</i>	1	1	100.0
<i>Bombus mixtus</i>	1	1	100.0
<i>Bombus vosnesenskii</i>	3	1	33.3
<i>Halictus ligatus</i>	2	2	100.0
<i>Halictus rubicundus</i>	1	1	100.0
<i>Halictus tripartitus</i>	8	7	87.5
<i>Protosmia rubifloris</i>	2	2	100.0
<i>TOTAL</i>	19	16	84.2

Table 8: Determination accuracy for all volunteers.

Taxon	Specimens ID-ed	Correct ID	% Correct
Family			
<i>Andrenidae</i>	6786	6064	89.4
<i>Apidae</i>	17614	17375	98.6
<i>Colletidae</i>	2847	2685	94.3
<i>Halictidae</i>	14510	14302	98.6
<i>Megachilidae</i>	11434	11275	98.6
<i>Melittidae</i>	4	1	25.0
<i>TOTAL</i>	53195	51702	97.2
Genus			
<i>Agapostemon</i>	965	961	99.6
<i>Andrena</i>	4750	4155	87.5
<i>Anthidiellum</i>	56	24	42.9
<i>Anthidium</i>	546	539	98.7
<i>Anthophora</i>	1213	1144	94.3
<i>Apis</i>	594	585	98.5
<i>Ashmeadiella</i>	342	291	85.1
<i>Atoposmia</i>	137	93	67.9
<i>Biastes</i>	8	6	75.0

Table 8: Determination accuracy for all volunteers. (*continued*)

Taxon	Specimens ID-ed	Correct ID	% Correct
<i>Bombus</i>	7802	7774	99.6
<i>Brachymelecta</i>	95	71	74.7
<i>Calliopsis</i>	98	57	58.2
<i>Ceratina</i>	2971	2923	98.4
<i>Chelostoma</i>	82	63	76.8
<i>Coelioxys</i>	152	143	94.1
<i>Colletes</i>	1346	1229	91.3
<i>Diadasia</i>	368	322	87.5
<i>Dianthidium</i>	314	280	89.2
<i>Dioxyx</i>	6	3	50.0
<i>Dufourea</i>	260	217	83.5
<i>Epeolus</i>	61	43	70.5
<i>Eucera</i>	635	583	91.8
<i>Habropoda</i>	279	259	92.8
<i>Halictus</i>	5622	5393	95.9
<i>Heriades</i>	223	179	80.3
<i>Hesperapis</i>	4	1	25.0
<i>Holcopasites</i>	1	1	100.0
<i>Hoplitis</i>	748	605	80.9
<i>Hylaeus</i>	1500	1454	96.9
<i>Lasioglossum</i>	7189	6828	95.0
<i>Megachile</i>	2279	2223	97.5
<i>Melecta</i>	72	69	95.8
<i>Melissodes</i>	2045	1860	91.0
<i>Micralictoides</i>	16	14	87.5
<i>Neolarra</i>	3	3	100.0
<i>Nomada</i>	1220	1164	95.4
<i>Nomia</i>	2	2	100.0
<i>Oreopasites</i>	3	0	0.0
<i>Osmia</i>	6165	6055	98.2
<i>Panurginus</i>	750	567	75.6
<i>Perdita</i>	1147	1060	92.4
<i>Protandrena</i>	27	9	33.3
<i>Protosmia</i>	268	212	79.1
<i>Pseudoanthidium</i>	6	3	50.0
<i>Sphecodes</i>	454	354	78.0
<i>Stelis</i>	97	64	66.0
<i>Trachusa</i>	8	7	87.5
<i>Triepeolus</i>	176	147	83.5
<i>Xylocopa</i>	62	60	96.8
<i>Zacosmia</i>	1	1	100.0
TOTAL	53168	50100	94.2
Species			
<i>Agapostemon femoratus</i>	181	171	94.5
<i>Agapostemon melliventris</i>	14	14	100.0
<i>Agapostemon subtilior</i>	228	214	93.9
<i>Agapostemon virescens</i>	109	95	87.2
<i>Andrena angustitarsata</i>	18	18	100.0
<i>Andrena astragali</i>	1	1	100.0
<i>Andrena chlorogaster</i>	2	2	100.0
<i>Andrena crataegi</i>	1	1	100.0
<i>Andrena cupreotincta</i>	14	14	100.0

Table 8: Determination accuracy for all volunteers. (*continued*)

Taxon	Specimens ID-ed	Correct ID	% Correct
<i>Andrena fuscicauda</i>	2	2	100.0
<i>Andrena illinoiensis</i>	1	1	100.0
<i>Andrena nigrocaerulea</i>	2	2	100.0
<i>Andrena pallidifovea</i>	1	1	100.0
<i>Andrena perplexa</i>	1	1	100.0
<i>Andrena piperi</i>	3	2	66.7
<i>Andrena prunorum</i>	34	34	100.0
<i>Andrena salicifloris</i>	2	2	100.0
<i>Andrena vicina</i>	4	3	75.0
<i>Anthidiellum robertsoni</i>	19	19	100.0
<i>Anthidium atrifrons</i>	3	3	100.0
<i>Anthidium banningense</i>	5	5	100.0
<i>Anthidium duomarginatum</i>	1	0	0.0
<i>Anthidium emarginatum</i>	5	0	0.0
<i>Anthidium manicatum</i>	53	44	83.0
<i>Anthidium mormonum</i>	12	12	100.0
<i>Anthidium oblongatum</i>	14	14	100.0
<i>Anthidium palliventre</i>	33	30	90.9
<i>Anthidium placitum</i>	1	1	100.0
<i>Anthidium tenuiflorae</i>	2	2	100.0
<i>Anthidium utahense</i>	3	3	100.0
<i>Anthophora bombooides</i>	3	3	100.0
<i>Anthophora californica</i>	1	0	0.0
<i>Anthophora neglecta</i>	3	0	0.0
<i>Anthophora pacifica</i>	3	3	100.0
<i>Anthophora urbana</i>	251	249	99.2
<i>Anthophora ursina</i>	2	0	0.0
<i>Apis mellifera</i>	492	488	99.2
<i>Ashmeadiella aridula</i>	1	0	0.0
<i>Ashmeadiella californica</i>	1	1	100.0
<i>Ashmeadiella clypeodentata</i>	1	0	0.0
<i>Ashmeadiella cubiceps</i>	2	1	50.0
<i>Ashmeadiella difugita</i>	1	0	0.0
<i>Ashmeadiella eurynorhyncha</i>	1	0	0.0
<i>Ashmeadiella timberlakei</i>	1	1	100.0
<i>Atoposmia abjecta</i>	3	3	100.0
<i>Atoposmia copelandica</i>	6	6	100.0
<i>Atoposmia oregonia</i>	4	3	75.0
<i>Atoposmia triodonta</i>	1	0	0.0
<i>Bombus Griseocollis</i>	1	0	0.0
<i>Bombus Mixtus</i>	8	0	0.0
<i>Bombus Nevadensis</i>	1	0	0.0
<i>Bombus appositus</i>	48	36	75.0
<i>Bombus caliginosus</i>	345	273	79.1
<i>Bombus centralis</i>	201	187	93.0
<i>Bombus fervidus</i>	362	325	89.8
<i>Bombus flavidus</i>	145	134	92.4
<i>Bombus flavifrons</i>	541	454	83.9
<i>Bombus frigidus</i>	5	0	0.0
<i>Bombus griseocollis</i>	140	138	98.6
<i>Bombus huntii</i>	160	139	86.9
<i>Bombus insularis</i>	33	25	75.8

Table 8: Determination accuracy for all volunteers. (*continued*)

Taxon	Specimens ID-ed	Correct ID	% Correct
<i>Bombus kirbiellus</i>	1	0	0.0
<i>Bombus melanopygus</i>	328	274	83.5
<i>Bombus mixtus</i>	956	877	91.7
<i>Bombus morrisoni</i>	11	10	90.9
<i>Bombus nevadensis</i>	65	58	89.2
<i>Bombus occidentalis</i>	33	27	81.8
<i>Bombus rufocinctus</i>	58	36	62.1
<i>Bombus sitkensis</i>	195	147	75.4
<i>Bombus suckleyi</i>	2	0	0.0
<i>Bombus sylvicola</i>	69	31	44.9
<i>Bombus vagans</i>	24	8	33.3
<i>Bombus vancouverensis</i>	829	802	96.7
<i>Bombus vandykei</i>	86	62	72.1
<i>Bombus vosnesenskii</i>	1378	1284	93.2
<i>Brachymelecta californica</i>	45	43	95.6
<i>Calliopsis zonalis</i>	1	0	0.0
<i>Ceratina acantha</i>	679	665	97.9
<i>Ceratina micheneri</i>	44	43	97.7
<i>Ceratina nanula</i>	3	2	66.7
<i>Ceratina neomexicana</i>	1	1	100.0
<i>Ceratina pacifica</i>	8	6	75.0
<i>Ceratina sequoiae</i>	5	0	0.0
<i>Ceratina tejonensis</i>	7	2	28.6
<i>Ceratina timberlakei</i>	5	0	0.0
<i>Chelostoma minutum</i>	1	1	100.0
<i>Coelioxys alternatus</i>	1	0	0.0
<i>Coelioxys rufitarsis</i>	4	0	0.0
<i>Coelioxys sayi</i>	2	2	100.0
<i>Coelioxys texanus</i>	4	0	0.0
<i>Diadasia angusticeps</i>	7	7	100.0
<i>Diadasia australis</i>	4	4	100.0
<i>Diadasia diminuta</i>	17	17	100.0
<i>Diadasia enavata</i>	100	99	99.0
<i>Diadasia lutzi</i>	28	6	21.4
<i>Diadasia nigrifrons</i>	9	9	100.0
<i>Diadasia opuntiae</i>	8	0	0.0
<i>Dianthidium curvatum</i>	22	22	100.0
<i>Dianthidium heterulkei</i>	9	0	0.0
<i>Dianthidium pudicum</i>	12	12	100.0
<i>Dianthidium subparvum</i>	3	3	100.0
<i>Dianthidium ulkei</i>	24	17	70.8
<i>Dioxys aurifuscus</i>	2	2	100.0
<i>Eucera actuosa</i>	11	10	90.9
<i>Eucera cordleyi</i>	18	4	22.2
<i>Eucera edwardsii</i>	48	20	41.7
<i>Eucera frater</i>	8	8	100.0
<i>Eucera speciosa</i>	19	0	0.0
<i>Habropoda depressa</i>	4	4	100.0
<i>Habropoda miserabilis</i>	7	6	85.7
<i>Habropoda tristissima</i>	3	2	66.7
<i>Halictus Ligatus</i>	4	0	0.0
<i>Halictus confusus</i>	149	122	81.9

Table 8: Determination accuracy for all volunteers. (*continued*)

Taxon	Specimens ID-ed	Correct ID	% Correct
<i>Halictus farinosus</i>	284	246	86.6
<i>Halictus ligatus</i>	1475	1464	99.3
<i>Halictus rubicundus</i>	361	333	92.2
<i>Halictus tripartitus</i>	723	684	94.6
<i>Halictus virgatellus</i>	114	109	95.6
<i>Heriades carinata</i>	2	0	0.0
<i>Holcopasites pulchellus</i>	1	1	100.0
<i>Hoplitis albifrons</i>	5	5	100.0
<i>Hoplitis boharti</i>	2	2	100.0
<i>Hoplitis colei</i>	1	0	0.0
<i>Hoplitis emarginata</i>	1	1	100.0
<i>Hoplitis fulgida</i>	7	7	100.0
<i>Hoplitis grinnelli</i>	8	5	62.5
<i>Hoplitis hypocrita</i>	1	1	100.0
<i>Hoplitis louisae</i>	2	2	100.0
<i>Hoplitis orthognatha</i>	7	7	100.0
<i>Hoplitis producta</i>	12	10	83.3
<i>Hoplitis uvulalis</i>	3	3	100.0
<i>Hoplitis viridimicans</i>	6	4	66.7
<i>Hylaeus basalis</i>	6	3	50.0
<i>Hylaeus mesillae</i>	1	0	0.0
<i>Hylaeus verticalis</i>	1	0	0.0
<i>Lasioglossum albipenne</i>	3	3	100.0
<i>Lasioglossum albohirtum</i>	7	7	100.0
<i>Lasioglossum allonotus</i>	1	1	100.0
<i>Lasioglossum anhypops</i>	6	5	83.3
<i>Lasioglossum aspilurum</i>	2	2	100.0
<i>Lasioglossum athabascense</i>	2	0	0.0
<i>Lasioglossum boreale</i>	2	2	100.0
<i>Lasioglossum brunneiventre</i>	4	4	100.0
<i>Lasioglossum buccale</i>	3	3	100.0
<i>Lasioglossum colatum</i>	1	1	100.0
<i>Lasioglossum cooleyi</i>	24	1	4.2
<i>Lasioglossum cordleyi</i>	5	5	100.0
<i>Lasioglossum cressonii</i>	30	30	100.0
<i>Lasioglossum diatretum</i>	5	3	60.0
<i>Lasioglossum diversopunctatum</i>	4	4	100.0
<i>Lasioglossum egregium</i>	4	1	25.0
<i>Lasioglossum glabriventre</i>	4	4	100.0
<i>Lasioglossum helianthi</i>	1	0	0.0
<i>Lasioglossum imbrex</i>	7	0	0.0
<i>Lasioglossum incompletum</i>	79	73	92.4
<i>Lasioglossum inconditum</i>	7	5	71.4
<i>Lasioglossum kincaidii</i>	10	10	100.0
<i>Lasioglossum macroprosopum</i>	2	2	100.0
<i>Lasioglossum mellipes</i>	3	0	0.0
<i>Lasioglossum nevadense</i>	9	9	100.0
<i>Lasioglossum novascotiae</i>	1	0	0.0
<i>Lasioglossum occultum</i>	3	2	66.7
<i>Lasioglossum olympiae</i>	138	127	92.0
<i>Lasioglossum ovaliceps</i>	12	12	100.0
<i>Lasioglossum pacificum</i>	64	55	85.9

Table 8: Determination accuracy for all volunteers. (*continued*)

Taxon	Specimens ID-ed	Correct ID	% Correct
<i>Lasioglossum pavonotum</i>	59	58	98.3
<i>Lasioglossum pruinosum</i>	12	12	100.0
<i>Lasioglossum pulveris</i>	27	27	100.0
<i>Lasioglossum quebecense</i>	1	0	0.0
<i>Lasioglossum rubicundus</i>	1	0	0.0
<i>Lasioglossum ruidosense</i>	5	5	100.0
<i>Lasioglossum sequoiae</i>	6	0	0.0
<i>Lasioglossum sisymbrii</i>	105	101	96.2
<i>Lasioglossum titusi</i>	260	214	82.3
<i>Lasioglossum villosulum</i>	11	8	72.7
<i>Lasioglossum zephyrus</i>	2	2	100.0
<i>Lasioglossum zonulum</i>	25	22	88.0
<i>Megachile angelarum</i>	25	22	88.0
<i>Megachile anograe</i>	6	0	0.0
<i>Megachile apicalis</i>	4	4	100.0
<i>Megachile brevis</i>	23	1	4.3
<i>Megachile fidelis</i>	6	5	83.3
<i>Megachile melanophaea</i>	2	1	50.0
<i>Megachile mellitarsis</i>	4	4	100.0
<i>Megachile montivaga</i>	1	0	0.0
<i>Megachile nevadensis</i>	8	0	0.0
<i>Megachile perihirta</i>	61	55	90.2
<i>Megachile pugnata</i>	8	4	50.0
<i>Megachile rotundata</i>	23	22	95.7
<i>Megachile wheeleri</i>	4	4	100.0
<i>Melecta edwardsii</i>	8	8	100.0
<i>Melecta pacifica</i>	5	3	60.0
<i>Melecta separata</i>	4	4	100.0
<i>Melecta thoracica</i>	2	0	0.0
<i>Melissodes agilis</i>	1	1	100.0
<i>Melissodes bimatratus</i>	2	0	0.0
<i>Melissodes metenueus</i>	3	3	100.0
<i>Melitta americana</i>	2	0	0.0
<i>Micralictoides ruficaudus</i>	14	14	100.0
<i>Nomia melanderi</i>	1	1	100.0
<i>Osmia aglaia</i>	10	0	0.0
<i>Osmia albolateralis</i>	1	0	0.0
<i>Osmia atrocyanea</i>	10	9	90.0
<i>Osmia brevis</i>	2	0	0.0
<i>Osmia bruneri</i>	8	7	87.5
<i>Osmia californica</i>	2	0	0.0
<i>Osmia calla</i>	6	0	0.0
<i>Osmia coloradensis</i>	1	0	0.0
<i>Osmia cornifrons</i>	10	10	100.0
<i>Osmia cyanella</i>	3	0	0.0
<i>Osmia densa</i>	6	1	16.7
<i>Osmia kincaidii</i>	3	3	100.0
<i>Osmia laeta</i>	2	0	0.0
<i>Osmia lignaria</i>	11	11	100.0
<i>Osmia montana</i>	3	3	100.0
<i>Osmia nemoris</i>	5	1	20.0
<i>Osmia sculleni</i>	3	0	0.0

Table 8: Determination accuracy for all volunteers. (*continued*)

Taxon	Specimens ID-ed	Correct ID	% Correct
<i>Perdita nevadensis</i>	1	1	100.0
<i>Protosmia rubifloris</i>	168	167	99.4
<i>Pseudoanthidium nanum</i>	2	2	100.0
<i>Stelis laticincta</i>	5	5	100.0
<i>Trachusa timberlakei</i>	5	5	100.0
<i>Triepeolus concavus</i>	4	4	100.0
<i>Triepeolus utahensis</i>	5	2	40.0
<i>Xylocopa californica</i>	1	1	100.0
<i>Xylocopa tabaniformis</i>	16	16	100.0
<i>Xylocopa virginica</i>	1	0	0.0
<i>Zacosmia maculata</i>	1	1	100.0
<i>bombus flavifrons</i>	1	0	0.0
<i>bombus melanopygus</i>	1	0	0.0
<i>bombus sitkensis</i>	1	0	0.0
<i>bombus vosnesenskii</i>	1	0	0.0
TOTAL	13393	12047	89.9