## **DP Solutions**

# Solution 1: Time Complexity: o(n) Space Complexity: o(n) import java.io.\*; class Solution { static void printTrib(int n){ int dp[]=new int[n]; dp[0] = dp[1] = 0;dp[2] = 1;for (int i = 3; i < n; i++) dp[i] = dp[i-1] + dp[i-2] + dp[i-3];for (int i = 0; i < n; i++) System.out.print(dp[i] + " "); } public static void main(String args[]){ int n = 10; printTrib(n); } }

#### Solution 2:

```
Time Complexity: o(n)
Space Complexity: o(n)
import java.io.*;
class Solution{
```

```
static void _printParenthesis(char str[], int pos, int n, int open, int close) {
  if(close == n) {
     for(int i=0;i<str.length;i++)</pre>
       System.out.print(str[i]);
     System.out.println();
     return;
  }
  else{
     if(open > close) {
       str[pos] = '}';
       _printParenthesis(str, pos+1, n, open, close+1);
     }
     if(open < n) {
       str[pos] = '{';
       _printParenthesis(str, pos+1, n, open+1, close);
     }
  }
}
static void printParenthesis(char str[], int n) {
  if(n > 0)
  _printParenthesis(str, 0, n, 0, 0);
  return;
}
public static void main (String[] args) {
  int n = 3;
  char[] str = new char[2 * n];
  printParenthesis(str, n);
```

### Solution 3:

}

}

Time Complexity: o(n2) Space Complexity: o(1)

import java.util.\*;

```
class Solution{
static int max_profit(int a[],int b[],int n,int fee){
int i, j, profit;
int I, r, diff_{day} = 1, sum = 0;
        b[0]=0;
        b[1]=diff_day;
for(i=1;i<n;i++){
        I=0;
        r=diff_day;
                 sum=0;
        for(j=n-1;j>=i;j--){
                         profit=(a[r]-a[l])-fee;
                         if(profit>0){
                                  sum=sum+profit;
                         |++;
                         r++;
        if(b[0] < sum){
        b[0] = sum;
        b[1] = diff_day;
        }
diff_day++;
}
return 0;
}
public static void main(String args[]){
        int arr [] = { 6, 1, 7, 2, 8, 4 };
        int n = arr.length;
        int[] b = new int[2];
        int tranFee = 2;
        max_profit(arr, b, n, tranFee);
        System.out.println(b[0]+", "+b[1]);
```

}

```
}
Solution 4:
Time Complexity: o(n2)
Space Complexity: o(n2)
import java.util.*;
class Solution {
        static int LIP(int dp[][], int mat[][], int n,
                                 int m, int x, int y){
                if (dp[x][y] < 0) {
                         int result = 0;
                         if (x == n - 1 \&\& y == m - 1)
                                 return dp[x][y] = 1;
                         if (x == n - 1 || y == m - 1)
                                 result = 1;
                         if (x + 1 < n \&\& mat[x][y] < mat[x + 1][y])
                                 result = 1 + LIP(dp, mat, n, m, x + 1, y);
                         if (y + 1 < m \&\& mat[x][y] < mat[x][y + 1])
                                 result = Math.max(result, 1 + LIP(dp, mat, n, m, x, y + 1));
                         dp[x][y] = result;
                }
                return dp[x][y];
        }
        static int wrapper(int mat[][], int n, int m){
                int dp[][] = new int[10][10];
                for (int i = 0; i < 10; i++)
                         Arrays.fill(dp[i], -1);
                return LIP(dp, mat, n, m, 0, 0);
        }
```

public static void main(String[] args){

int mat[][] = {

```
{ 1, 2, 3, 4 },

{ 2, 2, 3, 4 },

{ 3, 2, 3, 4 },

{ 4, 5, 6, 7 },

};

int n = 4, m = 4;

System.out.println(wrapper(mat, n, m));

}
```

#### Solution 5:

}

```
public static int helper(int left, int right) {
    if (left == 0 \&\& right == 0){
   ans++;
 }
 if (left > right){
   return 0;
 }
 if (left > 0){
   helper(left-1, right);
 }
 if (right > 0){
   helper(left, right-1);
 }
 return ans;
 }
 // Find possible ways for balanced parentheses
 private static int countWays(int n){
    // If n is odd no possible valid parentheses
    if ((n & 1)!= 0)
      return 0;
    return helper(n / 2, n / 2);
```