

# SAFETY DATA SHEET



## 1. Identification

**Covestro LLC**  
**1 Covestro Circle**  
**Pittsburgh, PA 15205**  
**USA**

### TRANSPORTATION EMERGENCY

CALL CHEMTREC: (800) 424-9300  
INTERNATIONAL: (703) 527-3887

### NON-TRANSPORTATION

Emergency Phone: Call Chemtrec  
Information Phone: (844) 646-0545

**Product Name:**

DISPERCOLL U 8755

**Material Number:**

80171366

**Chemical Family:**

Polyester Polyurethane Aqueous Dispersion

**Use:**

Raw material for coatings, inks, adhesives, sealants, or elastomers in industrial applications

## 2. Hazards Identification

This product is not classified as hazardous according to OSHA's Hazard Communication Standard 2024 (29 CFR 1910.1200).

## 3. Composition/Information on Ingredients

### Hazardous Components

There are no hazardous components above the relevant concentration limits according to OSHA's Hazard Communication Standard 2024 (29 CFR 1910.1200).

## 4. First Aid Measures

### Most Important Symptom(s)/Effect(s)

**Acute:** Not expected to cause adverse acute health effects.

### Eye Contact

In case of contact, flush eyes with plenty of lukewarm water. Use fingers to ensure that eyelids are separated and that the eye is being irrigated. Get medical attention if irritation develops.

### Skin Contact

In case of skin contact, wash affected areas with soap and water. Get medical attention if irritation

Material Name: DISPERCOLL U 8755

Material Number: 80171366

develops. Thoroughly clean shoes before reuse. Wash clothing before reuse.

#### **Inhalation**

If inhaled, remove to fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration.

#### **Ingestion**

If ingested, do not induce vomiting unless directed to do so by medical personnel. Get medical attention.

### **5. Firefighting Measures**

**Suitable Extinguishing Media:** Carbon dioxide (CO<sub>2</sub>), Dry chemical, Foam, water spray for large fires.

**Unsuitable Extinguishing Media** No Data Available

#### **Fire Fighting Procedure**

Firefighters should be equipped with self-contained breathing apparatus to protect against potentially toxic and irritating fumes. Use cold water spray to cool fire-exposed containers to minimize the risk of rupture.

#### **Hazardous Decomposition Products**

By Fire and Thermal Decomposition: Carbon dioxide (CO<sub>2</sub>), carbon monoxide (CO), oxides of nitrogen (NO<sub>x</sub>), dense black smoke, Isocyanate, Isocyanic Acid and other undetermined compounds., Hydrogen cyanide

### **6. Accidental Release Measures**

#### **Spill and Leak Procedures**

Dike or dam spilled material and control further spillage, if possible. Prevent from entering open drains and waterways. Cover spill with inert material (e. g., dry sand or earth) and collect for proper disposal. Ventilate area to remove vapors or dust.

### **7. Handling and Storage**

#### **Handling/Storage Precautions**

Handle in accordance with good industrial hygiene and safety practices. Wash thoroughly after handling. Keep container closed when not in use. Protect from freezing.

#### **Storage Temperature**

**Minimum:** 5 °C (41 °F)  
**Maximum:** 30 °C (86 °F)

#### **Storage Conditions**

Store separate from food products.

Employee education and training in the safe use and handling of this product are required under the OSHA Hazard Communication Standard 29 CFR 1910.1200.

#### **Substances to Avoid**

Water reactivities

## **8. Exposure Controls/Personal Protection**

The recommendations in this section should not be a substitute for a personal protective equipment (PPE) assessment performed by the employer as required by 29 CFR 1910 Subpart I.

### **Exposure Limits**

Country specific exposure limits have not been established or are not applicable

Any component which is listed in section 3 and is not listed in this section does not have a known ACGIH TLV, OSHA PEL or supplier recommended occupational exposure limit.

### **Industrial Hygiene/Ventilation Measures**

General dilution and local exhaust as necessary to control airborne vapors, mists, dusts and thermal decomposition products below appropriate airborne concentration standards/guidelines. Thermal processing operations should be ventilated to control gases and fumes given off during processing. Curing ovens must be ventilated to prevent the build up of explosive atmospheres and to prevent off gases from entering the work place.

### **Respiratory Protection**

Respiratory protection is recommended in insufficiently ventilated working areas and during heating or spraying. For components with occupational exposure limits, when workers are facing concentrations above those limits, they must use appropriate certified respirators.

### **Hand Protection**

Ensure gloves remain in good condition during use and replace if any deterioration is observed.  
Permeation resistant gloves., Butyl rubber gloves., Nitrile rubber gloves.

### **Eye Protection**

Safety glasses with side-shields

### **Skin Protection**

Permeation resistant clothing, Gloves, long sleeved shirts and pants.

### **Additional Protective Measures**

Employees should wash their hands and face before eating, drinking, or using tobacco products. Educate and train employees in the safe use and handling of this product.

## **9. Physical and Chemical Properties**

<b>Physical state:</b>	liquid
<b>Color:</b>	White
<b>Odor:</b>	slight smell of acetone
<b>Odor Threshold:</b>	No Data Available
<b>pH:</b>	ca. 7.5
<b>Freezing Point:</b>	not established
<b>Boiling Point:</b>	ca. 100 °C (212 °F) @ 1,013 hPa
<b>Flash Point:</b>	Not applicable (water based product), however, solid material will support combustion if water has been evaporated.
<b>Evaporation Rate:</b>	No Data Available
<b>Lower explosion limit:</b>	No Data Available
<b>Upper Explosion Limit:</b>	No Data Available
<b>Vapor Pressure:</b>	Approximately 97.5 mmHg @ 50 °C (122 °F)

<b>Vapor Density:</b>	No Data Available
<b>Density:</b>	ca. 1.1 g/cm <sup>3</sup> @ 20 °C (68 °F) (DIN 51757)
<b>Relative Vapor Density:</b>	No Data Available
<b>Specific Gravity:</b>	Approximately 1.07 @ 23 °C (73.4 °F)
<b>Solubility in Water:</b>	miscible
<b>Partition Coefficient: n-octanol/water:</b>	No Data Available
<b>Auto-ignition Temperature:</b>	not applicable
<b>Decomposition Temperature:</b>	No Data Available
<b>Unblocking Temperature:</b>	No Data Available
<b>Dynamic Viscosity:</b>	< 1,000 mPa.s (DIN 53018)
<b>Kinematic Viscosity:</b>	No Data Available
<b>Bulk Density:</b>	not established
<b>Molecular Weight:</b>	No Data Available
<b>Particle characteristics:</b>	No Data Available

## 10. Stability and Reactivity

### Hazardous Reactions

Hazardous polymerisation does not occur.

### Stability

Stable

### Materials to Avoid

Water reactives

### Conditions to Avoid

Protect from freezing.

### Hazardous Decomposition Products

By Fire and Thermal Decomposition: Carbon dioxide (CO<sub>2</sub>), carbon monoxide (CO), oxides of nitrogen (NO<sub>x</sub>), dense black smoke, Isocyanate, Isocyanic Acid and other undetermined compounds., Hydrogen cyanide

## 11. Toxicological Information

**Likely Routes of Exposure:** Skin Contact  
Eye Contact

### Health Effects and Symptoms

**Acute:** Not expected to cause adverse acute health effects.

**Chronic:** Not expected to cause adverse chronic health effects.

### Toxicity Data for: DISPERCOLL U 8755

Data on the product is not available.

Please find the data available for the components.

### Toxicity Data for: Polyester Polyurethane Resin

Material Name: DISPERCOLL U 8755	Material Number: 80171366
Page: 4 of 8	

**Acute Oral Toxicity**

LD50: > 2,000 mg/kg (rat, male/female) (OECD Test Guideline 423)

Studies of a comparable product.

**Acute Inhalation Toxicity**

LC50: > 2,676 mg/l, 4 h, dust/mist (rat, male/female) (OECD Test Guideline 403)

Toxicological studies of a comparable product.

**Skin Irritation**

rabbit, OECD Test Guideline 404, slight irritant

Studies of a comparable product.

**Eye Irritation**

rabbit, OECD Test Guideline 405, slight irritant

Studies of a comparable product.

**Sensitization**

Sensitization of the skin: negative (Guinea pig, OECD Test Guideline 406)

Studies of a comparable product.

Skin sensitization (local lymph node assay (LLNA)):: negative (Mouse, OECD Test Guideline 429)

Studies of a comparable product.

**Repeated Dose Toxicity**

Oral: NOAEL: 1,000 mg/kg, (rat)

Studies of a comparable product.

**Mutagenicity**

Genetic Toxicity in Vitro:

Ames test: negative (Salmonella typhimurium, Metabolic Activation: with/without)

Studies of a comparable product.

Ames test: negative (Escherichia coli, Metabolic Activation: with/without)

Studies of a comparable product.

In vitro mammalian cell gene mutation test: negative (Chinese hamster V79 cell line, Metabolic Activation: with/without)

Studies of a comparable product.

Genetic Toxicity in Vivo:

No data available.

**Carcinogenicity**

No data available.

**Toxicity to Reproduction/Fertility**

No data available.

**Developmental Toxicity/Teratogenicity**

No data available.

**Carcinogenicity:**

No carcinogenic substances as defined by IARC, NTP and/or OSHA

**12. Ecological Information****Ecological Data for: DISPERCOLL U 8755**

Material Name: DISPERCOLL U 8755	Material Number: 80171366
----------------------------------	---------------------------

Data on the product is not available. Please find the data available for the components.

#### **Ecological Data for Polyester Polyurethane Resin**

##### **Biodegradation**

Closed Bottle test, 19 %, Exposure time: 28 d, i.e. not readily degradable  
Studies of a comparable product.

17 %, Exposure time: 28 d, i.e. not inherently degradable  
Studies of a comparable product.

##### **Bioaccumulation**

Cyprinus carpio (Carp),  
An accumulation in aquatic organisms is not to be expected. Studies of a comparable product.

##### **Acute and Prolonged Toxicity to Fish**

LC50: > 100 mg/l (Brachydanio rerio (zebrafish), 96 h)  
Studies of a comparable product.

##### **Acute Toxicity to Aquatic Invertebrates**

EC50: > 100 mg/l (Daphnia magna (Water flea), 48 h)  
Studies of a comparable product.

##### **Toxicity to Aquatic Plants**

No data available.

##### **Toxicity to Microorganisms**

EC50: > 100 mg/l, (activated sludge, 96 h)  
Studies of a comparable product.

#### **13. Disposal Considerations**

##### **Waste Disposal Method**

Waste disposal should be in accordance with existing federal, state and local environmental control laws.

##### **Empty Container Precautions**

Recondition or dispose of empty container in accordance with governmental regulations.

#### **14. Transportation Information**

##### **Land transport (DOT)**

Non-Regulated

##### **Sea transport (IMDG)**

Non-Regulated

##### **Air transport (ICAO/IATA)**

Non-Regulated

#### **15. Regulatory Information**

##### **United States Federal Regulations**

Material Name: DISPERCOLL U 8755

Material Number: 80171366

**US. Toxic Substances Control Act:** Listed on the Active Portion of the TSCA Inventory.

**SNUR Components**

No substances are subject to Section 5 Significant New Use Rule (SNUR) requirements.

**Section 6 Risk Management Components:**

No substances are subject to Section 6 Risk Management rule requirement.

**Section 12b Components:**

No substances are subject to TSCA 12(b) export notification requirements.

**Section 4 Test Order/Rule Components:**

No substances are subject to Section 4 Final Test Orders or Rules.

**Consent Order:**

No substances are subject to Section 5 Consent Order requirements.

**US. EPA CERCLA Hazardous Substances (40 CFR 302.4) Components:**

None

**SARA Section 311/312 Hazard Categories:**

Refer to hazard classification information in Section 2.

**US. EPA Emergency Planning and Community Right-To-Know Act (EPCRA) SARA Title III**

**Section 302 Extremely Hazardous Substance (40 CFR 355, Appendix A) Components:**

None

**US. EPA Emergency Planning and Community Right-To-Know Act (EPCRA) SARA Title III**

**Section 313 Toxic Chemicals (40 CFR 372.65) - Supplier Notification Required Components:**

<u>Concentration</u>	<u>Components</u>	<u>CAS-No.</u>
<1 ppm	Hexachlorobenzene	118-74-1

**US. EPA Resource Conservation and Recovery Act (RCRA) Composite List of Hazardous Wastes and Appendix VIII Hazardous Constituents (40 CFR 261):**

Under RCRA, it is the responsibility of the person who generates a solid waste, as defined in 40 CFR 261.2, to determine if that waste is a hazardous waste.

**State Right-To-Know Information**

The following chemicals are specifically listed by individual states; other product specific health and safety data in other sections of the SDS may also be applicable for state requirements. For details on your regulatory requirements you should contact the appropriate agency in your state.

**Massachusetts, New Jersey or Pennsylvania Right to Know Substance Lists:**

<u>Concentration</u>	<u>Components</u>	<u>CAS-No.</u>
>=1%	Water	7732-18-5
>=1%	Polyester Polyurethane Resin	153640-62-1

**New Jersey Environmental Hazardous Substances List and/or New Jersey RTK Special Hazardous Substances Lists:**

<u>Concentration</u>	<u>Components</u>	<u>CAS-No.</u>
0.1 - 1%	Acetone	67-64-1

**California Proposition 65 List:**

<u>Concentration</u>	<u>Components</u>	<u>CAS-No.</u>

Material Name: DISPERCOLL U 8755	Material Number: 80171366
----------------------------------	---------------------------

<1 ppm

Hexachlorobenzene

118-74-1

**CFATS (Chemical Facility Anti-Terrorism Standards) Chemicals**

To the best of our knowledge, this product does not contain Appendix A Chemicals of Interest (COI), at or above the Screening Threshold Quantity (STQ), as defined by the Department of Homeland Security Chemical Facility Anti-terrorism Standard (CFATS, 6 CFR Part 27).

Based on information provided by our suppliers, this product is considered “DRC Conflict Free” as defined by the SEC Conflict Minerals Final Rule (Release No. 34-67716; File No. S7-40-10; Date: 2012-08-22).

**16. Other Information**

The method of hazard communication for Covestro LLC is comprised of product labels and safety data sheets. Safety data sheets for all of our products and general product declarations are available for download at [www.productsafetyfirst.covestro.com](http://www.productsafetyfirst.covestro.com).

Contact: Product Safety Department  
Telephone: (412) 413-2835  
Version Date: 10/31/2025  
SDS Version: 3.9

Information contained in this Safety Data Sheet (SDS) is believed to be accurate but is furnished without warranty, express or implied, including warranties of merchantability or fitness for a particular purpose. The information relates only to the specific material designated herein. Covestro LLC assumes no legal responsibility for use of or reliance upon the information in this SDS and such information shall in no case be considered a part of our terms and conditions of sale. The user is responsible for determining whether the Covestro product is suitable for user's method of use or application. Covestro is not liable for any failure to observe the precautionary measures described in this SDS or for any misuse of the product.

|| Changes since the last version are highlighted in the margin. This version replaces all previous versions.