

part of the project inspired from : <http://www.evilmadscientist.com/article.php/peggy2>

wyoinnovation.blogspot.com

wyojustin@gmail.com :: anoool.m@gmail.com

Wyo Innovations :: Lumetronics

An Arduino friendly RGB LED Array

File: C3v2-mech.sch

Sheet: /C3v2-mech/

Title: ClockTHREE


Size: A4


Date: 4 jun 2011

Rev: A


KiCad E.D.A. eeschema (2011-03-30 BZR 2932)-stable

Id: 2/4








Stack-L and Stack-R have inverted pin nos since one is facing Left and other is facing right. When mounted this way on the board, tracks from one to the other will be parallel – no cross over.



Add rtc chip on board, like in clockTWO



part of the project inspired from : <http://www.evilmadscientist.com/article.php/peggy2>

wyoinnovation.blogspot.com

wyojustin@gmail.com :: anool.m@gmail.com

Wyo Innovations :: Lumetronics

An Arduino friendly RGB LED Array

File: C3v2-Aux.sch

Sheet: /C3v2-Aux/

Title: ClockTHREE

Size: A4

Date: 4 jun 2011

Rev: A

KiCad E.D.A. eeschema (2011-03-30 BZR 2932)-stable

Id: 4/4