### **ACID-BASE INDICATORS**

### A. K. Covington

The first part of this table lists some common acid-base indicators in alphabetical order along with the approximate pH range(s) at which a color change occurs. Following this is a table of the same indicators ordered by pH range, which includes the nature of the color change, instructions on preparation of the indicator solution, and the acid dissociation constant pK, when available. The color code is:

 $C = colorless \qquad A = amber \qquad B/G = blue-green \qquad Pk = pink \qquad Y = yellow \qquad V = violet \qquad R = red \qquad B = blue \\ P = purple \qquad O = orange$ 

#### REFERENCE

Bishop, E., Ed., Indicators, Pergamon, Oxford, 1972.

Indicator	pH Range	Indicator	pH Range
Alizarin	5.6-7.2; 11.0-12.4	Erythrosin, disodium salt	2.2-3.6
Alizarin Red S	4.6-6.0	4-(p-Ethoxyphenylazo)-m-	
Alizarin Yellow R	10.1-12.0	phenylene-diamine	
Benzopurpurine 4B	2.2-4.2	monohydrochloride	4.4-5.8
4,4'-Bis(2-amino-1-		Ethyl bis(2,4-dimethylphenyl)	
naphthylazo)-2,2'-		ethanoate	8.4-9.6
stilbenedisulfonic acid	3.0-4.0	Ethyl Orange	3.4-4.8
4,4'-Bis(4-amino-1-		Ethyl Red	4.0-5.8
naphthylazo)-2,2'-		Ethyl Violet	0.0-2.4
stilbenedisulfonic acid	8.0-9.0	5,5'-Indigodisulfonic acid,	
Brilliant Yellow	6.6-7.8	disodium salt	11.4-13.0
Bromocresol Green	3.8-5.4	Malachite Green	0.2-1.8
Bromocresol Purple	5.2-6.8	Metacresol Purple	1.2-2.8; 7.4-9.0
Bromophenol Blue	3.0-4.6	Metanil Yellow	1.2-2.4
Bromothymol Blue	6.0-7.6	Methyl Green	0.2-1.8
Chlorophenol Red	5.2-6.8	Methyl Orange	3.2-4.4
Clayton Yellow	12.2-13.2	Methyl Red	4.8-6.0
Congo Red	3.0-5.0	Methyl Violet	0.0-1.6
o-Cresolphthalein	8.2-9.8	p-Naphtholbenzein	8.2-10.0
Cresol Red	0.0-1.0; 7.0-8.8	Neutral Red	6.8-8.0
Crystal Violet	0.0-1.8	<i>p</i> -Nitrophenol	5.4-6.6
Curcumin (Turmaric)	7.4-8.6	m-Nitrophenol	6.8-8.6
<i>p</i> -(2,4-Dihydroxyphenylazo)		Orange IV	1.4-2.8
benzenesulfonic acid,		Paramethyl Red	1.0-3.0
sodium salt	11.4-12.6	Phenolphthalein	8.2-10.0
p-Dimethylaminoazobenzene	2.8-4.4	Phenol Red	6.6-8.0
4-(4-Dimethylamino-1-		4-Phenylazodiphenylamine	1.2-2.6
naphylazo)-3-		4-Phenylazo-1-naphthylamine	4.0-5.6
methoxybenzenesulfonic		Propyl Red	4.8-6.6
acid	3.5-4.8	Quinaldine Red	1.4-3.2
2-(p-Dimethylamino-		Resazurin	3.8-6.4
phenylazo)pyridine	0.2-1.8; 4.4-5.6	Resorcin Blue	4.4-6.2
<i>N,N</i> -Dimethyl- <i>p</i> -		Tetrabromophenolphthalein	
(m-tolylazo)aniline	2.6-4.8	ethyl ester, potassium salt	3.0-4.2
2,4-Dinitrophenol	2.0-4.7	Thymol Blue	1.2-2.8; 8.0-9.6
2-(2,4 Dinitrophenylazo)-1-		Thymolphthalein	9.4-10.6
naphthol-3,6-disulfonic		4- <i>o</i> -Tolylazo- <i>o</i> -toluidine	1.4-2.8
acid, disodium salt	6.0-7.0	1,3,5-Trinitrobenzene	12.0-14.0
6,8-Dinitro-2,4-		2,4,6-Trinitrotoluene	11.5-13.0
(1 <i>H</i> )quinazolinedione	6.4-8.0	Turmeric	7.4-8.6

# ACID-BASE INDICATORS (continued)

nII rongo	Color	Indicator	<i>V</i>	Desparation
pH range	change	Indicator	p <i>K</i>	Preparation
0.0-1.0	R-Y	Cresol Red		0.1 g in 26.2 mL 0.01 M NaOH + 223.8 mL water
0.0-1.6	Y-B	Methyl Violet		0.01-0.05% in water
0.0-1.8	Y-B	Crystal Violet		0.02% in water
0.0-2.4	Y-B	Ethyl Violet		0.1 g in 50 mL 50% v/v methanol-water
0.2-1.8	Y-B/G	Malachite Green	1.3	water
0.2-1.8	Y-B	Methyl Green		0.1% in water
0.2-1.8	Y-R	2-(p-Dimethylaminophenylazo)pyridine		0.1% in ethanol
1.0-3.0	R-Y	Paramethyl Red		ethanol
1.2-2.4	R-Y	Metanil Yellow		0.01% in water
1.2-2.6	R-Y	4-Phenylazodiphenylamine		0.01 g in 1 mL 1 M HCl + 50 mL ethanol + 49 mL water
1.2-2.8	R-Y	Thymol Blue	1.65	0.1 g in 21.5 mL 0.01 M NaOH + 228.5 mL water
1.2-2.8	R-Y	Metacresol Purple	1.51	0.1 g in 26.2 mL 0.01 M NaOH + 223.8 mL water
1.4-2.8	R-Y	Orange IV		0.01% in water
1.4-2.8	O-Y	4- <i>o</i> -Tolylazo- <i>o</i> -toluidine	2.62	water
1.4-3.2	C-R	Quinaldine Red	2.63	1% in ethanol
2.0-4.7	C-Y	2,4-Dinitrophenol	3.96	sat. solution in water
2.2-3.6	O-R	Erythrosin, disodium salt		0.1% in water
2.2-4.2	V-R	Benzopurpurine 4B		0.1% in water
2.6-4.8	R-Y	<i>N,N</i> -Dimethyl- <i>p</i> -( <i>m</i> -tolylazo)aniline		0.1% in water
2.8-4.4	R-Y	<i>p</i> -Dimethylaminoazobenzene		0.1 g in 100 mL 90% v/v ethanol-water
3.0-4.0	P-R	4,4'-Bis(2-amino-1-naphthylazo)-2,2'-stilbenedisulfonic acid		0.1 g in 5.9 mL 0.05 M NaOH + 94.1 mL water
3.0-4.2	Y-B	Tetrabromophenolphthalein ethyl ester, potassium salt		0.1% in ethanol
3.0-4.6	Y-B	Bromophenol Blue	4.10	0.1 g in 14.9 mL 0.01 M NaOH + 235.1 mL water
3.0-5.0	B-R	Congo Red		0.1% in water
3.2-4.4	R-Y	Methyl Orange	3.46	0.1% in water
3.4-4.8	R-Y	Ethyl Orange	4.34	0.05-0.2% in water or aqueous ethanol
3.5-4.8	V-Y	4-(4-Dimethylamino-1-naphylazo)-3- methoxybenzenesulfonic acid		0.1% in 60% ethanol-water
3.8-5.4	Y-B	Bromocresol Green	4.90	0.1 g in 14.3 mL 0.01 M NaOH + 235.7 mL water
3.8-6.4	O-V	Resazurin		water
4.0-5.6	R-Y	4-Phenylazo-1-naphthylamine		0.1% in ethanol
4.0-5.8	C-R	Ethyl Red	5.42	0.1 g in 100 mL 50% v/v methanol-water
4.4-5.6	R-Y	2-(p-Dimethylaminophenylazo)pyridine		0.1% in ethanol
4.4-5.8	O-Y	4-( <i>p</i> -Ethoxyphenylazo)- <i>m</i> -phenylene- diamine monohydrochloride		0.1% in water
4.4-6.2	R-B	Resorcin Blue		0.2% in ethanol
4.6-6.0	Y-R	Alizarin Red S		water
4.8-6.0	R-Y	Methyl Red	5.00	0.02 g in 100 mL 60% v/v ethanol-water
4.8-6.6	R-Y	Propyl Red	5.48	ethanol
5.2-6.8	Y-P	Bromocresol Purple	6.40	0.1 g in 18.5 mL 0.01 M NaOH + 231.5 mL water
5.2-6.8	Y-R	Chlorophenol Red	6.25	0.1 g in 23.6 mL 0.01 M NaOH + 226.4 mL water
5.4-6.6	C-Y	p-Nitrophenol	7.15	0.1% in water
5.6-7.2	Y-R	Alizarin		0.1% in methanol
6.0-7.0	Y-B	2-(2,4-Dinitrophenylazo)-1-naphthol- 3,6-disulfonic acid, disodium salt		0.1% in water
6.0-7.6	Y-B	Bromothymol Blue	7.30	0.1 g in 16 mL 0.01 M NaOH + 234 mL water
6.4-8.0	C-Y	6,8-Dinitro-2,4-(1 <i>H</i> )quinazolinedione		25 g in 115 mL 1 M NaOH + 50 mL water at 100°C
6.6-7.8	Y-R	Brilliant Yellow		1% in water
6.6-8.0	Y-R	Phenol Red	8.00	0.1 g in 28.2 mL 0.01 M NaOH + 221.8 mL water
6.8-8.0	R-A	Neutral Red		0.01 g in 100 mL 50% v/v ethanol-water
6.8-8.6	C-Y	m-Nitrophenol	8.28	0.3% in water
7.0-8.8	Y-R	Cresol Red	8.46	0.1 g in 26.2 mL 0.01 M NaOH + 223.8 mL water
7.4-8.6	Y-R	Turmeric (Curcumin)		ethanol
7.4-9.0	Y-P	Metacresol Purple	8.3	0.1 g in 26.2 mL 0.01 M NaOH + 223.8 mL water

# **ACID-BASE INDICATORS (continued)**

pH range	Color change	Indicator	p <i>K</i>	Preparation
8.0-9.0	B-R	4,4'-Bis(4-amino-1-naphthylazo)-2,2'-stilbenedisulfonic acid		0.1 g in 5.9 mL 0.05 M NaOH + 94.1 mL water
8.0-9.6	Y-B	Thymol Blue	9.20	0.1 g in 21.5 mL 0.01 M NaOH + 228.5 mL water
8.2-10.0	O-B	p-Naphtholbenzein		1% in dil. alkali
8.2-10.0	C-Pk	Phenolphthalein	9.5	0.5 g in 100 mL 50% v/v ethanol-water
8.2-9.8	C-R	o-Cresolphthalein		0.04% in ethanol
8.4-9.6	C-B	Ethyl bis(2,4-dimethylphenyl)ethanoate		sat. solution in 50% acetone-ethanol
9.4-10.6	C-B	Thymolphthalein		0.04 g in 100 mL 50% v/v ethanol-water
10.1-12.0	Y-R	Alizarin Yellow R		0.01% in water
11.0-12.4	R-P	Alizarin		0.1% in methanol
11.4-12.6	Y-O	<i>p</i> -(2,4-Dihydroxyphenylazo) benzenesulfonic acid, sodium salt		0.1% in water
11.4-13.0	B-Y	5,5'-Indigodisulfonic acid, disodium salt	water	
11.5-13.0	C-O	2,4,6-Trinitrotoluene		0.1-0.5% in ethanol
12.0-14.0	C-O	1,3,5-Trinitrobenzene		0.1-0.5% in ethanol
12.2-13.2	Y-A	Clayton Yellow		0.1% in water