

Requirements and Analysis Document

Requirements and Analysis Document

1 Introduction

1.1 Purpose of application

1.1.1 Stakeholders

1.2 General characteristics of application

1.3 Scope of application

1.4 Objectives and success criteria of the project

1.5 Definitions, acronyms and abbreviations

2 Proposed application

2.1 Overview

2.2 Functional requirements for base functionality

2.3 Non-functional requirements for base-functionality

2.3.1 Usability

2.3.2 Reliability

2.3.3 Performance

2.3.4 Supportability

2.3.5 Implementation

2.3.6 Verification

2.3.7 Packaging and installation

2.3.8 Legal

2.4 Functional requirements for add-on functionality

2.5 Application models

2.5.1 Scenarios

2.5.2 Use case model Use cases priority

2.5.3 Static model

2.5.4 Dynamic model

2.5.5 User interface

2.6 Test cases

2.7 Possible future directions

2.8 References

Version: 1.2

Date: 2012-03-29

*Authors: Oscar Brodefors, Filip Askviken, Rikard Andersson,
Emil Nyström*

This version overrides all previous versions.

1 Introduction

When attending courses at Chalmers you tend to need books. These books are expensive and mostly useful only under the course of the course. At

this moment the authors of this document have at least 10 books at home, collecting dust. These could be useful to other students who are now taking the courses connected to those particular books. Wouldn't it be swell if we could find those students and sell them our old books for a lower price than it would cost them to buy new once, preferably with minimum work effort?

1.1 Purpose of application

A simple application for smartphones where students can gather to sell and buy used books needed at courses given at Chalmers (and possibly other Universities). Users can register books for sale and other users can search and find these books. The unique selling point compared to existing sites like blocket or tradera is the niche market. When buying from our application you know that the seller is close by and that you can set up a meeting to get the book the same day.

1.1.1 Stakeholders

There are several stakeholders for our application.

- Students (buyers and sellers)
- Student organizations (SNI)
- Book stores (Cremona in particular)
- Teachers
- Developers
- Testers
- Beta-testers
- Supervisors
- Maintenance
- Server-side supplier

We aim to sell our product to student organisations and therefore view them as our most important stakeholder along with, of course, the actual users of the application. Most of our requirements will be connected to them. Since we develop towards users we anticipate that a lot of test cases will be needed.

We have already been in contact with the student study organization at Industrial Engineering and Management and we have got some requirements from this stakeholder. We have also talked to some students at Chalmers regarding the application in order to get some actual requirements from real stakeholders.

1.2 General characteristics of application

No transactions are handled by the application. The application simply matches buyer with seller and provides the opportunity for market mechanisms to function in the interaction between these two parties.

Functionality to add a plethora of attributes about the book and for users to

search for books on these criterias. Also the ability to describe a book in general and to upload a photo of the book taken with the mobile camera.

The ability for other users to comment on the book.

Possible functions to be added in future versions:

- Auctions
- Connection to Cremona to compare price and to buy new books
- A website connected to the application

1.3 Scope of application

There is no platform available for buying and selling books but exchanges happens anyway in other forums, for example "bokbytarmingel" arranged by SNI. However this application aims to find more sellers and to build a natural platform where buyers can meet sellers without knowing each other.

The application is to be sold to different student organisations who can then brand it and market it to their users.

An alternative market plan is to offer it for free to start with and to build a user base. When there is a bulk of users a small fee can be charged for adding books for sale.

1.4 Objectives and success criteria of the project

A objective for the application is to complete and fulfill all the requirements for the application. Another objective is to launch the application on time, according to the market plan.

Server side

Database

Books table

Users table

Server

Client side

GUI

Communication layer

All logic layer (functional programming is to be used!)

1.5 Definitions, acronyms and abbreviations

GUI - Graphical user interface

2 Proposed application

We propose a client-server application where users communicate with a database. Users can add and get information from the database and get contact information about other users. The application will be available for phones

with Google's Android Operating System. In the future we intend to port the application to work on phones with Apple's iOS Operating System.

2.1 Overview

2.2 Functional requirements for base functionality

Functional requirements for a system describes what the system should do. The requirements can be written at different levels of detail and can be based on both user requirements and system requirements (Sommerville, 2007).

Requirement ID 1

A book store that provides the possibility for a **seller** to register a book for sale and that this book is then marketed to potential buyers

Requirement ID 1.1

Use case: **The seller can register a book for sale**

Trigger: A seller press the button for "uploading a book"

Precondition: The seller is logged in

Basic path: The seller presses the button for uploading a book and then gives the possibility to fill in title, edition of the book, actual course, quality of the book, minimum price, and contact details.

Exception path: The seller should get a exception if some of the required fields are not filled in. The seller should also have the possibility to quit the uploading process at any time through a cancel-button.

Post condition: A new book is uploaded to the market.

Requirement ID 1.1.1

Use case: **The seller can set a price for the book**

Trigger: A seller are in the process of uploading a book

Precondition: The seller is logged in

Basic path: The seller presses the button for uploading a book and then needs to fill in the required field regarding price.

Exception path: The seller should get a exception if no character is typed into the price-field.

Post condition: A new book is uploaded to the market with a minimum price.

Requirement ID 1.1.2, stakeholder ST

Use case: **The seller can upload a picture of the book for sale**

Trigger: A seller are in the process of uploading a book

Precondition: The seller is logged in

Basic path: The seller presses the button for uploading a book and then gives the possibility to upload a picture of the book. Either from the phones picture library or by taking a new photo with the phone-camera.

Exception path: The seller should get a exception if the picture is too big to handle or in a wrong format.

Post condition: A new book is uploaded to the market with a picture showing the book.

Requirement ID 1.1.3

Use case: **The seller have to set a title for the book**

Trigger: A seller press the button for "uploading a book"
Precondition: The seller is logged in
Basic path: The seller presses the button for uploading a book and then have to fill in a book title. The title must be more than 10 characters long and maximum of 200 characters.
Exception path: The seller should get a exception message if a title is not filled in or the title have less than 10 characters (the 200 character limit should be implemented in the text box).
Post condition: A book for upload have a title.

Requirement ID 1.1.4, stakeholder ST

Use case: **The seller can set an ISBN for the book for sale**
Trigger: A seller press the button for "uploading a book"
Precondition: The seller is logged in
Basic path: When uploading a book, the seller has the possibility to fill in ISBN-code for the book in a text box.
Exception path: The seller should get a exception message if the number of characters in the ISBN-number is any other than 10 or 13 digits.
Post condition: An uploaded book can have a ISBN-number.

Requirement ID 1.1.5

Use case: **The seller can set a publishing year for the book for sale.**
Trigger: A seller press the button for "uploading a book"
Precondition: The seller is logged in
Basic path: The seller types in the publishing year of the book, four digits.
Exception path: The seller should get a exception message if the filled in year is not a valid year (4 digits)
Post condition: An uploaded book have a publishing year.

Requirement ID 1.1.6, stakeholder SNI

Use case: **The seller can set a course for which he/she used the book.**
Trigger: A seller press the button for "uploading a book"
Precondition: The seller is logged in
Basic path: The seller can fill in which course the book is used in.
Exception path: The seller have a possibility to not fill in the course, therefore no specific exception path.
Post condition: An uploaded book have a connection to a course.

Requirement ID 1.1.7, stakeholder ST

Use case: **The seller can add a comment about the book.**
Trigger: A seller press the button for "uploading a book"
Precondition: The seller is logged in
Basic path: The seller types in comments about a book in a text box.
Exception path: -
Post condition: An uploaded book might have comments.

Requirement ID 1.2

Use case: **The seller can update information about a book or take a book off of the market**
Trigger: A book is sold (not for sale any more) or not up to date.
Precondition: The seller is logged in
Basic path: The seller looks at his/hers uploaded books and press one of them. The seller then sees the information concerning the book and have the possibility to update information or delete the book from the

market.

Exception path: If a book is not deleted or updated within two months, the book will be deleted from the market.

Post condition: A book is updated with new information or deleted from the market.

Requirement ID 2

A book store that provides the possibility for a **buyer** to search for and browse books and put him/her in touch with sellers

Requirement ID 2.1, stakeholder SNI

Use case: **A buyer can search the database for available books**

Trigger: A buyer needs information about a specific book or course

Precondition: a buyer is logged in.

Basic path: A buyer fills in a attribute in the search field and then gets the answers from the search presented in a list.

Exception path: If the searched text does not match any attribute, the searcher should get a exception message "your search did not match any information at the market"

Post condition: The searcher finds the information he/she wants.

Requirement ID 2.1.1, stakeholder SNI

Use case: **In a search, a buyer can specify a book's title**

Trigger: A buyer needs information about a specific book

Precondition: a buyer is logged in.

Basic path: A buyer fills in a book title in the search field and then gets the answers from the search presented in a list.

Exception path: If the searched text does not match any book titles, the searcher should get a exception message "your search did not match any information at the market"

Post condition: The searcher finds the information he/she wants.

Requirement ID 2.1.2

Use case: **In a search, a buyer can specify a book's author**

Trigger: A buyer needs information about a specific book

Precondition: a buyer is logged in.

Basic path: A buyer fills in a author in the search field and then gets the answers from the search presented in a list.

Exception path: If the searched text does not match any authors, the searcher should get a exception message "your search did not match any information at the market"

Post condition: The searcher finds the information he/she wants.

Requirement ID 2.1.3

Use case: **In a search, a buyer can specify which course the book was used for.**

Trigger: A buyer needs information about a specific course

Precondition: a buyer is logged in.

Basic path: A buyer fills in a course in the search field and then gets the answers from the search presented in a list.

Exception path: If the searched text does not match any authors, the searcher should get a exception message "your search did not match any information at the market".

Post condition: The searcher finds the information he/she wants.

Requirement ID 2.1.4

Use case: **A search can be sorted on any of the available attributes that a book can have. Originally it is sorted by price.**

Trigger: A buyer finds some attributes more important than others.

Precondition: a buyer is logged in.

Basic path: a buyer searches for a book and then get the books presented in a list. The buyer then have the possibility to sort by other attributes, for example "recently added", "latest edition" etc.

Post condition: The buyer finds a book with the right attributes.

Requirement ID 2.2

Use case: **Buyer can upload a buy request (see ID 1)**

Trigger: A buyer needs a book which is not found at the market

Precondition: a buyer is logged in.

Basic path: A buyer press the button "add buy request" and fills in the information concerning uploading a book.

Exception path: The buyer needs to have a book title and/or course, otherwise the buyer will get an exception message and the buying request will not be conducted.

Post condition: A buying request is uploaded to the market.

Requirement ID 3

User details

Requirement ID 3.1

Use case: **Users are identified by their phone number** similar to the way the application WhatsApp works.

Trigger: Communication with server

Precondition: A user have a cell phone and wants to use the application

Basic path: A membership is based on the a

Exception path: A user must agree on the terms for the application, including filling in his/hers phone number

Post condition: A user can easily find friends from the phonebook using the application

Requirement ID 3.2

Use case: **User have to specify his/her name connected to the phone number**

Trigger: On first startup the user have to set first and last name.

Precondition: The application have never been started before or the user have never specified his/her name

Basic path: Application is downloaded and the started

Exception path: The user can chose not to specify name but the application is the shut down

Postcondition: The user is sent to the starting menu.

Requirement ID 3.3

Use case: **Users can specify additional information about themselves**

Trigger:

Precondition:

Basic path:

Exception path:
Post condition:

Requirement ID 3.3.1

Use case: **Users can specify their e-mail**
Trigger:
Precondition:
Basic path:
Exception path:
Post condition:

Requirement ID 3.3.2

Requirement ID 3.3.3

Use case: **Users can specify which year they enrolled**
Trigger:
Precondition:
Basic path:
Exception path:
Post condition:

Requirement ID 3.3.4

Use case: **Users can specify what Chalmers-programme they belong to.**
Trigger: -
Precondition: A user is in the registration process or updating user details.
Basic path: A user specifies programme in a scroll list in a text box.
Exception path: -
Post condition: A user have a programme in his/hers user details.

Requirement ID 3.4

Use case: **Statistic is logged and shown about how many books the user have sold** (and how many he/she have bought)

2.3 Non-functional requirements for base-functionality

Non-functional requirements are constraints on the services of functions offered by the system, for example regarding timing och the development process. Non-functional requirements often apply to the system as a whole (Sommerville, 2007).

2.3.1 Usability

The system will have to be intuitive and a user should be able to work the system without the use of a manual.

A user should be able to register a book for sale with ease. It should take no more than 5 minutes for a first time user to register a book for sale with the minimum amount of required information.

A user should easily be able to find if the book he/she needs is available for sale. This can be done by doing an extensive search for the exact

information by a book or by browsing different available books in different categories. The search of a book should not take more than five seconds.

The design should be minimalistic and easy on the eyes.

2.3.2 Reliability

The will experience the most pressure during the first weeks of the four "läsperioder" during the Chalmers year. During this time there needs to be a very low probability of failure.

Since no actual transactions are handled by the application the severity of a failure has little economic effect on the users which would indicate a lower need for reliability. However the system needs to be stable in order to attract users.

The system has to be reliable in the sense that information about the users have to be kept safe. Information stored about user is always sensitive so the system will keep a minimum amount of information about the users. The only required information stored about the users are: name, email address, and phone number.

2.3.3 Performance

Performance needs will vary over different periods. As stated under reliability, the system will experience the most pressure during the first few weeks of every period ("läsperiod"). In the middle of these periods bandwidth and server capacity can be limited. A solution where bandwidth and server capacity is paid for depending on usage should be considered.

The function and use of the application is dependent on internet access. Since the phone can have limited bandwidth it is desirable to minimise the size of data being transferred. Users must be able to get an overview of the availability of books quickly. More detailed information like images can be allowed to take more time and bandwidth but must then be optional to view.

2.3.4 Supportability

Maintenance, upgrades and changes have to be made during periods of low usage, that is not during the first few weeks of every period. This is to be done by professionals with insight into software engineering. However the documentation should allow for any such professional to do it, hence the life of the system is not dependent on the engagement of the creators.

2.3.5 Implementation

The implementation needs to be done without any major investments. The solutions used will probably be free to use and must fit within the confines of the law. Software must be possible to release under GPLv3. Client-side software must be runnable on Android OS and adhere to the concept of object oriented programming.

The client-side application cannot exceed 10 Mb.

2.3.6 Verification

A user is verified by its phone number and his/her name connected to that phone number. Name is given to the system by the user.

2.3.7 Packaging and installation

The application will be available through the application outlets available electronically and accessible directly through your phone. This includes, to begin with, Android-market and in future releases also via Appstore.

Installation must be automatic and application needs to be executable once it is downloaded.

2.3.8 Legal

The application is to be sold to student organisations which in turn can market it with their brand. The application will be sold under GPLv3 license and should be compatible with the requirements forced upon software under this license.

2.4 Functional requirements for add-on functionality

Requirement ID 4, stakeholder ST

Auction

Requirement ID 4.1

If the time for an auction runs out the book is automatically taken off the market.

Requirement ID 4.2

The seller can specify if he/she wants to have an auction, a buyout-price or both

Requirement ID 4.3

Use case: A book out for auction can have a reservation price

Requirement ID 4.4

A book out for auction have an ending date

Requirement ID 4.5

Anyone can make a bid for a book out for auction except for the owner of the auction/book

Requirement ID 4.6

A bid have to exceed the previous bid with at least 10 kr and in even 10 kr intervals.

Requirement ID 4.7

A book on the market that is not on auction can be reserved for 5 minutes during which it is not visible to other buyers.

Requirement ID 5

Cremona Bookstore integration

Requirement ID 5.1

If a buyer search for a book without any sellers, the buyer should get information regarding if the book is available at Cremona Bookstore at Chalmers

Requirement ID 6

Reservations of books

Requirement ID 6.1

When a reservation is made, the user making the reservation gets access to the buyer's contact information

Requirement ID 6.2

A buyer can only make one book reservation at the time.

Requirement ID 7

ISBN number will be used to identify a book

Requirement ID 7.1

ISBN number provides user with info about author, year, version, name etc.

Requirement ID 8

Saving statistics

Requirement ID 8.1

Saving statistics for book price

Requirement ID 9, stakeholder SNI

Renting

Requirement ID 9.1

A book can either be sold or rented (or both)

2.5 Application models

2.5.1 Scenarios

2.5.2 Use case model Use cases priority

2.5.3 Static model

2.5.4 *Dynamic model*

2.5.5 *User interface*

2.6 Test cases

2.7 Possible future directions

2.8 References

Sommerville, Ian (2007). *Software engineering*. Eight edition, Pearson Education Limited, Edinburgh Gate, England.