

CSCI 4311/5311 Midterm Fall-2020

Name: _____

ID: _____

Instructions:

- This exam is open book, notes, slides etc.
- The exam starts at 10am and Moodle will automatically close submission at 12 pm.
- I do not accept email submission.
- You need to submit a PDF file. Make sure you convert your solutions to a PDF file.
- Do NOT attempt to cheat. If you get caught, you get F from the class and directly reported to the department and student affairs.
- If you cheat from your friend, I will assume that both of you are cheater and I will act accordingly.

Total Marks = 100

Time: 120 minutes

Good Luck!

(Q1)[2x8 = 16 points]

Write true or false in the box and shortly explain why you think it is true or false. You can use some examples to explain your reasoning. Note that, without explanation, you will not get points.

a-) () Client-Server architecture always works faster than Peer-to-Peer architecture.

b-) () Suppose Host A sends one segment with sequence number 38 and 4 bytes of data over a TCP connection to Host B. In this same segment the acknowledgment number is necessarily 42.

(Q2)[15 points]

Suppose Host A sends two TCP segments back to back to Host B over a TCP connection. The first segment has sequence number 90; the second has sequence number 110. Assume that the second segment size is 30 bytes.

a-) [3 points] How much data is in the first segment?

b-) [3 points] Suppose that the first segment is lost but the second segment arrives at B. In the acknowledgment that Host B sends to Host A, what is the acknowledgment number?

c-) [3 points] If the second segment arrives before the first segment, in the ACK of the first arriving segment, what is the ACK number?

d-) [3 points] Suppose that the both segments arrive at B in order. B sends acknowledgement packets but the first ack packet is lost, second packet arrived successfully. What will Host A do and why?
E.g. retransmit packets, retransmit a packet or, do not retransmit the packet.

e-) [3 points] Suppose that the both segments arrive at B in order. In the last acknowledgment that Host B sends to Host A, what is the acknowledgment number?

(Q3) [15 points]

Compare TCP and UDP protocols. What are the advantages and disadvantages of both protocols? Explain **briefly**.

(Q4)[24 points]

A router has only two links; incoming link has bandwidth 2 Mbps and outgoing link has bandwidth 8 Mbps. The next hop router in the outgoing link is 20 km away. A packet of 2000 bytes arrives at the incoming link. Calculate the time interval between the time when the first bit of the packet enters the router incoming interface and the time when the first bit of the packet enters the next hop router incoming interface. Initially all the queues are empty.

Speed of light in fiber is 200,000 km/s.

Note1: Mbps (Megabit per second), 1 byte = 8 bits, Don't forget to convert units.


Note2: Giga = 10^9 , Mega = 10^6 , kilo = 10^3 , milli = 10^{-3} , micro 10^{-6} , nano 10^{-9}

(Q5)[30 points]

We are trying to transfer a large file over this connection. Initial ssthresh is 8 MSS. MSS= 1KB. A timeout occurs at RTT 4. A triple double ACK arrives after having just transmitted 33KB after the timeout. Assume that you successfully transfer all the data at RTT 14.


- Draw the Congestion Window (cwin) value against time (RTT).
- Identify slow start and congestion avoidance intervals.
- Find the ssthresh values for all intervals.

a- [10 points] A TCP connection uses the Tahoe version.



b- [5 points] Calculate total numbers of byte transferred in part a.

c- [10 points] A TCP connection uses the Reno version.



d- [5 points] Calculate total numbers of byte transferred in part c.