

# GGisEZ - Tutorial


GGisEZ is a simple GIS application that lets the user upload geographical data in the form of GeoJSON and shapefiles, and perform various transformations on said data. Follow this tutorial to perform common GIS tasks, using GGisEZ (<https://oskarhlm.github.io/GGisEZ/>).

## Task 1: Upload and explore data layers

Download necessary GeoJSON/shape-files from <https://github.com/oskarhlm/GGisEZ/blob/main/data.zip>. You


can then use the -button to upload a data layer. The *Elv\_Elvnett* data layer is a good place to start. Make sure to include all it's files (.shp, dbf, .prj, .shx). The .shp file holds the geometries, whereas the .dbf file includes properties for each feature of the layer, and the .prj file includes information about which projection the data is in. The .prj is especially important, as the source data is in ETRS89 / UTM zone 33N but the Mapbox map is in the GPS projection WGS84. The .prj file enables the program to perform a transformation to WGS84 before the data layer is added to the map.

When loaded, highlight the layer in the panel to the left. You will now see a panel to the right where you can change the name and color of the layer. Press the *Apply* button for changes to take effect. Select the *Info* tab in the same panel. Here you have basic info about the layer, and you can also inspect the attribute table of the layer.



venett	objType	streknNr	elvelengde	elvID	vatnLnr	vassdragNr	nbfVassNr	elvenavn	hierarki	elveorden	regulert	andelQNorm
	ElvBekkMidtlinje	123000656	648.52	123-5-10	0	123.2C	null	null	Vikelva	2	null	-9999
	ElvBekkMidtlinje	123000686	959.94	123-43-5066	0	123.A6	null	null	Nidelvvassdraget	1	null	-9999
	ElvBekkMidtlinje	123000922	545.11	123-43-5033	0	123.A81	null	null	Nidelvvassdraget	1	null	-9999
	ElvBekkMidtlinje	123000655	129.41	123-43-5072	0	123.A81	null	null	Nidelvvassdraget	2	null	-9999
	ElvBekkMidtlinje	123000589	473.25	123-5-9	0	123.2C	null	null	Vikelva	3	null	-9999
	ElvBekkMidtlinje	123000553	339.42	123-5-29	0	123.2C	null	null	Vikelva	1	null	-9999
	ElvBekkMidtlinje	123000521	225.11	123-43-5095	0	123.A5	null	null	Nidelvvassdraget	1	null	-9999
	ElvBekkMidtlinje	123000504	283.31	123-5-48	0	123.2C	null	null	Vikelva	1	null	-9999
	ElvBekkMidtlinje	123000503	605.13	123-5-53	0	123.2C	null	null	Vikelva	1	null	-9999
	ElvBekkMidtlinje	123002123	2758.53	123-43-4910	0	123.A722Z	123.A722Z	Rangåa	Rangåa/Nidelvvassdraget	3	null	-9999

Now, upload some more layers needed for the subsequent tasks, namely *balls.json*, *lines.json*, *squiggles.json*, and *weird.json*. Your screen should look something like this now:




You can change the ordering of the layers in the left panel to change what layers are drawn on top in the map. The layers at the top of the list will be drawn in the forefront in the map. You can also hide and delete a layer using the buttons provided for each list item. You can use the button at the bottom right to select several items for deletion.

## Task 2: Transformations

### 2.1 Buffer


Next to the list of layers is a column with buttons for some common transformations/functions found in many GIS applications. A common one is *Buffer*. Select the buffer option. The layer list will go into selection mode:



Select the *squiggles* layer. Also, change units from *kilometers* to *meters* and change the distance to about 100. Click *Apply*. You will now get a new layer named "buffer" which is a thicker version of *squiggles*.


## 2.2 Difference

Select the *Difference* tool. You will now get the option of selecting two layers (Layer A and B). This transformation will return a new layer, where the new layer is the difference of A and B, where B has been clipped from A. Select *balls* as layer A and *buffer* as layer B. You will now get a layer named "difference". Hide or delete layers *balls*, *squiggles*, and *buffer*, and rename *difference* to "GG". You should see something like this:




## 2.3 Bounding box

Select the *BBox* tool. This tool will find the bounding box of a collection of geometries. Select *weird* and press the *Apply* button. You now get a new, rectangular layer named "bbox". Take the difference of *bbox* and *weird* and name the resulting layer "EZ", and hide/delete *bbox* and *weird*:



## 2.4 Clip

Check out the *lines* layer in the middle. There are some zigzag lines at the bottom that we want to get rid of. Select the *Clip* tool, along with the *lines* layer. Now, select two points in the map that will become the corners of the bounding box that will be used to clip the selected layer. It should look something like this:



You can always press "Draw new bbox" if you were to misclick when selecting the corners.

Press *Apply*. You now get a layer called "clip". Give this layer a buffer of about 50 meters and rename the buffer layer to "is".

## 2.5 Union

Your layers should now read a familiar name!



We now want to color the "GG" and the "EZ" in the same color. Use the *Union* tool merge combine them into one layer, and rename this new layer "ggez". Hide the old layers and give the new one a bright red color.




GGEZ! Maybe you can find a way to color the "GIS" portion of the name in it's own color?

## Task 3: Other tools


### 3.1 Dissolve

Load the *ntnu\_campuses* dataset. This consists of point data. Give the points a buffer of 2 kilometers. This creates a buffer for each point. In order to merge them together we use the *Dissolve* tool. Select the tool and the buffer layer, and click *Apply*. Hide the old buffer layer. Your screen should look like this:




### 3.2 Voronoi

You can use the *Voronoi* tool on the *ntnu\_campuses* layer in order to create a Voronoi diagram for the set of points. Select a custom bounding box for the diagram if you wish.




### 3.3 Interseption

We can use the *Intersection* tool to find the intersection between two polygon layers. Find the intersection between the *dissolve* and *voronoi* layers by selecting the tool, checking the two layers, and pressing *Apply*. The result can look something like this:



## Task 4: Downloading

Click the -button select which layers you want to download, and press the download icon placed left of the multi select button. You will now get this dialog:



Check out the link if you are unfamiliar with EPSG's. They are unique identifier for map projections. Select the one you want for download (default is WGS84), and press download.

And that is more or less it! You can of course add your own layers to the map. Just make sure that GeoJSON layers are in WGS84, and that .shp files are added together with a .prj file. If you are to find any errors in the application, please create an issue at <https://github.com/oskarhlm/GGisEZ/issues> or submit a pull request 😊