



College of Engineering, Construction and Living Sciences
Bachelor of Information Technology
ID511001: Programming 2
Level 5, Credits 15
Project 2

Assessment Overview

In this **individual** assessment, you will design and develop two **Windows Forms Applications** using **C#**.

Learning Outcomes

At the successful completion of this course, learners will be able to:

1. Build interactive, event-driven GUI applications using pre-built components.
2. Declare and implement user-defined classes using encapsulation, inheritance and polymorphism.

Assessments

Assessment	Weighting	Due Date	Learning Outcomes
Project 1	25%	Wednesday 11th June at 4:59 PM	1, 2
Project 2	35%	Sunday 4th May at 4:59 PM	1, 2
Theory Examination	30%	Monday 19th May from 3:00 PM - 4:45 PM	1, 2
Classroom Tasks	10%	Sunday 4th May at 4:59 PM	1, 2

Conditions of Assessment

You will complete this assessment mostly during your learner-managed time. However, there will be time during class to discuss the requirements and your progress on this assessment. This assessment will need to be completed by **Sunday 4th May at 4.59 PM**.

Pass Criteria

This assessment is criterion-referenced (CRA) with a cumulative pass mark of **50%** over all assessments in **ID511001: Programming 2**.

Authenticity

All parts of your submitted assessment **must** be completely your work. Do your best to complete this assessment without using an **AI generative tool**. You need to demonstrate to the course lecturer that you can meet the learning outcome for this assessment.

Learning to use AI tool is an important skill. While AI tools are powerful, you **must** be aware of the following:

- If you provide an AI tool with a prompt that is not refined enough, it may generate a not-so-useful response
- Do not trust the AI tool's responses blindly. You **must** still use your judgement and may need to do additional research to determine if the response is correct
- Acknowledge what AI tool you have used. In the assessment's repository **README.md** file, please include what prompt(s) you provided to the AI tool and how you used the response(s) to help you with your work

It also applies to code snippets retrieved from **StackOverflow** and **GitHub**.

Failure to do this may result in a mark of **zero** for this assessment.

Policy on Submissions, Extensions, Resubmissions and Resits

The school's process concerning submissions, extensions, resubmissions and resits complies with **Otago Polytechnic** policies. Learners can view policies on the **Otago Polytechnic** website located at <https://www.op.ac.nz/about-us/governance-and-management/policies>.

Submission

You **must** submit all application files via **GitHub Classroom**. Here is the URL to the repository you will use for your submission – <https://classroom.github.com/a/B5zbCo2J>. If you do not have not one, create a **.gitignore** and

add the ignored files in this resource - <https://raw.githubusercontent.com/github/gitignore/main/VisualStudio.gitignore>. Create a branch called **project-2**. The latest application files in the **project-2** branch will be used to mark against the **Functionality** criterion. Please test before you submit. Partial marks **will not** be given for incomplete functionality. Late submissions will incur a **10% penalty per day**, rolling over at **5:00 PM**.

Extensions

Familiarise yourself with the assessment due date. Extensions will **only** be granted if you are unable to complete the assessment by the due date because of **unforeseen circumstances outside your control**. The length of the extension granted will depend on the circumstances and **must** be negotiated with the course lecturer before the assessment due date. A medical certificate or support letter may be needed. Extensions will not be granted on the due date and for poor time management or pressure of other assessments.

Resits

Resits and reassessments **are not** applicable in **ID511001: Programming 2**.

Instructions

You will need to submit applications and documentation that meet the following requirements:

Functionality - Learning Outcome 1 (55%)

Student Management System - 45%

Create a new **Windows Forms Application** called **StudentManagementSystem**. The application needs to open without code or file structure modification in **Visual Studio**.

Part 1 (10%) - Due Sunday 23rd March at 4.59 PM

- **Institution.cs.** **public class Institution** has the following **private** fields: **name** of type **string**, **region** of type **string** and **country** of type **string**. This class has a **public constructor** that takes in the following parameters: **name** of type **string**, **region** of type **string** and **country** of type **string**.
- **Department.cs.** **public class Department** has the following **private** fields: **institution** of type **Institution** and **name** of type **string**. This class has a **public constructor** that takes in the following parameters: **institution** of type **Institution** and **name** of type **string**.
- **Course.cs.** **public class Course** has the following **private** fields: **department** of type **Department**, **code** of type **string**, **name** of type **string**, **description** of type **string**, **credits** of type **int** and **fees** of type **double**. This class has a **public constructor** that takes in the following parameters: **department** of type **Department**, **code** of type **string**, **name** of type **string**, **description** of type **string**, **credits** of type **int** and **fees** of type **double**.
- **Utils.cs.** **public static class Utils** has the following **public static** methods:
 - **SeedInstitutions()** with the return type of **List<Institution>**. This method seeds a **List<Institution>** with **three Institution** objects.
 - **SeedDepartments()** with the return type of **List<Department>**. This method seeds a **List<Department>** with **three Department** objects.
 - **SeedCourses()** with the return type of **List<Course>**. This method seeds a **List<Course>** with **three Course** objects.

Part 2 (10%) - Due Sunday 30th March at 4.59 PM

- **CourseAssessmentMark.cs.** **public class CourseAssessmentMark** has the following **private** fields: **course** of type **Course** and **assessmentMarks** of type **List<int>**. Also, this class has the following **public** methods:
 - **CourseAssessmentMark()** with no return type and two parameters: **course** of type **Course** and **assessmentMarks** of type **List<int>**.
 - **GetAllMarks()** with the return type of **List<int>**. This method returns all assessment marks.
 - **GetAllGrades()** with the return type of **List<string>**. This method returns all assessment grades.
 - **GetHighestMarks()** with the return type of **List<int>**. This method returns the highest passing assessment mark(s).
 - **GetLowestMarks()** with the return type of **List<int>**. This method returns the lowest passing assessment mark(s).
 - **GetFailMarks()** with the return type of **List<int>**. This method returns the fail assessment mark(s).
 - **GetAverageMark()** with the return type of **double**. This method returns the average assessment mark rounded to two decimal places.
 - **GetAverageGrade()** with the return type of **string**. This method returns the average assessment grade.

For more information on how to calculate the highest, lowest and fail marks, refer to the **grade table** in the **Additional Information** section below.

Part 3 (10%) - Due Sunday 6th April at 4.59 PM

- The application needs to contain the following **enums**:

```
public enum EPosition
{
    LECTURER = 0,
    SENIOR_LECTURER = 1,
    PRINCIPAL_LECTURER = 2,
    ASSOCIATE_PROFESSOR = 3,
    PROFESSOR = 4
}

public enum ESalary
{
    LECTURER_SALARY = 85000,
    SENIOR_LECTURER_SALARY = 100000,
    PRINCIPAL_LECTURER_SALARY = 115000,
    ASSOCIATE_PROFESSOR_SALARY = 130000,
    PROFESSOR_SALARY = 145000
}
```

- **Person.cs.** **public class Person** has the following **protected** fields: **id** of type **int**, **firstName** of type **string** and **lastName** of type **string**. This class has a **public constructor** that takes in the following parameters: **id** of type **int**, **firstName** of type **string** and **lastName** of type **string**.
- **Learner.cs.** **public class Learner** inherits from **Person** and has one additional **private** field: **courseAssessmentMarks** of type **CourseAssessmentMark**. This class has a **public constructor** that takes in the following parameters: **id** of type **int**, **firstName** of type **string**, **lastName** of type **string** and **courseAssessmentMarks** of type **CourseAssessmentMark**.

- **Lecturer.cs.** `public class Lecturer` inherits from **Person** and has three additional **private** fields: **position** of type **EPosition**, **salary** of type **ESalary** and **course** of type **Course**. This class has a **public constructor** that takes in the following parameters: **id** of type **int**, **firstName** of type **string**, **lastName** of type **string**, **position** of type **EPosition**, **salary** of type **ESalary** and **course** of type **Course**.
- **Utils.cs.** `public static class Utils` has the following **public static** methods:
 - In the **assessments > project 2** directory of the **course materials** repository, you will find the implementation of the following method in the **read-from-file-learners.txt** file. **ReadFromFile()** with no return type and three parameters: **filePath** of type **string**, **learners** of type **List<Learner>** and **isAttendance** of type **bool**. This method reads the **learners.txt** file and populates the **learners** parameter. The **learners.txt** file contains the following information:

```
1,Alex,Walker,0,90,95,85,15,5
2,Lucy,Taylor,0,50,40,50,70,60
3,Ethan,Moore,1,60,65,80,85,60
4,Chloe,Adams,1,20,30,40,65,75
5,Noah,Baker,2,80,88,90,50,15
```

What do the numbers represent? The first number is the **id**, the second number is the **course** and the remaining numbers are the **assessment marks 1-5**. **Note:** You will use the second number to access a **Course** object from the **courses** list.

- **ReadFromFile()** with no return type and two parameters: **filePath** of type **string** and **lecturers** of type **List<Lecturer>**. This method reads the **lecturers.txt** file and populates the **lecturers** parameter. The **lecturers.txt** file contains the following information:

```
1,Michael,Brown,1,100000,0
2,Sophia,Green,2,115000,1
3,Ethan,White,0,85000,2
4,Emma,Clark,1,95000,0
5,Liam,Harris,2,110000,1
```

What do the numbers represent? The first number is the **id**, the second number is the **position**, the third number is the **salary** and the fourth number is the **course**. **Note:** You will use the second number to access the enum **EPosition**, the third number to access the enum **ESalary** and fourth number to access a **Course** object from the **courses** list.

Part 4 (15%) - Due Sunday 13th April at 4.59 PM

- **Form1.cs.** `public class Form1` manages the user interface. This class needs to account for the following functionality:
 - Seeding the **institutions**, **departments** and **courses** lists.
 - Reading the **learners.txt** and **lecturers.txt** files. When calling the **ReadFromFile()** method, the **isAttendance** parameter needs to be **false**.
 - Displaying course details. This needs to display the following details in a **DataGridView**:
 - * course **code** and **name** in this format - **code: name**
 - * course **description**
 - * course **credits**
 - * course **fees**
 - * institution **name**, **region** and **country** in this format - **name, region, country**

* department name

Expected output:

Course	Description	Credits	Fees	Institution	Department
CA123: Introduc...	An introductory...	15	750	Ara Institute of ...	Culinary A
IT456: Introduc...	An introductory...	15	750	Otago Polytech...	Informati
ME789: Introdu...	An introductory...	15	750	Eastern Institute...	Mechanic

– Displaying all marks. This needs to display the following details in a **DataGridView**:

- * learner **id**
- * learner **first name** and **last name** in this format - **first name last name**
- * course **code** and **name** in this format - **code: name**
- * learner **assessment marks 1-5** in this format - **mark 1, mark 2, mark 3, mark 4, mark 5**

Expected output:

Id	Name	Course	Marks
1	Alex Walker	CA123: Introduc...	90, 95, 85, 15, 5
2	Lucy Taylor	CA123: Introduc...	50, 40, 50, 70, 60
3	Ethan Moore	IT456: Introduc...	60, 65, 80, 85, 60
4	Chloe Adams	IT456: Introduc...	20, 30, 40, 65, 75
5	Noah Baker	ME789: Introdu...	80, 88, 90, 50, 15

- Displaying all grades. This needs to display the following details in a **DataGridView**:
 - * learner **id**
 - * learner **first name** and **last name** in this format - **first name last name**
 - * course **code** and **name** in this format - **code: name**
 - * learner **assessment grades 1-5** in this format - **grade 1, grade 2, grade 3, grade 4, grade 5**

Expected output:

The screenshot shows a Windows application window titled 'Form1'. On the left is a vertical menu with 13 buttons: '1. Display course details', '2. Display all marks', '3. Display all grades' (highlighted with a blue border), '4. Display highest marks', '5. Display lowest marks', '6. Display fail marks', '7. Display average marks', '8. Display average grades', '9. Display lecturer details', '10. Add a learner', '11. Add a lecturer', '12. Remove a lecturer', and '13. Exit'. To the right of the menu is a DataGridView table with 5 columns: 'Id', 'Name', 'Course', and 'Marks'. The table contains 5 rows of data. The first row is selected with a blue background.

Id	Name	Course	Marks
1	Alex Walker	CA123: Introduc...	A+, A+, A, E, E
2	Lucy Taylor	CA123: Introduc...	C-, D, C-, B, C+
3	Ethan Moore	IT456: Introduc...	C+, B-, A-, A, C+
4	Chloe Adams	IT456: Introduc...	E, E, D, B-, B+
5	Noah Baker	ME789: Introdu...	A-, A, A+, C-, E

- Displaying highest marks. This needs to display the following details in a **DataGridView**:
 - * learner **id**
 - * learner **first name** and **last name** in this format - **first name last name**
 - * course **code** and **name** in this format - **code: name**
 - * learner **highest assessment mark(s)**

Expected output:

The screenshot shows the same Windows application window 'Form1' as before, but with button '4. Display highest marks' highlighted. The DataGridView table now has 4 columns: 'Id', 'Name', 'Course', and 'Highest mark(s)'. The table contains 5 rows of data. The first row is selected with a blue background.

Id	Name	Course	Highest mark(s)
1	Alex Walker	CA123: Introduc...	95
2	Lucy Taylor	CA123: Introduc...	70
3	Ethan Moore	IT456: Introduc...	85
4	Chloe Adams	IT456: Introduc...	75
5	Noah Baker	ME789: Introdu...	90

- Displaying lowest marks. This needs to display the following details in a **DataGridView**:
 - * learner **id**
 - * learner **first name** and **last name** in this format - **first name last name**
 - * course **code** and **name** in this format - **code: name**
 - * learner **lowest assessment mark(s)**

Expected output:

Id	Name	Course	Lowest mark(s)
1	Alex Walker	CA123: Introduc...	85
2	Lucy Taylor	CA123: Introduc...	50, 50
3	Ethan Moore	IT456: Introduc...	60, 60
4	Chloe Adams	IT456: Introduc...	65
5	Noah Baker	ME789: Introduc...	50


- Displaying fail marks. This needs to display the following details in a **DataGridView**:
 - * learner **id**
 - * learner **first name** and **last name** in this format - **first name last name**
 - * course **code** and **name** in this format - **code: name**
 - * learner **fail assessment mark(s)**

Expected output:

Id	Name	Course	Fail mark(s)
1	Alex Walker	CA123: Introduc...	15, 5
2	Lucy Taylor	CA123: Introduc...	40
3	Ethan Moore	IT456: Introduc...	No fail mark(s)
4	Chloe Adams	IT456: Introduc...	20, 30, 40
5	Noah Baker	ME789: Introduc...	15

- Displaying average marks. This needs to display the following details in a **DataGridView**:
 - * learner **id**
 - * learner **first name** and **last name** in this format - **first name last name**
 - * course **code** and **name** in this format - **code: name**
 - * learner **average assessment mark**


Expected output:



Id	Name	Course	Average mark
1	Alex Walker	CA123: Introduc...	58
2	Lucy Taylor	CA123: Introduc...	54
3	Ethan Moore	IT456: Introduc...	70
4	Chloe Adams	IT456: Introduc...	46
5	Noah Baker	ME789: Introdu...	64.6

- Displaying average grades. This needs to display the following details in a **DataGridView**:
 - * learner **id**
 - * learner **first name** and **last name** in this format - **first name last name**
 - * course **code** and **name** in this format - **code: name**
 - * learner **average assessment grade**

Expected output:



Id	Name	Course	Average grade
1	Alex Walker	CA123: Introduc...	C
2	Lucy Taylor	CA123: Introduc...	C-
3	Ethan Moore	IT456: Introduc...	B
4	Chloe Adams	IT456: Introduc...	D
5	Noah Baker	ME789: Introdu...	C+

- Displaying lecturer details. This needs to display the following details in a **DataGridView**:
 - * lecturer **id**
 - * lecturer **first name** and **last name** in this format - **first name last name**
 - * lecturer **position**
 - * institution **name**, **region** and **country** in this format - **name, region, country**
 - * department **name**
 - * course **code** and **name** in this format - **code: name**
 - * lecturer **salary**

Expected output:

Id	Name	Position	Institution	Department	Course
1	Michael Brown	Senior Lecturer	Ara Institute of ...	Culinary Arts	CA123: In
2	Sophia Green	Principal Lecturer	Otago Polytech...	Information Tec...	IT456: Intr
3	Ethan White	Lecturer	Eastern Institute...	Mechanical Eng...	ME789: In
4	Emma Clark	Senior Lecturer	Ara Institute of ...	Culinary Arts	CA123: In
5	Liam Harris	Principal Lecturer	Otago Polytech...	Information Tec...	IT456: Intr

- Adding a learner. When adding a learner, the **id** is auto-generated and unique. Prompt the user to enter the following details: **first name**, **last name**, **course** and **assessment marks 1-5**. Implement the following validation:

- * **first name** and **last name** are not empty or, contain numbers and special characters.
- * **course** is a valid number.
- * **assessment marks 1-5** are between 0 and 100.

If the validation is successful, add the learner to the **learners** list, write the learner to the **learners.txt** file and display a success message. Otherwise, display an error message.

Expected output:

- Adding a lecturer. When adding a lecturer, the **id** is auto-generated and unique. The **salary** is calculated based on the **position**. Prompt the user to enter the following details: **first name**, **last name**, **position** and **course**. Implement the following validation:

- * **first name** and **last name** are not empty or, contain numbers and special characters.
- * **position** and **course** are valid numbers.


If the validation is successful, add the lecturer to the **lecturers** list, write the lecturer to the **lecturers.txt** file and display a success message. Otherwise, display an error message.

- Removing a lecturer. When removing a lecturer, prompt the user to enter the **id** of the learner to remove. If the **id** is valid, prompt the user to confirm the removal. If the user confirms the removal, remove the lecturer from the **lecturers** list and **lecturer.txt** file, and display a success message. Otherwise, display an error message.

Expected output:

- Exiting the application

If the user enters an invalid option, display an error message and prompt the user to enter a valid option.



Attendance Tracker - 10%

Create a new **Windows Forms Application** called **AttendanceTracker**. The application needs to open without code or file structure modification in **Visual Studio**.

Part 5 (10%) - Due Sunday 4th May at 4.59 PM

- Add a **Reference** to the **Student Management System** application.
- **Learner.cs**. In this class, you will add an additional **private** field: **attendance** of type **int** and a **public constructor** that takes in the following parameters: **id** of type **int**, **firstName** of type **string**, **lastName** of type **string** and **attendance** of type **int**. **Note**: This class should have two **private** fields and two **public constructors**.
- **Form1.cs**. **public class Form1** manages the user interface. This class needs to account for the following functionality:
 - Reading the **attendance.txt** file. **Note**: Uncomment the two lines of code in this file. When calling the **ReadFromFile()** method, the **isAttendance** parameter needs to be **true**.
 - Displaying attendance. This needs to display the following details in a **DataGridView**:
 - * learner **id**
 - * learner **first name** and **last name** in this format - **first name last name**
 - * learner **percentage**
 - Display learners at risk. A learner at risk is someone who has an attendance percentage of less than 50%. This needs to display the following learner **first name** and **last name** in this format - **first name last name** in a **ListBox**. **Note**: You cannot deviate from the required format.

Expected output:

The screenshot shows a web application window titled "Form1". Inside, there is a table with the following data:

	Id	Name	Attendance (%)
▶	1	Alex Walker	100%
	2	Lucy Taylor	45%
	3	Ethan Moore	50%
	4	Chloe Adams	75%
	5	Noah Baker	75%
*			

Below the table, there is a section titled "Students At Risk" which contains a text box with the name "Lucy Taylor".

Code Quality and Best Practices - Learning Outcome 2 (40%)

- Naming Conventions (5%) - File, class, method, variable, constant and property names should be clear, descriptive and consistent across the codebase.
- Documentation and Comments (10%) - The code should be well-documented using the **XML** documentation format with comments that explain complex logic and clarify the purpose of classes, methods or complex sections.
- Code Formatting (10%) - Consistent indentation and spacing should be used across the codebase. It includes ensuring proper indentation for code blocks, following a standard format for braces and adding blank lines between sections.
- Dead Code (5%) - The code should not contain unused or redundant files, classes, methods, variables, constants or properties. Keeping unnecessary code around can lead to confusion, clutter and potential bugs down the line.
- Performance and Scalability (10%) - The code should be optimised for performance, using efficient algorithms and data structures to minimise bottlenecks.

Documentation and Git Usage - Learning Outcome 2 (5%)

- Provide your application's class diagram in your repository **README.md** file.
- A **.gitignore** file containing the ignored files in this resource - <https://raw.githubusercontent.com/github/gitignore/main/VisualStudio.gitignore>
- Your **Git commit messages** should reflect the context of each functional requirement change.

Additional Information

- You may add additional classes and methods.
- Grade and mark range table:

Grade	Mark Range
A+	90-100
A	85-89
A-	80-84
B+	75-79
B	70-74
B-	65-69
C+	60-64
C	55-59
C-	50-54 (passing assessment marks)
D	40-49 (fail assessment marks)
E	0-39 (fail assessment marks)

- **Do not** rewrite your **Git** history. It is important that the course lecturer can see how you worked on your assessment over time.